EMPIRICAL EVALUATION OF BOUNDARY POLICIES FOR WAVELET-BASED IMAGE CODING

Claudia Schremmer

Praktische Informatik IV Universität Mannheim, Germany schremmer@informatik.uni-mannheim.de

Abstract - The wavelet transform has become the most interesting new algorithm for still image compression. Yet there are many parameters within a wavelet analysis and synthesis which govern the quality of a decoded image. In this paper, we discuss different image boundary policies and their implications for the decoded image. A pool of gray-scale images has been wavelet-transformed with different settings of the wavelet filter bank and quantization threshold and with three possible boundary policies.

Our empirical evaluation is based on three benchmarks: a first judgement regards the perceived quality of the decoded image. The compression rate is a second crucial factor. Finally, the best parameter settings with regard to these two factors is weighted with the cost of implementation.

Contrary to the new standard JPEG-2000, where mirror padding is implemented, our investigation proposes circular convolution as the boundary treatment.

Keywords: Wavelet Analysis, Image Coding, Boundary Policies, Empirical Evaluation.

1. INTRODUCTION

Due to its outstanding performance in compression, new image coding techniques such as the new standard JPEG-2000 [SCE00] [ITU00], focus on the wavelet transform (WT). As we were interested in the influence of the filter length on image coding quality — and contrary to the JPEG-2000 standard, where a reversible (Daubechies 5/3-tap) and an irreversible (Daubechies 9/7-tap) wavelet filter bank are proposed — we have investigated the orthogonal and separable wavelet filters developed by Daubechies [Dau92] which belong to the group of wavelets used most often in image coding applications. They specify a number n_0 of vanishing moments: if a wavelet has n_0 vanishing moments, then the approximation order of the wavelet transform is also n_0 .

However, implementations of the WT on still images entail other aspects as well: speed, decomposition depth, and boundary treatment policies. Long filters require more computing time than short ones. Furthermore, the (dyadic) WT incorporates the aspect of iteration: the low-pass filter defines an approximation of the original signal which contains only half as many coefficients. This approximation successively builds the input for the next approximation. For compression purposes, coefficients in the time-scale domain are discarded and the synthesis quality improves with the number of iterations on the approximation. Finally, the WT is mathematically defined only within a signal; image applications thus need to solve the boundary problem. Depending on the selected boundary policy, the number of iterations in a WT might vary with the filter length. Moreover, the longer the filter length, the more important the boundary policy becomes.

In this work, we investigate the effects of three different boundary policies in combination with different wavelet filter banks on a number of gray-scale images. A first determining factor is the visual perception of a decoded image. As we will see, although the quality varies strongly with the selected image, for a given image it remains relatively unconcerned about the parameter settings. A second crucial factor is therefore the expected compression rate. Finally, the cost of implementation

weights these two benchmarks. Our empirical evaluation leads us to recommend *circular convolution* as boundary treatment, contrary to JPEG-2000.

The article is organized as follows. In Section 2, we cite related work in wavelet filter evaluation. Section 3 reviews the wavelet transform and details the aspects that are important for our survey. In Section 4, we present the technical evaluation of the wavelet transform and detail our results. The article ends in Section 5 with an outlook on future work.

2. RELATED WORK

Villasenor's group researches wavelet filters for image compression. In [VBL95], the focus is on biorthogonal filters, and the evaluation is based on the information preserved in the reference signal, while [GFBV97] focuses on a mathematically optimal quantizer step size. In [AK99], the evaluation is based on lossless as well as on subjective lossy compression performance, complexity and memory usage. Interpretation of why the observations are made is nevertheless lacking. Strutz has thoroughly researched the dyadic WT in [Str97]: the design and construction of different wavelet filters is investigated, as are good Huffman and arithmetic encoding strategies. An investigation of boundary policies, however, is lacking. The new standard JPEG-2000 proposes mirror padding (or: periodic symmetric extension) as the image boundary treatment [SCE00] [ITU00].

3. THE WAVELET TRANSFORM

A wavelet is an (ideally) compact function, i.e., outside a certain interval it vanishes. Implementations are based on the fast wavelet transform, where a given wavelet (i.e., mother wavelet) is shifted and dilated so as to provide a base in the function space. In other words, a one–dimensional function is transformed into a two–dimensional space, where it is approximated by coefficients that depend on time (determined by the translation parameter) and on scale, i.e., frequency (determined by the dilation parameter). — By convention, the notion of time is used even for signals that depend on location rather than on time. Thus, a wavelet–transformed image is also said to be located in the time–scale domain. — The localization of a wavelet in time spread (σ_t) and frequency spread (σ_ω) has the property $\sigma_t \sigma_\omega = \text{const}$. However, the resolution in time and frequency depends on the frequency. This is the so–called zoom phenomenon of the WT: it offers high temporal localization for high frequencies while offering good frequency resolution for low frequencies. Consequently, the WT is especially well suited to analyze local variations such as those in still images: a high–frequency part of an image (e.g., a transition from bright foreground to black background) will be analyzed by short, high–amplitude wavelets. Low variations (e.g., gray value within the same object) will be analyzed by long, low–amplitude wavelets.

3.1 Wavelet Transform and Filter Banks

By introducing multiresolution, Mallat [Mal98] [Mal87] made an important contribution to the application of wavelet theory to multimedia: the transition from mathematical theory to filters. Multiresolution analysis is implemented via high-pass filters, resp. band-pass filters (i.e., wavelets) and low-pass filters (i.e., scaling functions). In this context, the wavelet transform of a signal can be realized with a filter bank via successive application of a 2-channel filter bank consisting of high-pass and low-pass filters: the detail coefficients (resulting from the application of the high-pass, resp. band-pass filter) of every iteration step are kept apart, and the iteration starts again with the remaining approximation coefficients (from application of the low-pass filter) of the transform. This multiresolution theory is 'per se' defined only for one-dimensional wavelets on one-dimensional signals. As still images are two-dimensional discrete signals and two-dimensional wavelet filter design




Figure 1: Mirror padding versus circular convolution for a signal of length of 8 and a filter with 6 taps. Here, the filter is a low-pass filter, thus the coefficients resulting from the convolution form the approximation entries. In (a), the padding results in inflated storage space in the wavelet domain. In (b), the approximation contains half as many entries as the original signal. Together with the details, the entries of the wavelet domain require the same storage space as the original signal.

remains an active field of research [KS00] [KV95] [TK93], current implementations are restricted to separable filters. The successive convolution of filter and signal in both dimensions opens two potential iterations: standard decomposition (i.e., all approximations, even in mixed terms, are iterated) and non–standard decomposition (i.e., only the purely low–pass filtered parts of every approximation enter the iteration). In this work, we concentrate on the non–standard decomposition.

3.2 Image Boundary

A digital filter is applied to a signal by *convolution*. Convolution, however, is defined only *within* a signal. In order to result in a reversible wavelet transform, *each* signal coefficient must enter into filter_length/2 calculations of convolution (here, the subsampling process by factor 2 is already incorporated). Consequently, every filter longer than two entries, i.e., every filter except *Haar*, requires a solution for the boundary. Furthermore, images are signals of a relatively short length (in rows and columns), thus the boundary treatment is even more important than e.g. in audio coding. Two common boundary policies are *padding* and *circular convolution*.

Padding Policies. With padding, the coefficients of the signal on either border are padded with filter_length-2 coefficients (see Figure 1 (a)). Consequently, each signal coefficient enters into filter_length/2 calculations of convolution, and the transform is reversible. Many padding policies exist: constant padding, where the signal's boundary coefficient is padded; mirror padding, where the signal is mirrored at the boundary; spline padding, where the border coefficients are extended by spline interpolation, etc. All padding policies have in common that each iteration step physically increases the storage space in the wavelet domain. In [Wic98], a theoretical solution for the required storage space (depending on the signal, the filter bank and the iteration level) is presented. Nevertheless, its implementation remains sophisticated.

Circular Convolution. The idea of circular convolution is to 'wrap' the end of a signal to its beginning or vice versa (see Figure 1 (b)). In so doing, circular convolution is the only boundary treatment to maintain the number of coefficients for a WT, thus simplifying storage management¹. A minor drawback is that the time information contained in the time-scale domain of the wavelet-

¹Storage space, however, expands indirectly: an image can be stored with integers, while the coefficients in the time-scale domain require floats.

transformed coefficients 'blurs': the coefficients in the time-scale domain that are next to the right border (resp. left border) also affect signal coefficients that are located on the left (resp. right).

The selected boundary policy has an important impact on the iteration behavior of the wavelet transform: convolving the signal with a filter is only reasonable for a signal length greater than the filter length, and each iteration step reduces the size of the approximating signal by a factor of 2. This does not affect the iteration behavior of padding policies. With circular convolution, however, the decomposition depth varies with the filter length: the longer the filter, the fewer decomposition iterations are possible. For example, for an image of 256×256 pixels, the Daubechies–2 filter bank with 4 taps allows a decomposition depth of 7, while the Daubechies–20 filter bank with 40 taps has reached signal length after only 3 decomposition levels, see the table below.

Filter Bank	Taps	It. levels
Daub-2	4	7
Daub-3	6	6
Daub-4	8	6
Daub-5	10	5
Daub-10	20	4
Daub-15	30	4
Daub-20	40	3

Thus, the evaluation presented in Tables 1 to 4 is based on a decomposition depth of level 8 for the two padding policies, while the decomposition depth for circular convolution varies from 7 to 3, according to the selected filter length.

4. EMPIRICAL EVALUATION

4.1 Setup

The goal of our empirical evaluation was to find the best parameter settings for the choice of the wavelet filter bank and for the image boundary policy to implement. The performance was evaluated according to the criteria:

- 1. visual quality,
- 2. compression rate,
- 3. complexity of implementation.

The quality was rated based on the peak signal-to-noise ratio (PSNR)². The compression rate was simulated by a simple quantization threshold: the higher the threshold, the more coefficients in the time-scale domain are discarded, the higher is the compression rate. More precisely, the threshold was carried out only on the parts of the image that have been high-pass filtered (resp. band-pass filtered) at least once. In other words, the approximation of the image was excluded from the thresholding due to its importance for the image synthesis.

Our evaluation was set up on the six gray–scale images of size 256×256 pixels demonstrated in Figure 2. These test images have been chosen in order to comply with different features:

value of the decoded image at position
$$(x, y)$$
, then PSNR [dB] = $10 \cdot \log \left(\frac{\sum_{xy} 255^2}{\sum_{xy} (\text{org}(x, y) - \text{dec}(x, y))^2} \right)$.

²When $\operatorname{org}(x,y)$ depicts the pixel value of the original image at position (x,y), and $\operatorname{dec}(x,y)$ denotes the pixel value of the decoded image at position (x,y), then

- contain many small details: Mandrill, Goldhill,
- contain large uniform areas: Brain, Lena, Camera, House,
- be relatively symmetric at the left-right and top-bottom boundaries: Mandrill, Brain,
- be very asymmetric with regard to these boundaries: Lena, Goldhill, House,
- have sharp transitions between regions: Brain, Lena, Camera, House,
- contain large areas of texture: Mandrill, Lena, Goldhill, House.

4.2 Results

Image-Dependent Analysis.

The detailed evaluation results for the six test images are presented in Tables 1 and 2. Some interesting observations made from these two tables and their explanations are as follows:

- For a given image and a given quantization threshold, the PSNR remains astonishingly constant for different filter banks and different boundary policies.
- At high thresholds, 'Mandrill' and 'Goldhill' yield the worst quality. This is due to the large amount of details in both images.
- 'House' produces the overall best quality at a given threshold. This is due to its large uniform areas.
- Due to their symmetry, 'Mandrill' and 'Brain' show good quality results with padding policies.
- The percentage of discarded information at a given threshold is far higher for 'Brain' than for 'Mandrill'. This is due to the black uniform background of 'Brain', which produces small coefficients in the time—scale domain compared to the many small details in 'Mandrill' which produce large coefficients and thus do not fall below the threshold.
- With regard to the heuristic for compression, and for a given image and boundary policy,
 Table 2 reveals that
 - the compression ratio for zero padding increases with increasing filter length,
 - the compression ratio for mirror padding decreases with increasing filter length,
 - the compression ratio for circular convolution varies, but most often stays almost constant.

The explanation is as follows. Padding an image with zeros, i.e., black pixel values, is most often a sharp contrast to the original image, thus the sharp transition between the signal and the padding coefficients results in large coefficients in the fine scales, while the coarse scales remain unaffected. This observation, however, is put into a different perspective for longer filters: with longer filters, the constant run of zeros at the boundary does not show strong variations, and the detail coefficients in the time-scale domain thus remain small. Hence, a given threshold cuts off fewer coefficients when the filter is longer. With mirror padding, the padded coefficients for shorter filters represent a good heuristic for the signal near the boundary. Increasing filter length and accordingly longer padded areas, however, introduces too much 'false' detail information into the signal, resulting in many large detail coefficients that 'survive' the threshold.

Image-Independent Analysis

The above examples reveal that most phenomena are signal—dependent. As a signal—dependent determination of best—suited parameters remains academic, our further reflections are made on the *average* image quality and the *average* amount of discarded information as presented in Tables 3 and 4 and the corresponding Figures 3 and 4.

Figure 3 visualizes the coding quality of the images, averaged over the six test images. The four plots represent the quantization thresholds 10, 20, 45 and 85. In each graphic, the visual quality (quantified via PSNR) is plotted against the filter length of the Daubechies wavelet filters. The three boundary policies: zero padding, mirror padding and circular convolution are regarded separately. The plots obviously reveal that the quality decreases with an increasing threshold. More important are the following statements:

- Within a given threshold, and for a given boundary policy, the PSNR remains almost constant. This means that the quality of the coding process does not or hardly depends on the selected wavelet filter bank.
- Within a given threshold, mirror padding produces the best results, followed by circular convolution. Zero padding performs worst.
- The gap between the performance of the boundary policies increases with an increasing threshold

Nevertheless, the differences observed above with 0.28 dB maximum gap (at threshold = 85 and filter length = 40) are so marginal that they do not actually influence the visual perception.

As the visual perception is neither influenced by the choice of filter nor by the boundary policy, the coding performance has been studied as a second benchmark. The following observations are made from Figure 4. With a short filter length (4 to 10 taps), the compression ratio is almost identical for the different boundary policies. This is not astonishing, as short filters involve only little boundary treatment, and the relative importance of the boundary coefficients with regard to the signal coefficients is negligible. More important for our investigation are:

- The compression heuristic for each of the three boundary policies is inversely proportional to their quality performance. In other words, mirror padding discards the least number of coefficients at a given quantization threshold, while zero padding discards the most.
- With an increasing threshold, the gap between the compression ratios of the three policies narrows.

In the overall evaluation, we have seen that mirror padding performs best with regard to quality, while it performs worst with regard to compression. Inversely, zero padding performs best with regard to compression and worst with regard to quality. Circular convolution holds the midway in both aspects. On the other hand, the gap in compression is by far superior to the differences in quality. If we now call to mind the coding complexity of the padding approaches, compared to the ease of implementation of circular convolution (cf. Section 3.2), we strongly recommend to implement circular convolution as the boundary policy in image coding.

5. CONCLUSION

We have discussed and evaluated the strengths and weaknesses of different boundary policies in relation to different orthogonal wavelet filter banks. In opposition to the JPEG–2000 coding standard, where mirror padding is suggested for boundary treatment, we have proven that circular convolution performance is superior in the overall combination of quality performance, compression performance and ease of implementation.

In future work, we will improve our heuristic on the compression rate and rely on the calculation of a signal's entropy as it is presented in [WM01] and [Str97].



Figure 2: Test images. The test images (a) and (b) are relatively symmetric at their left–right and at their top–bottom boundary, while the images (c) — (f) are not.

	Quality of visual perception — PSNR [dB]									
		M J-:11		Image Brain			Long			
	Mandrill zero mirror circular		zero mirror circular			Lena				
Wavelet	padding	padding	convol.	padding	padding	convol.	zero padding	mirror padding	circular convol.	
	F 8	F 6		eshold: 10 -		overall qua				
Daub-2	18.012	17.996	18.238	18.141	18.151	18.197	16.392	16.288	16.380	
Daub-3	18.157	18.187	18.221	18.429	18.434	18.433	16.391	16.402	16.350	
Daub–4 Daub–5	18.169 18.173	18.208 18.167	17.963 18.186	18.353 18.279	18.340 18.280	18.248 18.259	16.294 16.543	16.355 16.561	16.260 16.527	
Daub-10	17.977	17.959	18.009	18.291	18.300	18.479	16.249	16.278	16.214	
Daub-15	17.938	17.934	18.022	18.553	18.543	18.523	16.267	16.304	16.288	
Daub-20	17.721	17.831	18.026	18.375	18.357	18.466	16.252	16.470	16.238	
-				hreshold: 20		verall quali				
Daub–2 Daub–3	14.298 14.414	14.350 14.469	14.403 14.424	16.610 16.743	16.611 16.755	16.577 16.721	14.775 14.758	14.765 14.817	$14.730 \\ 14.687$	
Daub-4	14.231	14.239	14.276	16.637	16.628	16.734	14.760	14.918	14.735	
Daub-5	14.257	14.216	14.269	16.747	16.751	16.854	14.739	14.946	14.815	
Daub-10	14.268	14.274	14.360	16.801	16.803	16.878	14.624	14.840	14.699	
Daub–15 Daub–20	14.246 14.046	14.258 14.065	14.300 14.227	16.822 16.953	16.810 16.980	16.852 16.769	14.395 14.252	14.631 14.597	14.477 14.353	
2445 20	11.010	11.000		reshold: 45		overall qua		11.00	11.000	
Daub-2	10.905	10.885	10.910	14.815	14.816	14.747	13.010	13.052	12.832	
Daub-3	10.988	10.970	10.948	15.187	15.150	15.052	12.766	13.138	12.903	
Daub–4 Daub–5	10.845 10.918	10.839	10.885	15.014 15.036	15.029 15.031	15.056 14.999	12.820 12.913	13.132	12.818 12.983	
Daub-5 Daub-10	10.918	10.969 10.929	10.949 10.913	14.989	15.031	14.999	12.913	13.301 13.066	12.983 12.795	
Daub-15	10.845	10.819	10.815	15.093	15.133	15.064	12.577	12.954	12.686	
Daub-20	10.784	10.872	10.843	14.975	14.934	14.882	12.299	12.877	12.640	
				hreshold: 8		verall qualit				
Daub-2	9.095	9.121 9.184	9.135 9.124	13.615 13.787	13.621 13.784	13.783 13.759	11.587 11.437	11.902	11.577 11.516	
Daub–3 Daub–4	$9.206 \\ 9.160$	9.154	9.124	13.792	13.764	13.759	11.437	11.793 11.806	11.636	
Daub-5	9.171	9.208	9.203	13.837	13.850	13.705	11.692	11.790	11.872	
Daub-10	9.207	9.193	9.206	13.870	13.922	14.042	11.128	11.430	11.555	
Daub–15 Daub–20	9.083	9.161	9.126	13.731	13.795	13.917	11.128	11.610	11.475 11.507	
Datab 20										
					Image					
		Camera			Image Goldhill			House		
Wavelet	zero	mirror	circular	zero	Goldhill mirror	circular	zero	mirror	circular	
Wavelet	zero padding		convol.	padding	Goldhill mirror padding	convol.	padding		circular convol.	
	padding	mirror padding	convol. Thr		Goldhill mirror padding Excellent	convol.	padding ality	mirror padding	convol.	
Daub–2 Daub–3	padding 17.334 17.532	mirror padding 17.346 17.560	convol. Thr 17.371 17.625	padding eshold: 10 - 16.324 16.322	Goldhill mirror padding Excellent 16.266 16.296	convol. overall qua 16.412 16.358	padding ality 19.575 19.640	mirror padding 19.563 19.630	19.608 19.621	
Daub–2 Daub–3 Daub–4	17.334 17.532 17.529	mirror padding 17.346 17.560 17.591	Convol. Thr 17.371 17.625 17.577	padding eshold: 10 - 16.324 16.322 16.241	Goldhill mirror padding Excellent 16.266 16.296 16.212	convol. overall qua 16.412 16.358 16.342	padding ality 19.575 19.640 19.560	mirror padding 19.563 19.630 19.558	19.608 19.621 19.584	
Daub–2 Daub–3 Daub–4 Daub–5	17.334 17.532 17.529 17.489	mirror padding 17.346 17.560 17.591 17.448	Thr 17.371 17.625 17.577 17.389	eshold: 10 - 16.324 16.322 16.241 16.214	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193	convol. overall qua 16.412 16.358 16.342 16.154	padding ality 19.575 19.640 19.560 19.613	mirror padding 19.563 19.630 19.558 19.555	19.608 19.621 19.584 19.566	
Daub–2 Daub–3 Daub–4	17.334 17.532 17.529	mirror padding 17.346 17.560 17.591	Convol. Thr 17.371 17.625 17.577	padding eshold: 10 - 16.324 16.322 16.241	Goldhill mirror padding Excellent 16.266 16.296 16.212	convol. overall qua 16.412 16.358 16.342	padding ality 19.575 19.640 19.560	mirror padding 19.563 19.630 19.558	19.608 19.621 19.584	
Daub–2 Daub–3 Daub–4 Daub–5 Daub–10	17.334 17.532 17.529 17.489 17.539	mirror padding 17.346 17.560 17.591 17.448 17.541	Thr 17.371 17.625 17.577 17.389 17.383	eshold: 10 - 16.324 16.322 16.241 16.214 16.307	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319	padding 19.575 19.640 19.560 19.613 19.482 19.653 19.550	mirror padding 19.563 19.630 19.558 19.555 19.388	19.608 19.621 19.584 19.566 19.732	
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20	padding 17.334 17.532 17.529 17.489 17.539 17.747 17.474	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484	padding eshold: 10 - 16.324 16.322 16.241 16.307 16.012 16.322 hreshold: 20	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245 Good of	convol. overall qual 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali	padding 19.575 19.640 19.560 19.613 19.482 19.653 19.550	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495	19.608 19.621 19.584 19.566 19.732 19.726 19.524	
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20	padding 17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527	Convol. Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 26 13.937	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245 Good of 13.940	convol. overall qual 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ity 17.446	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495	19.608 19.621 19.584 19.566 19.732 19.726 19.524	
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20	padding 17.334 17.532 17.529 17.489 17.539 17.747 17.474	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484	padding eshold: 10 - 16.324 16.322 16.241 16.307 16.012 16.322 hreshold: 20	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245 Good of	convol. overall qual 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali	padding 19.575 19.640 19.560 19.613 19.482 19.653 19.550	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495	19.608 19.621 19.584 19.566 19.732 19.726 19.524	
Daub-2 Daub-4 Daub-5 Daub-15 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 20 13.937 13.872 13.872 13.828 13.743	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.892 13.896 13.743	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465	
Daub-2 Daub-4 Daub-5 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460 14.468	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711 13.798	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689	
Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.427	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762 13.687	Goldhill mirror padding — Excellent 16.266 16.296 16.212 16.193 16.263 16.267 16.245 — Good o 13.892 13.836 13.743 13.785 13.730	convol. overall qualification of the state	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592 17.260	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689 17.266	
Daub-2 Daub-4 Daub-5 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.438 14.460 14.468 14.408	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762	Goldhill mirror padding — Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245 — Good of 13.892 13.836 13.743 13.743 13.785 13.730 13.782	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711 13.798	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 17.446 17.525 17.468 17.454 17.592 17.260 17.476	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689	
Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-20 Daub-2 Daub-3 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.460 14.468 14.408 14.384	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 17.327 13.872 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245 Good of 13.840 13.785 13.785 13.785 13.785 13.780 13.782 Medium 12.034	convol. overall qual 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall qual 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ity 17.446 17.525 17.468 17.454 17.592 17.260 17.476	mirror padding 19.563 19.563 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689 17.266 17.240	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-2 Daub-3 Daub-4 Daub-15 Daub-15 Daub-15 Daub-20	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.460 14.468 14.408 14.384	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188	padding eshold: 10 - 16.324 16.322 16.241 16.307 16.012 16.322 hreshold: 20 13.937 13.872 13.872 13.743 13.762 13.687 13.700 reshold: 45	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.034 12.006	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall qual 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240	
Daub-2 Daub-15 Daub-2 Daub-2 Daub-3 Daub-15 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-15 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460 14.468 14.384 12.213 12.032 12.150	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145	padding eshold: 10 - 16.324 16.322 16.241 16.314 16.307 16.012 16.322 hreshold: 26 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.2637 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.034 12.006 11.891	convol. overall qualing the state of the st	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957 14.906	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240	
Daub-2 Daub-15 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-15 Daub-20 Daub-15 Daub-15 Daub-20 Daub-20 Daub-3 Daub-3 Daub-4 Daub-5 Daub-3 Daub-4 Daub-5 Daub-10 Daub-5 Daub-10	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460 14.468 14.484 14.384 12.213 12.032 12.150 12.077 12.061	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.178 12.197	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th. 12.131 12.188 12.145 12.120 12.093	eshold: 10 - 16.324 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 26 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760	Goldhill mirror padding — Excellent 16.266 16.296 16.212 16.193 16.223 16.067 16.245) — Good o 13.892 13.836 13.743 13.785 13.730 13.782 — Medium 12.034 12.006 11.891 11.894 11.917	convol. overall qual 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall qual 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957 14.906 15.159 14.776	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689 17.240 15.155 15.118 15.180 15.244 14.872	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-10 Daub-15 Daub-20 Daub-20 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.468 14.408 14.408 14.384 12.213 12.032 12.150 12.077 12.061 12.074	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 17.322 18.828 13.743 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.034 12.006 11.891 11.844 11.917 11.855	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 14.957 14.906 15.159 14.776 14.810	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969	
Daub-2 Daub-15 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-15 Daub-20 Daub-15 Daub-15 Daub-20 Daub-20 Daub-3 Daub-3 Daub-4 Daub-5 Daub-3 Daub-4 Daub-5 Daub-10 Daub-5 Daub-10	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460 14.468 14.484 14.384 12.213 12.032 12.150 12.077 12.061	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.178 12.197	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048	padding eshold: 10 - 16.324 16.322 16.241 16.307 16.012 16.322 17.000 11.872 13.828 13.743 13.762 13.687 13.700 12.033 11.961 11.855 11.848 11.760 11.725 11.763	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.896 13.743 13.785 13.730 13.782 Medium 12.006 11.891 11.844 11.917 11.855 11.803	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753 11.703	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957 14.906 15.159 14.776 14.810 14.420	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.689 17.240 15.155 15.118 15.180 15.244 14.872	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-15 Daub-15 Daub-15 Daub-20	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.460 14.468 14.384 12.213 12.032 12.150 12.077 12.061 12.074 11.798	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059 11.975	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048	padding eshold: 10 - 16.324 16.322 16.241 16.317 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725 11.763	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.034 12.006 11.891 11.844 11.917 11.855 11.803	convol. overall qua 16.412 16.358 16.342 16.154 16.337 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753 11.703	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 18ity 15.365 14.957 14.906 15.159 14.776 14.810 14.420	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969 14.609	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-10 Daub-15 Daub-20 Daub-20 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.468 14.408 14.408 14.384 12.213 12.032 12.150 12.077 12.061 12.074	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048	padding eshold: 10 - 16.324 16.322 16.241 16.307 16.012 16.322 17.000 11.872 13.828 13.743 13.762 13.687 13.700 12.033 11.961 11.855 11.848 11.760 11.725 11.763	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.896 13.743 13.785 13.730 13.782 Medium 12.006 11.891 11.844 11.917 11.855 11.803	convol. overall qua 16.412 16.358 16.342 16.154 16.317 16.033 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753 11.703	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 tty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957 14.906 15.159 14.776 14.810 14.420	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.524 19.526 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-15 Daub-15 Daub-10 Daub-15 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20	padding	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.172 12.178 12.133 12.197 12.059 11.975 11.161 11.176 11.152	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048	padding eshold: 10 - 16.324 16.322 16.241 16.214 16.307 16.012 16.322 hreshold: 26 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725 11.763 hreshold: 8 10.791 10.943 10.861	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.223 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.006 11.891 11.844 11.917 11.855 11.803 5 — Bad or 10.805 10.904	convol. overall qualification of the state	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 lity 15.365 14.957 14.906 15.159 14.776 14.810 14.420 yy 13.530 13.488 13.524	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969 14.609	
Daub-2 Daub-3 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-10 Daub-15 Daub-20	padding 17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.460 14.468 14.408 14.384 12.213 12.032 12.150 12.077 12.061 12.077 11.092 11.035 11.092 10.943 11.018	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059 11.975 11.161 11.176 11.176 11.152 11.148	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048 T 11.041 11.080 11.046 11.129	padding eshold: 10 - 16.324 16.322 16.241 16.314 16.317 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725 11.763 hreshold: 8 10.791 10.943 10.943 10.861 10.826	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.023 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.006 11.891 11.844 11.917 11.855 11.803 5 — Bad or 10.905 10.904 10.935	convol. overall qua 16.412 16.358 16.342 16.154 16.337 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753 11.703 verall qualit 10.844 10.754 10.738	padding padding	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969 14.609	
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-2 Daub-3 Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-2 Daub-3 Daub-20 Daub-2 Daub-3 Daub-15 Daub-15 Daub-15 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10	17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.438 14.460 14.468 14.384 12.032 12.150 12.077 12.061 12.077 12.061 12.074 11.798	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059 11.975 11.161 11.176 11.152 11.148 11.064	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048 T1.046 11.1080 11.046 11.129 10.987	padding eshold: 10 - 16.324 16.322 16.241 16.314 16.307 16.012 16.322 hreshold: 26 13.937 13.872 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725 11.763 Phreshold: 8 10.791 10.943 10.861 10.824	Goldhill mirror padding Excellent 16.266 16.296 16.212 16.193 16.2637 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.034 12.006 11.891 11.844 11.917 11.855 11.803 5 — Bad of 10.904 10.904 10.905 10.972	convol. overall qualities 16.412 16.358 16.342 16.154 16.337 16.319 verall qualities 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qualities 11.876 11.876 11.889 11.925 11.801 11.726 11.753 11.703 verall qualities 10.844 10.754 10.740 10.738 10.771	padding ality 19.575 19.640 19.560 19.613 19.482 19.653 19.550 ty 17.446 17.525 17.468 17.454 17.592 17.260 17.476 14.810 14.420 y 13.530 13.488 13.524 13.114 13.158	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969 14.609	
Daub-2 Daub-3 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-10 Daub-15 Daub-20	padding 17.334 17.532 17.529 17.489 17.539 17.747 17.474 14.387 14.473 14.488 14.460 14.468 14.408 14.384 12.213 12.032 12.150 12.077 12.061 12.077 11.092 11.035 11.092 10.943 11.018	mirror padding 17.346 17.560 17.591 17.448 17.541 17.530 17.527 14.365 14.452 14.438 14.505 14.400 14.406 14.370 12.242 12.122 12.178 12.133 12.197 12.059 11.975 11.161 11.176 11.176 11.152 11.148	Thr 17.371 17.625 17.577 17.389 17.383 17.523 17.484 T 14.396 14.426 14.430 14.427 14.409 14.414 14.362 Th 12.131 12.188 12.145 12.120 12.093 12.176 12.048 T 11.041 11.080 11.046 11.129	padding eshold: 10 - 16.324 16.322 16.241 16.314 16.317 16.012 16.322 hreshold: 20 13.937 13.872 13.828 13.743 13.762 13.687 13.700 reshold: 45 12.033 11.961 11.855 11.848 11.760 11.725 11.763 hreshold: 8 10.791 10.943 10.943 10.861 10.826	Goldhill mirror padding Excellent 16.266 16.212 16.193 16.023 16.067 16.245 Good of 13.940 13.892 13.836 13.743 13.785 13.730 13.782 Medium 12.006 11.891 11.844 11.917 11.855 11.803 5 — Bad or 10.905 10.904 10.935	convol. overall qua 16.412 16.358 16.342 16.154 16.337 16.319 verall quali 13.898 13.858 13.753 13.711 13.798 13.697 13.731 overall qua 11.876 11.889 11.925 11.801 11.726 11.753 11.703 verall qualit 10.844 10.754 10.738	padding padding	mirror padding 19.563 19.630 19.558 19.555 19.388 19.671 19.495 17.480 17.594 17.647 17.458 17.635 17.276 17.449 15.437 15.476 15.080 15.382 15.246 15.090 15.033	19.608 19.621 19.584 19.566 19.732 19.726 19.524 17.471 17.612 17.351 17.465 17.266 17.240 15.155 15.118 15.180 15.244 14.872 14.969 14.609	

Table 1: Detailed results of the quality evaluation with the PSNR on the six test images. The mean values over the images for a fixed wavelet filter bank and a fixed boundary policy are given in Table 3.

	Disc	arded infor	mation in t	he time-scale domain due to the threshold — Percentage [%]									
	Mandrill			Image Brain			Lena						
	zero mirror circular		zero mirror circular		zero mirror circo		circular						
Wavelet	padding	padding	convol.	padding	padding	convol.	padding	padding	convol.				
Daub-2	Threshold: 10 — Excellent overall quality 42 41 41 83 83 83 78 79 79												
Daub-3	43	42	42	84	84	84	78	80	80				
Daub-4	44	42	41	85	84	84	78	79	79				
Daub–5 Daub–10	45 53	41 38	41 41	85 87	84 82	84 84	79 79	79 74	80 78				
Daub-15	59	35	40	88	78	82	82	69	77				
Daub-20	65	32	40	89	74	83	83	64	77				
Daub-2	0.0	0.0		nreshold: 20 — Good overall quality 91 91 91 87 89 88									
Daub-2 Daub-3	63 64	63 63	63 64	91	91 91	91 91	87	89 89	88 89				
Daub-4	65	63	63	92	91	91	87	88	89				
Daub-5	66	62	63	92	91	91	87	90	89				
Daub–10 Daub–15	70 74	58 56	63 62	93 93	89 86	91 91	88 89	83 79	88 88				
Daub-20	78	51	63	94	82	91	90	74	88				
			Th	reshold: 45	— Medium	overall qua	lity						
Daub-2	86 86	86 86	87 87	96 96	96 96	96 96	94 94	95 95	95 95				
Daub–3 Daub–4	87	86	87	96 96	96 96	96 96	94	95 95	96 96				
Daub–5	87	85	87	96	96	96	95	94	96				
Daub–10 Daub–15	88 90	82 79	87 87	97 97	94 91	96 96	94 95	91 88	96 96				
Daub-13 Daub-20	90	74	87	97	89	96	96	83	96 96				
			T	hreshold: 8	5 — Bad or	verall qualit	y						
Daub-2	96	96	97	98	98	98	97	98	98				
Daub–3 Daub–4	96 96	96 96	97 97	98 98	98 98	98 98	97 97	98 97	98 98				
Daub-5	96	95	97	98	98	98	98	97	98				
Daub-10	97	93	97	98	97	98	97	94	98				
Daub–15 Daub–20	97 97	91 86	97	98	95	98	98	92	98				
Daub 20	31	00	90	30	97 86 98 98 93 99 98 88 99								
					image				11				
		Camera			Image Goldhill			House					
Wavelet	zero padding	mirror	circular	zero padding	Goldhill mirror	circular	zero padding	mirror	circular				
Wavelet	zero padding		convol.	zero padding eshold: 10 -	Goldhill mirror padding	circular convol.	padding		circular convol.				
Daub-2	padding 78	mirror padding	convol. Thr 79	padding eshold: 10 - 70	Goldhill mirror padding Excellent	convol. overall qua	padding ality 79	mirror padding	convol.				
Daub–2 Daub–3	padding 78 77	mirror padding 80 79	79 78	padding eshold: 10 - 70 70	Goldhill mirror padding Excellent 71 71	convol. overall qua 70 71	padding ality 79 79	mirror padding 80 80	80 80				
Daub-2	padding 78	mirror padding	convol. Thr 79	padding eshold: 10 - 70	Goldhill mirror padding Excellent	convol. overall qua	padding ality 79	mirror padding	convol.				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	78 77 77 77	mirror padding 80 79 79 78 74	79 78 78 78 78 78	padding eshold: 10 - 70 70 71 71 73	Goldhill mirror padding Excellent 71 71 71 71 67	70 71 70 70 70 70 70	79 79 79 79 79 80	mirror padding 80 80 80 79 72	80 80 79 79 78				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15	78 77 77 77 77 77 80	mirror padding 80 79 79 78 74 71	Thr 79 78 78 78 76 75	padding eshold: 10 - 70 70 71 71 73 77	Goldhill mirror padding Excellent 71 71 71 71 67 63	70 71 70 70 70 69 68	padding	mirror padding 80 80 80 79 72 66	80 80 79 79 78 77				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	78 77 77 77	mirror padding 80 79 79 78 74	Thr 79 78 78 78 76 77 77 77 78	padding eshold: 10 - 70 70 71 71 73 77 79	Goldhill mirror padding Excellent 71 71 71 71 67 63 58	70 71 70 70 70 70 69 68 68	padding 79 79 79 79 80 82 83	mirror padding 80 80 80 79 72	80 80 79 79 78				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-2	78 77 77 77 77 77 80	mirror padding 80 79 79 78 74 71	Thr 79 78 78 78 76 77 77 77 78	padding eshold: 10 - 70 70 71 71 73 77	Goldhill mirror padding Excellent 71 71 71 71 67 63 58	70 71 70 70 70 69 68	padding 79 79 79 79 80 82 83	mirror padding 80 80 80 79 72 66	80 80 79 79 78 77				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-2 Daub-3	78 77 77 77 77 80 81	mirror padding 80 79 79 78 74 71 66	Convol. Thr 79 78 78 78 76 75 74 T	padding	Goldhill mirror padding Excellent 71 71 71 67 63 58 Good of 87 87 87	convol. 70 71 70 70 69 68 68 68 verall quali 86 86	padding	mirror padding 80 80 80 79 72 66 59	80 80 79 79 78 77 76				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4	78 77 77 77 80 81	mirror padding 80 79 79 78 74 71 66 88 88 88	Convol. Thr 79 78 78 78 76 75 74 T 88 88 88	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86	Goldhill mirror padding Excellent 71 71 71 63 58 Gold of 87 86 66 66 66 66 67 68 66 66	convol. overall qua 70 71 70 70 69 68 68 verall quali 86 86 86	padding ality 79 79 79 79 80 82 83 ty 87	mirror padding 80 80 80 79 72 66 59	80 80 80 79 78 77 76				
Daub-2 Daub-4 Daub-15 Daub-20 Daub-2 Daub-3 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	78 77 77 77 77 80 81	mirror padding 80 79 79 78 74 71 66 88 88 88 88 88 88	Convol. Thr 79 78 78 78 76 75 74 T 88 88 88 88 88	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86	Goldhill mirror padding Excellent 71 71 71 67 63 58	convol. overall qua 70 71 70 69 68 68 verall quali 86 86 86 86 86	padding	mirror padding 80 80 80 80 79 72 66 59 88 88 88 88 88	80 80 79 79 78 77 76				
Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15	78 77 77 77 77 80 81 86 86 86 86 86 86 88	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 82	Convol. Thr 79 78 78 78 76 75 74 T 88 88 88 88 88 88 88	padding	Goldhill mirror padding Excellent	convol. 70 71 70 69 68 68 86 86 86 86 86 86 86	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 88 87 81 75	80 80 80 79 79 78 77 76 88 88 88 87 88				
Daub-2 Daub-4 Daub-15 Daub-20 Daub-2 Daub-3 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10	78 77 77 77 77 80 81	mirror padding 80 79 79 78 74 71 66 88 88 88 88 88 88	Thr 79 78 78 78 76 75 74 T 88 88 88 88 88 88 88 88	padding	Goldhill mirror padding Excellent	convol. 70 71 70 69 68 68 86 86 86 86 86 86 86 86	padding	mirror padding 80 80 80 80 79 72 66 59 88 88 88 88 88	80 80 79 79 78 77 76				
Daub-2 Daub-3 Daub-10 Daub-15 Daub-20 Daub-2 Daub-3 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 88 88 88	mirror padding 80 79 78 74 71 66 88 88 88 87 85 82 78	Thr 79 78 78 78 76 75 74 T 88 88 88 88 87 86 86 86 Thr	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86 86 89 89 reshold: 45	Marcon M	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 86	padding ality 79 79 79 80 82 83 ty 87 87 87 87 87 89 89	mirror padding 80 80 80 79 72 66 59 88 88 87 81 75 69	80 80 79 78 77 76 88 88 87 88 87 88 87 87 87				
Daub-2 Daub-15 Daub-20 Daub-20 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-2 Daub-3 Daub-4 Daub-15 Daub-15 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 86 88 88 88	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 82 78	Thr 79 78 78 78 76 75 74 T 88 88 88 87 86 66 Thn 95 95	padding	Goldhill mirror padding Excellent 71 71 71 71 67 63 58	convol. overall qua 70 71 70 70 69 68 68 exall quali 86 86 86 86 86 86 95 95	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 87 81 75 69	80 80 79 78 77 76 88 88 87 88 87 88 87 87 87				
Daub-2 Daub-15 Daub-20 Daub-20 Daub-3 Daub-15 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-10 Daub-15 Daub-4	78 77 77 77 77 80 81 86 86 86 86 88 88 88 93 93	mirror padding 80 79 78 74 71 66 88 88 88 87 85 82 78	Convol. Thr 79 78 78 76 75 74 T 88 88 88 88 87 86 86 Th 95 95	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 86 86 86 89 89	Goldhill mirror padding Excellent	convol. overall qua 70 71 70 69 68 86 86 86 86 86 86 86 90 overall qua 95 95	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 87 81 75 69	80 80 79 79 78 77 76 88 88 88 87 87 87 87 87				
Daub-2 Daub-15 Daub-20 Daub-20 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-2 Daub-3 Daub-4 Daub-15 Daub-15 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 86 88 88 88	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 82 78	Thr 79 78 78 78 76 75 74 T 88 88 88 87 86 66 Thn 95 95	padding	Goldhill mirror padding Excellent 71 71 71 71 67 63 58	convol. overall qua 70 71 70 70 69 68 68 exall quali 86 86 86 86 86 86 95 95	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 87 81 75 69	80 80 79 78 77 76 88 88 87 88 87 88 87 87 87				
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-10 Daub-20 Daub-20 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15	78 77 77 77 80 81 86 86 86 86 88 89 93 93 94 94 94 93 94	mirror padding 80 79 79 78 74 71 66 88 88 87 85 82 78 95 95 94 93 91	Thr 79 78 78 78 76 75 74 T 88 88 88 87 86 86 86 Thr 95 95 95 95 95	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86 86 89 89 reshold: 45 - 94 95 95 95	Goldhill mirror padding Excellent 71 71 71 71 67 63 58 Goldon 87 87 86 86 83 79 73 Medium 96 96 95 92 89	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 95 95 96 96 96	padding	80 80 80 79 72 66 59 88 88 87 81 75 69	80 80 80 79 78 77 76 88 88 87 88 87 87 87 87 87 87 87 87 87				
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-15 Daub-15 Daub-20 Daub-15 Daub-20 Daub-15 Daub-15 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10	78 77 77 77 80 81 86 86 86 86 88 88 88 93 93 94 94	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 95 95 95 94 93	Thr 79 78 78 78 76 75 74 T 88 88 88 87 86 86 86 Thr 95 95 95 95 95 95	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86 86 89 89 reshold: 45 - 94 95 95 95 95 96	Goldhill mirror padding Excellent 71 71 71 71 67 63 58 Goldon 87 87 86 86 83 79 73 Medium 96 95 95 92 89 85	convol. overall qua 70 71 70 69 68 68 exall quali 86 86 86 86 86 95 95 95 96 96 96 96	padding	mirror padding 80 80 80 79 72 66 59 88 88 87 81 75 69 95 94 94 89	80 80 80 79 78 77 76 88 88 87 88 87 87 87 87 87				
Daub-2 Daub-15 Daub-2 Daub-3 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-10 Daub-20 Daub-20 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15	78 77 77 77 80 81 86 86 86 86 88 89 93 93 94 94 94 93 94	mirror padding 80 79 79 78 74 71 66 88 88 87 85 82 78 95 95 94 93 91	Thr 79 78 78 78 76 75 74 T 88 88 88 87 86 86 86 Thr 95 95 95 95 95 95	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86 86 89 89 reshold: 45 - 94 95 95 95	Goldhill mirror padding Excellent 71 71 71 71 67 63 58 Goldon 87 87 86 86 83 79 73 Medium 96 95 95 92 89 85	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 95 95 96 96 96	padding	80 80 80 79 72 66 59 88 88 87 81 75 69	80 80 79 78 77 76 88 88 87 88 87 87 87 87 87 87 87 87 87				
Daub-2 Daub-3 Daub-15 Daub-20 Daub-3 Daub-20 Daub-3 Daub-2 Daub-3 Daub-5 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20 Daub-3 Daub-2 Daub-3 Daub-15 Daub-10 Daub-15 Daub-2 Daub-3 Daub-3 Daub-10 Daub-15 Daub-10 Daub-15 Daub-3	78 77 77 77 77 80 81 86 86 86 86 88 88 88 93 93 94 94 93 94 93 94 95	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 95 95 95 91 88 98	Thr 79 78 78 78 76 75 74 T. 88 88 88 88 87 86 86 Thr 95 95 95 95 95 95 95 95 95 95 95	padding	Goldhill mirror padding	convol.	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 87 81 75 69 95 94 94 89 84 78	80 80 79 79 78 77 76 88 88 87 87 87 87 87 95 95 95 95 94 95				
Daub-2 Daub-3 Daub-10 Daub-15 Daub-20 Daub-3 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-15 Daub-10 Daub-15 Daub-20 Daub-15 Daub-4 Daub-5 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 88 88 88 93 93 94 94 95 97 97	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 95 95 95 95 91 88 98 98	Convol. Thr 79 78 78 78 76 75 74 T 88 88 88 88 87 86 86 Thr 95 95 95 95 95 95 95 95 95 95 95 95 98	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 86 86 86 86 89 89 reshold: 45 - 95 95 95 95 95 95 95 95 95 97 98 98	Goldhill mirror padding - Excellent 71 71 71 71 67 63 58 - Good o 87 87 86 86 83 79 73 - Medium 96 95 95 95 92 89 85 5 — Bad or	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 95 95 95 96 96 96 96 96 96 9	padding	mirror padding 80 80 80 79 72 66 59 88 88 87 81 75 69 95 94 94 89 84 78	80 80 80 79 78 77 76 88 88 87 87 87 87 95 95 95 94 95 95 94 95				
Daub-2 Daub-3 Daub-15 Daub-20 Daub-3 Daub-15 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-15 Daub-10 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 88 89 93 93 94 94 95 97 97	mirror padding 80 79 78 78 74 71 66 88 88 88 87 85 82 78 95 95 91 88 98 98 98	Thr 79 78 78 78 76 75 74 T 88 88 88 88 87 86 86 95 95 95 95 95 95 95 95 98 98 98	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 85 86 86 86 86 89 89 reshold: 45 - 95 95 95 95 95 96 hreshold: 8	Goldhill mirror padding Excellent 71 71 71 71 67 63 58 Goldon 87 87 86 86 83 79 73 Medium 96 95 95 92 89 85 5 — Bad ov	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 95 95 96 96 96 96 96 98 98 98	padding	mirror padding 80 80 80 79 72 66 59 88 88 88 87 81 75 69 95 94 94 94 89 84 78	80 80 79 78 77 76 88 88 87 88 87 87 87 87 95 95 95 95 94 95 95 95 98				
Daub-2 Daub-3 Daub-10 Daub-15 Daub-20 Daub-3 Daub-20 Daub-3 Daub-4 Daub-5 Daub-10 Daub-15 Daub-20 Daub-15 Daub-20 Daub-2 Daub-3 Daub-4 Daub-5 Daub-15 Daub-15 Daub-10 Daub-15 Daub-20 Daub-15 Daub-4 Daub-5 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-10 Daub-15 Daub-20	78 77 77 77 80 81 86 86 86 86 88 88 88 93 93 94 94 95 97 97	mirror padding 80 79 79 78 74 71 66 88 88 88 87 85 95 95 95 95 91 88 98 98	Convol. Thr 79 78 78 78 76 75 74 T 88 88 88 88 87 86 86 Thr 95 95 95 95 95 95 95 95 95 95 95 95 98	padding eshold: 10 - 70 70 71 71 73 77 79 hreshold: 20 85 86 86 86 86 89 89 reshold: 45 - 95 95 95 95 95 95 95 95 95 97 98 98	Goldhill mirror padding - Excellent 71 71 71 71 67 63 58 - Good o 87 87 86 86 83 79 73 - Medium 96 95 95 95 92 89 85 5 — Bad or	convol. overall qua 70 71 70 69 68 68 86 86 86 86 86 86 95 95 95 96 96 96 96 96 96 9	padding	mirror padding 80 80 80 79 72 66 59 88 88 87 81 75 69 95 94 94 89 84 78	80 80 80 79 78 77 76 88 88 87 87 87 87 95 95 95 94 95 95 94 95				

Table 2: Heuristic for the compression rate of the coding parameters of Table 1: the higher the percentage of discarded information in the time-scale domain is, the higher is the compression ratio. The mean values over the images for a fixed wavelet filter bank and a fixed boundary policy are given in Table 4.

$ ext{Average image quality} - ext{PSNR [dB]}$							
Wavelet	zero padding	mirror padding	circular convol.	zero padding	mirror padding	circular convol.	
	Γ	hreshold 10)	Threshold 20			
Daub-2	17.630	17.602	17.701	15.242	15.252	15.246	
Daub-3	17.745	17.752	17.768	15.298	15.330	15.288	
Daub-4	17.691	17.711	17.662	15.244	15.284	15.213	
Daub-5	17.719	17.701	17.680	15.233	15.270	15.257	
Daub-10	17.641	17.615	17.689	15.253	15.290	15.306	
Daub-15	17.695	17.675	17.686	15.136	15.185	15.168	
Daub-20	17.616	17.654	17.676	15.135	15.207	15.114	
	Γ	hreshold 45	5	Threshold 85			
Daub-2	13.057	13.078	12.942	11.609	11.736	11.681	
Daub-3	12.982	13.144	13.016	11.659	11.763	11.643	
Daub-4	12.932	13.025	13.002	11.637	11.740	11.651	
Daub–5	12.992	13.110	13.016	11.610	11.806	11.626	
Daub-10	12.823	13.061	12.935	11.500	11.713	11.666	
Daub-15	12.854	12.985	12.911	11.422	11.628	11.538	
Daub-20	12.673	12.916	12.788	11.439	11.624	11.718	

Table 3: Average quality of the six test images. Figure 3 gives a more 'readable' plot of these digits.




Figure 3: Visual quality of the test images at the quantization thresholds 10, 20, 45 and 85. The values are averaged over the six test images and correspond to Table 3.

Average discarded information — Percentage $[\%]$								
Wavelet	zero padding	mirror padding	circular convol.	zero padding	mirror padding	circular convol.		
	Γ	hreshold 10)	Threshold 20				
Daub-2	72.0	72.3	72.0	83.2	84.3	84.0		
Daub-3	71.8	72.7	72.5	83.5	84.3	84.3		
Daub-4	72.3	72.5	71.8	83.8	84.0	84.0		
Daub-5	72.7	72.0	72.0	84.0	83.8	84.2		
Daub-10	74.8	67.8	71.0	85.0	79.8	83.7		
Daub-15	78.0	63.7	69.8	87.0	76.2	83.3		
Daub-20	80.0	58.8	69.7	88.0	71.2	83.5		
	Γ	hreshold 45	5	Threshold 85				
Daub-2	92.7	93.8	93.7	97.0	97.7	97.8		
Daub-3	93.0	93.8	93.8	97.2	97.5	97.7		
Daub-4	93.3	93.5	94.0	97.2	97.3	97.8		
Daub-5	93.5	93.0	94.2	97.3	97.0	98.0		
Daub-10	93.5	90.2	94.2	97.3	94.8	98.0		
Daub-15	94.3	87.0	94.0	97.5	92.5	98.0		
Daub-20	95.2	82.8	94.2	97.8	89.0	98.7		

Table 4: Average bitrate heuristic of the six test images. Figure 4 gives a more 'readable' plot of these digits.




Figure 4: Average bitrate heuristic of the test images at the quantization thresholds 10, 20, 45 and 85. The values are averaged over the six test images and correspond to Table 4.

References

- [AK99] Michael D. Adams and Faouzi Kossentini. Performance Evaluation of Reversible Integer—to—Integer Wavelet Transforms for Image Compression. In Proc. IEEE Data Compression Conference, page 514 ff, Snowbird, Utah, March 1999.
- [Dau92] Ingrid Daubechies. *Ten Lectures on Wavelets*, volume 61. SIAM. Society for Industrial and Applied Mathematics, Philadelphia, Pennsylvania, 1992.
- [GFBV97] Javier Garcia-Frias, Dan Benyamin, and John D. Villasenor. Rate Distortion Optimal Parameter Choice in a Wavelet Image Communication System. In *Proc. International Conference on Image Processing (ICIP)*, pages 25–28, Santa Barbara, CA, October 1997.
- [ITU00] ITU. JPEG 2000 Image Coding System. International Telecommunication Union, Final Committee Draft Version 1.0 FCD15444-1 edition, March 2000.
- [KS00] Jelena Kovačević and Wim Sweldens. Wavelet Families of Increasing Order in Arbitrary Dimensions. *IEEE Transactions on Image Processing*, 9(3):480–496, March 2000.
- [KV95] Jelena Kovačević and Martin Vetterli. Nonseparable Two- and Three-Dimensional Wavelets. *IEEE Transactions on Signal Processing*, 43(5):1269–1273, May 1995.
- [Mal87] Stéphane Mallat. A Compact Multiresolution Representation: The Wavelet Model. IEEE Computer Society Workshop on Computer Vision (WCV), 87:2-7, 1987.
- [Mal98] Stéphane Mallat. A Wavelet Tour of Signal Processing. Academic Press, San Diego, CA, USA, 1998.
- [SCE00] Athanassios N. Skodras, Charilaos A. Christopoulos, and Touradj Ebrahimi. JPEG2000: The Upcoming Still Image Compression Standard. In 11th Portuguese Conference on Pattern Recognition (RECPA00D), pages 359–366, Porto, Portugal, May 2000.
- [Str97] Tilo Strutz. Untersuchungen zur skalierbaren Kompression von Bildsequenzen bei niedrigen Bitraten unter Verwendung der dyadischen Wavelet-Transformation. PhD thesis, Universität Rostock, Germany, May 1997.
- [TK93] David B. H. Tay and N. G. Kingsbury. Flexible Design of Multidimensional Perfect Reconstruction FIR 2-Band Filters using Transformations of Variables. *IEEE Transactions on Image Processing*, 2(4):466-480, October 1993.
- [VBL95] John D. Villasenor, Benjamin Belzer, and Judy Liao. Wavelet Filter Evaluation for Image Compression. *IEEE Transactions on Image Processing*, 2:1053–1060, August 1995.
- [Wic98] Mladen Victor Wickerhauser. Adapted Wavelet Analysis from Theory to Software. A K Peters Ltd., Wellesley, Massachusetts, USA, 1998.
- [WM01] Mathias Wien and Claudia Meyer. Adaptive Block Transform for Hybrid Video Coding. In *Proc. SPIE Visual Communications and Image Processing*, pages 153–162, San Jose, CA, January 2001.