Lecture Notes in Computer Science	2463
Edited by G. Goos, J. Hartmanis, and J. van Leeuwen	

Springer Berlin Heidelberg New York Barcelona Hong Kong London Milan Paris Tokyo

Marco Dorigo Gianni Di Caro Michael Sampels (Eds.)

Ant Algorithms

Third International Workshop, ANTS 2002 Brussels, Belgium, September 12-14, 2002 Proceedings



Series Editors

Gerhard Goos, Karlsruhe University, Germany Juris Hartmanis, Cornell University, NY, USA Jan van Leeuwen, Utrecht University, The Netherlands

Volume Editors

Marco Dorigo Gianni Di Caro Michael Sampels IRIDIA, Université de Bruxelles CP 194/6 Avenue Franklin D. Roosevelt 50 1050 Brussels, Belgium E-mail: {mdorigo, gdicaro, msampels}@ulb.ac.be

Cataloging-in-Publication Data applied for

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Ant algorithms : third international workshop ; proceedings / ANTS 2002, Brussels, Belgium, September 12 - 14, 2002. Marco Dorigo ... (ed.). - Berlin ; Heidelberg ; New York ; Barcelona ; Hong Kong ; London ; Milan ; Paris ; Tokyo : Springer, 2002 (Lecture notes in computer science ; Vol. 2463) ISBN 3-540-44146-8

CR Subject Classification (1998): F.2.2, F.1.1, G.1, G.2, I.2, C.2.4, J.1

ISSN 0302-9743 ISBN 3-540-44146-8 Springer-Verlag Berlin Heidelberg New York

This work is subject to copyright. All rights are reserved, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, re-use of illustrations, recitation, broadcasting, reproduction on microfilms or in any other way, and storage in data banks. Duplication of this publication or parts thereof is permitted only under the provisions of the German Copyright Law of September 9, 1965, in its current version, and permission for use must always be obtained from Springer-Verlag. Violations are liable for prosecution under the German Copyright Law.

Springer-Verlag Berlin Heidelberg New York, a member of BertelsmannSpringer Science+Business Media GmbH

http://www.springer.de

© Springer-Verlag Berlin Heidelberg 2002 Printed in Germany

Typesetting: Camera-ready by author, data conversion by PTP-Berlin, Stefan Sossna e.K. Printed on acid-free paper SPIN: 10871233 06/3142 5 4 3 2 1 0

Preface

Social insects – ants, termites, wasps, and bees – live in almost every land habitat on Earth. Over the last one hundred million years of evolution they have conquered an enormous variety of ecological niches in the soil and vegetation. Undoubtedly, their social organization, in particular the genetically evolved commitment of each individual to the survival of the colony, is a key factor underpinning their success. Moreover, these insect societies exhibit the fascinating property that the activities of the individuals, as well as of the society as a whole, are not regulated by any explicit form of centralized control. Evolutionary forces have generated individuals that combine a total commitment to the society together with specific communication and action skills that give rise to the generation of complex patterns and behaviors at the global level.

Among the social insects, ants may be considered the most successful family. There are about 9,000 different species, each with a different set of specialized characteristics that enable them to live in vast numbers, and virtually everywhere. The observation and study of ants and ant societies have long since attracted the attention of the professional entomologist and the layman alike, but in recent years, the ant model of organization and interaction has also captured the interest of the computer scientist and engineer. Ant societies feature, among other things, autonomy of the individual, fully distributed control, fault-tolerance, direct and environment-mediated communication, emergence of complex behaviors with respect to the repertoire of the single ant, collective and cooperative strategies, and self-organization. The simultaneous presence of these unique characteristics have made ant societies an attractive and inspiring model for building new algorithms and new multi-agent systems.

In the last 10–15 years ant societies have provided the impetus for a growing body of scientific work, mostly in the fields of robotics, operations research, and telecommunications. The different simulations and implementations described in this research go under the general name of *ant algorithms*. Researchers from all over the world and possessing different scientific backgrounds have made significant progress concerning both implementation and theoretical aspects, within this novel research framework. Their contributions have given the field a solid basis and have shown how the "ant way", when carefully engineered, can result in successful applications to many real-world problems. Much as in the fields of genetic algorithms and neural networks, to take two examples, nature seems to offer us a valuable source of ideas for the design of new systems and algorithms.

A particularly successful research direction in ant algorithms, known as *ant* colony optimization (ACO), is dedicated to their application to discrete optimization problems. Ant colony optimization has been applied successfully to a large number of difficult combinatorial problems such as the traveling salesman problem, the quadratic assignment problem and scheduling problems, as well as to routing in telecommunication networks. Ant colony optimization algorithms

VI Preface

have all been inspired by a specific foraging behavior of colonies of Argentine ants (*Iridomyrmex humilis*) that, as also observed in the laboratory, are able to find if not the shortest, at least a very good path connecting the colony's nest with a source of food. The elements playing an essential role in this ant foraging behavior were thoroughly reverse-engineered and put to work to solve problems of combinatorial optimization in *Ant System*, the algorithm described in the doctoral thesis of Marco Dorigo, at the beginning of the 1990s. This first application stimulated the interest of other researchers around the world to design algorithms for several important optimization and network problems getting inspiration from the same ant foraging behavior, and from Ant System in particular. Recently, in 1998, the ant colony optimization metaheuristic was defined, providing a common framework for describing this important class of ant algorithms.

The growing interest in ant colony optimization algorithms and, more generally, in ant algorithms, led, in 1998, to the organization of ANTS'98 - From Ant Colonies to Artificial Ants, the first international workshop on ant algorithms and ant colony optimization, held in Brussels, Belgium, which saw the participation of more than 50 researchers from around the world. On that occasion, a selection of the best papers presented at the workshop were published as a special issue of the Future Generation Computer Systems (Vol. 16, No. 8, 2000). The success of the workshop incited us to repeat the experience two years later: ANTS 2000 saw the participation of more than 70 participants and the 41 extended abstracts presented as talks or posters at the workshop were collected in a booklet distributed to participants. Also on that occasion, a selection of the best papers were published as a journal special issue (*IEEE Transactions*) on Evolutionary Computation, Vol. 6, No. 4, 2002). Today the "ant algorithms community" continues to grow and we can see the field beginning to show encouraging signs of maturity, even if there is still a long way to go before reaching a deep and solid understanding concerning theoretical foundations and the design of effective implementations.

This volume contains the proceedings of ANTS 2002 – From Ant Colonies to Artificial Ants: Third International Workshop on Ant Algorithms, held in Brussels, Belgium, on September 12–14, 2002. These proceedings contain 36 contributions: 17 full papers and 11 short papers presented at the workshop as talks, and 8 extended abstracts presented as posters. These papers were selected out of a total of 52 submissions after a careful review process involving at least two referees for each paper.

We are very grateful to the members of the international program committee for their detailed reviews and for being available for additional comments and opinions, when needed. We hope that readers will agree that the quality of the papers collected in this volume reflects a new maturity in the field of ant algorithms, as well as a strong commitment to high standards of review.

The papers contributing to these proceedings are from authors coming from more than 20 different countries. We thank them, as well as all those contributing

to the organization of the workshop, in particular, IRIDIA and the ULB for providing rooms and logistic support.

Finally, we would like to thank our sponsors, the company AntOptima (www.antoptima.com), and the EC funded Research and Training Network Metaheuristics.org), who financially supported the workshop.

We hope that these proceedings will provide an insightful and comprehensive starting point for the scientist entering the field of ant algorithms, as well as a valuable reference to the latest developments for the experienced practitioner in the field.

July 2002

Marco Dorigo Gianni Di Caro Michael Sampels

Organization

ANTS 2002 was organized by IRIDIA, Université Libre de Bruxelles, Belgium.

Workshop Chair

Marco Dorigo, IRIDIA, Université Libre de Bruxelles, Belgium

Program Co-chairs

Gianni Di Caro, IRIDIA, Université Libre de Bruxelles, Belgium Michael Sampels, IRIDIA, Université Libre de Bruxelles, Belgium

Program Committee

Payman Arabshahi, JPL, NASA, Pasadena, CA, USA Nigel Bean, University of Adelaide, Australia Freddy Bruckstein, Technion, Haifa, Israel Oscar Cordón, University of Granada, Spain David Corne, University of Reading, UK Jean-Louis Deneubourg, Université Libre de Bruxelles, Belgium Luca M. Gambardella, IDSIA, Lugano, Switzerland Michel Gendreau, Université de Montreal, Canada Walter Gutjahr, University of Vienna, Austria Owen Holland, University of West England, Bristol, UK Vittorio Maniezzo, Università di Bologna, Italy Alcherio Martinoli, Caltech, Pasadena, CA, USA Daniel Merkle, University of Karlsruhe, Germany Peter Merz, University of Tübingen, Germany Nicolas Meuleau, NASA, CA, USA Martin Middendorf, Catholic Univ. of Eichstätt-Ingolstadt, Germany Ben Paechter, Napier University, Edinburgh, UK Rainer Palm, Siemens, Munich, Germany Van Parunak, Altarum Institute, Ann Arbor, MI, USA Carles Sierra, CSIC, Bellaterra, Spain Thomas Stützle, Technische Universität Darmstadt, Germany Tatsuya Suda, University of California, Irvine, CA, USA Guy Theraulaz, Université Paul Sabatier, Toulouse, France Thanos Vasilakos, ICS-FORTH, Crete, Greece

X Organization

Local Organizations

Mauro Birattari, IRIDIA, Université Libre de Bruxelles, Belgium Christian Blum, IRIDIA, Université Libre de Bruxelles, Belgium

Additional Referees

Eleonora BianchiKeita FujiiMauro BirattariJoshua KnowlesChristian BlumRoberto MontemanniThomas BousonvilleTadashi NakanoAndre CostaMarc ReimannKarl DoernerAndrea RizzoliAlberto V. DonatiAndrea Roli

Erol Şahin Christine Strauss Jun Suzuki Justin Viiret Mark Zlochin

Sponsoring Institutions

AntOptima (www.antoptima.com), Lugano, Switzerland. Metaheuristics Network (www.metaheuristics.org), a Research Network of the Improving Human Research Potential programme funded by the Commission of the European Communities.

Table of Contents

 A <i>MAX-MIN</i> Ant System for the University Course Timetabling Problem
ACO Applied to Group Shop Scheduling: A Case Study on Intensification and Diversification
Agent-Based Approach to Dynamic Task Allocation
An Ant Colony Optimization Algorithm for the 2D HP ProteinFolding ProblemAlena Shmygelska, Rosalía Aguirre-Hernández, Holger H. Hoos
 An Experimental Study of a Simple Ant Colony System for the Vehicle Routing Problem with Time Windows
Ant Algorithms for Assembly Line Balancing
Ant Colonies as Logistic Processes Optimizers
Ant Systems for a Dynamic TSP (Ants Caught in a Traffic Jam)
Anti-pheromone as a Tool for Better Exploration of Search Space 100 James Montgomery, Marcus Randall
Applying Population Based ACO to Dynamic Optimization Problems 111 Michael Guntsch, Martin Middendorf
Cross-Entropy Guided Ant-Like Agents Finding Cyclic Paths in Scarcely Meshed Networks
Insertion Based Ants for Vehicle Routing Problems with Backhauls and Time Windows
Modelling ACO: Composed Permutation Problems

XII Table of Contents

Self-Organized Networks of Galleries in the Ant Messor Sancta
Solving the Homogeneous Probabilistic Traveling Salesman Problem by the ACO Metaheuristic
Toward the Formal Foundation of Ant Programming
Towards Building Terrain-Covering Ant Robots
Short Papers
A New Ant Colony Algorithm Using the Heterarchical Concept Aimed at Optimization of Multiminima Continuous Functions
An Ant-Based Framework for Very Strongly Constrained Problems 222 Vittorio Maniezzo, Matteo Milandri
Analysis of the Best-Worst Ant System and Its Variants on the QAP 228 Oscar Cordón, Iñaki Fernández de Viana, Francisco Herrera
Ants and Loops
Candidate Set Strategies for Ant Colony Optimisation
Dynamic Wavelength Routing in WDM Networks via Ant Colony Optimization
Homogeneous Ants for Web Document Similarity Modeling and Categorization
Parallel Ant System for the Set Covering Problem
Real-World Shop Floor Scheduling by Ant Colony Optimization
Simulation of Nest Assessment Behavior by Ant Scouts
Using Genetic Algorithms to Optimize ACS-TSP

лп

Posters

A Method for Solving Optimization Problems in Continuous Space Using Ant Colony Algorithm
A Nested Layered Threshold Model for Dynamic Task Allocation 290 Tom De Wolf, Liesbeth Jaco, Tom Holvoet, Elke Steegmans
ACO Algorithm with Additional Reinforcement
Ant Colony System for Image Segmentation Using Markov Random Field
Bidimensional Shapes Polygonalization by ACO
Coevolutionary Ant Algorithms Playing Games
GAACO: A GA + ACO Hybrid for Faster and Better Search Capability 300 Adnan Acan
GPS Positioning Networks Design: An Application of the Ant Colony System
Author Index

XIV Table of Contents