Front-End Vision and Multi-Scale Image Analysis

Computational Imaging and Vision

Managing Editor

MAX A. VIERGEVER
Utrecht University, Utrecht, The Netherlands

Editorial Board GUNILLA BORGEFORS, Centre for Image Analysis, SLU, Uppsala, Sweden THOMAS S. HUANG, University of Illinois, Urbana, USA SABURO TSUJI, Wakayama University, Wakayama, Japan

Front-End Vision and Multi-Scale Image Analysis

Multi-Scale Computer Vision Theory and Applications, written in Mathematica

by

Bart M. ter Haar Romeny

Eindhoven University of Technology, Department of Biomedical Engineering, Biomedical Imaging and Informatics, Eindhoven, The Netherlands



Prof. Dr. Bart M. ter Haar Romeny Eindhoven University of Technology Fac. Biomedical Engineering Dept. Image Analysis & Interpretation 5600 MB Eindhoven Netherlands

This book is available in Mathematica, a mathematical programming language, at the following website: http://bmia.bmt.tue.nl/Education/Courses/FEV/book/index.html

ISBN 978-1-4020-1503-8 (HB) e-ISBN 978-1-4020-8840-7 (e-book) ISBN 978-1-4020-1507-6 (PB)

Library of Congress Control Number: 2008929603

Reprinted in 2008

© 2003 Springer Science + Business Media B.V.

No part of this work may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, microfilming, recording or otherwise, without written permission from the Publisher, with the exception of any material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work.

Printed on acid-free paper

9 8 7 6 5 4 3 2 1

springer.com

Table of contents

Front-End Vision and Multi-Scale Image Analysis	xiii
The purpose of this book	
Scale-space theory is biologically motivated computer vision	
This book has been written in Mathematica.	
Acknowledgements	
1. Apertures and the notion of scale	1
1.1 Observations and the size of apertures	1
1.2 Mathematics, physics, and vision	
1.3 We blur by looking	
1.4 A critical view on observations	9
1.5 Summary of this chapter	
2. Foundations of scale-space	13
2.1 Constraints for an uncommitted front-end	
2.2 Axioms of a visual front-end	15
2.2.1 Dimensional analysis	15
2.2.2 The cooking of a turkey	16
2.2.3 Reynold's number	18
2.2.4 Rowing: more oarsmen, higher speed?	
2.3 Axiomatic derivation of the Gaussian kernel	21
2.4 Scale-space from causality	
2.5 Scale-space from entropy maximization	
2.6 Derivatives of sampled, observed data	
2.7 Scale-space stack	31
2.8 Sampling the scale-axis	
2.9 Summary of this chapter	35
3. The Gaussian kernel	37
3.1 The Gaussian kernel	
3.2 Normalization	38
3.3 Cascade property, selfsimilarity	39
3.4 The scale parameter	
3.5 Relation to generalized functions	
3.6 Separability	
3.7 Relation to binomial coefficients	
3.8 The Fourier transform of the Gaussian kernel	
3.9 Central limit theorem	
3.10 Anisotropy	
3.11 The diffusion equation	
3. 12 Sulfillary Of this Chapter	OU

4.	Gaussian derivatives	53
	4.1 Introduction	53
	4.2 Shape and algebraic structure	53
	4.3 Gaussian derivatives in the Fourier domain	57
	4.4 Zero crossings of Gaussian derivative functions	59
	4.5 The correlation between Gaussian derivatives	60
	4.6 Discrete Gaussian kernels	64
	4.7 Other families of kernels	65 67
	4.9 Summary of this chapter	69
_		
5.	Multi-scale derivatives: implementations	71
	5.1 Implementation in the spatial domain	71 73
	5.3 Some examples	73 74
	5.4 N-dim Gaussian derivative operator implementation	74 78
	5.5 Implementation in the Fourier domain	79
	5.6 Boundaries	83
	5.7 Advanced topic: speed concerns in Mathematica	85
	5.8 Summary of this chapter	89
6.	Differential structure of images	91
	6.1 The differential structure of images	
	6.2 Isophotes and flowlines	
	6.3 Coordinate systems and transformations	
	6.4 Directional derivatives	
	6.5 First order gauge coordinates	
	6.6 Gauge coordinate invariants: examples	
	6.6.1 Ridge detection	
	6.6.2 Isophote and flowline curvature in gauge coord	
	6.6.3 Affine invariant corner detection	
	6.7 A curvature illusion	
	6.8.1 The Hessian matrix and principal curvatures	
	6.8.2 The shape index	
	6.8.3 Principal directions	
	6.8.4 Gaussian and mean curvature	
	6.8.5 Minimal and zero Gaussian curvature surfaces	
	6.9 Third order image structure: T-junction detection	
	6.10 Fourth order image structure: junction detection	
	6.11 Scale invariance and natural coordinates	132
	6.12 Irreducible invariants	
	Intermezzo: Tensor notation	135
	6.13 Summary of this chapter	136

7. Natural limits on observations	137
7.1 Limits on differentiation: scale, accuracy and order	137
7.2 Summary of this chapter	141
8. Differentiation and regularization	143
8.1 Regularization	
8.2 Regular tempered distributions and test functions	
8.3 An example of regularization	147
8.4 Relation regularization ← Gaussian scale-space	
8.5 Summary of this chapter	152
9. The front-end visual system - the retina	153
9.1 Introduction	
9.2 Studies of vision	
9.3 The eye	
9.4 The retina	
9.1 Retinal receptive fields	
9.6 Sensitivity profile measurement of a receptive field	
9.7 Summary of this chapter	
10. A scale-space model for the retinal sampling	
10.1 The size and spatial distribution of receptive fields	167
10.2 A scale-space model for the retinal receptive fields	
10.3 Summary of this chapter	
11. The front-end visual system - LGN and cortex	
11.1 The thalamus	
11.2 The lateral geniculate nucleus (LGN)	
11.3 Corticofugal connections to the LGN	
11.4 The primary visual cortex	
11.4.1 Simple cells	
11.4.2 Complex cells	188
11.4.3 Directional selectivity	189
11.5 Intermezzo: Measurement of neural activity in the brain	
Electro-Encephalography (EEG)	191
Magneto-Encephalography (MEG)	192
Functional MRI (fMRI)	
Optical imaging with voltage sensitive dyes	
Positron Emission Tomography (PET)	
11.6 Summary of this chapter	
12. The front-end visual system - cortical columns	
12.1 Hypercolumns and orientation structure	
12.2 Stabilized retinal images	
12.3 The concept of local sign	202

	12.5 Plasticity and self-organization	
	12.6 Higher cortical visual areas	210
	12.7 Summary of this chapter	
	12.8 Vision dictionary	
	12.8.1 Further reading on the web:	
13	Deep structure I. watershed segmentation	
	13.1 Multi-scale measurements	
	13.2 Scale selection	216
	13.3 Normalized feature detection	
	13.4 Automatic scale selection	
	13.4.2 Is this really deep structure?	
	13.5 Edge focusing	
	13.5.1 Simplification followed by focusing	
	13.5.2 Linking in 1D	
	13.6 Follicle detection in 3D ultrasound	
	13.6.1 Fitting spherical harmonics to 3D points	
	13.7.1 Dissimilarity measure in scale-space	
	13.7.2 Watershed segmentation	
	13.7.3 Linking of regions	
	13.7.4 The multi-scale watershed segmentation	
	13.8 Deep structure and nonlinear diffusion	
	13.8.1 Non-linear diffusion watershed segmentation	
	· ·	
14.	Deep structure II. catastrophe theory	
	14.1 Catastrophes and singularities	
	14.2 Evolution of image singularities in scale-space	
	14.3.1 Functions	
	14.3.2 Characterization of points	
	14.3.3 Structural equivalence	
	14.3.4 Local characterization of functions	
	14.3.5 Thom's theorem	
	14.3.6 Generic property	
	14.3.7 Dimensionality	
	14.3.8 Illustration of the concepts	
	14.4 Catastrophe theory in scale-space	250
	14.4.1 Generic events for differential operators	
	14.4.2 Generic events for other differential operators	
	14.4.3 Annihilations and creations	
	14.5 Summary of this chapter	

15. Deep structure III. topological numbers	
15.1 Topological numbers	
15.1.1 Topological numbers in scale-space	
15.1.2 Topological number for a signal	
15.1.3 Topological number for an image	
15.1.4 The winding number on 2D images	
15.2 Topological numbers and catastrophes	
15.3 The deep structure toolbox	
15.3.1 Detection of singularities	
15.3.2 Linking of singularities	
15.3.3 Linking of contours	
15.3.4 Detection of catastrophes	
15.3.5 General discrete geometry approach	
15.4 From deep structure to global structure	271
15.4.1 Image representations	271
15.4.2 Hierarchical pre-segmentation	272
15.4.3 Perceptual grouping	273
15.4.4 Matching and registration	274
15.4.5 Image databases	274
15.4.6 Image understanding	275
15.5 Summary of this chapter	275
16. Deblurring Gaussian blur	277
16.1 Deblurring	
16.2 Deblurring with a scale-space approach	
16.3 Less accurate representation, noise and holes	
16.4 Summary of this chapter	
17. Multi-scale optic flow	
17.1 Introduction	
17.2 Motion detection with pairs of receptive fields	
17.3 Image deformation by a discrete vectorfield	
17.4 The optic flow constraint equation	
17.5 Scalar and density images17.6 Derivation of multi-scale optic flow constraint equation	
17.6.1 Scalar images, normal flow.	
17.6.2 Density images, normal flow.	
17.0.2 Density images, normal new	
17.8 Cleaning up the vector field	
17.9 Scale selection	
17.10 Discussion	
17.11 Summary of this chapter	

18. C	Color differential structure	311
	8.1 Introduction	
1	8.2 Color image formation and color invariants	311
1	8.3 Koenderink's Gaussian derivative color model	314
1	8.4 Implementation	320
1	8.5 Combination with spatial constraints	325
1	8.6 Summary of this chapter	327
10 9	Steerable kernels	320
	9.1 Introduction	
	9.2 Multi-scale orientation	
	9.3 Orientation analysis with Gaussian derivatives	
	9.4 Steering with self-similar functions	
1	9.5 Steering with Cartesian partial derivatives	336
1	9.6 Detection of stellate tumors	338
	9.7 Classical papers and student tasks	
	9.8 Summary of this chapter	
	Scale-time	
	20.1 Introduction	
	20.2 Analysis of prerecorded time-sequences	
	20.3 Causal time-scale is logarithmic	
	20.4 Other derivations of logarithmic scale-time	
	20.5 Real-time receptive fields	
	20.6 A scale-space model for time-causal receptive fields	
	20.7 Conclusion	
	20.8 Summary of this chapter	
	Geometry-driven diffusion	
	21.1 Adaptive Smoothing and Image Evolution	
	21.2 Nonlinear Diffusion Equations	
	21.3 The Perona & Malik Equation	
	21.4 Scale-space implementation of the P&M equation	
2	21.5 The P&M equation is ill-posed	370
	21.6 Von Neumann stability of numerical PDE's	
	21.7 Stability of Gaussian linear diffusion	
	21.8 A practical example of numerical stability	
	21.9 Euclidean shortening flow	
2	21.10 Grayscale invariance	379
	21.11 Numerical examples shortening flow	
2	21.12 Curve Evolution	382
2	21.13 Duality between PDE- and curve evolution	383
2	21.14 Mathematical Morphology	386
	21.15 Mathematical morphology on grayvalued images	
	21.16 Mathematical morphology versus scale-space	
2	21,17 Summary of this chapter	390

22. Epilog	393
A. Introduction to Mathematica A.1 Quick overview of using Mathematica A.2 Quick overview of the most useful commands A.3 Pure functions A.4 Pattern matching A.5 Some special plot forms A.6 A faster way to read binary 3D data A.7 What often goes wrong A.8 Suggested reading A.9. Web resources	395 397 401 401 405 405 410
B.1 Convolution	413
C. Installing the book and packages C.1 Content C.2 Installation for all systems C.3 Viewing the book in the Help Browser C.4 Sources of additional applications	419 420 420
D. First Start with Mathematica: Tips & Tricks 1. Evaluation 2. Images 3. Programming 4. 3D	423 423 424
References	425
Index	455

Front-End Vision and Multi-Scale Image Analysis

Bart M. ter Haar Romeny, PhD

Department of Biomedical Engineering Eindhoven University of Technology The Netherlands

Tell me, and I will forget. Show me, and I will remember.

Involve me, and I will understand.

Old Chinese proverb

The purpose of this book

Scale is not an important parameter in computer vision research. It is an *essential* parameter. It is an immediate consequence of the process of observation, of *measurements*. This book is about scale, and its fundamental notion in computer vision, as well as human vision.

Scale-space theory is the theory of apertures, through which we and machines observe the world. The apertures come in an astounding variety. They can be exploited to model the first stages of human vision, and they appear in all aspects of computer vision, such as the extraction of features, the measurement of optic flow and stereo disparity, to do orientation analysis, segmentation, image enhancement etc. They have an essential role in the fundamental processes of differentiation and regularization.

Scale-space theory is named after the space that is formed by looking at an image at many different scales simultaneously.

When stacked, we get one dimension extra, i.e. the scale dimension. The scale-space is the space of the spatial and scale dimensions, see figure 1.

This book is a tutorial course. The level of the book is undergraduate and first level graduate. Its main purpose is to be used as a coursebook in computer vision and front-end vision entry courses. It may also be useful as an entry point for research in biological vision.

Although there are excellent texts appearing on the notion of scale space, most of them are not easy reading for people just entering this field or lacking a solid mathematical background. This book is intended partly to fill this gap, to act as an entry point for the

growing literature on scale-space theory. Throughout the book we will work steadily through the necessary mathematics.

The book discusses the many classical papers published over the last two decades, when scale-space theory became mature. The different approaches and findings are put into context. First, linear scale-space theory is derived from first principles, giving it a sound mathematical basis.

The notion that a multi-scale approach is a natural consequence of the process of observation is interwoven in every chapter of this book. E.g. Horn and Schunck's famous optic flow equation gets a new meaning when we 'look at the data'. The concept of a point and local point operators like the derivative operator diffuse into versions with a Gaussian extent, making the process of differentiation well posed. It immediately makes large and mature fields like differential geometry, invariant theory, tensor analysis and singularity theory available for analysis on discrete data, such as images.

We develop ready-to-use applications of differential invariants of second, third and fourth order. The relation between accuracy, differential order and scale of the operator is developed, and an example of very high order derivatives is worked out in the analytical deblurring of Gaussian blur.

Practical examples are also developed in the chapters on multi-scale optic flow and multi-scale differential structure of color images. Again, the physics of the observation process forces the analytical solution to be multi-scale. Several examples of ways to come to proper scale-selection are treated underway.




Figure 1. A scale-space of a sagittal MR image. The image is blurred with a Gaussian kernel with variable width σ , which is the third dimension in this image.

Scale-space theory is biologically motivated computer vision

We consider it very important to have many cross-links between multi-scale computer vision theory, and findings in the human (mammalian) visual system. We hope the reader will appreciate the mutual cross-fertilization between these fields. For that reason we elaborate the current state of the art in neurophysiological and psychophysical findings of the first stages of the visual system.

The chapters on time-scale and multi-scale orientation analysis are directly inspired by findings from biological vision. The grouping of local properties into meaningful larger subgroups (perceptual grouping) is treated both on the level of establishing neighborhood relationships through all measured properties of the points, and through

the study of the deep structure of images, where topology comes in as a mathematical toolkit. The natural hierarchical ordering is exploited in a practical application, where we discuss multi-scale watershed segmentation.

This book is meant to be a practical and interactive book. It is written as a series of notebooks in *Mathematica* 4, a modern computer algebra language/system.

For every technique discussed the complete code is presented. The reader can run and adapt all experiments himself, and learn by example and prototyping. The most effective way to master the content is to go through the notebooks on a computer running *Mathematica* and play with variations.

This book is a tribute to Jan Koenderink, professor at Utrecht University in the Netherlands, chairman of the Physics Department 'Physics of Man'. He can be considered the 'godfather' of modern scale-space theory. A brilliant physicist, combining broad knowledge on human visual perception with deep insight in the mathematics and physics of the problems.



Figure 2. Prof. dr. hon.dr. Jan Koenderink.

This book is just a humble introduction to his monumental oeuvre and the offspin of it. Many papers he wrote together with his wife, Ans van Doorn. They published on virtually every aspect of front-end vision *and* computer vision with a strong perceptually based inspiration, and the physical modeling of it.

This book is written for both the computer vision scientist with an interest in multi-scale approaches to image processing, and for the neuroscientist with an appeal for mathematical modeling of the early stages of the visual system. One of the purposes of this book is to bridge the gap between both worlds. To accommodate a wide readership, both from physics and biology, sometimes mathematical rigor is lacking (but can be found in the indicated references) in favor of clarity of the exposition.



Figure 3. Attendants of the first international Scale-Space conference, Summer 1997 in Utrecht, the Netherlands, chaired by the author (standing fourth from right).



Figure 4. Attendants of the second international Scale-Space conference, Summer 1999 in Corfu, Greece, chaired by Mads Nielsen, PhD (IT-Univ. Copenhagen, foreground fifth from right). See for the conference series: www.scalespace.org.

This book has been written in *Mathematica*

This book is written as a series of *Mathematica* notebooks. *Mathematica* is a high level interactive mathematical programming language, developed and marketed by Stephen Wolfram (www.wolfram.com). Notebooks are interactive scientific documents, containing both the text as the code.

Mathematica consists of a two separate programs, the kernel (the computing engine) and a front-end which handles all information for and from the user. The structure of 'cells' in the front-end enables the efficient mix of explaining text, computer code and graphics in an intuitive way. The reasons to write this book in Mathematica are plentiful:

- We can now do *mathematical* prototyping with computer vision principles/techniques on images. The integration of both symbolic and fast numerical capabilities, and the powerful pattern matching techniques make up for a new and efficient approach to apply and teach computer vision, more suitable for human mathematical reasoning. For, computer vision *is* mathematics on images. It is now easy to do *rapid prototyping*.
- Reading a scientific method now has something extra: the code of every method discussed is available, ready for testing, with modifications and applications to the reader's images. The

gap between the appreciation of a method in a theoretical paper and one's own working software that applies the method is now closing. David Donoho writes about his WaveLab package: "An article about computational science in a scientific publication is not the scholarship itself, it is merely advertising of the scholarship. The actual scholarship is the complete software development environment and the complete set of instructions which generated the figures. (http://www-stat.stanford.edu/~wavelab/).

- *Mathematica* stays close to the traditional notation. The mathematical notation of e.g. symbols, operators and rules are virtually identical to traditional math

The notebooks are WYSIWYG. Notebooks can easily be saved as LaTeX or HTML/MathML documents. Notebooks are portable ASCII documents, they appear virtually identical on a wide range of computer platforms.

- All programs become compact. In this book no example exceeds 20 lines of code. There are no for, while or do loops. Most commands are Listable, i.e. operate on any member of the operand list. The language contains hardly abbreviations, and is so intuitive that learning the language may be mastered during reading the book. In the appendix a list of tutorial books on *Mathematica* is given, and a summary of the command structure of the most popular commands used in this book.
- Wolfram Research Inc. indicates that over 2 million licenses are sold. It may serve as a (WWW-based) starting set in exchangeable *Mathematica* computer vision routines.
- Mathematica is complete. Over 2500 highly optimized mathematical routines are on board, which relieves the computer vision programmer from searching for routines in Numerical Recipes, IMSL etc. It has graphical capabilities for 1D to 4D (animations). It is now integrated with Java (JLink), which is available anywhere and ideally suited for further development of the GUI and real-time manipulation with the data. Mathematica code can be compiled for further speed increase.

The parallel version of *Mathematica* now enables the easy distribution over a range of kernels on different computers on a network.

- Last but not least: the present version of *Mathematica* is fast. From release 4 it has reached a point where, from being an ideal rapid prototyping tool, it is now turning into an all-round prototyping *and* application tool. The run-time of most experiments described in this book is within fractions of seconds to tens of seconds on a typical 1.7 GHz 256 MB Pentium IV system under Windows.

It is platform independent, and is available on any type of computer.

xviii Acknowledgements

Acknowledgements

The contents of this book is based on work of: Jan J. Koenderink, Luc M. J. Florack, Tony Lindeberg, Wiro J. Niessen, Alfons H. Salden, Mads Nielsen, Jon Sporring, Ole F. Olsen, Jan-Mark Geuzebroek, Erik Dam, Peter Johansen, Avan Suinesiaputra, Hans J. Blom, Bram van Ginneken, Stiliyan Kalitzin, Joes Staal, Robert Maas, Max Viergever, Antonio López Peña, Nico Karssemeijer, Stephen Pizer, Dave Eberley, Jean-Philippe Thirion, Stephen Zucker, Wim van de Grind, Ans Koenderink-van Doorn, Alex Frangi, Arjan Kuijper, Remco Duits, Bram Platel, Frans Kanters, Taizo Iijima, Ted Adelson, Pietro Perona, Jitendra Malik, David Mumford, Luis Alvarez, Markus van Almsick, William Freeman, Izumi Ohzawa, Ralph Freeman, Russell DeValois, David Hubel, Torsten Wiesel, Semir Zeki, Erik Kandel, Amiram Grinvald, Brian Wandell, Robert Rodieck and many more, as well asmany of the 3D Computer Vision / Image Sciences Institute master's students.

The careful proofreading and remarks by Michel Bister were very helpful. Markus van Almsick gave many *Mathematica* hints, insights and valuable help with editing. I thank my wife Hetty, for the patience and loving support during the endeavor to write this book.

This book originated from coursenotes of the annual graduate course on "Multiscale Image Analysis and Font-End Vision" at the Image Sciences Institute of Utrecht University 1996-2000 and at Faculty of Biomedical Engineering at Eindhoven University of Technology in the Netherlands since 2001. This course has also been given at a summerschool at CIMAT in Guanajuato, Mexico, at IMPA in Rio de Janeiro, Brazil, at the Multimedia University in Cyberjaya, Malaysia and as a tutorial at several international conferences (VBC 98, CVPR 1999, MICCAI 2001). The author was kindly hosted for two months at the new IT University at Copenhagen, Denmark in the summer of 2000 to get a lot of the writing done. The highly competent and kind atmosphere of the collaborating labs there considerably contributed to the pleasure it was to write and to program this interactive book. I learned a lot by *doing* multi-scale computer vision, and I hope the reader will do the same.

Eindhoven - Utrecht - Copenhagen, February 2003

Email: B.M.terHaarRomeny@tue.nl