

# Sketch-based Interfaces and Modeling

Joaquim Jorge • Faramarz Samavati  
Editors

# Sketch-based Interfaces and Modeling

 Springer

*Editors*

Joaquim Jorge  
Depto. Engenharia Informática  
Instituto Superior Técnico  
Universidade Técnica de Lisboa  
Avenida Rovisco Pais  
Lisboa 1049-001  
Portugal  
[jaj@vimmi.inesc-id.pt](mailto:jaj@vimmi.inesc-id.pt)

Faramarz Samavati  
Dept. Computer Science  
University of Calgary  
University Drive NW 2500  
Calgary, Alberta T2N 1N4  
Canada  
[samavati@ucalgary.ca](mailto:samavati@ucalgary.ca)

ISBN 978-1-84882-811-7

e-ISBN 978-1-84882-812-4

DOI 10.1007/978-1-84882-812-4

Springer London Dordrecht Heidelberg New York

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library

© Springer-Verlag London Limited 2011

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms of licenses issued by the Copyright Licensing Agency. Enquiries concerning reproduction outside those terms should be sent to the publishers.

The use of registered names, trademarks, etc., in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant laws and regulations and therefore free for general use.

The publisher makes no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility or liability for any errors or omissions that may be made.

*Cover design:* deblik

Printed on acid-free paper

Springer is part of Springer Science+Business Media ([www.springer.com](http://www.springer.com))

# Foreword

The field of sketch-based interfaces and modeling (SBIM) has had a long history. Since the early 1960s, which saw the birth of interactive computer graphics through Ivan Sutherland's Sketchpad and Jacks' DAC-1 system at General Motors, we have seen researchers developing methods and techniques to let users interact with a computer through sketching, a simple, yet highly expressive medium. Initially, SBIM was not a field in and of itself, but a set of distinct areas where researchers from different backgrounds worked in isolation, without a real community to share ideas. Areas within SBIM included sketch-based modeling, where the goal was to easily create 3D models, and sketch-based interfaces, where the goal was to develop systems for recognizing, for example, hand-writing, command gestures, 2D diagrams, and mathematics. Today, SBIM has emerged as a subfield of computer science that blends concepts from computer graphics, human-computer interaction, artificial intelligence, and machine learning and has brought the two areas of sketching—interface and model specification—together. This synergy was spearheaded by Joaquim Jorge and John Hughes, who started the first SBIM conference in 2004.

Over the years, SBIM has had some great successes (e.g., hand-printing and more recently cursive hand-writing recognition) as well as notable failures where the problem is still intractable in the general case (e.g., 3D sketch understanding). As with most of promising technology, it may take multiple decades for the technology to become mature enough to become viable. Speech recognition is a classic example of this, having taken more than four decades of research and productization before becoming commoditized, and SBIM is just starting to be mature enough to enable us to see that it can be used mainstream. Hand-writing and mathematical expression recognition and simple modeling tools like Google's SketchUp are some examples.

It is interesting to look at the history of using sketching to create graphical models and have the computer recognize hand-written text, mathematics, and diagrams. Any 2D visual language lends itself to sketch-based input, given that it is much easier to enter such languages (e.g., musical scores, mathematics or chemical molecule diagrams) by simply entering them with a pen or stylus than having to convert the language into an encoded 1D form entered on the keyboard. SBIM can trace its roots

not just to Ivan Sutherland's seminal Sketchpad but also to his brother Bert Sutherland's system for sketching out logic diagrams and to Robert Anderson's Ph.D. research at Harvard in the late 1960s on mathematics recognition and subsequent evaluation using the RAND tablet, the earliest predecessor to the digitizing tablets of today. It is interesting to note that the areas pioneered by the Sutherlands and Anderson still represent significant research problems today in both recognition and modeling. Fontaine Richardson's Applicon CAD modeling tool was the first commercial product to feature gesture recognition for model elements and commands using a digitizing tablet. There was relatively little research, let alone commercial exploitation, during the 1970s, although Negroponte's Architecture Machine Group at MIT did do some important work on recognizing architectural diagrams. In particular, in 1976 the SIGGRAPH papers by Weinzapfel on Architecture-By-Yourself and by Herot on the HUNCH system began to explore how computers could interpret hand-drawn diagrams and what inference mechanisms and domain knowledge were needed to do so.

In the 1980s and 1990s, we began to see a number of pen-based forerunners to TabletPCs and PDAs, as well as pen-based PC software appear in the market place, commercial implementations inspired by Alan Kay's Dynabook vision of the late sixties. These included Wang FreeStyle, Microsoft Pen Windows, Go's Penpoint, and Apple's Newton. The new devices showed that the commercial sector was starting to see the potential benefits of pen input and gesture-based interfaces. Unfortunately, essentially all these commercial efforts failed for various reasons such as inadequate computing speed and memory, insufficient battery life, and lack of sophisticated recognition technology. Despite these too-early attempts, digitizing tablets continued to be routinely used by artists and designers to create digital ink that remained uninterpreted (e.g., in painting systems) or as a substitute for the mouse with standard WIMP GUIs—robust character, symbol and gesture recognition, let alone sketch understanding, had to wait for more powerful hardware and recognition algorithms.

In the late 1990s we saw two seminal contributions in sketch-based interfaces for 3D modeling. The SKETCH system, developed by Zeleznik et al. in 1996, used a gestural interface and inferencing mechanisms to create 3D objects out of standard 3D geometric primitives such as cuboids, cylinders, and cones for conceptual 3D modeling. In 1999, the Teddy system, developed by Igarashi et al., let users make more free-form, organic 3D models. Both of these interfaces showed that sketch-based interfaces for this type of task is a very natural one since users could make rough drawings of the models they are interested in and have the computer interpret them to generate the 3D geometry. These systems led to a significant amount of new work on sketch-based interfaces for creating and manipulating 3D models.

In the last decade, we have seen an explosion of both sketch-based interfaces and pen-based computing devices. Better and faster hardware coupled with new machine learning techniques for more accurate recognition and more robust depth inferencing techniques for sketch-based modeling have enabled SBIM to enter a new era in research and development. This is one of the main reasons why this is a timely book: it provides us with a very useful collection of state-of-the-art technology from leaders of the SBIM field.

Although great strides have been made, there is still a lot to do to bring SBIM to the mainstream. Faster CPUs, better digitization technology, better battery life are just some of the areas that must be improved from a hardware perspective. More robust recognition algorithms that can handle subtle variability in user hand-writing as well as better depth inferencing in sketch-based modeling are still unsolved problems. Integration with other interaction modalities such as multi-touch and speech recognition to create multi-modal interfaces is now an important research area. Usability analysis of these interfaces is also critically important to advancing SBIM. The current book presents a snapshot of the state of the art in the area. I look forward to the advances that will be made in SBIM in the coming years and I hope that the readers will find inspiration in the valuable collection of articles gathered herein to stimulate their endeavors and advance this important field.

Brown University

Andries van Dam

# Preface

Sketch-based interfaces date back to Ivan Sutherland's pioneering work. SketchPad, a pen-based system, preceded the ubiquitous mouse by several years. However, SketchPad was too advanced for its day. For many years, this seminal work has remained more of a source of inspiration and awe than a trend to be followed.

Personal computers became sufficiently powerful in the nineties to support research in sketched-based interfaces in Interactive Computer Graphics and Human-Computer Interaction (HCI). People can now interact with drawings, editing and augmenting sketches in many different ways. Indeed, electronic drawings can be parsed and converted to digital objects such as pictures, diagrams and 3D models. Sketching can also be used for editing and animating these objects, a feature not possible on paper. Advances in this area provide the possibility of giving virtual life to simple sketches and effectively use computers to enhance creative thinking. Yet, for all its deceptive simplicity, sketching remains a hard challenge to meet for computer scientists. This is because sketches engage human intellect and abilities in ways that are difficult to approach with machines.

Thus, sketch-based interfaces are the subject of much lively research in recent years. Researchers from many disciplines have contributed to the body of knowledge on sketch-based interfaces. As such, it is difficult to gather a completely inclusive compilation of work done on this topic. Notably, sketching has become a recurring theme at many HCI conferences such as CHI, UIST, IUI, and AVI, and the IEEE Symposium on Visual Languages and Computing (VL/HCC). The Association for the Advancement of Artificial Intelligence (AAAI) held symposia on diagrammatic representations and reasoning, and sketch understanding. Additionally, the graphics community has usually published papers from this area, in conferences such as SIGGRAPH, Eurographics and the SMARTGRAPHICS symposium. Most notably, since 2004, the Eurographics Association has held a series of annual symposia on Sketch-Based Interfaces and Modeling (SBIM).

This book provides an overview of the topics covered in this emerging area of Interactive Computer Graphics, in two main parts. The first part contains chapters related to sketch-based interfaces and pen-based computing. The second part includes chapters about creation and modification of 3D models, covering the use of sketches in graphical and geometrical modeling. We aim to present a collection of

works representing recent developments in this area, within the scope of interfaces and modeling, hoping that this book proves to be a valuable resource for students, researchers and academics.

We would like to gratefully thank and acknowledge the many people who have assisted in the preparation of this book and reviewing its chapters.

Joaquim Jorge  
Faramarz Samavati

# Contents

|                                       |                                                                                           |            |
|---------------------------------------|-------------------------------------------------------------------------------------------|------------|
| <b>1</b>                              | <b>Introduction . . . . .</b>                                                             | <b>1</b>   |
|                                       | Faramarz F. Samavati, Luke Olsen, and Joaquim A. Jorge                                    |            |
| <b>Part I Sketch-based Interfaces</b> |                                                                                           |            |
| <b>2</b>                              | <b>Multi-domain Hierarchical Free-Sketch Recognition Using Graphical Models . . . . .</b> | <b>19</b>  |
|                                       | Christine Alvarado                                                                        |            |
| <b>3</b>                              | <b>Minimizing Modes for Smart Selection in Sketching/Drawing Interfaces . . . . .</b>     | <b>55</b>  |
|                                       | Eric Saund and Edward Lank                                                                |            |
| <b>4</b>                              | <b>Mathematical Sketching: An Approach to Making Dynamic Illustrations . . . . .</b>      | <b>81</b>  |
|                                       | Joseph J. LaViola Jr.                                                                     |            |
| <b>5</b>                              | <b>Pen-based Interfaces for Engineering and Education . . . . .</b>                       | <b>119</b> |
|                                       | Thomas F. Stahovich                                                                       |            |
| <b>6</b>                              | <b>Flexible Parts-based Sketch Recognition . . . . .</b>                                  | <b>153</b> |
|                                       | Michiel van de Panne and Dana Sharon                                                      |            |
| <b>7</b>                              | <b>Sketch-based Retrieval of Vector Drawings . . . . .</b>                                | <b>181</b> |
|                                       | Manuel J. Fonseca, Alfredo Ferreira, and Joaquim A. Jorge                                 |            |
| <b>Part II Sketch-based Modeling</b>  |                                                                                           |            |
| <b>8</b>                              | <b>A Sketching Interface for Freeform 3D Modeling . . . . .</b>                           | <b>205</b> |
|                                       | Takeo Igarashi                                                                            |            |

**9    The Creation and Modification of 3D Models Using Sketches  
and Curves . . . . . 225**  
Andrew Nealen and Marc Alexa

**10   Sketch-based Modeling and Assembling with Few Strokes . . . . . 255**  
Aaron Severn, Faramarz F. Samavati, Joseph J. Cherlin, Mario  
Costa Sousa, and Joaquim A. Jorge

**11   ShapeShop: Free-Form 3D Design with Implicit Solid Modeling . . . 287**  
Ryan Schmidt and Brian Wyvill

**12   Inferring 3D Free-Form Shapes from Complex Contour Drawings . 313**  
Olga Karpenko and John F. Hughes

**13   The Creation and Modification of 3D Models Using Sketches  
and Curves . . . . . 341**  
Levent Burak Kara and Kenji Shimada

**14   Dressing and Hair-Styling Virtual Characters from a Sketch . . . . 369**  
Jamie Wither and Marie-Paule Cani

**Index . . . . . 397**