On the Complexity of Various Parameterizations of Common Induced Subgraph Isomorphism^{*}

Faisal N. Abu-Khzam[†]

Édouard Bonnet[‡]

Florian Sikora[§]

Abstract

In the MAXIMUM COMMON INDUCED SUBGRAPH problem (henceforth MCIS), given two graphs G_1 and G_2 , one looks for a graph with the maximum number of vertices being both an induced subgraph of G_1 and G_2 . MCIS is among the most studied classical NP-hard problems. It remains NP-hard on many graph classes including forests. In this paper, we study the parameterized complexity of MCIS. As a generalization of CLIQUE, it is W[1]-hard parameterized by the size of the solution. Being NP-hard even on forests, most structural parameterizations are intractable. One has to go as far as parameterizing by the size of the minimum vertex cover to get some tractability. Indeed, when parameterized by k := $vc(G_1) + vc(G_2)$ the sum of the vertex cover number of the two input graphs, the problem was shown to be fixed-parameter tractable, with an algorithm running in time $2^{O(k \log k)}$. We complement this result by showing that, unless the ETH fails, it cannot be solved in time $2^{o(k \log k)}$. This kind of tight lower bound has been shown for a few problems and parameters but, to the best of our knowledge, not for the vertex cover number. We also show that MCIS does not have a polynomial kernel when parameterized by k, unless NP \subseteq coNP/poly. Finally, we study MCIS and its connected variant MCCIS on some special graph classes and with respect to other structural parameters.

1 Introduction

A common induced subgraph of two graphs G_1 and G_2 is a graph that is isomorphic to an induced subgraph of both graphs. The problem of finding a common induced subgraph with the maximum number of vertices (or edges) has many applications in a number of domains including bioinformatics and chemistry [17, 21, 25, 29, 30]. In the decision version of the problem, we are given an integer k and the question is to decide whether there is a solution with at least k vertices. We say that the solution size k is the *natural parameter* of the problem.

Concerning its classical complexity, MAXIMUM COMMON INDUCED SUBGRAPH is NP-complete, and remains so on forests. When the common subgraph is required to be connected, the problem is in P for trees [16]. Moreover, MAXIMUM COMMON INDUCED SUBGRAPH is also in P when the two input graphs are connected and (both) have bounded treewidth and bounded degree [4].

A particular case of MAXIMUM COMMON INDUCED SUBGRAPH is the well known INDUCED SUBGRAPH ISOMORPHISM (ISI) decision problem, where the question posed is whether G_1 is isomorphic to an induced subgraph of G_2 . In other words, it is equivalent to MAXIMUM COMMON INDUCED SUBGRAPH where $k = |G_1|$. In this case, G_1 is called the pattern graph and G_2 is called the host graph. ISI is known to be NP-hard, even when G_2 is an interval graph and G_1 is a proper interval graph, but it becomes polynomial-time solvable when G_1 is in addition

^{*}An extended abstract of this work appears in [2]

[†]Lebanese American University, Beirut, Lebanon faisal.abukhzam@lau.edu.lb

 $^{^{\}ddagger} \rm Middlesex$ University, Department of Computer Science, Hendon, London, UK <code>edouard.bonnet@lamsade.dauphine.fr</code>

 $^{^{\$}}$ Université Paris-Dauphine, PSL Research University, CNRS, LAMSADE, Paris, France, florian.sikora@dauphine.fr

connected [19]. Unlike SUBGRAPH ISOMORPHISM, INDUCED SUBGRAPH ISOMORPHISM remains NP-hard when both the host graph and the pattern graph consist of a disjoint union of paths [11]. From the parameterized complexity viewpoint, the problem is W[1]-hard in general for the natural parameter, by a straightforward reduction from k-CLIQUE. Therefore MCIS is also W[1]-hard. Moreover, ISI (and, therefore, MCIS) remains W[1]-hard even when both graphs are interval graphs [24]. On the other hand, ISI is FPT on nowhere dense graphs, being expressible by a first-order formula of length function of the natural parameter k [18]. This generalizes what was previously known about ISI on H-minor free graphs [15] and graphs of bounded degree [8]. We observe that whenever ISI in FPT on a certain graph class, then so is MCIS. To see this, note that an arbitrary instance (G_1, G_2, k) of MCIS can be reduced in fpt-time to instances of ISI by enumerating each graph H on k vertices and checking whether H is an induced subgraph of G_1 and G_2 . This implies that ISI and MCIS have the same parameterized complexity with respect to the natural parameter.

Another way of dealing with the hardness of a problem is to study its complexity with respect to auxiliary (or structural) parameters, to better understand its algorithmic behavior (see for example [13]). Being NP-hard on disjoint union of chordless paths [11], MCIS is hard on graphs with bounded treewidth as well as graphs where the size of the minimum feedback vertex set is bounded. Thus the problem is paraNP-hard when parameterized by the treewidth of the input graphs, or by a bound on the sizes of their minimum feedback vertex sets. Therefore, we need to look for "bigger" parameters. And indeed, if the parameter k is a bound on the sizes of the minimum vertex covers of the input graphs, then the problem is in FPT, with a running time of $O((24k)^k) = 2^{O(k \log k)}$ [1]. In this paper, we show that this algorithm cannot be significantly improved: unless the Exponential Time Hypothesis (ETH) fails, there is no algorithm solving MCIS in time $O^*(2^{o(k \log k)})$, where the O^* notation suppresses the polynomial factors. We also prove that MCIS does not have a polynomial-size kernel in this case unless NP \subseteq coNP/poly. These two latter results answer open problems raised in [1]. Finally, we show that MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH (MCCIS), where the solution should be a connected graph, is also fixed-parameter tractable when parameterized by $k := vc(G_1) + vc(G_2)$.

2 Preliminaries

Two finite graphs $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$ are *isomorphic* if there is a bijection π : $V_1 \to V_2$ such that $\forall u, v \in V_1 : uv \in E_1 \Leftrightarrow \pi(u)\pi(v) \in E_2$. Given a graph G = (V, E), a graph G' = (V', E') is an *induced subgraph* of G if $V' \subseteq V$ and $E' = E(V') = \{uv \in E \mid u, v \in V'\}$, i.e. E' is the edge set with both extremities in V'. We also say that G' is the subgraph of G induced by V'.

The girth of a graph G is the length of the shortest cycle contained in G. Contracting an edge uv consists of deleting uv and replacing the vertices u and v by a single vertex w in the incidence relation (edges incident on u or v become incident on w). A graph H is a minor of graph G if H is obtained from a subgraph of G by applying zero or more edge contractions. Given a fixed graph H, a family \mathcal{F} of graphs is said to be H-minor free if H is not a minor of any element of \mathcal{F} .

The MAXIMUM COMMON INDUCED SUBGRAPH problem is defined formally as follows.

MAXIMUM COMMON INDUCED SUBGRAPH (MCIS): • Input: Two graphs $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$. • Output: An induced subgraph G'_1 of G_1 isomorphic to an induced subgraph G'_2 of G_2 with a maximum number of vertices.

MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH (MCCIS) is defined as MCIS with the additional restriction that the solution must be *connected*.

For completeness, we also give the definition of INDUCED SUBGRAPH ISOMORPHISM:

INDUCED SUBGRAPH ISOMORPHISM (ISI):

- Input: Two graphs $G_1 = (V_1, E_1)$ and $G_2 = (V_2, E_2)$.
- **Output**: An induced subgraph G'_2 of G_2 isomorphic to G_1 if it exists.

INDUCED CONNECTED SUBGRAPH ISOMORPHISM (ICSI) is defined as ISI but G_1 must be connected.

Parameterized complexity A parameterized problem (I, k) is fixed-parameter tractable (or in the class FPT) with respect to parameter k if it can be solved in $f(k) \cdot |I|^c$ time (i.e. in fpttime), where f is any computable function and c is a constant (see [12, 27] for more details about fixed-parameter tractability). The parameterized complexity hierarchy is composed of the classes $FPT \subseteq W[1] \subseteq W[2] \subseteq \cdots \subseteq XP$. The class XP contains problems solvable in time $f(k) \cdot |I|^{g(k)}$, where f and g are unrestricted functions. A problem is said to be paraNP-hard if it is NP-hard even for a constant value of the parameter (it hence cannot be in XP). A W[1]-hard problem is not fixed-parameter tractable, unless FPT = W[1], and one can prove W[1]-hardness by means of a parameterized reduction from a W[1]-hard problem. This is a mapping of an instance (I, k) of a problem A_1 in $g(k) \cdot |I|^{O(1)}$ time (for any computable function g) into an instance (I', k') for A_2 such that $(I, k) \in A_1 \Leftrightarrow (I', k') \in A_2$ and $k' \leq h(k)$ for some function h.

A powerful technique to design parameterized algorithms is *kernelization*. In short, kernelization is a polynomial-time self-reduction algorithm that takes an instance (I, k) of a parameterized problem P as input and computes an equivalent instance (I', k') of P such that $|I'| \leq h(k)$ for some computable function h and $k' \leq k$. The instance (I', k') is called a *kernel* in this case. If the function h is polynomial, we say that (I', k') is a polynomial kernel. It is well known that a problem is in FPT iff it has a kernel, but this equivalence yields super-polynomial kernels (in general). To design efficient parameterized algorithms, a kernel of polynomial (or even linear) size in k is important. However, some lower bounds on the size of the kernel can be shown unless some polynomial hierarchy collapses. To show this result, we will use the cross composition technique developed by Bodlaender et al. [7].

Definition 1 (Polynomial equivalence relation [7]). An equivalence relation \mathcal{R} on Σ^* is said to be polynomial if the following two conditions hold: (i) There is an algorithm that given two strings $x, y \in \Sigma^*$ decides whether x and y belong to the same equivalence class in time $(|x| + |y|)^{O(1)}$. (ii) For any finite set $S \subseteq \Sigma^*$ the equivalence relation \mathcal{R} partitions the elements of S into at most $(\max_{x \in S} |x|)^{O(1)}$ classes.

Definition 2 (OR-cross-composition [7]). Let $L \subseteq \Sigma^*$ be a set and let $Q \subseteq \Sigma^* \times \mathbb{N}$ be a parameterized problem. We say that L cross-composes into Q if there is a polynomial equivalence relation \mathcal{R} and an algorithm which, given t strings x_1, x_2, \ldots, x_t belonging to the same equivalence class of \mathcal{R} , computes an instance $(x^*, k^*) \in \Sigma^* \times \mathbb{N}$ in time polynomial in $\sum_{i=1}^t |x_i|$ such that: (i) $(x^*, k^*) \in Q \Leftrightarrow x_i \in L$ for some $1 \leq i \leq t$. (ii) k^* is bounded by a polynomial in $\max_{i=1}^t |x_i| + \log t$.

Proposition 3 ([7]). Let $L \subseteq \Sigma^*$ be a set which is NP-hard under Karp reductions. If L cross-composes into the parameterized problem Q, then Q has no polynomial kernel unless NP \subseteq coNP/poly.

The Exponential Time Hypothesis (ETH) is a conjecture by Impagliazzo et al. asserting that there is no $2^{o(n)}$ -time algorithm for 3-SAT on instances with *n* variables [20]. The ETH, together with the sparsification lemma [20], even implies that there is no $2^{o(n+m)}$ -time algorithm solving 3-SAT. Many algorithmic lower bounds have been proved under the ETH, see for example [22].

We say that a parameterized problem is *fixed-parameter enumerable* if all feasible solutions can be enumerated in $O(f(k)|I|^c)$ time, where f is a computable function of the parameter k only, and c is a constant.

3 Parameterized Complexity with respect to the natural parameter

We study the parameterized complexity of INDUCED SUBGRAPH ISOMORPHISM, MAXIMUM COM-MON INDUCED SUBGRAPH, INDUCED CONNECTED SUBGRAPH ISOMORPHISM, and MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH with respect to the natural parameter. We will in particular study these problems in graphs of bounded degeneracy, chordal graphs, and graphs of large girth.

Theorem 4. MCIS, MCCIS, ISI, and ICSI are W[1]-complete.

Proof. Since those problems are W[1]-hard by a straightforward reduction from k-CLIQUE, it suffices to show membership in W[1]. In [9], it is shown that if a problem can be reduced in FPT time to simulating a non-deterministic single-taped Turing machine halting in at most f(k) steps, for some function f, then it is in W[1]. The Turing machine can have an alphabet and a set of states of size depending on the size of the input of the initial problem. In our case, we can design a Turing machine that guesses in 2k steps the corresponding right k vertices in G_1 (for I(C)SI this part is not necessary) and the right k vertices in G_2 (our alphabet being isomorphic to an indexing of $V(G_1) \cup V(G_2)$) and then check in time $O(k^2)$ whether the two induced subgraphs are isomorphic (and that they are connected for ICSI and MCCIS).

In [26] it was shown that MAXIMUM INDUCED MATCHING¹ is W[1]-hard on bipartite graphs. This implies that MCIS is W[1]-hard on bipartite graphs. In fact, we show that MCIS remains W[1]-hard on more restricted graph classes, namely C_4 -free bipartite graphs with degeneracy 2. In particular, those graphs have girth at least 6. This result tells us two things about MC(C)IS. The first is that the fixed-parameter algorithm of Cai et al. [8, Theorem 1] cannot be extended from bounded degree to bounded degeneracy (note that some W-hard problems on general graphs become FPT on graphs with bounded degeneracy, such as the W[2]-complete DOMINATING SET problem [5]). The second is that short cycles are not making MC(C)IS W[1]-hard; they are W[1]-hard even without them. In [28], the authors present fixed-parameter algorithms on graphs of girth 5, for some problems which are W-hard on general graphs. MCIS and MCCIS are also resistant to this approach.

Theorem 5. INDUCED SUBGRAPH ISOMORPHISM and INDUCED CONNECTED SUBGRAPH ISO-MORPHISM are W[1]-complete even when both graphs are C_4 -free bipartite graphs with degeneracy at most 2.

Proof. The incidence graph I(G) of any graph G = (V, E), obtained by subdividing each edge of G once, has degeneracy 2. Indeed, graph I(G) is the bipartite graph $(V \uplus E, F)$ where the edges of F are all the *ue* for which $u \in V$, $e \in E$, and u is an endpoint of e. All the vertices $e \in E$ of I(G) have degree 2. Therefore, they can be removed first. Then, what is left in I(G) is the independent set V.

We transform any input G = (V, E), k > 3 of k-CLIQUE, into the instance $I(K_k), I(G)$ of I(C)SI, where both graphs have degeneracy 2. The problem consists of finding the incidence graph of a k-clique within the incidence graph of G. We show that it is equivalent to finding a k-clique in G. Obviously, if there is a k-clique S in G, then the graph $I(G)[S \cup E(S)]$ is isomorphic to $I(K_k)$. Now, let us assume that $I(K_k)$ is isomorphic to an induced subgraph of I(G). We denote by a_1, \ldots, a_k the vertices of $I(K_k)$ with degree k - 1, and by $b_1, \ldots, b_{\binom{k}{2}}$ the vertices of $I(K_k)$ with degree 2. We denote by $\psi : V(I(K_k)) \to V(I(G))$ the isomorphism from graph $I(K_k)$ to an induced subgraph of I(G). Let $u_i = \psi(a_i)$ for each $i \in [k]$, and $v_j = \psi(b_j)$ for each $j \in [\binom{k}{2}]$. We set $S = \{u_1, \ldots, u_k, v_1, \ldots, v_{\binom{k}{2}}\}$. For every $i \in [k], u_i \in V$ since the degree of a_i in $I(K_k)$ is k - 1 > 2 (hence, the degree of u_i in S is also k - 1 > 2). Now, for every $j \in [\binom{k}{2}], v_j \in E$ since

¹where one looks for a largest subset of vertices that induce a disjoint union of edges

 v_j has two neighbors in V (recall that I(G) is bipartite). Therefore, u_1, \ldots, u_k are k vertices in V inducing precisely $\binom{k}{2}$ edges. Hence, $\{u_1, \ldots, u_k\}$ is a k-clique in G. Membership in W[1] comes from Theorem 4.

Corollary 6. MAXIMUM COMMON INDUCED SUBGRAPH and MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH remain W[1]-complete on bipartite graphs of girth 6 and degeneracy 2.

The absence of triangles and cycles of length four in the input graphs does not make the problems tractable. We show that the absence of a long induced cycle does not help either (in [6], the authors show that the W[2]-hard problem DOMINATOR COLORING is in FPT when the input graph is chordal). More specifically, all four problems are W[1]-hard on chordal graphs. In fact, we can even show that these problems remain W[1]-hard on a proper subclass of chordal graphs called split graphs. A split graph is a graph whose vertex set can be partitioned into a set inducing a clique and an independent set.

Theorem 7. ISI (hence MCIS) and ICSI (hence MCCIS) remain W[1]-hard on split graphs.

Proof. Similarly to the previous construction, we define I'(G) as the graph $(V \uplus E, F)$ where the edges of F are the edges ue for which $u \in V$, $e \in E$, and u is an endpoint of e, plus all the edges uv with $u, v \in V$. The graph I'(G) is split: V induces a clique in I'(G) and E induces an independent set. From an instance G of k-CLIQUE with k > 3, we build the equivalent instance $I'(K_k), I'(G)$ of MC(C)IS and I(C)SI. The soundness can be obtained in the same way as in the previous proof.

Let us now say some words about the complexity of the connected version. First we note that MCIS is NP-hard on forests while MCCIS is solvable in polynomial-time in this case: given two forests G_1 and G_2 , run the polynomial-time MCIS algorithm of Akutsu on every pair of trees from G_1 and G_2 [3]. From the parameterized complexity standpoint, MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH is FPT whenever INDUCED SUBGRAPH ISOMORPHISM is FPT since the enumeration of all $O(2^{k^2})$ possible induced *connected* subgraphs can be used as described in the introduction. The converse is true on classes of graphs which are closed by adding a universal vertex (i.e., a vertex linked to all the other vertices). An instance (G_1, G_2, k) of ISI can be reduced to an equivalent instance $(G'_1, G'_2, k+1)$ of MCCIS by letting G'_i be the graph obtained by adding a vertex to G_i that is made adjacent to all other vertices of G_i .

4 Structural parameterization

Let us first recall that $tw(G) \leq fvs(G) + 1 \leq vc(G) + 1$, where tw(G) (resp. fvs(G), vc(G)) represents the treewidth (resp. the feedback vertex set number, the vertex cover number) of G [14]. As noted before, if the parameter is the combination of $tw(G_1)$ and $tw(G_2)$ then MCIS is known to be W[1]-hard. Even more, if the parameter is the combination of $fvs(G_1)$ and $fvs(G_2)$ (which is bigger than the combination of the treewidth), then the problem is not even in XP since MAXIMUM COMMON INDUCED SUBGRAPH and INDUCED SUBGRAPH ISOMORPHISM are NP-hard on disjoint union of chordless paths, a case where the parameter is equal to 0 [11, 16].

Theorem 8 ([11, 16]). MAXIMUM COMMON INDUCED SUBGRAPH is paraNP-hard when parameterized by $fvs(G_1) + fvs(G_2)$ (and hence by $tw(G_1) + tw(G_2)$).

One can extend this result to make it valid for the connected version.

Theorem 9. INDUCED CONNECTED SUBGRAPH ISOMORPHISM, and as a corollary MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH, are paraNP-hard when parameterized by $fvs(G_1) + fvs(G_2)$.

Proof. Given an instance of INDUCED SUBGRAPH ISOMORPHISM on forests G_1 and G_2 (each with at least 2 trees), we build an instance of INDUCED CONNECTED SUBGRAPH ISOMORPHISM by

adding a universal vertex (connected to every node) in G_1 and in G_2 . Both graph have thus a feedback vertex set of value one. One can see that these two universal vertices must be matched together since they are the only ones with sufficiently high degree. Then, there is a solution for INDUCED SUBGRAPH ISOMORPHISM iff there is a solution for INDUCED CONNECTED SUBGRAPH ISOMORPHISM. The result of course holds for MCCIS, too.

It was shown in [1] that MCIS is in FPT if the parameter is the combination of $vc(G_1)$ and $vc(G_2)$. Accordingly, the problem has a kernel, but no polynomial bound is known on its size. We show that, in this case, the kernel cannot be polynomial unless NP \subseteq coNP/poly.

Theorem 10. Unless NP \subseteq coNP/poly, MAXIMUM COMMON INDUCED SUBGRAPH has no polynomial kernel when parameterized by the sum of the sizes of vertex covers in the two input graphs.

Proof. We will define an OR-cross-composition from the NP-complete CLIQUE, problem, where the given instance is a tuple (G^c, l) and the question is whether the graph G^c contains a clique on l vertices.

Given t instances, $(G_1^c, l_1), (G_2^c, l_2), \ldots, (G_t^c, l_t)$, of CLIQUE, where G_i^c is a graph and $l_i \in \mathbb{N}, \forall 1 \leq i \leq t$, we define our equivalence relation \mathcal{R} such that any strings that are not encoding valid instances are equivalent, and $(G_i^c, l_i), (G_j^c, l_j)$ are equivalent iff $|V(G_i^c)| = |V(G_j^c)|$, and $l_i = l_j$. Hereafter, we assume that $V(G_i^c) = \{1, \ldots, n\}$ and $l_i = l$, for any $1 \leq i \leq t$. We will build an instance of MAXIMUM COMMON INDUCED SUBGRAPH parameterized by the vertex cover (G_1, G_2, l', Z) where G_1 and G_2 are two graphs, $l' \in \mathbb{N}$ and $Z \subseteq V(G_2)$ is a vertex cover of G_2 computed in fpt-time, such that there is a solution of size l' for MAXIMUM COMMON INDUCED SUBGRAPH iff there is an $i, 1 \leq i \leq t$ such that there is a solution of size l in G_i^c . We will now describe how to build G_1 and G_2 .

To build G_2 (see also Figure 1):

- $V(G_2) = \{p, q, r\} \cup \{a_i \mid 1 \le i \le t\} \cup \{e_{uv} \mid 1 \le u < v \le n\} \cup \{x_i \mid 1 \le i \le n\},\$
- $E(G_2)_1 = \{pq, pr, qr\},\$
- $E(G_2)_2 = \{ra_i \mid 1 \le i \le t\},\$
- $E(G_2)_3 = \{a_i e_{uv} \mid uv \in E(G_i^c)\},\$
- $E(G_2)_4 = \{e_{uv}x_u, e_{uv}x_v \mid \forall 1 \leq u < v \leq n\},\$
- $E(G_2) = E(G_2)_1 \cup E(G_2)_2 \cup E(G_2)_3 \cup E(G_2)_4.$




Figure 1: Illustration of the construction of G_2 .

To build G_1 (see also Figure 2):

- $V(G_1) = \{p, q, r, a\} \cup \{e_i \mid 1 \le i \le {l \choose 2}\} \cup \{x_i \mid 1 \le i \le l\},$
- $E(G_1)_1 = \{pq, pr, qr, ra\},\$
- $E(G_1)_2 = \{ae_i \mid 1 \leq i \leq \binom{l}{2}\},\$
- $E(G_1)_3 = \{e_i x_u, e_i x_v \mid \forall 1 \leq i \leq \binom{l}{2}, e_i = uv\},\$
- $E(G_1) = E(G_1)_1 \cup E(G_1)_2 \cup E(G_1)_3.$




Figure 2: Illustration of the construction of G_1 .

We set $l' = |V(G_1)|$, and $Z = \{p, r\} \cup \{e_{uv} | 1 \le u < v \le n\}$. It is easy to see that Z is indeed a vertex cover for G_2 and that its size is equal to $\frac{n(n-1)}{2} + 2$, which is polynomial in n and hence in the size of the largest instance. Note that the size of the graph G_1 does not depend on t and is polynomial in n, so the size of its vertex cover is also polynomial in n and independent of t.

Let us show that G_1 is an induced subgraph of G_2 iff at least one of the G_i^c 's has a clique of size l.

(\Leftarrow) Suppose that G_i^c has a clique of size l. We denote by $S \subseteq V(G_i^c)$ a clique of size exactly l in G_i^c . We show that there is an induced subgraph S' of G_2 of size l', isomorphic to G_1 . We set $V(S') = \{p, q, r\} \cup \{a_i\} \cup \{e_{uv} \mid \forall uv \in E(S)\} \cup \{x_u \mid u \in S\}$. One can easily check that this subgraph is isomorphic to G_1 .

(⇒) Assume now that G_1 is an induced subgraph of G_2 . Denote by S' the subgraph of G_2 isomorphic to G_1 . Note that the only triangle in G_2 is pqr. Indeed, $T(V(G_2) \setminus \{p\})$ is bipartite. The triangle pqr in G_1 has therefore to match pqr in G_2 . Moreover, r in G_1 has to match r in G_2 since p and q have no edges besides the clique pqr. The vertex a in G_1 can only match a vertex a_i for some $i \in \{1, \ldots, t\}$. Then, e_1 up to $e_{\binom{l}{2}}$ in G_1 has to match $\binom{l}{2}$ vertices in $\{e_{uv} \mid 1 \leq u < v \leq n\}$ of G_2 which correspond to actual edges in G_i^c . Finally, x_1 up to x_l in G_1 has to match l vertices among the x_j 's in G_2 . Note that the number of edges in $E(G_1)_3$ between the e_j 's and the x_j 's is exactly $2\binom{l}{2} = l(l-1)$. More precisely, each e_j touches 2 edges in $E(G_1)_3$ and each x_j touches l-1 edges in $E(G_1)_3$. In order to get a match in G_2 , one should find a set of $\binom{l}{2}$ edges inducing exactly l vertices. So, this set of l vertices is a clique in G_i^c .

Note that the parameter of MCIS in the previous reduction is exactly the size of G_1 and the graphs used in the proof are connected. Therefore, we have the following:

Corollary 11. INDUCED SUBGRAPH ISOMORPHISM and MAXIMUM COMMON CONNECTED IN-DUCED SUBGRAPH, parameterized by a bound on the minimum vertex covers of input graphs, do not have a polynomial-size kernel unless NP \subseteq coNP/poly.

The algorithm of [1] is not single-exponential for parameter sum of the vertex cover numbers. In fact, we show that a single-exponential algorithm is very unlikely. This is, to the best of our knowledge, the first result of this type for parameter vertex cover. **Theorem 12.** Under the ETH, IS(C)I cannot be solved in time $2^{o(k \log k)}$ when parameter k is the sum of the vertex cover number of both graphs.

Proof. We give a reduction from $k \times k$ PERMUTATION CLIQUE which linearly preserves the parameter k. It is known that this problem does not admit an algorithm with running time $2^{o(k \log k)}$ unless the ETH fails [23]. In the $k \times k$ PERMUTATION CLIQUE problem, one is given a graph over the set of vertices $[k] \times [k]$ and the goal is to find a clique of size k such that in each row and in each column exactly one vertex is part of the clique, where a row is the set of vertices $\{(i, 1), (i, 2), \ldots, (i, k)\}$ for some $i \in [k]$, and a column is the set of vertices $\{(1, j), (2, j), \ldots, (k, j)\}$ for some $j \in [k]$.

We first describe how the graph G_2 is built from any instance $G = ([k] \times [k], E)$ of $k \times k$ PERMUTATION CLIQUE. For each row (resp. column) index $i \in [k]$, we add two vertices r_i^1 and r_i^2 (resp. c_i^1 and c_i^2) that we link by an edge. For $j \in [2]$, we set $R_j = \{r_1^j, r_2^j, \ldots, r_k^j\}$ (resp. $C_j = \{c_1^j, c_2^j, \ldots, c_k^j\}$) and $R = R_1 \cup R_2$ (resp. $C = C_1 \cup C_2$). Then, to distinguish row indices from column indices, we add a clique D_r of size 6, and we link one designated vertex r of D_r to all the vertices in R. We also add a clique D of size 5 with a special vertex v in D such that v is linked to all the vertices in $R_1 \cup C_1$.

Finally, for each edge e = (i, j)(i', j') of G with $i \neq i'$ and $j \neq j'^2$, we add a vertex v(e, 1) that we link to the four vertices r_i^1 , c_j^1 , $r_{i'}^2$, and $c_{j'}^2$, and a vertex v(e, 2) that we link to the four vertices r_i^2 , c_j^2 , $r_{i'}^1$, and $c_{j'}^1$. This ends the construction of G_2 (see Figure 3). The pattern G_1 depends only on k and is defined as the graph one obtains following the above construction when G have all the edges of the form (i, i)(i', i') and no other edges (in other words, G has a k-clique on the diagonal and nothing else).

Both G_1 and G_2 have $R \cup C \cup D_r \cup D$ as a vertex cover of size 4k+11. G_2 has $|E|+4k+11 = O(k^4)$ vertices and G_1 has $2\binom{k}{2} + 4k + 11 = O(k^2)$ vertices. To avoid confusion about vertices in G_1 and G_2 we will denote the vertices and sets of vertices of G_1 with a tilde. We now show that the reduction is valid.

Suppose there is a solution $\{(a_1, b_1), \ldots, (a_k, b_k)\}$ to the instance of $k \times k$ PERMUTATION CLIQUE. Then, G_1 is an induced subgraph of G_2 with the following mapping. We map \tilde{r} to r and \tilde{v} to v. We map $\tilde{D}_r \setminus \{\tilde{r}\}$ to $D_r \setminus \{r\}$ and $\tilde{D} \setminus \{\tilde{v}\}$ to $D \setminus \{v\}$ in an arbitrary way. Then, for each $i \in [k]$ and $j \in [2]$, we map \tilde{r}_i^j to $r_{a_i}^j$ and \tilde{c}_i^j to $r_{b_i}^j$. We observe that this mapping is one-to-one since $(a_1, b_1), \ldots, (a_k, b_k)$ is a *permutation* clique, i.e., $\{a_1, a_2, \ldots, a_k\} = [k] = \{b_1, b_2, \ldots, b_k\}$. Finally, for any $j \in [2]$, and any $i \neq i' \in [k]$ we map $\tilde{v}(e, j)$ to $v((a_i, b_i)(a_{i'}, b_{i'}), j)$. Note that vertex $v((a_i, b_i)(a_{i'}, b_{i'}), j)$ always exists precisely because $\{(a_1, b_1), \ldots, (a_k, b_k)\}$ is a clique.

Conversely, if there is a solution to the IS(C)I instance, we will show that there is a permutation k-clique in G. There is only one clique of size 6 in G_2 , so the clique $\tilde{D_r}$ of size 6 has to be mapped to D_r . Then, \tilde{r} , as the unique vertex of $\tilde{D_r}$ of degree larger than 5, should be mapped to r. Now, for the same reasons, \tilde{D} should be mapped to D and \tilde{v} to v. Vertices of $\tilde{R_1} \cup \tilde{C_1}$ are the only 2k unmatched vertices having \tilde{v} as a neighbor, so those vertices should be matched to the only 2k unmatched vertices having v as a neighbor, namely $R_1 \cup C_1$. For similar reasons, \tilde{R} should be mapped to $R_2 \cup C_2$ as the only unmatched vertices having $\tilde{K_1} \cup \tilde{C_1}$ ($R_1 \cup C_1$).

Thus, the 4k vertices of $\tilde{R} \cup \tilde{C}$ can only be mapped to $R \cup C$, such that for $j \in [2]$, \tilde{R}_j is mapped to R_j and \tilde{C}_j is mapped to C_j . The edges $\tilde{r}_i^1 \tilde{r}_i^2$ and $r_i^1 r_i^2$ (resp. $\tilde{c}_i^1 \tilde{c}_i^2$ and $c_1^1 c_i^2$) further constrains the mapping: if \tilde{r}_i^1 is mapped to $r_{i'}^1$ then \tilde{r}_i^2 has to be mapped to $r_{i'}^2$ (resp. if \tilde{c}_i^1 is mapped to $c_{i'}^1$ then \tilde{c}_i^2 has to be mapped to $c_{i'}^2$). Hence, we can see the mapping from $\tilde{R} \cup \tilde{C}$ to $R \cup C$ as two permutations σ_r and σ_c on k elements, such that for $j \in [2]$, for $i \in [k]$, \tilde{r}_i^j is mapped to $r_{\sigma_r(i)}^j$ and \tilde{c}_i^j is mapped to $c_{\sigma_c(i)}^j$. Then, the current partial mapping can be extended to a solution only if $\{(\sigma_r(1), \sigma_c(1)), \ldots, (\sigma_r(k), \sigma_c(k))\}$ is a clique in G. Indeed, $\forall j \in [2], \forall i \neq i' \in [k], \tilde{v}((i, i)(i', i'), j)$ can only be mapped to a potential $v((\sigma_r(i), \sigma_c(i))(\sigma_r(i'), \sigma_c(i')), j)$ so that vertex has to exist, meaning that there should be an edge in G between $(\sigma_r(i), \sigma_c(i))$ and $(\sigma_r(i'), \sigma_c(i'))$.

An algorithm solving IS(C)I in time $poly(|G_1|, |G_2|)2^{o(k \log k)}$ with $k := vc(G_1) + vc(G_2)$ would therefore translate into an algorithm running in time $2^{o(k \log k)}$ for $k \times k$ PERMUTATION CLIQUE

 $^{^{2}}$ We ignore the other edges since they are not relevant in finding a permutation clique.




Figure 3: The overall construction of G_2 . We represented only two edges of G: $e_1 = (2, 1)(3, 2)$ and $e_2 = (3, 1)(4, 3)$. For the sake of readability, the edges encoding e_1 are enhanced to distinguish them easily from the edges encoding e_2 .

and contradict the ETH.

Despite the fact that ISI and MCIS have the same parameterized complexity with respect to the natural parameter, they exhibit different behaviors when considering structural parameters. In fact, the latter is paraNP-hard when parameterized by the vertex cover of only one of the two graphs, whereas ISI is FPT when parameterized by the vertex cover of the second (host) graph. To see this, note that when the host graph has a vertex cover of size k, the minimum size of a vertex cover in the pattern graph must be bounded by the parameter k; otherwise we have a NO-instance. The claim follows from the fixed-parameter tractability of MCIS in this case [1].

Given the negative result of Theorem 9, the next question we pose is whether MCCIS is in FPT with respect to the size of a minimum vertex cover. In [1], a parameterized algorithm is presented for MCIS when the parameter is a bound on the minimum vertex cover number of the input graphs. However, that algorithm cannot help us much for solving MCCIS since it relies on the existence of a feasible solution of size at least $\approx n - k$ which consists of mapping the two *big* independent sets of the two graphs onto each other. Of course, this is not a feasible solution for MCCIS. In the following we prove that MCCIS is fixed-parameter tractable w.r.t. $k := vc(G_1) + vc(G_2)$.

Theorem 13. MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH parameterized by $k := vc(G_1) + vc(G_2)$ is fixed-parameter tractable.

Proof. In time $O^*(2^k)$ (even $O^*(1.2738^k)$ [10]), we can find minimum vertex covers C_1 and C_2 in G_1 and G_2 respectively. Let $I^{(j)}$ be the independent set $V(G_j) \setminus C_j$ for $j \in \{1, 2\}$. By assumption, our parameter k is max (C_1, C_2) , so we can enumerate all tripartitions of C_1 and C_2 in time $O^*(9^k)$. We denote by $C_{1,m}$, $C_{1,u}$ and $C_{1,i}$ (respectively $C_{2,m}$, $C_{2,u}$ and $C_{2,i}$) the three sets of a tripartition of C_1 (respectively C_2). For $j \in \{1, 2\}$, $C_{j,u}$ corresponds to the vertices of C_j that are not matched, so they may be deleted. $C_{j,m}$ comprises the vertices matched to $C_{3-j,m}$ (that is, to the vertex cover of the other graph), and $C_{j,i}$ are the vertices matched to $I^{(3-j)}$, the independent set of the other graph. See Figure 4.

We observe that for $j \in \{1,2\}$, $I^{(j)}$ can be partitioned into at most 2^k classes of twins: $I_1^{(j)}, I_2^{(j)}, \ldots I_{2^k}^{(j)}$. A class of twins in this context is a set of vertices with an identical neighborhood in the vertex cover and there are at most 2^k subsets of C_j . Potentially, some classes can be empty: they correspond to a subset of the vertex cover C_j that is not the (exact) neighborhood of any vertex in $I^{(j)}$.

At this point, we can enumerate the mappings between $C_{1,m}$ and $C_{2,m}$ in time $O^*(k^k)$ and the mappings between $C_{j,i}$ and $I^{(3-j)}$ in time $O^*((2^k)^k) = O^*(2^{k^2})$. Indeed, to match a vertex uwith a vertex v or a twin of v is equivalent. Thus, in time $O^*((9k)^k 2^{k^2})$ we can enumerate all the solutions of MCIS where only vertices of $I^{(1)}$ could still be matched to vertices of $I^{(2)}$. The optimal map of the independent sets can be done in polynomial time by matching the greatest number of vertices in each *equivalent* twin class (which is the size of the smaller of the two equivalent twin classes), where a twin class $I_r^{(j)}$ in $I^{(j)}$ is equivalent to a twin class $I_s^{(3-j)}$ in $I^{(3-j)}$ if the vertices of $N(I_r^{(j)}) \setminus C_{j,u}$ and $N(I_s^{(3-j)}) \setminus C_{3-j,u}$ are in one-to-one correspondence.

To find a solution for MCCIS, the algorithm described in the above proof enumerates all possible maximal common induced subgraphs in time $O^*((9k)^k 2^{k^2})$. The current bottleneck to improve it is when we try to match vertices of the vertex cover with vertices of the independent set. For the not connected version of the problem, a trivial argument can bound the size of the independent set (if this one is big, there is a trivial solution), which cannot be used for the connected version. As such, it can be used as an enumeration algorithm for MCIS.

Corollary 14. MAXIMUM COMMON INDUCED SUBGRAPH parameterized by $k := vc(G_1) + vc(G_2)$ is fixed-parameter enumerable.

Let us finish this section with some general considerations. Note that for ISI, the parameter vc + fvs is not the same as fvs + vc. In the latter, the parameter is a bound on the vertex cover of




Figure 4: Illustration of the proof of Theorem 13. Dashed boxes represent the classes inside the independent set. Arrows represent the matching between sets of vertices. Sets C_1 (resp. C_2) represents a vertex cover for G_1 (resp. G_2).

 G_2 (as well as the feedback vertex set of G_1) which makes ISI in FPT, while it remains open for vc+fvs. We also note that ISI is not in XP w.r.t. vc(G_1) by a simple reduction from INDEPENDENT SET: let G_2 be an edgeless graph on k vertices, then its vertex cover number is 0.

We now turn our attention to the case where MCIS is parameterized by a combination of the natural parameter and some structural parameter. We note that, in general, such parameterization reduces the problem's complexity. This is most often due to the fixed-parameter tractability of MCIS in *H*-minor free graphs (again, since ISI is FPT in this case [15]). For example, consider the case where the parameter is the sum of some bound t on the feedback vertex set of the input graphs and the natural parameter k. The problem is FPT in this case since graphs of t-feedback vertex set are *H*-minor free where *H* is the "fixed" graph consisting of a disjoint union of t + 1 triangles. The same applies to parameterization by treewidth and the natural parameter by considering *H* to be the complete graph on t + 2 vertices, for example.

5 Conclusion

We studied the MAXIMUM COMMON INDUCED SUBGRAPH and MAXIMUM COMMON CONNECTED INDUCED SUBGRAPH problems with respect to the solution size on special graph classes such as forests, bipartite graphs, bounded degree graphs, bounded degeneracy graphs, graphs without small (length 3 or 4) cycles. The two problems are fixed-parameter tractable on H-minor free graphs, which include forests, and bounded degree graphs, but they are W[1]-complete on bipartite graphs of girth 6 and degeneracy 2. This ruled out at the same time two approaches to get fixed-parameter algorithms on subclasses of graphs for W-hard problems.

We then considered the use of structural parameters, such as a bound on the minimum vertex covers of the input graphs. Although both MCIS and MCCIS are in FPT in this case, we proved that no kernel of polynomial bound can be obtained unless NP \subseteq coNP/poly and that they cannot be solved in time $2^{o(k \log k)}$ under the ETH. We noted that MCIS is not even in XP with respect to other (smaller) auxiliary parameters, such as treewidth and feedback vertex set. A few open problems remain to be addressed. For example, is MCIS/MCCIS in FPT when parameterized by the combination of the vertex cover number and the feedback vertex set number, or by the vertex cover number and the treewidth? Moreover, it would be interesting to know whether the algorithm for MCCIS of Theorem 13 can be improved to match the lower bound.

References

- F. N. Abu-Khzam. Maximum common induced subgraph parameterized by vertex cover. Inf. Process. Lett., 114(3):99–103, 2014.
- [2] F. N. Abu-Khzam, E. Bonnet, and F. Sikora. On the complexity of various parameterizations of common induced subgraph isomorphism. In J. Kratochvíl, M. Miller, and D. Froncek, editors, *Combinatorial Algorithms - 25th International Workshop*, *IWOCA 2014*, volume 8986 of *LNCS*, pages 1–12. Springer, 2014.
- [3] T. Akutsu. An RNC algorithm for finding a largest common subtree of two trees. *IEICE Transactions on Information and Systems*, 75(1):95–101, 1992.
- [4] T. Akutsu. A polynomial time algorithm for finding a largest common subgraph of almost trees of bounded degree. *IEICE Transactions on Fundamentals of Electronics, Communications* and Computer Sciences, 76(9):1488–1493, 1993.
- [5] N. Alon and S. Gutner. Linear time algorithms for finding a dominating set of fixed size in degenerated graphs. *Algorithmica*, 54(4):544–556, 2009.
- [6] S. Arumugam, K. R. Chandrasekar, N. Misra, G. Philip, and S. Saurabh. Algorithmic aspects of dominator colorings in graphs. In C. S. Iliopoulos and W. F. Smyth, editors, *Combinatorial Algorithms - 22nd International Workshop*, *IWOCA*, volume 7056 of *LNCS*, pages 19–30. Springer, 2011.
- [7] H. L. Bodlaender, B. M. P. Jansen, and S. Kratsch. Kernelization lower bounds by crosscomposition. SIAM J. Discrete Math., 28(1):277–305, 2014.
- [8] L. Cai, S. M. Chan, and S. O. Chan. Random Separation: A New Method for Solving Fixed-Cardinality Optimization Problems. In H. L. Bodlaender and M. A. Langston, editors, 2nd International Workshop Parameterized and Exact Computation (IWPEC 2006), volume 4169 of LNCS, pages 239–250. Springer, 2006.
- [9] M. Cesati. The turing way to parameterized complexity. J. Comput. Syst. Sci., 67(4):654–685, 2003.
- [10] J. Chen, I. A. Kanj, and G. Xia. Improved upper bounds for vertex cover. Theor. Comput. Sci., 411(40-42):3736–3756, Sept. 2010.
- [11] P. Damaschke. Induced subgraph isomorphism for cographs is np-complete. In Proc. Workshop on Graph Theoretic Concepts in Computer Science, volume 484 of LNCS, pages 72–78. Springer, 1991.
- [12] R. G. Downey and M. R. Fellows. Fundamentals of Parameterized Complexity. Texts in Computer Science. Springer, 2013.
- [13] M. R. Fellows, B. M. P. Jansen, and F. A. Rosamond. Towards fully multivariate algorithmics: Parameter ecology and the deconstruction of computational complexity. *Eur. J. Comb.*, 34(3):541–566, 2013.
- [14] M. R. Fellows, B. M. P. Jansen, and F. A. Rosamond. Towards fully multivariate algorithmics: Parameter ecology and the deconstruction of computational complexity. *Eur. J. Comb.*, 34(3):541–566, 2013.
- [15] J. Flum and M. Grohe. Fixed-parameter tractability, definability, and model-checking. SIAM Journal on Computing, 31(1):113–145, 2001.
- [16] M. R. Garey and D. S. Johnson. Computers and Intractability: A guide to the theory of NP-completeness. W.H. Freeman, San Francisco, 1979.

- [17] H. M. Grindley, P. J. Artymiuk, D. W. Rice, and P. Willett. Identification of tertiary structure resemblance in proteins using a maximal common subgraph isomorphism algorithm. *Journal* of *Molecular Biology*, 229(3):707–721, 1993.
- [18] M. Grohe, S. Kreutzer, and S. Siebertz. Deciding first-order properties of nowhere dense graphs. In D. B. Shmoys, editor, *Symposium on Theory of Computing*, STOC 2014, pages 89–98. ACM, 2014.
- [19] P. Heggernes, P. van 't Hof, D. Meister, and Y. Villanger. Induced subgraph isomorphism on proper interval and bipartite permutation graphs. *Theoretical Computer Science*, 562:252 – 269, 2015.
- [20] R. Impagliazzo, R. Paturi, and F. Zane. Which problems have strongly exponential complexity? Journal of Computer and System Sciences, 63(4):512–530, Dec. 2001.
- [21] I. Koch, T. Lengauer, and E. Wanke. An algorithm for finding maximal common subtopologies in a set of protein structures. J. of Comp. Biology, 3(2):289–306, 1996.
- [22] D. Lokshtanov, D. Marx, and S. Saurabh. Known algorithms on graphs of bounded treewidth are probably optimal. In Proc. 22nd Annual ACM-SIAM Symposium on Discrete Algorithms, SODA '11, pages 777–789. SIAM, 2011.
- [23] D. Lokshtanov, D. Marx, and S. Saurabh. Slightly superexponential parameterized problems. In Proc. 22nd Annual ACM-SIAM Symposium on Discrete Algorithms, SODA '11, pages 760–776. SIAM, 2011.
- [24] D. Marx and I. Schlotter. Cleaning interval graphs. Algorithmica, 65(2):275–316, 2013.
- [25] J. McGregor and P. Willett. Use of a maximal common subgraph algorithm in the automatic identification of the ostensible bond changes occurring in chemical reactions. J. of Chemical Information and Computer Science, 21:137–140, 1981.
- [26] H. Moser and S. Sikdar. The parameterized complexity of the induced matching problem. Discrete Applied Mathematics, 157(4):715–727, 2009.
- [27] R. Niedermeier. Invitation to Fixed Parameter Algorithms. Lecture Series in Mathematics and Its Applications. Oxford University Press, 2006.
- [28] V. Raman and S. Saurabh. Short cycles make W -hard problems hard: FPT algorithms for W -hard problems in graphs with no short cycles. Algorithmica, 52(2):203-225, 2008.
- [29] J. W. Raymond and P. Willett. Maximum common subgraph isomorphism algorithms for the matching of chemical structures. *Journal of Computer-Aided Molecular Design*, 16:521–533, 2002.
- [30] A. Yamaguchi, K. F. Aoki, and H. Mamitsuka. Finding the maximum common subgraph of a partial k-tree and a graph with a polynomially bounded number of spanning trees. *Inf. Process. Lett.*, 92(2):57–63, 2004.