Congruence Closure in Intensional Type Theory

Daniel Selsam 1 and Leonardo de Moura 2

¹ Stanford University dselsam@stanford.edu ² Microsoft Research leonardo@microsoft.com

Abstract. Congruence closure procedures are used extensively in automated reasoning and are a core component of most satisfiability modulo theories solvers. However, no known congruence closure algorithms can support any of the expressive logics based on intensional type theory (ITT), which form the basis of many interactive theorem provers. The main source of expressiveness in these logics is dependent types, and yet existing congruence closure procedures found in interactive theorem provers based on ITT do not handle dependent types at all and only work on the simply-typed subsets of the logics. Here we present an efficient and proof-producing congruence closure procedure that applies to every function in ITT no matter how many dependencies exist among its arguments, and that only relies on the commonly assumed uniqueness of identity proofs axiom. We demonstrate its usefulness by solving interesting verification problems involving functions with dependent types.

1 Introduction

Congruence closure procedures are used extensively in automated reasoning, since almost all proofs in both program verification and formalized mathematics require reasoning about equalities [23]. The algorithm constitutes a fundamental component of most satisfiability modulo theories (SMT) solvers [4, 20]; it is often distinguished as the "core theory solver", and is responsible for communicating literal assignments to the underlying SAT solver and equalities to the other "satellite solvers" [10,20]. However, no known congruence closure algorithms can support any of the expressive logics based on intensional type theory (ITT). Yet despite the lack of an algorithm for congruence closure, the benefits that ITTs confer in terms of expressiveness, elegance, and trustworthiness have proved substantial enough that different flavors of ITT form the basis of many interactive theorem provers, such as Coq [8], Lean [21], and Matita [2], and also several emerging programming languages, such as Agda [5], Epigram [16], and Idris [6]. Many of the most striking successes in both certified programming and formalized mathematics have been in variants of ITT, such as the development of a fully-certified compiler for most of the C language [14] and the formalization of the odd-order theorem [11].

There are currently two main workarounds for the lack of a congruence closure algorithm for ITT, and for the lack of robust theorem proving tools for ITT more generally. One option is to rely much more on manual proving. Although many impressive projects have been formalized with little to no automation, this approach is not very attractive since the cost of manual proving can be tremendous. We believe that as long as extensive manual proving is a central part of writing certified software or formalizing mathematics, these will remain niche activities for the rare expert. The other option is to relinquish the use of dependent types whenever manual reasoning becomes too burdensome so that more traditional automation can be used. Note that the Coq system even has a tactic congruence that performs congruence closure, but it does not handle dependent types at all and only works on the simply-typed subset of the language. This sacrifice may be appropriate in certain contexts, but losing all the benefits of dependent types makes this an unsatisfactory solution in general.

Given the limitations of these two workarounds, it would be preferable to perform congruence closure and other types of automated reasoning directly in the richer language of ITT. Unfortunately, equality and congruence are both surprisingly subtle in ITT, and as we will see, the theorem that could justify using the standard congruence closure procedure for functions with dependent types is not provable in the core logic, nor does it follow from any of the axioms commonly assumed in existing systems. In this paper, we introduce a new notion of congruence that applies to every function in ITT no matter how many dependencies exist among its arguments, along with a simple and efficient extension of the standard congruence closure procedure to fully automate reasoning about this more general notion of congruence. Our procedure is applicable to a wide variety of projects since it only relies on the uniqueness of identity proofs axiom, which is built into the logic of many systems including Agda, Idris, and Lean, and which is commonly assumed in the others. We hope our procedure helps make it possible for users to have the best of both worlds: to reap all the benefits of dependent types while still enjoying all the power of traditional automation.

2 Preliminaries

We assume the term language is a dependent λ -calculus in which terms are described by the following grammar:

$$t,s ::= x \mid c \mid \mathsf{Type} \mid t \mid s \mid \lambda x : s,t \mid \mathsf{\Pi} x : s,t$$

where x is a variable and c is a constant. To simplify the presentation, we omit type universes at sort Type. It is not relevant to this paper whether the universe hierarchy is cumulative or not, nor whether there is a distinguished sort Prop (the sort of all propositions). The term $\Pi x:A$, B denotes the type of functions f that map any element a:A to an element of B[a/x]. When f appears in f we say that f is dependently-typed; otherwise we write f as f and f be to denote the usual non-dependent function space. When f is a proposition, f as f can be read as the universally quantified formula f and f and f and the lambda not appear in f and the lambda

abstraction $\lambda x:A$, t denotes a function that given an element a of type A produces t[a/x]. As usual in Type Theory, a context Γ is a sequence of typing assumptions a:A and (local) definitions c:A:=t, where t has type A and c does not occur in t. We often omit the type A and simply write c:=t to save space when no confusion arises. Similarly, an environment Δ is a sequence of (global) definitions f:A:=t. We use $type(\Delta, \Gamma, t)$ to denote the type of t with respect to Δ and Γ , and type(t) when no confusion arises. Given an environment Δ and a context Γ , every term reduces to a normal form by the standard $\beta \delta \eta \iota \zeta$ -reduction rules. For this paper we will assume a fixed environment Δ that contains all definitions and theorems that we present. As usual, we write $\Pi(a:A)(b:B),C$ as a shorthand for $\Pi a:A,(\Pi b:B,C)$. We use a similar shorthand for λ -terms.

2.1 Equality

One of the reasons that congruence is subtle in ITT is that equality itself is subtle in ITT. The single notion of equality in most other logics splits into at least three different yet related notions in ITT.

Definitional equality. The first notion of equality in ITT is definitional equality. We write $\mathbf{a} \equiv \mathbf{b}$ to mean that \mathbf{a} and \mathbf{b} are equal by definition, which is the case whenever \mathbf{a} and \mathbf{b} reduce to the same normal form. For example, if we define a function $\mathbf{f}: \mathbb{N} \to \mathbb{N} := \lambda \, \mathbf{n} : \mathbb{N}, \, 0$ in the environment Δ , then the terms 0 and \mathbf{f} 0 both reduce to the same normal form 0 and so are equal by definition. On the other hand, $(\lambda \, \mathbf{n} \, \mathbf{m} : \, \mathbb{N}, \, \mathbf{n} + \mathbf{m})$ is not definitionally equal to $(\lambda \, \mathbf{n} \, \mathbf{m} : \, \mathbb{N}, \, \mathbf{m} + \mathbf{n})$, since they are both in normal form and these normal forms are not the same. Note that definitional equality is a judgment at the meta-level, and the theory itself cannot refer to it; in particular, it is not possible to assume or negate a definitional equality.

Homogeneous propositional equality. The second notion of equality in ITT is homogeneous propositional equality, which we will usually shorten to homogeneous equality since "propositional" is implied. Unlike definitional equality which is a judgment at the meta-level, homogeneous equality can be assumed, negated, and proved inside the logic itself. There is a constant eq: Π (A: Type), $A \to A \to$ Type in Δ such that, for any type A and elements a b: A, the expression eq A a b represents the proposition that a and b are "equal". Note that we call this homogeneous equality because the types of a and b must be definitionally equal to even state the proposition that a and b are equal. We write a = A b as shorthand for eq A a b, or a = b if the type A is clear from context. We say a term t of type a = b is a proof for a = b.

The meaning of homogeneous equality is given by the introduction and elimination rules for eq, which state how to prove that two elements are equal and what one can do with such a proof respectively. The introduction rule for eq is the dependent function $refl: \Pi (A: Type) (a:A), a = a$, which says that every element of type A is equal to itself. We call refl the reflexivity axiom, and write

refl a whenever the type A is clear from context. Note that if a b : A are definitionally equal, then refl a is a proof for a = b. The elimination principle (also known as the recursor) for the type eq is the dependent function erec:

```
\mathtt{erec}:\Pi\ (\mathtt{A}:\mathtt{Type})\ (\mathtt{a}:\mathtt{A})\ (\mathtt{C}:\mathtt{A}\to\mathtt{Type}),\ \mathtt{C}\ \mathtt{a}\to\Pi\ (\mathtt{b}:\mathtt{A}),\ \mathtt{a}=\mathtt{b}\to\mathtt{C}\ \mathtt{b}
```

Heterogeneous propositional equality. As we saw above, homogeneous equality suffers from a peculiar limitation: it is not even possible to form the proposition a = b unless the types of a and b are definitionally equal. The further one strays from the familiar confines of simple type theory, the more severe this handicap becomes. For example, a common use of dependent types is to include the length of a list inside its type in order to make out-of-bounds errors impossible. The resulting type is often called a *vector* and has type $vector: \Pi(A:Type), N \to Type$. It is easy to define an append function on vectors:

$$\mathtt{app}: \Pi \ (\mathtt{A}: \mathtt{Type}) \ (\mathtt{n} \ \mathtt{m}: \mathbb{N}), \, \mathtt{vector} \ \mathtt{A} \ \mathtt{n} \to \mathtt{vector} \ \mathtt{A} \ \mathtt{m} \to \mathtt{vector} \ \mathtt{A} \ (\mathtt{n} + \mathtt{m})$$

However, we cannot even state the proposition that app is associative using homogeneous equality, since the type vector \mathbf{A} $(\mathbf{n}+(\mathbf{m}+\mathbf{k}))$ is not definitionally equal to the type vector \mathbf{A} $((\mathbf{n}+\mathbf{m})+\mathbf{k})$, only propositionally equal. The same issue arises when reasoning about vectors in mathematics. For example, we cannot even state the proposition that concatenating zero-vectors of different lengths m and n over the real numbers $\mathbb R$ is commutative, since the type $\mathbb R^{m+n}$ is not definitionally equal to the type $\mathbb R^{n+m}$. In both cases, we could use erec to cast one of the two terms to have the type of the other, but this approach would quickly become unwieldy as the number of dependencies increased, and moreover every procedure that reasoned about equality would need to do so modulo casts.

Thus there is a need for a third notion of equality in ITT, heterogeneous propositional equality, which we will usually shorten to heterogeneous equality since "propositional" is implied. There is a constant heq: Π (A: Type) (B: Type), $A \to B \to T$ ype that behaves like eq except that its arguments may have different types. We write a == b as shorthand for heq A B a b. Heterogeneous equality has an introduction rule href1: Π (A: Type) (a: A), a == a analogous to ref1, and it is straightforward to show that heq is an equivalence relation by proving the following theorems:

³ There are many equivalent ways of defining heq. One popular way is "John Major equality" [15]. Additional formulations and formal proofs of equivalence can be found at http://leanprover.github.io/ijcar16/heq.lean.

Unfortunately, the flexibility of heq does not come without a cost: as we discuss in §3, heq turns out to be weaker than eq in subtle ways and does not permit as simple a notion of congruence.

Converting from heterogeneous equality to homogeneous equality. It is straightforward to convert a proof of homogeneous equality p:a=b into one of heterogeneous equality using the lemma

```
\textcolor{red}{\texttt{lemma}} \ \texttt{ofeq} \ (\texttt{A} : \texttt{Type}) \ (\texttt{a} \ \texttt{b} : \texttt{A}) : \texttt{a} = \texttt{b} \rightarrow \texttt{a} == \texttt{b}
```

However, we must assume an axiom in order to prove the reverse direction

```
ofheq (A : Type) (a b : A) : a == b \rightarrow a = b
```

The statement is equivalent to the uniqueness of identity proofs (UIP) principle [26], to Streicher's $Axiom\ K$ [26], and to a few other variants as well. Although these axioms are not part of the core logic of ITT, they have been found to be consistent with ITT by means of a meta-theoretic argument [18], and are built into the logic of many systems including Agda, Idris, and Lean. They also follow from various stronger axioms that are commonly assumed, such as proof irrelevance and excluded middle. In Coq, UIP or an axiom that implies it is often assumed when heterogeneous equality is used, including in the CompCert project [14]. Our approach is built upon being able to recover homogeneous equalities from heterogeneous equalities between two terms of the same type and so makes heavy use of offied.

3 Congruence

Congruence over homogeneous equality. It is straightforward to prove the following lemma using erec:

```
lemma congr: \Pi (A B: Type) (f g: A \rightarrow B) (a b: A), f = g \rightarrow a = b \rightarrow f a = g b
```

and thus prove that eq is indeed a congruence relation for simply-typed functions. Thus the standard congruence closure algorithm can be applied to the simply-typed subset of ITT without much complication. In particular, we have the familiar property that f a and g b are in the same equivalence class if and only if either an equality f a = g b has been processed, or if f and g are in the same equivalence and g and g are in the same equivalence class.

Congruence over heterogeneous equality. Unfortunately, once we introduce functions with dependent types, we must switch to heq and lose the familiar property discussed above that eq satisfies for simply-typed functions. Ideally we would like the following congruence lemma for heterogeneous equality:

```
\begin{array}{l} \texttt{hcongr\_ideal} : \Pi \; (\texttt{A} \; \texttt{A}' : \texttt{Type}) \; (\texttt{B} : \texttt{A} \to \texttt{Type}) \; (\texttt{B}' : \texttt{A}' \to \texttt{Type}) \\ (\texttt{f} : \Pi \; (\texttt{a} : \texttt{A}), \texttt{B} \; \texttt{a}) \; (\texttt{f}' : \Pi \; (\texttt{a}' : \texttt{A}'), \texttt{B}' \; \texttt{a}') \; (\texttt{a} : \texttt{A}) \; (\texttt{a}' : \texttt{A}'), \\ \texttt{f} : = \texttt{f}' \to \texttt{a} := \texttt{a}' \to \texttt{f} \; \texttt{a} := \texttt{f}' \; \texttt{a}' \end{array}
```

Unfortunately, this theorem is not provable in ITT [1], even when we assume UIP. The issue is that we need to establish that B=B' as well, and this fact does not follow from $(\Pi \ (a:A), B \ a) = (\Pi \ (a':A'), B' \ a')$. Assuming hcongr_ideal as an axiom is not a satisfactory solution because it would limit the applicability of our approach, since as far as we know it is not assumed in any existing interactive theorem provers based on ITT.

However, for any given n, it is straightforward to prove the following congruence lemma using only erec, ofheq and href1⁴:

```
lemma hcongr<sub>n</sub>
(A<sub>1</sub>: Type)
(A<sub>2</sub>: A<sub>1</sub> \rightarrow Type)
...
(A<sub>n</sub>: \Pi a<sub>1</sub> ... a<sub>n-2</sub>, A<sub>n-1</sub> a<sub>1</sub> ... a<sub>n-2</sub> \rightarrow Type)
(B: \Pi a<sub>1</sub> ... a<sub>n-1</sub>, A<sub>n</sub> a<sub>1</sub> ... a<sub>n-1</sub> \rightarrow Type):
\Pi (f g: \Pi a<sub>1</sub> ... a<sub>n</sub>, B a<sub>1</sub> ... a<sub>n</sub>), f = g \rightarrow
\Pi (a<sub>1</sub> b<sub>1</sub>: A<sub>1</sub>), a<sub>1</sub> == b<sub>1</sub> \rightarrow
\Pi (a<sub>2</sub>: A<sub>2</sub> a<sub>1</sub>) (b<sub>2</sub>: A<sub>2</sub> b<sub>1</sub>), a<sub>2</sub> == b<sub>2</sub> \rightarrow
...
\Pi (a<sub>n</sub>: A<sub>n</sub> a<sub>1</sub> ... a<sub>n-1</sub>) (b<sub>n</sub>: A<sub>n</sub> b<sub>1</sub> ... b<sub>n-1</sub>), a<sub>n</sub> == b<sub>n</sub> \rightarrow
f a<sub>1</sub> ... a<sub>n</sub> == g b<sub>1</sub> ... b<sub>n</sub>
```

The lemmas $hcongr_n$ are weaker than $hcongr_ideal$ because they require the outermost functions f and g to have the same type. Although we no longer have the property that f == g and a == b implies f == g, we show in the next section how to extend the congruence closure algorithm to deal with the additional restriction imposed by $hcongr_n$.

When using $hcongr_n$ lemmas, we omit the parameters A_i , B, a_i and b_i since they can be inferred from the parameters with types f = g and $a_i == b_i$. Note that even if some arguments of an n-ary function f do not depend on all previous ones, it is still straightforward to find parameters A_i and B that do depend on all previous arguments and so fit the theorem, and yet become definitionally equal to the types of the actual arguments of f once applied to the preceding arguments. We remark that we avoid this issue in our implementation by synthesizing custom congruence theorems for every function we encounter.

4 Congruence Closure

We now have all the necessary ingredients to describe a very general congruence closure procedure for ITT. Our procedure is based on the one proposed by Nieuwenhuis and Oliveras [24] for first-order logic, which is efficient, is proof producing, and is used by many SMT solvers. We assume the input to our congruence closure procedure is of the form $\Gamma \vdash a == b$, where Γ is a context and a == b is the goal. Note that a goal of the form a = b can be converted into

⁴ The formal statements and proofs for small values of n can be found at http://leanprover.github.io/ijcar16/congr.lean, along with formal proofs of all other lemmas described in this paper.

a == b before we start our procedure, since when a and b have the same type, any proof for a == b can be converted into a proof for a = b using ofheq. Similarly, any hypothesis of the form e: a = b can be replaced with e: a == b using ofeq. As in abstract congruence closure [3,13], we introduce new variables c to name all proper subterms of every term appearing on either side of an equality, both to simplify the presentation and to obtain the efficiency of DAG-based implementations. For example, we encode f N a == f N b using the local definitions $(c_1 := f N)$ $(c_2 := c_1 a)$ $(c_3 := c_1 b)$ and the equality $c_2 == c_3$. We remark that $c_2 == c_3$ is definitionally equal to f N a == f N b by ζ -reduction. Here is an example problem instance for our procedure:

```
(N: Type) (a b: N) (f: \Pi A: Type, A \rightarrow A) (c<sub>1</sub> := f N) (c<sub>2</sub> := c<sub>1</sub> a) (c<sub>3</sub> := c<sub>1</sub> b) (e: a == b) \vdash c<sub>2</sub> == c<sub>3</sub>
```

The term $(hcongr_2 (refl f) (hrefl N) e)$ is a proof for the goal $c_2 == c_3$.

As in most congruence closure procedures, ours maintains a union-find data structure that partitions the set of terms into a number of disjoint subsets such that if a and b are in the same subset (denoted $a \approx b$) then the procedure can generate a proof that a == b. Each subset is an equivalence class. The union-find data structure computes the equivalence closure of the relation == by merging the equivalence classes of a and b whenever e: a == b is asserted. However, the union-find data structure alone does not know anything about congruence, and in particular it will not automatically propagate the assertion a == b to other terms that contain a or b; for example, it would not merge the equivalence classes of c := f a and d := f b. Thus, additional machinery is required to find and propagate new equivalences implied by the rules of congruence.

We say that two terms are *congruent* if they can be proved to be equivalent using a congruence rule given the current partition of the union-find data structure. We also say two local definitions c := f a and d := g b are congruent whenever f a and g b are congruent. We remark that congruence closure algorithms can be parameterized by the structure of the congruence rules they propagate. In our case, we use the family of $hcongr_n$ lemmas as congruence rules.

We now describe our congruence closure procedure in full, although the overall structure is similar to the one presented in [24]. The key differences are in how we determine whether two terms are congruent, how we build formal proofs of congruence using $hcongr_n$, and what local definitions we need to visit after merging two equivalence classes to ensure that all new congruences are detected. The basic data structures in our procedure are

- repr: a mapping from variables to variables, where repr[x] is the representative for the equivalence class x is in. We say variable x is a representative if and only if repr[x] is x.
- next: a mapping from variables to variables that induces a circular list for each equivalence class, where next[x] is the next element in the equivalence class x is in.

⁵ To simplify the presentation further, we ignore the possibility that any of these subterms themselves include partial applications of equality.

- pr: a mapping from variables to pairs consisting of a variable and a proof, where if pr[x] is (y,p), then p is a proof for x == y or y == x. We use target[x] to denote pr[x].1. This structure implements the proof forests described in [24].
- size: a mapping from representatives to natural numbers, where for each representative x, size[x] is the number of elements in the equivalence class represented by x.
- pending: a list of local definitions and typing assumptions to be processed. It is initialized with the context Γ .
- congrtable: a set of local definitions such that given a local definition E, the function lookup(E) returns a local definition in congrtable congruent to E if one exists.
- uselists: a mapping from representatives to sets of local definitions, such that local definition D is in uselists[x] if D might become congruent to another definition if the equivalence class of x were merged with another equivalence class.

Our procedure maintains the following invariants for the data structures described above.

- 1. $repr[next[x]] \equiv repr[repr[x]] \equiv repr[x]$
- 2. If $repr[x] \equiv repr[y]$, then $next^k[x] \equiv y$ for some k.
- 3. $target^k[x] \equiv repr[x]$ for some k. That is, we can view $target^k[x]$ as a "path" from x to repr[x]. Moreover, the proofs in pr can be used to build a proof from x to any element along this path.
- 4. Let s be size[repr[x]], then $next^s[x] \equiv x$. That is, next does indeed induce a set of disjoint circular lists, one for each equivalence class.

Whenever a new congruence proof for c == d is inferred by our procedure, we add the auxiliary local definition e: c == d := p to pending, where e is a fresh variable, and p is a proof for c == d. The proof p is always an application of the lemma $hcongr_n$ for some n. We say e: c == d and e: c == d := p are equality proofs for c == d. Given an equality proofs equality equa

Implementing congrtable. In order to implement the congruence closure procedure efficiently, the congruence rules must admit a data structure congrtable that takes a local definition and quickly returns a local definition in the table that it is congruent to if one exists. It is easy to implement such a data structure with a Boolean procedure Congruent (D, E) that determines if two local definitions are congruent, along with a congruence-respecting hash function. Although the family of \mathbf{hcongr}_n lemmas does not satisfy the property that \mathbf{f} a and \mathbf{g} b are congruent whenever $\mathbf{f} \approx \mathbf{g}$ and $\mathbf{a} \approx \mathbf{b}$, we still have a straightforward criterion for determining whether two terms are congruent.

Proposition 1 Consider the terms f a and g b. If $a \approx b$, then f a and g b are congruent provided either:

```
    f and g are homogeneously equal;
    f and g are congruent.
```

Proof. First note that in both cases, we can generate a proof that a == b since we have assumed that $a \approx b$. In the first case, if f and g are homogeneously equal, then no matter how many partial applications they contain, we can apply $hcongr_1$ to the proof of homogeneous equality and the proof that a == b. In the second case, if f and g are congruent, it means that we can generate proofs of all the preconditions of $hcongr_k$ for some k, and the only additional precondition to $hcongr_{k+1}$ is a proof that a == b, which we can generate as well.

```
1: procedure CONGRUENT(D, E)
2: (f, a) \leftarrow app(D); (g, b) \leftarrow app(E)
3: return a \approx b and
4: [(f \approx g \text{ and } type(f) \equiv type(g)) \text{ or}
5: (f \text{ and } g \text{ are local definitions and Congruent}(def(f), def(g)))]
6: procedure CONGRHASH(D)
7: given: h, a hash function on terms
8: (f, a) \leftarrow app(D)
9: return hashcombine(h(repr[f]), h(repr[a]))
```

Fig. 1. Implementing congrtable

Proposition 1 suggests a simple recursive procedure to detect when two terms are congruent, which we present in Figure 1. The procedure CONGRUENT(D, E), where D and E are local definitions of the form $\mathbf{c} := \mathbf{f} \mathbf{a}$ and $\mathbf{d} := \mathbf{g} \mathbf{b}$, returns true if a proof for $\mathbf{c} := \mathbf{d}$ can be constructed using an \mathbf{hcongr}_n lemma for some n. Note that although the congruence lemmas \mathbf{hcongr}_n are themselves n-ary, it is not sufficient to view the two terms being compared for congruence as applications of n-ary functions. We must compare each pair of partial applications for homogeneous equality as well (line 4), since two terms with n arguments each might be congruent using \mathbf{hcongr}_m for any m such that $m \leq n$. For example, $\mathbf{f} \mathbf{a} \mathbf{1} \mathbf{c}$ and $\mathbf{g} \mathbf{b} \mathbf{1} \mathbf{c}$ are congruent by \mathbf{hcongr}_2 if $\mathbf{f} = \mathbf{g}$ and $\mathbf{a} \mathbf{1} == \mathbf{b} \mathbf{1}$, and yet are only congruent by \mathbf{hcongr}_1 if all we know is $\mathbf{f} \mathbf{a} \mathbf{1} = \mathbf{g} \mathbf{b} \mathbf{1}$. It is even possible for two terms to be congruent that do not have the same number of arguments. For example, $\mathbf{f} = \mathbf{g} \mathbf{a}$ implies that $\mathbf{f} \mathbf{b}$ and $\mathbf{g} \mathbf{a} \mathbf{b}$ are congruent by \mathbf{hcongr}_1 .

Proposition 1 also suggests a simple way to hash local definitions that respects congruence. Given a hash function on terms, the procedure $\mathtt{CONGRHASH}(D)$ hashes a local definition of the form $\mathtt{c} := \mathtt{f} \mathtt{a}$ by simply combining the hashes of the representatives of \mathtt{f} and $\mathtt{a}.$ This hash function respects congruence because if $\mathtt{c} := \mathtt{f} \mathtt{a}$ and $\mathtt{d} := \mathtt{g} \mathtt{b}$ are congruent, it is a necessary (though not sufficient) condition that $\mathtt{f} \approx \mathtt{g}$ and $\mathtt{a} \approx \mathtt{b}.$

```
1: procedure CC(\Gamma \vdash a == b)

2: pending \leftarrow \Gamma

3: while pending is not empty do

4: remove next E from pending

5: if E is an equality proof then PROCESSEQ(E)

6: else INITIALIZE(E)

7: if repr[a] \equiv repr[b] then return MKPR(a, b)

8: else fail
```

Fig. 2. Congruence closure procedure

The procedure. Figure 2 contains the main procedure CC. It initializes pending with the input context Γ . Variables in typing assumptions and local definitions are processed using INITIALIZE (Figure 3), and equality proofs are processed using PROCESSEQ (Figure 4).

```
1: procedure INITIALIZE(E)
 2:
        c \leftarrow var(E)
        repr[c] \leftarrow c; next[c] \leftarrow c; size[c] \leftarrow 1; uselists[c] \leftarrow \emptyset
 3:
        pr[c] \leftarrow (c, \text{`hrefl } c')
 4:
 5:
        if E is a local definition then
 6:
            INITUSELIST(E, E)
 7:
            if D = lookup(E) then
8:
                 d \leftarrow var(D); e \leftarrow make fresh variable
 9:
                 add (e: d == c := \text{MKCONGR}(D, E, [])) to pending and \Gamma
10:
             else add E to congrtable
11: procedure INITUSELIST(E, P)
12:
         (f,a) \leftarrow app(E)
         add P to uselists[f] and uselists[a]
13:
14:
        if f is a local definition then INITUSELIST (def(f), P)
```

 ${\bf Fig.\,3.}$ Initialization procedure

The initialize (E) procedure invokes inituselist (E, E) whenever E is a local definition c := f a. The second argument at inituselist (E, P) represents the parent local definition that must be included in the uselists. We must ensure that for every local definition D that could be inspected during a call to congruent (E_1, E_2) for some E_2 , we add $var(E_1)$ to the uselist of var(D) when initializing E_1 . Thus the recursion in inituselist must mirror the recursion in congruent conservatively, and always recurse whenever congruent might recurse. For example, assume the input context Γ contains

```
(\texttt{A} : \texttt{Type}) \; (\texttt{a} \; \texttt{b} \; \texttt{d} : \texttt{A}) \; (\texttt{g} : \texttt{A} \to \texttt{A} \to \texttt{A}) \; (\texttt{f} : \texttt{A} \to \texttt{A}) \; (\texttt{c}_1 := \texttt{g} \; \texttt{a}) \; (\texttt{c}_2 := \texttt{c}_1 \; \texttt{b}) \; (\texttt{c}_3 := \texttt{f} \; \texttt{d}).
```

When INITIALIZE($c_2 := c_1$ b) is invoked, $c_2 := c_1$ d is added to the *uselists* of c_1 , b, g and a. By a slight abuse of notation, we write 'hrefl a' to represent in the pseudocode the expression that creates the hrefl-application using as argument the term stored in the program variable a.

The procedure PROCESSEQ is used to process equality proofs $\mathbf{a} == \mathbf{b}$. If a and \mathbf{b} are already in the same equivalence class, it does nothing. Otherwise, it first removes every element in uselists[repr[a]] from congrtable (procedure REMOVEUSES). Then, it merges the equivalence classes of a and b so that for every a' in the equivalence class of a, repr[a'] is set to repr[b]. This operation can be implemented efficiently using the next data structure. As in [24], the procedure also reorients the path from a to repr[a] induced by pr (procedure FLIPPROOFS) to make sure invariant 3 is still satisfied and locally irredundant transitivity proofs [22] can be generated. It then reinserts the elements removed by REMOVEUSES into congrtable (procedure REINSERTUSES); if any are found to be congruent to an existing term in a different partition, it proves equivalence using the congruence lemma \mathbf{hcongr}_n (procedure MKCONGR) and puts the new proof onto the queue. Finally, PROCESSEQ updates next, uselists and size data structures.

```
1: procedure PROCESSEQ(E)
        a \leftarrow lhs(E); \ b \leftarrow rhs(E)
 2:
 3:
        if repr[a] \equiv repr[b] then return
        if size(repr[a]) > size(repr[b]) then swap(a, b)
 4:
 5:
        r_a \leftarrow repr[a]; r_b \leftarrow repr[b]
        REMOVEUSES(r_a); FLIPPROOFS(a)
 6:
        for all a' s.t. repr[a'] \equiv r_a do repr[a'] \leftarrow r_b
 7:
 8:
        pr[a] \leftarrow (b, E)
 9:
        REINSERTUSES(r_a)
10:
        swap(next[r_a], next[r_b])
        move uselists[r_a] to uselists[r_b]; size[r_b] \leftarrow size[r_b] + size[r_a]
11:
12: procedure FLIPPROOFS(a)
        if repr[a] \equiv a then return
13:
14:
        (b,p) \leftarrow pr[a]; \text{ FLIPPROOFS}(b); pr[b] \leftarrow (a,p)
15: procedure REMOVEUSES(a)
        for all E in uselists[a] do remove E from congrtable
16:
17: procedure REINSERTUSES(a)
        for all E in uselists[a] do
18:
19:
            if D = lookup(E) then
                d \leftarrow var(D); e \leftarrow var(E); p \leftarrow make fresh variable
20:
                add (p:d==e:=\texttt{MKCONGR}(D,E,[])) to pending and \Gamma
21:
            else add E to congrtable
22:
```

 ${f Fig.\,4.}$ Process equality procedure

Figure 5 contains a simple recursive procedure MKCONGR to construct the proof that two congruent local definitions are equal. The procedure takes as input two local definitions D and E of the form c := f a and d := g b such that CONGRUENT(D, E), along with a possibly empty list of equality proofs es for $a_1 == b_1, \ldots, a_n == b_n$, and returns a proof for f a $a_1 \ldots a_n == g$ b $b_1 \ldots b_n$. The two cases in the MKCONGR procedure mirror the two cases of the CONGRUENT

procedure. If the types of f and g are definitionally equal we construct an instance of the lemma $\mathsf{hcongr}_{|es|+1}$. The procedure $\mathsf{MKPR}(\mathtt{a},\mathtt{b})$ (Figure 5) creates a proof for $\mathtt{a} == \mathtt{b}$ if a and b are in the same equivalence class by finding the common element $target^n[\mathtt{a}] \equiv target^m[\mathtt{b}]$ in the "paths" from a and b to the equivalence class representative. Note that, if $\mathsf{CONGRUENT}(D,E)$ is true, then $\mathsf{MKCONGR}(D,E,[])$ is a proof for $\mathtt{c} == \mathtt{d}$.

```
1: procedure MKCONGR(D, E, es)
         assumption: Congruent(D, E)
 2:
         (f,a) \leftarrow app(D); (g,b) \leftarrow app(E); e_{ab} \leftarrow \text{MKPR}(a,b)
 3:
 4:
        if type(f) \equiv type(g) then
 5:
             n \leftarrow len(es); e_{fg} \leftarrow MKPR(f, g)
             \operatorname{\mathbf{return}} 'hcongr_{n+1} (ofheq e_{fg}) e_{ab} es'
 6:
 7:
        else return MKCONGR(def(f), def(g), [es, e_{ab}])
 8: procedure MKPR(a, b)
        if a \equiv b then return 'hrefl a'
9:
         let n and m be the smallest values s.t. target^n[a] \equiv target^m[b]
10:
         e_a \leftarrow \text{MKTRANS}(a, n); e_b \leftarrow \text{MKTRANS}(b, m); \text{ return 'htrans } e_a \text{ (hsymm } e_b)'
11:
12: procedure MKTRANS(a, n)
13:
         if n = 0 then return 'hrefl a'
         (b, e_{ab}) \leftarrow pr[a]; e \leftarrow \text{MKTRANS}(b, n-1)
14:
15:
         if lhs(e_{ab}) \equiv a and rhs(e_{ab}) \equiv b then return 'htrans e_{ab} e'
         else return 'htrans (hsymm e_{ab}) e^{z}
16:
```

Fig. 5. Transitive proof generation procedure

Finally, we remark that the main loop of CC maintains the following two invariants.

Theorem 1. If a and b are in the same equivalence class (i.e., $a \approx b$), then MKPR(a, b) returns a correct proof that a == b.

```
Theorem 2. If type(f) \equiv type(g), f \approx g, a_1 \approx b_1, ... a_n \approx b_n, c \equiv f a_1 ... a_n and d \equiv g b_1 ... b_n, then c \approx d.
```

Extensions. There are many standard extensions to the congruence closure procedure that are straightforward to support in our framework, such as tracking disequalities to find contradictions and propagating injectivity and disjointness for inductive datatype constructors [17]. Here we present a simple extension for propagating equalities among elements of subsingleton types that is especially important when proving theorems in ITT. We say a type A:Type is a subsingleton if it has at most one element; that is, if for all (a b:A), we have that a = b. Subsingletons are used extensively in practice, and are especially ubiquitous when proof irrelevance is assumed, in which case every proposition is a subsingleton.

One common use of dependent types is to extend functions to take extra arguments that represent proofs that certain preconditions hold. For example, the logarithm function only makes sense for positive real numbers, and we can

make it impossible to even call it on a non-positive number by requiring a proof of positivity as a second argument: $safe_log : \Pi x:\mathbb{R}, x > 0 \to \mathbb{R}$. The second argument is a proposition and hence is a subsingleton when we assume *proof irrelevance*. Consider the following goal: $(a b : \mathbb{R})$ (Ha: a > 0) (Hb: b > 0) (e: a = b) \vdash safe_log a Ha = safe_log b Hb. The core procedure we presented above would not be able to prove this theorem on its own because it would never discover that Ha == Hb. We show how to extend the procedure to automatically propagate facts of this kind.

We assume we have an oracle $issub(\Gamma, A)$ that returns true for subsingleton types for which we have a proof sse_A of $\Pi a b:A$, a = b. Many proof assistants implement an efficient (and incomplete) issub using type classes [7,19], but it is beyond the scope of this paper to describe this mechanism. Given a subsingleton type A with proof sse_A , we can prove

```
hsse_A: \Pi (C:Type) (c:C) (a:A), C == A \rightarrow c == a,
```

which we can use as an additional propagation rule in the congruence closure procedure. The idea is to merge the equivalence classes of a:A and c:C whenever A is a subsingleton and $C \approx A$. First, we add a mapping subrep from subsingleton types to their representatives. Then, we include the following additional code in INITIALIZE:

```
\begin{aligned} C &\leftarrow type(c); \ A \leftarrow repr[C] \\ \textbf{if } issub(\Gamma,A) \textbf{ then} \\ \textbf{if } a &= subrep[A] \textbf{ then} \\ p &\leftarrow \texttt{MKPR}(C,\ A); \ e \leftarrow \texttt{make fresh variable} \\ \texttt{add } (e: c == a := \texttt{hsse}_A \ C \ p \ c \ a) \ \texttt{to } pending \ \texttt{and } \Gamma \\ \textbf{else } subrep[A] \leftarrow c \end{aligned}
```

Finally, at PROCESSEQ whenever we merge the equivalence classes of subsingleton types A and C, we also propagate the equality subrep[A] == subrep[C].

With this extension, our procedure can prove $safe_log\ a\ Ha = safe_log\ b\ Hb$ in the example above, since the terms a>0 and b>0 are both subsingleton types with representative elements Ha and Hb respectively, and when their equivalence classes are merged, the subsingleton extension propagates the fact that their representative elements are equal, i.e. that Ha==Hb.

5 Applications

We have implemented our congruence closure procedure for Lean⁶ along with many of the standard extensions as part of a long-term effort to build a robust theorem prover for ITT. Although congruence closure can be useful on its own, its power is greatly enhanced when it is combined with a procedure for automatically instantiating lemmas so that the user does not need to manually collect all the ground facts that the congruence closure procedure will need. We use an approach called e-matching [10] to instantiate lemmas that makes use of the

 $^{^6~{\}tt https://github.com/leanprover/lean/blob/master/src/library/blast/congruence_closure.cpp}$

equivalences represented by the state of the congruence closure procedure when deciding what to instantiate, though the details of e-matching are beyond the scope of this paper. The combination of congruence closure and e-matching is already very powerful, as we demonstrate in the following two examples, the first from software verification and the second from formal mathematics. The complete list of examples we have used to test our procedure can be found at http://leanprover.github.io/ijcar16/examples.

Vectors (indexed lists). As we mentioned in §2.1, a common use of dependent types is to include the length of a list inside its type in order to make out-of-bounds errors impossible. The constructors of vector mirror those of list:

```
nil : \Pi {A : Type}, vector A 0 cons : \Pi {A : Type} {n : \mathbb{N}}, A \rightarrow vector A n \rightarrow vector A (succ n)
```

where succ is the successor function on natural numbers, and where curly braces indicate that a parameter should be inferred from context. We use the notation [x] to denote the one-element vector containing only x, i.e. cons x nil, and x::v to denote cons x v. It is easy to define append and reverse on vector:

```
app : \Pi {A : Type} {n_1 n_2 : \mathbb{N}}, vector A n_1 \rightarrow vector A n_2 \rightarrow vector A (n_1 + n_2) rev : \Pi {n : \mathbb{N}}, vector A n \rightarrow vector A n
```

When trying to prove the basic property rev (app $v_1 v_2$) == app (rev v_2) (rev v_1) about these two functions, we reach the following goal:

```
\begin{array}{l} (\texttt{A}:\texttt{Type}) \ (\texttt{n}_1 \ \texttt{n}_2: \texttt{N}) \ (\texttt{x}_1 \ \texttt{x}_2: \texttt{A}) \ (\texttt{v}_1:\texttt{vector} \ \texttt{A} \ \texttt{n}_1) \ (\texttt{v}_2:\texttt{vector} \ \texttt{A} \ \texttt{n}_2) \\ (\texttt{IH}:\texttt{rev} \ (\texttt{app} \ \texttt{v}_1 \ (\texttt{x}_2::\texttt{v}_2)) == \texttt{app} \ (\texttt{rev} \ (\texttt{x}_2::\texttt{v}_2)) \ (\texttt{rev} \ \texttt{v}_1)) \\ \vdash \texttt{rev} \ (\texttt{app} \ (\texttt{x}_1::\texttt{v}_1) \ (\texttt{x}_2::\texttt{v}_2)) == \texttt{app} \ (\texttt{rev} \ (\texttt{x}_2::\texttt{v}_2)) \ (\texttt{rev} \ (\texttt{x}_1::\texttt{v}_1)) \end{array}
```

Given basic lemmas about how to push app and rev in over cons, a lemma stating the associativity of app, and a few basic lemmas about natural numbers, our congruence closure procedure together with the e-matcher can solve this goal. Once the e-matcher establishes the following ground facts:

```
\begin{array}{l} \text{H}_1: \texttt{rev} \; (x_1 :: v_1) == \mathsf{app} \; (\texttt{rev} \; v_1) \; [x_1] \\ \text{H}_2: \mathsf{app} \; (x_1 :: v_1) \; (x_2 :: v_2) == x_1 :: (\mathsf{app} \; v_1 \; (x_2 :: v_2)) \\ \text{H}_3: \texttt{rev} \; (x_1 :: (\mathsf{app} \; v_1 \; (x_2 :: v_2))) == \mathsf{app} \; (\texttt{rev} \; (\mathsf{app} \; v_1 \; (x_2 :: v_2))) \; [x_1] \\ \text{H}_4: \mathsf{app} \; (\mathsf{app} \; (\texttt{rev} \; (x_2 :: v_2)) \; (\texttt{rev} \; v_1)) \; [x_1] == \mathsf{app} \; (\texttt{rev} \; (x_2 :: v_2)) \; (\mathsf{app} \; (\texttt{rev} \; v_1) \; [x_1]) \end{array}
```

as well as a few basic facts about the natural numbers, the result follows by congruence.

Safe arithmetic. As we mentioned in §4, another common use of dependent types is to extend functions to take extra arguments that represent proofs that certain preconditions hold. For example, we can define safe versions of the logarithm function and the inverse function as follows:

```
\mathtt{safe\_log}: \Pi \; (\mathtt{x} : \mathbb{R}), \, \mathtt{x} > 0 \to \mathbb{R} \qquad \qquad \mathtt{safe\_inv} : \Pi \; (\mathtt{x} : \mathbb{R}), \, \mathtt{x} \neq 0 \to \mathbb{R}
```

Although it would be prohibitively cumbersome to prove the preconditions manually at every invocation, we can relegate this task to the theorem prover, so that $\log x$ means safe_log x p and y⁻¹ means safe_inv y q, where p and q are proved automatically. Given basic lemmas about arithmetic identities, our congruence closure procedure together with the e-matcher can solve many complex equational goals like the following, despite the presence of embedded proofs:

$$\forall (\texttt{x} \ \texttt{y} \ \texttt{z} \ \texttt{w} : \mathbb{R}), \ \texttt{x} > 0 \rightarrow \texttt{y} > 0 \rightarrow \texttt{z} > 0 \rightarrow \texttt{w} > 0 \rightarrow \texttt{x} * \texttt{y} = \texttt{exp} \ \texttt{z} + \texttt{w} \rightarrow \texttt{log} \ (2 * \texttt{w} * \texttt{exp} \ \texttt{z} + \texttt{w}^2 + \texttt{exp} \ (2 * \texttt{z})) \ / \ -2 = \texttt{log} \ \texttt{y}^{-1} - \texttt{log} \ \texttt{x}$$

6 Related Work

Corbineau [9] presents a congruence closure procedure for the simply-typed subset of ITT and a corresponding implementation for Coq as the tactic congruence. The procedure uses homogeneous equality and does not support dependent types at all. Hur [12] presents a library of tactics for reasoning over a different variant of heterogeneous equality in Coq, for which the user must manually separate the parts of the type that are allowed to vary between heterogeneously equal terms from those that must remain the same. The main tactic provided is Hrewritec, which tries to rewrite with a heterogeneous equality by converting it to a cast-equality, rewriting with that, and then generalizing the proof that the types are equal. There does not seem to be any general notion of congruence akin to our family of hcongr $_n$ lemmas.

Sjöberg and Weirich [25] propose using congruence closure during type checking for a new dependent type theory in which definitional equality is determined by the congruence closure relation instead of by the standard forms of reduction. They avoid the problem that we solve in this paper by designing their type theory so that hcongr_ideal is provable. However, since their type theory is not compatible with any of the standard flavors of ITT such as the calculus of inductive constructions, their congruence closure procedure cannot be used to prove theorems in systems such as Coq and Lean.

7 Conclusion

We have presented a very general notion of congruence for ITT based on heterogeneous equality that applies to all dependently typed functions. We also presented a congruence closure procedure that can propagate the associated congruence rules efficiently and so automatically prove a large and important set of goals. Just as congruence closure procedures (along with DPLL) form the foundation of modern SMT solvers, we hope that our congruence closure procedure can form the foundation of a robust theorem prover for intensional type theory. We are building such a theorem prover for Lean, and it can already solve many interesting problems.

Acknowledgments. We would like to thank David Dill, Jeremy Avigad, Robert Lewis, Nikhil Swany, Floris van Doorn and Georges Gonthier for providing valuable feedback on early drafts.

References

- 1. Private communication with Jeremy Avigad and Floris van Doorn.
- Asperti, A., Ricciotti, W., Sacerdoti Coen, C., Tassi, E.: The Matita Interactive Theorem Prover. In: Automated Deduction – CADE-23, LNCS, vol. 6803, pp. 64– 69. Springer (2011)
- 3. Bachmair, L., Tiwari, A., Vigneron, L.: Abstract congruence closure. Journal of Automated Reasoning (2003)
- 4. Barrett, C., Conway, C.L., Deters, M., Hadarean, L., Jovanović, D., King, T., Reynolds, A., Tinelli, C.: CVC4. In: Computer aided verification. pp. 171–177. Springer (2011)
- 5. Bove, A., Dybjer, P., Norell, U.: A brief overview of Agda-a functional language with dependent types. In: TPHOLs. vol. 5674, pp. 73–78. Springer (2009)
- Brady, E.: Idris, a general-purpose dependently typed programming language: Design and implementation. Journal of Functional Programming 23(05), 552–593 (2013)
- 7. Castéran, P., Sozeau, M.: A gentle introduction to type classes and relations in Coq. Tech. rep.
- 8. Coq Development Team: The Coq proof assistant reference manual: Version 8.5. INRIA (2015-2016)
- 9. Corbineau, P.: Autour de la clôture de congruence avec Coq. Master's thesis, Université Paris-Sud (2001)
- Detlefs, D., Nelson, G., Saxe, J.B.: Simplify: A theorem prover for program checking. J. ACM 52(3), 365–473 (May 2005)
- 11. Gonthier, G., Asperti, A., Avigad, J., Bertot, Y., Cohen, C., Garillot, F., Le Roux, S., Mahboubi, A., O'Connor, R., Biha, S.O., et al.: A machine-checked proof of the odd order theorem. In: Interactive Theorem Proving, pp. 163–179. Springer (2013)
- 12. Hur, C.K.: Heq: A Coq library for heterogeneous equality (2010)
- 13. Kapur, D.: Shostak's congruence closure as completion. In: Rewriting Techniques and Applications. pp. 23–37. Springer (1997)
- 14. Leroy, X.: Formal verification of a realistic compiler. Communications of the ACM 52(7), 107–115 (2009)
- 15. McBride, C.: Elimination with a motive. In: Types for proofs and programs, pp. 197–216. Springer (2000)
- 16. McBride, C.: Epigram: Practical programming with dependent types. In: Advanced Functional Programming, pp. 130–170. Springer (2005)
- 17. McBride, C., Goguen, H., McKinna, J.: A few constructions on constructors. In: Types for Proofs and Programs, pp. 186–200. Springer (2006)
- 18. Miquel, A., Werner, B.: The not so simple proof-irrelevant model of CC. In: Types for proofs and programs, pp. 240–258. Springer (2003)
- 19. de Moura, L., Avigad, J., Kong, S., Roux, C.: Elaboration in dependent type theory. Tech. rep. (2015), http://arxiv.org/abs/1505.04324
- 20. de Moura, L., Bjørner, N.: Z3: An efficient SMT solver. In: Tools and Algorithms for the Construction and Analysis of Systems, pp. 337–340. Springer (2008)
- 21. de Moura, L., Kong, S., Avigad, J., Van Doorn, F., von Raumer, J.: The Lean theorem prover (system description). In: Automated Deduction-CADE-25, pp. 378–388. Springer (2015)
- 22. de Moura, L., Rueß, H., Shankar, N.: Justifying equality. Electronic Notes in Theoretical Computer Science 125(3), 69–85 (2005)

- 23. Nelson, G., Oppen, D.C.: Fast decision procedures based on congruence closure. Journal of the ACM (JACM) 27(2), 356-364 (1980)
- 24. Nieuwenhuis, R., Oliveras, A.: Proof-producing congruence closure. In: Term Rewriting and Applications, pp. 453–468. Springer (2005)
- 25. Sjöberg, V., Weirich, S.: Programming up to congruence. In: POPL '15. pp. 369–382. ACM, New York, NY, USA (2015)
- 26. Streicher, T.: Investigations into Intensional Type Theory (1993), Habilitations-schrift, Ludwig-Maximilians-Universität München