# All Superlinear Inverse Schemes are coNP-Hard\*

Edith Hemaspaandra<sup>†</sup> Department of Computer Science Rochester Institute of Technology Rochester, NY 14623-5608, USA Lane A. Hemaspaandra<sup>‡</sup> Department of Computer Science University of Rochester Rochester, NY 14627-0226, USA

Harald Hempel<sup>§</sup> Institut für Informatik Friedrich-Schiller-Universität Jena D-07743 Jena, Germany

Technical Report URCS-TR-2004-841 July 16, 2004

#### Abstract

How hard is it to invert NP-problems? We show that all superlinearly certified inverses of NP problems are coNP-hard. As part of our work we develop a novel proof technique that builds diagonalizations against certificates directly into a circuit.

*Keywords*: inverse problems, certificates, coNP-hardness, NP, P-producible sets, complexity theory.

# 1 Introduction

In this paper we show that all superlinear inverse schemes of NP problems are coNPhard. We develop a novel proof technique that allows us to diagonalize against all possible certificate sets. We feel that this "in-circuit diagonalization" proof technique is of interest in its own right.

The class NP can be viewed as the set of all languages L such that there exist a polynomial-time computable verifier V and a polynomial q such that, for all  $x \in \Sigma^*$ ,  $x \in L \iff (\exists y \in \Sigma^*)[|y| = q(|x|) \land V(x, y) \text{ accepts}]$ . A string y such that V(x, y) accepts is called a certificate or proof for x. Verifiers can formally be defined as follows (see Definition 2.3):

<sup>\*</sup>Supported in part by grants NSF-CCR-9322513, NSF-INT-9815095/DAAD-315-PPP-gü-ab, and NSF-CCR-0311021.

<sup>&</sup>lt;sup>†</sup>eh@cs.rit.edu.

<sup>&</sup>lt;sup>‡</sup>lane@cs.rochester.edu.

<sup>&</sup>lt;sup>§</sup>hempel@informatik.uni-jena.de. Work done while visiting the University of Rochester.

A pair (V, q) is called a standard verifier if and only if

- 1.  $V: \Sigma^* \times \Sigma^* \to \{0, 1\}$  is polynomial-time computable mapping, i.e.,  $V \in FP$  and
- 2.  $q: \mathbb{N} \to \mathbb{N}$  is a strictly monotonic, integer-coefficient polynomial such that

$$(\forall x, y \in \Sigma^*)[V(x, y) = 1 \implies |y| = q(|x|)].$$

Inverting standard verification schemes can now informally be described as follows: Let (V,q) be a standard verifier. Given a set of certificates C, does there exist a string x such that C is exactly the set of certificates for x (relative to (V,q))? It is quite natural to choose a succinct representation of certificates in form of a circuit. This leads to the following definition (see Definition 2.5) of the inverse problem, which basically asks if a set of strings specified by a circuit is such that some string has precisely those strings as its certificate set.

Let (V,q) be a standard verifier.

Invs<sub>V,q</sub> = { $c \mid c$  encodes a circuit c' having q(m) inputs for some  $m \in \mathbb{N}$  such that  $(\exists x \in \Sigma^m)[\{w \in \Sigma^{q(m)} \mid V(x, w) = 1\} = \{y \in \Sigma^{q(m)} \mid c'(y) = 1\}]\}.$ 

We show that inversion for all superlinear standard verification schemes is coNP-hard. In fact we show even more, namely, that inverting any standard verification scheme (V, q)where q grows faster than all outright linear functions n + k,  $k \in \mathbb{N}$ , is coNP-hard (see Theorem 3.2). So coNP-hardness in fact holds for all  $\text{Invs}_{V,q}$  where (V, q) is a standard verification scheme and q is a polynomial of degree either greater than one or of degree one with a degree-one-coefficient  $a_1 > 1$ .

The proof of our main result is based on a proof technique that can informally be described as an "in-circuit diagonalization" against possible certificate sets. In particular, our in-circuit diagonalization technique uses a circuit to diagonalize against certificate sets that are potentially accepted by the very same circuit. The need to diagonalize in such an unusual way arises from the fact that when reducing  $\overline{SAT}$  to  $Invs_{V,q}$  (as we will do in the proof of Theorem 3.2) one has to map boolean formulas to circuits such that the following holds: If the formula is satisfiable then, for all x, the set of strings accepted by the circuit is not equal to the set of certificates for x (relative to (V,q)). If the formula is not satisfiable then there exists a string x such that the the set of strings accepted by the circuit is exactly the set of certificates for x (relative to (V,q)).

Relatedly,  $\Sigma_2^p$  is clearly an upper bound for the complexity of inverting standard verification schemes and we prove that this upper bound is optimal by constructing a standard verifier such that its inversion problem is  $\Sigma_2^p$ -complete (see Theorem 3.7). As an interesting corollary of this construction we obtain that there exists a P set A and a standard verifier (V,q) for A such that  $\text{Invs}_{V,q}$  is  $\Sigma_2^p$ -complete.

Our results can be extended to also hold for the one-sided variant of inversion of verification schemes, 1-Invs<sub>V,q</sub>. The difference in the definitions of Invs<sub>V,q</sub> and 1-Invs<sub>V,q</sub> (see Definition 2.5) is that instead of requiring " $\exists x \in \Sigma^*$  such that the set of strings accepted by the circuit equals the set of certificates of x" as in definition of  $\text{Invs}_{V,q}$ , we instead require " $\exists x \in L(V,q)$  such that the set of strings accepted by the circuit equals the set of certificates of x" in the definition of 1-Invs<sub>V,q</sub>.

In a fascinating paper by Chen [Che03], a type of inversion of NP problems is studied that is somewhat related to the above-described one-sided-inversion problem, 1-Invs<sub>V,q</sub>, and  $\Sigma_2^p$  results are obtained. However, the models are different; for example, in contrast to our definition, where certificates are given in a very succinct form, i.e., implicitly in form of a circuit, Chen studied one-sided inversions of NP problems where the certificates are explicitly given, i.e., in form of a set or a list, and also Chen's focus is on the one-sided inversion problem.

Our paper is organized as follows. After formally defining the basic concepts in Section 2, in Section 3 we state and prove our main result—that all superlinearly certified inverses are coNP-hard. In Section 3 we also prove a number of related theorems, in particular the optimality of the  $\Sigma_2^p$  upper complexity bound for  $\text{Invs}_{V,q}$ . In Section 4, we turn to the complexity of recognizing whether machines compute verifiers and we establish  $\Sigma_2^0$ completeness results on this.

### 2 Preliminaries

We assume the reader to be familiar with the basic definitions and concepts of complexity theory (see [Pap94, HO02]). Let  $\Sigma = \{0, 1\}$  be our alphabet. We denote the set of natural numbers and integers by  $\mathbb{N}$  and  $\mathbb{Z}$ , respectively. We say a polynomial p is strictly monotonic (by which we always mean strictly monotonically increasing) if, for all  $n \in \mathbb{N}$ , p(n+1) > p(n). For any set A and any  $m \in \mathbb{N}$ ,  $A^{=m}$  denotes  $\{z \mid z \in A \land |z| = m\}$ .

Without defining it formally we will make use of a nice (i.e., polynomial-time computable and polynomial-time invertible) encoding of any boolean circuit (consisting of AND, OR and NOT gates) as a word over the alphabet  $\Sigma$ . As is standard, we denote the outcome (0 or 1, representing reject/false and accept/true) of a circuit c on input x by c(x).

Let FP denote the set of all polynomial-time computable functions, where these functions without loss of generality can be of any fixed arity. We will use the following standard complexity classes.

**Definition 2.1** 1. P is the set of all languages that can be accepted in deterministic polynomial time.

- 2. NP is the set of all languages that can be accepted in nondeterministic polynomial time. coNP is defined to be the set of all languages  $\overline{A}$  such that  $A \in NP$ .
- 3. [PY84] DP is the set of all languages L such that there exist NP sets A and B satisfying L = A B.

4. [MS72, Sto76]  $\Sigma_2^p$  is the set of all languages that can be accepted by nondeterministic polynomial-time Turing machines with the help of an NP oracle;  $\Sigma_2^p = \text{NP}^{\text{NP}}$ . Let PH denote the polynomial hierarchy,  $\text{PH} = \text{P} \cup \text{NP} \cup \text{NP}^{\text{NP}} \cup \text{NP}^{\text{NPP}} \cup \cdots$ .

We mention in passing that P, NP, and DP are the low levels of the boolean hierarchy [CGH<sup>+</sup>88, CGH<sup>+</sup>89] and that P, NP, and  $\Sigma_2^p$  are the low levels of the polynomial hierarchy [MS72, Sto76].

Let REC denote the set of all recursive languages. The second level of the arithmetic hierarchy  $\Sigma_2^0$  is defined as follows.

**Definition 2.2** (see [Rog67]) A language L is in  $\Sigma_2^0$  if and only if there exists a language  $B \in \text{REC}$  such that for all  $x \in \Sigma^*$ ,

$$x \in L \iff (\exists y \in \Sigma^*) (\forall z \in \Sigma^*) [\langle x, y, z \rangle \in B],$$

where  $\langle \cdot, \cdot, \cdot \rangle$  here is a standard, nice 3-ary pairing function.

As is standard we will use  $\leq_m$  (respectively,  $\leq_m^p$ ) to denote recursive many-one reductions (respectively, polynomial-time many-one reductions) between languages.

In the following we will define the basic concepts that allow us to study inverse NP problems.

**Definition 2.3** 1. A pair (V,q) is called a standard verifier if and only if

(a)  $V: \Sigma^* \times \Sigma^* \to \{0, 1\}$  is polynomial-time computable mapping, i.e.,  $V \in FP$  and (b)  $q: \mathbb{N} \to \mathbb{N}$  is a strictly monotonic, integer-coefficient polynomial such that

$$(\forall x, y \in \Sigma^*)[V(x, y) = 1 \implies |y| = q(|x|)].$$

- 2. We say that (V,q) is a standard verifier for a language L if and only if (V,q) is a standard verifier and L = L(V,q), where  $L(V,q) = \{x \in \Sigma^* \mid (\exists y \in \Sigma^*)[|y| = q(|x|) \land V(x,y) = 1]\}$  (equivalently,  $L(V,q) = \{x \in \Sigma^* \mid (\exists y \in \Sigma^*)[V(x,y) = 1]\}$ ).
- 3. We say a 2-ary Turing machine M computes a standard verifier if there are a polynomial r and a polynomial q such that
  - (a) M runs in r-bounded time (by which we mean that for each  $x, y \in \Sigma^*$ , M(x, y) halts in at most r(|x| + |y|) steps), and
  - (b)  $q: \mathbb{N} \to \mathbb{N}$  is a strictly monotonic, integer-coefficient polynomial such that

$$(\forall x, y \in \Sigma^*)[\chi_{L(M)}(x, y) = 1 \implies q(|y|) = |x|].$$

(Note: Regarding types,  $L(M) \subseteq \Sigma^* \times \Sigma^*$ , and  $\chi_{L(M)}$ —the characteristic function—maps from  $\Sigma^* \times \Sigma^*$  to  $\{0,1\}$ .)

The following two facts are immediate and standard.

- **Fact 2.4** 1. For every set  $A \in NP$  there exists a standard verifier (V,q) such that (V,q) is a standard verifier for A.
  - 2. If (V,q) is a standard verifier for a language L then  $L \in NP$ .

We now define the inverse problem for NP languages.

**Definition 2.5** Let  $A \in NP$  and let (V,q) be a standard verifier for A.

- 1. Invs<sub>V,q</sub> = {c | c encodes a circuit c' having q(m) inputs for some  $m \in \mathbb{N}$  such that  $(\exists x \in \Sigma^m)[\{w \in \Sigma^{q(m)} \mid V(x, w) = 1\} = \{y \in \Sigma^{q(m)} \mid c'(y) = 1\}]\}.$
- 2. 1-Invs<sub>V,q</sub> = { $c \mid c \text{ encodes a circuit } c' \text{ having } q(m) \text{ inputs for some } m \in \mathbb{N} \text{ such that}$  $(\exists x \in A^{=m})[\{w \in \Sigma^{q(m)} \mid V(x, w) = 1\} = \{y \in \Sigma^{q(m)} \mid c'(y) = 1\}]\}.$

It is not hard to see that for standard verifiers (V,q),  $Invs_{V,q}$  and 1- $Invs_{V,q}$  are both always in  $\Sigma_2^p$ . However  $Invs_{V,q}$  and 1- $Invs_{V,q}$  seem to differ with respect to their complexity lower bounds.

**Proposition 2.6** There is a set  $A \in NP$  such that for all standard verifiers (V,q) for A, 1-Invs<sub>V,q</sub>  $\in P$ .

One proof is by simply choosing A to be  $\emptyset$  or any other finite set. In contrast, for every standard verifier (V, q) for  $\emptyset$  we have that  $\text{Invs}_{V,q}$  is  $\leq_m^p$ -complete for coNP.

**Proposition 2.7** Let (V,q) be a standard verifier for  $\emptyset$ . Then  $\operatorname{Invs}_{V,q}$  is  $\leq_m^p$ -complete for coNP.

The claim follows from the fact that from (V, q) being a standard verifier for  $\emptyset$  the set Invs<sub>V,q</sub> is essentially the set of all appropriate-number-of-inputs circuits that for no input evaluate to 1, and is easily seen to be in coNP. Also, it is straightforward to reduce the coNP-complete language  $\overline{\text{SAT}}$  to Invs<sub>V,q</sub>.

#### 3 Inverting NP Problems is coNP-complete

Before stating our main theorem we need a technical definition.

**Definition 3.1** A polynomial q is called miserly if and only if for all  $\epsilon > 0$  there exist infinitely many  $n \in \mathbb{N}$  such that  $q(n) \leq (1 + \epsilon)n$ .

Note that for strictly monotonic polynomials p,  $p(n) = a_k n^k + a_{k-1} n^{k-1} + \dots + a_1 n + a_0$ , with  $a_k > 0$ , we have that p is nonmiserly if and only if either a)  $k \ge 2$  or b) k = 1 and  $a_1 > 1$ .

**Theorem 3.2** Let  $A \in NP$  and (V,q) be a standard verifier for A such that q is a nonmiserly polynomial. Then  $Invs_{V,q}$  is  $\leq_m^p$ -hard for coNP.

This immediately yields the following, where by "nonmiserly standard verifier" we mean a standard verifier whose second component is a nonmiserly polynomial.

**Corollary 3.3** No nonmiserly standard verifier for an NP set has an inverse problem belonging to NP, unless NP = coNP.

**Proof of Theorem 3.2:** Let  $A \in NP$  and let (V, q) be a standard verifier for A. Suppose that q is nonmiserly. We will show that  $\overline{SAT} \leq_m^p Invs_{V,q}$ .

Let F be a formula and suppose that F has n variables. Our reduction g will map F to the encoding c = g(F) of a circuit c'. The circuit c' will have q(n') inputs where n' is the smallest natural number such that q(n') > n + n'. Note that since q is nonmiserly n' is linearly related to n and can be found in polynomial time. On input  $z \in \{0, 1\}^{q(n')}$ , let  $x, \alpha$ , and r be the unique strings such that  $z = x\alpha r$ ,  $x \in \{0, 1\}^{n'}$ ,  $\alpha \in \{0, 1\}^n$ , and  $r \in \{0, 1\}^{q(n')-n'-n}$ . The circuit c' consists of three subcircuits that work as follows:

- **Subcircuit 1:** Subcircuit 1 simulates the work of V(x, z). Let a = V(x, z) be the output of subcircuit 1.
- Subcircuit 2: Subcircuit 2 is a polynomial-size-bounded circuit for F with  $\alpha$  as its input. Let  $b = F(\alpha)$  be the output of subcircuit 2.
- **Subcircuit 3:** Subcircuit 3 simulates the work of  $V(0^{n'}, z)$ . Let  $d = V(0^{n'}, z)$  be the output of subcircuit 3.
- **Output of** c': c' outputs 0 if b = d = 0 or a = b = 1. c' outputs 1 otherwise, that is if either a) b = 0 and d = 1 or b) b = 1 and a = 0.

It is obvious that c' and thus also c can be constructed in time polynomial in |F|.

It remains to show that for all formulas  $F, F \in \overline{\text{SAT}} \iff g(F) \in \text{Invs}_{V,q}$ . Suppose that  $F \in \overline{\text{SAT}}$ . So we have for all inputs z to the circuit c', b = 0. Thus, for all inputs z, c'(z) = 1 if and only if d = 1. By construction d = 1 if and only if  $V(0^{n'}, z) = 1$ . It follows that  $\{z \in \Sigma^{q(n')} \mid c'(z) = 1\} = \{y \in \Sigma^{q(n')} \mid V(0^{n'}, y) = 1\}$  and so (via the certificates of  $0^{n'}$ )  $c = g(F) \in \text{Invs}_{V,q}$ . For the other direction of the equivalence to be shown assume  $F \notin \overline{\text{SAT}}$ . So there exists an *n*-bit assignment  $\hat{\alpha}$  for F such that  $F(\hat{\alpha}) = 1$  and consequently for all inputs z to the circuit c' such that  $z = x\hat{\alpha}r$  with  $x \in \{0,1\}^{n'}$  and  $r \in \{0,1\}^{q(n')-n'-n}$ , we have b = 1. It follows that for all  $x \in \{0,1\}^{n'}$  there exists some input z' to the circuit, namely  $z' = x\hat{\alpha}0^{q(n')-n'-n}$ , such that (a) c'(z') = 0 if a = V(x, z') = 1 and (b) c'(z') = 1 if a = V(x, z') = 0. It follows that for all  $x \in \{0,1\}^{n'}$ ,  $\{z \in \Sigma^{q(n')} \mid c'(z) = 1\} \neq \{y \in \Sigma^{q(n')} \mid V(x, y) = 1\}$ , and so  $g(F) \notin \text{Invs}_{V,q}$ .

Since by our remark preceding Theorem 3.2 any superlinear polynomial is nonmiserly, we have the following corollary.

**Corollary 3.4** Let  $A \in NP$  and let (V,q) be a standard verifier for A such that q is a superlinear polynomial. Then  $Invs_{V,q}$  is  $\leq_m^p$ -hard for coNP.

Before we can state a similar result for  $1-\text{Invs}_{V,q}$  we need a technical concept. Though as far as we know it is a new concept, we feel it is also a very natural concept. We will call this notion P-producibility. (In choosing the nomenclature, we are motivated by the term and notion of "self-P-producible cicuits" [Ko85, BB86, GW93].)

**Definition 3.5** We say a set A is P-producible if and only if there exists a function  $h \in FP$  such that for all  $x \in \Sigma^*$ ,  $|h(x)| \ge |x|$  and  $h(x) \in A$ .

Our definition of P-producibility should be contrasted (especially as to what the polynomial time is in relation to—the input or the output) with the notion of tangibility introduced by Hemachandra and Rudich [HR90].<sup>1</sup>

**Theorem 3.6** Let A be any NP set that is P-producible. Let (V,q) be a standard verifier for A such that q is a nonmiserly polynomial. Then 1-Invs<sub>V,q</sub> is  $\leq_m^p$ -hard for coNP.

**Proof:** Let A be an NP set that is P-producible via a function  $h \in \text{FP}$ . Let (V, q) be a standard verifier for A such that q is a nonmiserly polynomial.

The proof proceeds quite similarly to the proof of Theorem 3.2. Let F be a formula with n variables. Let n' be the smallest natural number such that q(n') > n + n'. The difference from the proof of Theorem 3.2 is that the constructed circuit c' has to be modified as follows: Let  $w = h(0^{n'+1})$ . c' will have q(|w|) inputs. On input  $z \in \{0,1\}^{q(|w|)}$ , let  $z = x\alpha r$  where  $x \in \{0,1\}^{|w|}$ ,  $\alpha \in \{0,1\}^n$ , and  $r \in \{0,1\}^{q(|w|)-|w|-n}$ , the circuit works as follows (note the natural adjustment in Subcircuit 3).

- **Subcircuit 1:** Subcircuit 1 simulates the work of V(x, z). Let a = V(x, z) be the output of subcircuit 1.
- **Subcircuit 2:** Subcircuit 2 is a polynomial-size-bounded circuit for F and uses  $\alpha$  as its input. Let  $b = F(\alpha)$  be the output of subcircuit 2.
- **Subcircuit 3:** Subcircuit 3 simulates the work of V(w, z). Let d = V(w, z) be the output of subcircuit 3.
- **Output of** c': c' outputs 0 if b = d = 0 or a = b = 1. c' outputs 1 otherwise, that is if either a) b = 0 and d = 1 or b) b = 1 and a = 0.

The correctness of the reduction can be shown as in the proof of Theorem 3.2, where w now plays the role that  $0^{n'}$  played in the proof of Theorem 3.2.

In the reminder of this section we will derive some  $\Sigma_2^p$ -completeness results and a result about membership in DP.

As already mentioned in Section 2,  $\text{Invs}_{V,q} \in \Sigma_2^p$  for all standard verifiers (V,q). We will now show that this upper complexity bound is optimal.

<sup>&</sup>lt;sup>1</sup>A set A is called tangible if and only if there exists a total function f that can be computed in time polynomial in the size of its output such that for all  $x \in \Sigma^*$ ,  $f(x) \in A$  and  $f(x) \geq_{\text{lexicographical } x}$ .

**Theorem 3.7** There exists a standard verifier (V,q) such that  $Invs_{V,q}$  is  $\Sigma_2^p$ -complete.

**Proof:** Since  $\text{Invs}_{V,q} \in \Sigma_2^p$  for all standard verifiers (V,q), it suffices to show that there exists a standard verifier (V,q) such that  $\text{Invs}_{V,q}$  is  $\Sigma_2^p$ -hard.

Consider the language  $\exists \forall 3SAT$ ,

 $\exists \forall 3 \text{SAT} = \{F \mid F \text{ is a boolean formula in 3-DNF having } 2n \text{ variables} \\ x_1, x_2, \dots, x_n \text{ and } y_1, y_2, \dots, y_n \text{ for some } n \in \mathbb{N} \text{ and} \\ (\exists \alpha \in \{0, 1\}^n) (\forall \beta \in \{0, 1\}^n) [F(\alpha, \beta) = 1]\},$ 

where  $F(\alpha, \beta)$  denotes the truth value of F when using  $\alpha$  and  $\beta$  as assignments for the variables  $x_1, x_2, \ldots, x_n$  and  $y_1, y_2, \ldots, y_n$ , respectively.

 $\exists \forall 3SAT$  is known to be  $\Sigma_2^p$ -complete [Wra76]. Let *encode* be a polynomial-time computable and polynomial-time invertible encoding function for boolean formulas in 3-DNF. Let *double* be a mapping from  $\{0,1\}^*$  to  $\{0,1\}^*$  such that for all  $k \in \mathbb{N}$  and all  $a_1, a_2, \ldots, a_k \in \{0,1\}$ ,  $double(a_1a_2 \ldots a_k) = a_1a_1a_2a_2 \ldots a_ka_k$ .

Let q(n) = n for all  $n \in \mathbb{N}$ . We define the following verifier (V, q):

V accepts on input (u, v) if and only if there exist a natural number n, a boolean formula F in 3-DNF with 2n variables  $x_1, x_2, \ldots, x_n, y_1, y_2, \ldots, y_n$ , and strings  $\alpha, \beta \in \{0, 1\}^n$  such that  $u = encode(F)01double(\alpha)$  and  $v = encode(F)01double(\beta)$  and  $F(\alpha, \beta) = 1$ .

It is not hard to see that (V, q) is a standard verifier.

To show that  $\exists \forall 3SAT \leq_m^p Invs_{V,q}$  we will map formulas F having the required syntactic properties (3-DNF, even number of variables) to the encoding  $c_F$  of a circuit—having |encode(F)| + 2n + 2 inputs—that accepts all strings of the form  $encode(F)01double(\beta)$  for any  $\beta \in \{0, 1\}^n$  and rejects all other strings. All other formulas, i.e., those formulas not in 3-DNF or having an odd number of variables, are mapped to the encoding c of a circuit that accepts exactly one string, namely 0 (this ensures that if F does not have the the required syntactic properties and thus  $F \notin \exists \forall 3SAT$ , then  $c \notin Invs_{V,q}$ ). The described reduction is clearly polynomial-time computable.

It remains to show that for all formulas F having the above-mentioned syntactic properties (3-DNF, even number of variables) it holds that  $F \in \exists \forall 3SAT \iff c_F \in Invs_{V,q}$ . Let  $F \in \exists \forall 3SAT$ . It follows that there exists a partial assignment  $\alpha \in \{0,1\}^n$  such that for all partial assignments  $\beta \in \{0,1\}^n$ ,  $F(\alpha,\beta) = 1$ . Hence there exists  $u = encode(F)01double(\alpha)$ such that for all  $v = encode(F)01double(\beta)$ , V(u,v) = 1. By construction of  $c_F$  we thus have  $c_F \in Invs_{V,q}$ . For the other implication assume  $F \notin \exists \forall 3SAT$ . Hence for all  $\alpha \in \{0,1\}^n$ there exists  $\beta \in \{0,1\}^n$  such that  $F(\alpha,\beta) = 0$ . It follows from the definition of V that for all  $u = encode(F)01double(\alpha)$  there exists  $v = encode(F)01double(\beta)$  such that V(u,v) = 0. By construction of  $c_F$  we thus have  $c_F \notin Invs_{V,q}$ .

This completes the proof.

Note that the verifier V defined in the proof of Theorem 3.7 is a verifier for the language L of all strings w such that there exist a natural number n, a boolean formula F in 3-DNF with 2n variables  $x_1, x_2, \ldots, x_n, y_1, y_2, \ldots, y_n$ , and a string  $\alpha \in \{0, 1\}^n$  such that

$$w = encode(F)01double(\alpha) \land (\exists \beta \in \{0,1\}^n)[F(\alpha,\beta) = 1].$$

It is not hard to see that  $L \in P$  since satisfiability for 3-DNF formulas can be checked in polynomial time.

**Corollary 3.8** There exists a language  $L \in P$  and a standard verifier (V, q) for L such that  $Invs_{V,q}$  is  $\Sigma_2^p$ -complete.

In fact, looking carefully at the construction in the proof of Theorem 3.7, we see that the just-given proof establishes also the following one-sided result.

**Corollary (to the proof) 3.9** There exists a language  $L \in P$  and a standard verifier (V,q) for L such that 1-Invs<sub>V,q</sub> is  $\Sigma_2^p$ -complete.

So even simple sets can have very hard inverse problems (Corollaries 3.8 and 3.9). Nonetheless, all (NP) sets have at least one standard verifier whose one-sided inverse problem is not too hard, namely, it at least belongs to DP (note: if  $DP = \Sigma_2^p$  then PH collapses to DP).

**Theorem 3.10** Every set  $A \in NP$  has a standard verifier (V, q) such that 1-Invs<sub>V,q</sub>  $\in DP$ .

**Proof:** Let  $A \in NP$  and let (R, p) be a standard verifier for A. Let q(n) = n + p(n) and define a verifier V as follows:

V accepts on input (a, b) if and only if there exists a string b' such that b = ab'and R(a, b') = 1.

It is not hard to see that (V, q) is a standard verifier for A.

By definition we have

1-Invs<sub>V,q</sub> = {c | c encodes a circuit c' having q(m) inputs for some  $m \in \mathbb{N}$  such that  $(\exists x \in A^{=m})[\{w \in \Sigma^{q(m)} \mid V(x,w) = 1\} = \{y \in \Sigma^{q(m)} \mid c'(y) = 1\}]\}$ 

This can be rewritten, keeping in mind the particular V we have defined, as follows.

1-Invs<sub>V,q</sub> = {c | c encodes a circuit c' having 
$$q(m)$$
 inputs for some  $m \in \mathbb{N}$  such that:  
 $(\forall u, v \in \Sigma^{q(m)})[\text{if } c'(u) = c'(v) = 1 \text{ then the first } m \text{ bits of } u \text{ and } v \text{ are }$   
identical] and  
 $(\forall u, v \in \Sigma^{q(m)})(\forall x \in \Sigma^m)[\text{if } c'(u) = 1 \text{ and } c'(v) = 0 \text{ and } u = xu' \text{ and } v = xv'$   
then  $R(x, u') = 1$  and  $R(x, v') = 0]$  and  
 $(\forall u \in \Sigma^{q(m)})(\forall x \in \Sigma^m)[\text{if } c'(u) = 1 \text{ and } u = xu' \text{ then } R(x, u') = 1] \text{ and }$   
 $(\exists v \in \Sigma^{q(m)})[c'(v) = 1]$ .

This rewritten version (keeping in mind that the quantification over m is not a "real" quantifier) makes it clear that 1-Invs<sub>V,q</sub>  $\in$  DP, as it is of the form  $A \cap B \cap C \cap D$ , with  $A, B, C \in \text{coNP}$  and  $D \in \text{NP}$ , and so is of the form of the difference of two NP sets, namely,  $D - (\overline{A \cap B \cap C})$ .

#### 4 The Complexity of Recognizing Verifiers

In this section we show that deciding if a given machine computes a standard verifier is complete for the second level of the arithmetic hierarchy,  $\Sigma_2^0$ . Before doing so, we introduce the notion of a "general verifier," in which the "hit the length exactly" restriction on the certificate size is changed to just a one-sided bound, and we prove a  $\Sigma_2^0$ -completeness result for that. We do so primarily since the proof for that case is clearer and so helps introduce the related but more involved  $\Sigma_2^0$ -completeness proof for the case of standard verifiers.

**Definition 4.1** 1. A pair (R,q) is called a general verifier if and only if

- (a)  $R: \Sigma^* \times \Sigma^* \to \{0,1\}$  is polynomial-time computable mapping, i.e.,  $R \in FP$  and
- (b)  $q: \mathbb{N} \to \mathbb{N}$  is a strictly monotonic polynomial such that

$$(\forall x, y \in \Sigma^*)[R(x, y) = 1 \implies q(|y|) \ge |x|].$$

- 2. We say a 2-ary Turing machine M computes a general verifier if there are a polynomial r and a polynomial q such that
  - (a) M runs in r-bounded time (by which we mean that for each  $x, y \in \Sigma^*$ , M(x, y) halts in at most r(|x| + |y|) steps), and
  - (b)  $q: \mathbb{N} \to \mathbb{N}$  is a strictly monotonic polynomial such that

 $(\forall x, y \in \Sigma^*)[\chi_{L(M)}(x, y) = 1 \implies q(|y|) \ge |x|].$ 

(Note: Regarding types,  $L(M) \subseteq \Sigma^* \times \Sigma^*$ , and  $\chi_{L(M)}$ —the characteristic function—maps from  $\Sigma^* \times \Sigma^*$  to  $\{0,1\}$ .)

Let  $M_1, M_2, M_3, \ldots$  be a standard enumeration of deterministic 2-ary Turing machines.

**Theorem 4.2** The index set  $I_{ver,gen} = \{i \in \mathbb{N} \mid M_i \text{ computes a general verifier}\}$  is  $\leq_m$ -complete for  $\Sigma_2^0$ .

**Proof:** It is not hard to see that  $I_{ver,gen} \in \Sigma_2^0$  since  $I_{ver,gen}$  can be described as follows:  $i \in I_{ver,gen} \iff$ 

 $(\exists k \in \mathbb{N})(\forall x, y \in \Sigma^*)[M_i(x, y) \text{ halts within at most } (|x| + |y|)^k + k \text{ steps and if } M_i(x, y) \text{ accepts within at most } (|x| + |y|)^k + k \text{ steps then } |y|^k + k \ge |x|].$ 

Note that the right hand side of the above " $\iff$ " shows membership in  $\Sigma_2^0$ .

It remains to show that  $I_{ver,gen}$  is  $\leq_m$ -hard for  $\Sigma_2^0$ . Since  $I_{finite} = \{i \mid L(N_i) \text{ is finite}\}$ (where  $N_1, N_2, N_3, \ldots$  is a fixed standard enumeration of Turing machines, e.g., that of Hopcroft–Ullman [HU79]) is  $\leq_m$ -hard (even  $\leq_m$ -complete) for  $\Sigma_2^0$  it suffices to show that  $I_{finite} \leq_m I_{ver,gen}$ . Given (as input to our reduction) any  $i \in \mathbb{N}$ , by the nice properties of the standard enumeration, we can effectively construct from i a machine E that is an enumerator for  $L(N_i)$ . We now describe a Turing machine  $\widehat{M}$ .  $\widehat{M}$  is a 2-ary Turing machine that on input  $(x, y) \in \Sigma^* \times \Sigma^*$  does the following steps:

- 1. Simulate |x| + |y| steps of the work of E and let A be the set of all strings that are enumerated by E within those |x| + |y| steps.
- 2. Simulate 2(|x| + |y|) steps of the work of E and let B be the set of all strings that are enumerated by E within those 2(|x| + |y|) steps.
- 3. Accept (i.e., output true) if  $B A \neq \emptyset$ ; otherwise reject (i.e., output false).

Clearly,  $\widehat{M}$  is a 2-ary Turing machine. Let j be an index such that  $M_j = \widehat{M}$  (we assume our standard enumeration is expansive enough to include all the obviously 2-ary, deterministic machines created by this construction—this is a legal assumption). Since j clearly depends only on i we have implicitly described a mapping  $f : \mathbb{N} \to \mathbb{N}$ . Note that f is computable.

It suffices to show that for all  $i \in \mathbb{N}$ ,  $i \in I_{finite} \iff f(i) \in I_{ver,gen}$ . Let  $i \in \mathbb{N}$  and let j = f(i).

Case 1:  $i \in I_{finite}$ . So  $L(N_i)$  is finite and the number of strings enumerated by E is finite as well. Note that since  $M_j$  by definition runs in polynomial time and since E enumerates only a finite number of strings it follows from the construction of  $M_j$  that  $M_j$  accepts only a finite number of inputs and thus it holds that there exists a strictly monotonic (integer-coefficient) polynomial p such that for all  $x, y \in \Sigma^*$ , if  $M_j(x, y)$  outputs true then  $p(|y|) \ge |x|$ . So (remembering also the polynomial-time claim made above)  $M_j$  computes a general verifier and thus  $j \in I_{ver, gen}$ .

Case 2:  $i \notin I_{finite}$ . In this case, E enumerates an infinite number of strings and thus for all  $y \in \Sigma^*$ ,  $M_j(x, y)$  outputs true for infinitely many  $x \in \Sigma^*$ . So there does not exist a (strictly monotonic) polynomial p such that, for all  $x, y \in \Sigma^*$ , if  $M_j(x, y)$  outputs true then  $p(|y|) \ge |x|$ . Thus,  $M_j$  does not compute a general verifier and so  $j \notin I_{ver,gen}$ .

Does the same classification hold for standard verifiers? Note that the "hit the length on the head"-ness of standard verifiers will be something of a technical obstacle. Nonetheless, by carefully choosing the pairs (x, y) that are accepted by the constructed machine we are able to show that deciding whether a given machine computes a standard verifier is also complete for  $\Sigma_2^0$ .

**Theorem 4.3** The index set  $I_{ver,std} = \{i \in \mathbb{N} \mid M_i \text{ computes a standard verifier}\}$  is  $\leq_m$ -complete for  $\Sigma_2^0$ .

**Proof:** It is not hard to see that  $I_{ver,std} \in \Sigma_2^0$  since  $I_{ver,std}$  can be described as follows:  $i \in I_{ver,std} \iff$ 

 $(\exists k \in \mathbb{N})(\exists \ell \in \mathbb{N})(\exists a_0, a_1, a_2, \dots, a_{\ell} \in \mathbb{Z})(\forall x, y \in \Sigma^*)(\forall n \in \mathbb{N})[(M_i(x, y) \text{ halts within at most } (|x| + |y|)^k + k \text{ steps and if } M_i(x, y) \text{ accepts within at most } (|x| + |y|)^k + k \text{ steps then } |y| = a_{\ell}|x|^{\ell} + a_{\ell-1}|x|^{\ell-1} + \dots + a_1|x| + a_0]) \text{ and } (a_{\ell}n^{\ell} + a_{\ell-1}n^{\ell-1} + \dots + a_1n + a_0 < a_{\ell}(n+1)^{\ell} + a_{\ell-1}(n+1)^{\ell-1} + \dots + a_1(n+1) + a_0)].$ 

Note that the right hand side of the above " $\iff$ " shows membership in  $\Sigma_2^0$ .

It remains to show that  $I_{ver,std}$  is  $\leq_m$ -hard for  $\Sigma_2^0$ . As in the proof of Theorem 4.2, it suffices to show that  $I_{finite} \leq_m I_{ver,std}$ .

Before we describe the reduction we need a few technical definitions. We define a family of polynomials as follows:

$$q_0(n) = n+1,$$

and, for each  $i \in \{1, 2, 3, ...\}$ , we inductively define

$$q_{i+1}(n) = n(n-1)(n-2)\dots(n-i) + q_i(n).$$

Note that, for all  $i \in \mathbb{N}$ , (a)  $i! \leq q_i(i)$  and (b)  $q_i$  is a strictly monotonic, integer-coefficient polynomial. Observe that the polynomials  $q_i$  and the numbers  $m_i$  satisfy the following:

We return to showing that  $I_{finite} \leq_m I_{ver,std}$ . So, suppose that we are given any  $i \in \mathbb{N}$ (and we wish to effectively compute a string f(i) such that  $i \in I_{finite} \iff f(i) \in I_{ver,std}$ ). By the nice properties of the standard enumeration, we can effectively construct from i a machine E that is an enumerator for  $L(N_i)$ . We now describe a Turing machine  $\widehat{M}$ .  $\widehat{M}$  is a 2-ary Turing machine that on input  $(x, y) \in \Sigma^* \times \Sigma^*$  does the following steps:

- 1. If  $|y| \neq q_{|x|}(|x|)$  halt and reject the input (i.e., output false). If  $|y| = q_{|x|}(|x|)$  continue.
- 2. Simulate |x| + |y| steps of the work of E and let A be the set of all strings that are enumerated by E within those |x| + |y| steps.
- 3. Simulate  $(|x| + |y|)^2$  steps of the work of E and let B be the set of all strings that are enumerated by E within those  $(|x| + |y|)^2$  steps.<sup>2</sup>
- 4. Accept (i.e., output true) if  $B A \neq \emptyset$ ; otherwise reject (i.e., output false).

<sup>&</sup>lt;sup>2</sup>The reason we use the bound  $(|x| + |y|)^2$ , rather than 2(|x| + |y|) as we did in the proof of Theorem 4.2, will be explained later in this proof.

Clearly,  $\widehat{M}$  is a 2-ary Turing machine. Let j be an index such that  $M_j = \widehat{M}$  (we assume our standard enumeration is expansive enough to include all the obviously 2-ary, deterministic machines created by this construction—this is a legal assumption). Since j clearly depends only on i we have implicitly described a mapping  $f : \mathbb{N} \to \mathbb{N}$ . Note that f is computable.

It suffices to show that for all  $i \in \mathbb{N}$ ,  $i \in I_{finite} \iff f(i) \in I_{ver,std}$ . Let  $i \in \mathbb{N}$  and let j = f(i).

Case 1:  $i \in I_{finite}$ . So  $L(N_i)$  is finite and the number of strings enumerated by E is finite as well. Note that since  $M_j$  by definition runs in polynomial time and since E enumerates only a finite number of strings it follows from the construction of  $M_j$  that  $M_j$  accepts only a finite number of inputs. So it holds that there exists a strictly monotonic (integer-coefficient) polynomial p such that for all  $x, y \in \Sigma^*$ , if  $M_j(x, y)$  outputs true then p(|x|) = |y|. In particular, by our definition of the polynomials  $q_i$  (and remembering also the polynomial-time claim made above) we have that if  $\hat{n} \in \mathbb{N}$  is the largest number such that a pair  $(x, y), |x| = \hat{n}$ , is accepted by  $M_j$  then  $(|y| = q_{\hat{n}}(\hat{n})$  and)  $M_j$  computes a standard verifier (with  $q_{\hat{n}}$  working as the "q" of Part 3 of Definition 2.3).

Case 2:  $i \notin I_{finite}$ . In this case, E enumerates an infinite number of strings. We will argue that then  $M_i$  accepts an infinite number of pairs and thus there does not exist a polynomial p such that for all pairs  $(x, y) \in L(M_i)$  we have |y| = p(|x|). Note that the Turing machine  $M_j$  described above accepts only pairs (x, y) where  $|y| = q_{|x|}(|x|)$  and thus one might worry that even though E enumerates an infinite set,  $M_i$  only accepts finitely many pairs. Indeed, observe that if we had (as in the proof of Theorem 4.2) chosen the number of steps E is simulated in steps 2 and 3 of the description of  $M_j$  to be, respectively, |x| + |y| and 2(|x| + |y|), we would have left coverage "gaps," and it might happen that even though E enumerates an infinite set,  $M_j$  would be "triggered" to accept pairs only a finite number of times. However, by choosing the number of steps the enumerator E is simulated by  $M_i$  to be |x| + |y| and  $(|x| + |y|)^2$  in, respectively, steps 2 and 3, it follows<sup>3</sup> that if E enumerates an infinite set then  $M_i$  accepts infinitely many pairs. So  $M_i(0^n, 0^{q_n(n)})$ , when  $i \notin I_{finite}$ , outputs true for infinitely many  $n \in \mathbb{N}$ . Recall that by definition we have that for all  $n \in \mathbb{N}$ ,  $n! \leq q_n(n)$ . So there does not exist a polynomial p (whether strictly monotonic or otherwise) such that, for all  $x, y \in \Sigma^*$ , if  $M_i(x, y)$  outputs true then p(|x|) = |y|. Thus,  $M_j$  does not compute a standard verifier, and so  $j \notin I_{ver,std}$ . 

<sup>&</sup>lt;sup>3</sup>Keeping in mind that the only interesting case is when the second argument's length, call it  $\ell_2$ , is related to the first argument's length, call it  $\ell_1$ , by the equation  $\ell_2 = q_{\ell_1}(\ell_1)$ , what we need to show to ensure that there are only finitely many gaps in coverage is that for all but at most a finite number of n's (and only focusing in this footnote on second arguments y of the length-relation just mentioned) the simulation-step bound in Step 3 when |x| = n is greater than the simulation-step bound in Step 2 when |x| = n + 1. That is, we need it to hold that, for all sufficiently large  $n \in \mathbb{N}$ ,  $(n + q_n(n))^2 \ge (n + 1) + q_{n+1}(n + 1)$ . Regarding the right-hand side, note that we can inductively see from the definition of the  $q_i$ 's that, for all  $n \in \mathbb{N}$ ,  $q_{n+1}(n+1) \le ((n+1)!)(n+2)$ . And by the lower bound given earlier for  $q_n(n)$ , we know also that, for all  $n \in \mathbb{N}$ ,  $(n + q_n(n))^2 \ge (n + (n!))^2 = n^2 + 2n(n!) + (n!)^2$ . We thus are done, since clearly for all sufficiently large  $n \in \mathbb{N}$  it holds that (note the asymptotically very large  $(n!)^2$  term of the former)  $n^2 + 2n(n!) + (n!)^2 \ge (n+1) + ((n+1)!)(n+2)$ .

# 5 Conclusions

We have shown that all superlinear inversion schemes are coNP-hard. We have also shown that some inversion schemes are  $\Sigma_2^p$ -complete. Note that for finite sets A and any of their standard verifiers (V, q) we have that  $\text{Invs}_{V,q}$  is coNP-complete. It is not clear whether the complexity of inverting standard verifiers for infinite NP sets is also independent of the verifier. In particular, does every infinite NP set have a standard verifier (V, q) such that  $\text{Invs}_{V,q}$  is  $\Sigma_2^p$ -complete?

#### References

- [BB86] J. Balcázar and R. Book. Sets with small generalized Kolmogorov complexity. Acta Informatica, 23(6):679–688, 1986.
- [CGH<sup>+</sup>88] J. Cai, T. Gundermann, J. Hartmanis, L. Hemachandra, V. Sewelson, K. Wagner, and G. Wechsung. The boolean hierarchy I: Structural properties. SIAM Journal on Computing, 17(6):1232–1252, 1988.
- [CGH<sup>+</sup>89] J. Cai, T. Gundermann, J. Hartmanis, L. Hemachandra, V. Sewelson, K. Wagner, and G. Wechsung. The boolean hierarchy II: Applications. *SIAM Journal* on Computing, 18(1):95–111, 1989.
- [Che03] H. Chen. Inverse NP problems. In Proceedings of the 28th International Symposium on Mathematical Foundations of Computer Science, pages 338–347. Springer-Verlag Lecture Notes in Computer Science #2747, August 2003.
- [GW93] R. Gavaldà and O. Watanabe. On the computational complexity of small descriptions. *SIAM Journal on Computing*, 22(6):1257–1274, 1993.
- [HO02] L. Hemaspaandra and M. Ogihara. *The Complexity Theory Companion*. Springer-Verlag, 2002.
- [HR90] L. Hemachandra and S. Rudich. On the complexity of ranking. Journal of Computer and System Sciences, 41(2):251–271, 1990.
- [HU79] J. Hopcroft and J. Ullman. Introduction to Automata Theory, Languages, and Computation. Addison-Wesley, 1979.
- [Ko85] K. Ko. Continuous optimization problems and a polynomial hierarchy of real functions. *Journal of Complexity*, 1:210–231, 1985.
- [MS72] A. Meyer and L. Stockmeyer. The equivalence problem for regular expressions with squaring requires exponential space. In *Proceedings of the 13th IEEE Symposium on Switching and Automata Theory*, pages 125–129, October 1972.
- [Pap94] C. Papadimitriou. Computational Complexity. Addison-Wesley, 1994.

- [PY84] C. Papadimitriou and M. Yannakakis. The complexity of facets (and some facets of complexity). *Journal of Computer and System Sciences*, 28(2):244–259, 1984.
- [Rog67] H. Rogers, Jr. The Theory of Recursive Functions and Effective Computability. McGraw-Hill, 1967.
- [Sto76] L. Stockmeyer. The polynomial-time hierarchy. *Theoretical Computer Science*, 3(1):1–22, 1976.
- [Wra76] C. Wrathall. Complete sets and the polynomial-time hierarchy. *Theoretical Computer Science*, 3(1):23–33, 1976.