

*Commenced Publication in 1973*

Founding and Former Series Editors:

Gerhard Goos, Juris Hartmanis, and Jan van Leeuwen

## Editorial Board

David Hutchison

*Lancaster University, Lancaster, UK*

Takeo Kanade

*Carnegie Mellon University, Pittsburgh, PA, USA*

Josef Kittler

*University of Surrey, Guildford, UK*

Jon M. Kleinberg

*Cornell University, Ithaca, NY, USA*

Alfred Kobsa

*University of California, Irvine, CA, USA*

Friedemann Mattern

*ETH Zurich, Zürich, Switzerland*

John C. Mitchell

*Stanford University, Stanford, CA, USA*

Moni Naor

*Weizmann Institute of Science, Rehovot, Israel*

Oscar Nierstrasz

*University of Bern, Bern, Switzerland*

C. Pandu Rangan

*Indian Institute of Technology, Madras, India*

Bernhard Steffen

*TU Dortmund University, Dortmund, Germany*

Demetri Terzopoulos

*University of California, Los Angeles, CA, USA*

Doug Tygar

*University of California, Berkeley, CA, USA*

Gerhard Weikum

*Max Planck Institute for Informatics, Saarbruecken, Germany*

For further volumes:

<http://www.springer.com/series/7412>

Andrés Bruhn · Thomas Pock  
Xue-Cheng Tai (Eds.)

# Efficient Algorithms for Global Optimization Methods in Computer Vision

International Dagstuhl Seminar  
Dagstuhl Castle, Germany, November 20–25, 2011  
Revised Selected Papers

*Editors*

Andrés Bruhn  
University of Stuttgart  
Stuttgart  
Germany

Xue-Cheng Tai  
University of Bergen  
Bergen  
Norway

Thomas Pock  
Graz University of Technology  
Graz  
Austria

ISSN 0302-9743

ISSN 1611-3349 (electronic)

ISBN 978-3-642-54773-7

ISBN 978-3-642-54774-4 (eBook)

DOI 10.1007/978-3-642-54774-4

Springer Heidelberg New York Dordrecht London

Library of Congress Control Number: 2014934686

LNCS Sublibrary: SL6 – Image Processing, Computer Vision, Pattern Recognition, and Graphics

© Springer-Verlag Berlin Heidelberg 2014

This work is subject to copyright. All rights are reserved by the Publisher, whether the whole or part of the material is concerned, specifically the rights of translation, reprinting, reuse of illustrations, recitation, broadcasting, reproduction on microfilms or in any other physical way, and transmission or information storage and retrieval, electronic adaptation, computer software, or by similar or dissimilar methodology now known or hereafter developed. Exempted from this legal reservation are brief excerpts in connection with reviews or scholarly analysis or material supplied specifically for the purpose of being entered and executed on a computer system, for exclusive use by the purchaser of the work. Duplication of this publication or parts thereof is permitted only under the provisions of the Copyright Law of the Publisher's location, in its current version, and permission for use must always be obtained from Springer. Permissions for use may be obtained through RightsLink at the Copyright Clearance Center. Violations are liable to prosecution under the respective Copyright Law.

The use of general descriptive names, registered names, trademarks, service marks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

While the advice and information in this book are believed to be true and accurate at the date of publication, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Printed on acid-free paper

Springer is part of Springer Science+Business Media ([www.springer.com](http://www.springer.com))

# Preface

Most of the leading algorithms in computer vision are based on global optimization methods. Such methods compute the solution of a given problem as minimizer of a suitable cost functional that penalizes deviations from previously made assumptions and integrates them in a global manner, i.e., over the entire image domain. Since this way of modelling is very transparent and intuitive, it is not surprising that such methods have become popular and successful tools to tackle many fundamental problems in computer vision such as, e.g., motion estimation, stereo reconstruction, image restoration, and object segmentation. However, there is also a price to pay when employing global optimization methods. The corresponding cost functionals often lead to optimization problems that are both mathematically challenging and computationally expensive.

In order to discuss recent advances and challenges in the design and the solution of global optimization methods, Dagstuhl Seminar 11471 on *Efficient Algorithms for Global Optimisation Methods in Computer Vision* was held during November 20–25, 2011, at the International Conference and Research Center (IBFI), Schloss Dagstuhl, near Wadern in Germany. The seminar focused on the *entire* algorithmic development pipeline for global optimization problems in computer vision: *modelling, mathematical analysis, numerical solvers, and parallelization*. In particular, the goal of the seminar was to bring together researchers from all four fields to analyze and discuss the connections between the different stages of the algorithmic design pipeline. The seminar included researchers from the fields of *computer science* and *mathematics alike*.

From all submissions, eight high-quality full articles were finally accepted after a strict reviewing process. Each article was reviewed by at least two international experts in the field and only articles with exclusively positive reviews were accepted for publication. The accepted articles reflect the state of the art in the field and focus on recent developments in efficient approaches for continuous optimization and related parallelization aspects on high-end cluster systems.

We would like to thank the team at castle Dagstuhl for the professional support and the perfect atmosphere during the seminar. Furthermore, we would like to thank the participants of the Dagstuhl seminar for their active discussions, their dedication during the seminar as well as for the quality of their timely reviews. Apart from all authors, we would also like to thank Ke Chen and Martin Welk for providing additional reviews. The organization of this event would not have been possible without the effort and the enthusiasm of many people. We would like to thank all who contributed to the success of this seminar.

November 2013

Andrés Bruhn  
Thomas Pock  
Xue-Cheng Tai

# Contents

Dense Elastic 3D Shape Matching . . . . .	1
<i>Frank R. Schmidt, Thomas Windheuser, Ulrich Schlickewei, and Daniel Cremers</i>	
Fast Regularization of Matrix-Valued Images. . . . .	19
<i>Guy Rosman, Yu Wang, Xue-Cheng Tai, Ron Kimmel, and Alfred M. Bruckstein</i>	
Recovering Piecewise Smooth Multichannel Images by Minimization of Convex Functionals with Total Generalized Variation Penalty . . . . .	44
<i>Kristian Bredies</i>	
Half-Quadratic Algorithm for $\ell_p$ - $\ell_q$ Problems with Applications to TV- $\ell_1$ Image Restoration and Compressive Sensing . . . . .	78
<i>Raymond H. Chan and Hai-Xia Liang</i>	
A Fast Algorithm for a Mean Curvature Based Image Denoising Model Using Augmented Lagrangian Method . . . . .	104
<i>Wei Zhu, Xue-Cheng Tai, and Tony Chan</i>	
A Smoothing Descent Method for Nonconvex TV $^q$ -Models . . . . .	119
<i>Michael Hintermüller and Tao Wu</i>	
A Fast Continuous Max-Flow Approach to Non-convex Multi-labeling Problems . . . . .	134
<i>Egil Bae, Jing Yuan, Xue-Cheng Tai, and Yuri Boykov</i>	
A Geometric Multigrid Solver on Tsubame 2.0 . . . . .	155
<i>Harald Köstler, Christian Feichtinger, Ulrich Rüde, and Takayuki Aoki</i>	
<b>Author Index</b> . . . . .	175