Performance of ternary double circulant, double twistulant, and self-dual codes^{*}

T. Aaron Gulliver[†] and Masaaki Harada[‡]

October 17, 2018

Abstract

We study the performance of ternary isodual codes which are not self-dual and ternary self-dual codes, as measured by the decoding error probability in bounded distance decoding. We compare the performance of ternary double circulant and double twistulant codes which are not self-dual with ternary extremal self-dual codes. We also investigate the performance of ternary self-dual codes having large minimum weights.

1 Introduction

A (ternary) [n, k] code C is a k-dimensional vector subspace of \mathbb{F}_3^n , where \mathbb{F}_3 denotes the finite field of order 3. All codes in this paper are ternary. We shall take the elements of \mathbb{F}_3 to be either $\{0, 1, 2\}$ or $\{0, 1, -1\}$, using whichever form is more convenient. The parameter n is called the *length* of C. The weight wt(x) of a vector $x \in \mathbb{F}_3^n$ is the number of non-zero components of x. A vector of C is called a *codeword*. The minimum non-zero weight of all codewords in C is called the *minimum weight* of C and an [n, k] code

^{*}Keywords: double circulant code, double twistulant code, self-dual code, decoding error probability. Mathematics Subject Classification: 94B05, 94B70.

[†]Department of Electrical and Computer Engineering, University of Victoria, P.O. Box 1700, STN CSC, Victoria, BC, Canada V8W 2Y2. email: agullive@ece.uvic.ca

[‡]Research Center for Pure and Applied Mathematics, Graduate School of Information Sciences, Tohoku University, Sendai 980–8579, Japan. email: mharada@m.tohoku.ac.jp.

with minimum weight d is called an [n, k, d] code. Two codes C and C' are equivalent if there exists a (1, -1, 0)-monomial matrix M with $C' = \{cM \mid c \in C\}$.

Let C be an [n, k, d] code. Throughout this paper, let A_i denote the number of codewords of weight *i* in C. The sequence (A_0, A_1, \ldots, A_n) is called the *weight distribution* of C. A code C of length *n* is said to be *formally self-dual* if C and C^{\perp} have identical weight distributions where C^{\perp} is the dual code of C. A code C is *isodual* if C and C^{\perp} are equivalent, and C is *self-dual* if $C = C^{\perp}$. It is known that a ternary self-dual code of length *n* exists if and only if $n \equiv 0 \pmod{4}$. A self-dual code is an isodual code, and an isodual code is a formally self-dual code. Double circulant and double twistulant codes are a remarkable class of isodual codes.

The question of decoding error probabilities was studied by Faldum, Lafuente, Ochoa and Willems [5] for bounded distance decoding. Let C and C' be [n, k, d] codes with weight distributions (A_0, A_1, \ldots, A_n) and $(A'_0, A'_1, \ldots, A'_n)$, respectively. Suppose that symbol errors are independent and the symbol error probability is small. Then C has a smaller decoding error probability than C' if and only if

(1)
$$(A_0, A_1, \dots, A_n) \prec (A'_0, A'_1, \dots, A'_n),$$

where \prec means the lexicographic order, that is, there is an integer $s \in \{0, 1, \ldots, n\}$ such that $A_i = A'_i$ for all i < s but $A_s < A'_s$ [5, Theorem 3.4]. We say that *C* performs better than *C'* if (1) holds.

In this paper, we investigate the performance of optimal double circulant and double twistulant codes which are not self-dual, and self-dual codes with large minimum weights as measured by the decoding error probability in bounded distance decoding. In Section 2, we compare the performance of double circulant and double twistulant codes which are not self-dual with extremal self-dual codes for lengths n < 48. Thus, we consider double circulant and double twistulant codes which are not self-dual only for lengths $n \equiv 0 \pmod{4}$. Self-dual codes are considered in Section 3. The weight distribution of an extremal self-dual code is uniquely determined for each length. For lengths up to 64, the existence of an extremal self-dual code is known (see [8, Table 4]). The largest minimum weight of a self-dual code is $3\lfloor n/12 \rfloor$ for lengths n = 72, 96, and the largest minimum weight among currently known self-dual codes is $3\lfloor n/12 \rfloor$ for lengths n = 68, 76, 80, 84, 88, 92(see [8, Table 4]). Hence, we investigate the performance of self-dual codes of length n and minimum weight $3\lfloor n/12 \rfloor$ for n = 68, 72, 76, 80, 84, 88, 92, 96.

2 Performance of double circulant and double twistulant codes

2.1 Double circulant and double twistulant codes

An $n \times n$ matrix is *circulant* or *negacirculant* if it has the form

$$\begin{pmatrix} r_{0} & r_{1} & \cdots & r_{n-2} & r_{n-1} \\ cr_{n-1} & r_{0} & \cdots & r_{n-3} & r_{n-2} \\ cr_{n-2} & cr_{n-1} & \ddots & r_{n-4} & r_{n-3} \\ \vdots & \vdots & \ddots & \ddots & \vdots \\ cr_{1} & cr_{2} & \cdots & cr_{n-1} & r_{0} \end{pmatrix},$$

where c = 1 or -1, respectively. A *pure double circulant* code and a *bordered* double circulant code have generator matrices of the form

$$(2) \qquad \qquad \left(\begin{array}{cc} I_n & R \end{array} \right)$$

and

(3)
$$\begin{pmatrix} & \alpha & \beta & \cdots & \beta \\ & \gamma & & & \\ & I_n & \vdots & R' & \\ & & \gamma & & & \end{pmatrix},$$

respectively, where I_n is the identity matrix of order n, R (resp. R') is an $n \times n$ (resp. $n - 1 \times n - 1$) circulant matrix, and $\alpha, \beta, \gamma \in \mathbb{F}_3$. These two families are called *double circulant* codes.

A classification of double circulant codes with the largest minimum weight among all double circulant codes (including self-dual codes) was given in [4] for lengths up to 14. For lengths n with $16 \le n \le 30$, the largest minimum weight among all double circulant codes (including self-dual codes) was determined in [4]. For lengths n with $16 \le n \le 24$, the weight distributions for double circulant codes with the largest minimum weight were determined and a double circulant code was given for each weight distribution [4].

A [2n, n] code which has a generator matrix of the form

(4)
$$\left(\begin{array}{cc}I_n & N\end{array}\right),$$

where N is an $n \times n$ negacirculant matrix, is called a *double twistulant* code. Although the following proposition is somewhat trivial, we provide it for the sake of completeness.

Proposition 1. A double twistulant [2n, n] code with generator matrix (4) is isodual.

Proof. The negacirculant matrix N is obtained from N^T by interchanging the *i*-th row (resp. column) with the (n + 2 - i)-th row (resp. column) $(i = 2, 3, \ldots, \lfloor (n+1)/2 \rfloor)$, and by negating the first row and column, where N^T denotes the transpose of N. Hence, two codes with generator matrices $(I_n \ N)$ and $(I_n \ N^T)$ are equivalent, and the result follows. \Box

In this section, we focus on double circulant codes and double twistulant codes as a remarkable class of isodual codes. We consider codes C satisfying the following conditions:

- (C1) C is a pure or bordered double circulant codes or double twistulant codes of length $n (\equiv 0 \pmod{4})$ which is not self-dual with the largest minimum weight d_P , d_B and d_T among pure or bordered double circulant codes or double twistulant codes of length n which are not self-dual, respectively.
- (C2) C has the smallest weight distribution (A_0, A_1, \ldots, A_n) under the lexicographic order \prec among pure or bordered double circulant codes, or double twistulant codes of length n and minimum weight d_P , d_B and d_T which are not self-dual, respectively.

We say that a double circulant (resp. double twistulant) code which is not self-dual is *optimal* if it has the largest minimum weight among all double circulant (resp. double twistulant) codes of that length which are not selfdual.

2.2 Performance of double circulant and double twistulant codes

For $4m \leq 48$, by determining the largest minimum weights d_P (resp. d_B), our exhaustive search found all distinct pure (resp. bordered) double circulant [4m, 2m] codes satisfying conditions (C1) and (C2). This was done by considering all $2m \times 2m$ circulant matrices R in (2) (resp. $2m - 1 \times 2m - 1$ circulant matrices R' in (3)). In addition, for $4m \leq 48$, by determining the largest minimum weights d_T , our exhaustive search found all distinct double twistulant [4m, 2m] codes satisfying conditions (C1) and (C2). This was done by considering all $2m \times 2m$ negacirculant matrices N in (4). Since a cyclic shift of the first row for a code defines an equivalent code, the elimination of cyclic shifts substantially reduced the number of codes which had to be checked further for equivalence to complete the classification. Then MAGMA [2] was employed to determine code equivalence which completed the classification for 4m < 48.

In Table 9, we list the values d_P , A_{d_P} , d_B , A_{d_B} , d_T and A_{d_T} . We also list the inequivalent pure and bordered double circulant codes, and double twistulant codes satisfying conditions (C1) and (C2). For the codes listed in the table, the first rows of R in (2), R' in (3) and N in (4) are given in Tables 1, 2 and 3, respectively. The border values (α, β, γ) in (3) are listed for the bordered double circulant codes. In addition, the minimum weights d and (A_d, A_{d+1}, A_{d+2}) are listed. As mentioned above, for lengths n with $16 \leq n \leq 24$, all weight distributions for double circulant codes with the largest minimum weight were determined ([4, Table 6]) and a pure and bordered double circulant code was given for each weight distribution ([4, Tables 4 and 5]). The bordered double circulant code B_{16} in Table 2 has the following weight distribution

$$A_0 = 1, A_6 = 84, A_7 = 336, A_8 = 420, A_9 = 872, A_{10} = 1092,$$
$$A_{11} = 1680, A_{12} = 924, A_{13} = 840, A_{14} = 168, A_{15} = 144.$$

Since this weight distribution was not given in [4, Table 6], the code B_{16} should be added to [4, Table 5].

To compare the performance of the optimal double circulant and double twistulant codes which are not self-dual as measured by the decoding error probability with bounded distance decoding, we list the largest minimum weight d_{SD} and the smallest number A_{SD} of codewords of weight d_{SD} among self-dual codes of length n. It was shown in [12] that the minimum weight d of a self-dual code of length n is bounded by $d \leq 3\lfloor n/12 \rfloor + 3$. If $d = 3\lfloor n/12 \rfloor + 3$, then the code is called *extremal*. The weight distribution of an extremal selfdual code of length n is uniquely determined (see (5)). For lengths up to 64, the existence of an extremal self-dual code is known (see [8, Table 4]). Hence, d_{SD} and A_{SD} in Table 9 are uniquely determined for each length. For the cases $d_P > d_{SD}$, $d_B > d_{SD}$ and $d_T > d_{SD}^{-1}$, we list in Table 9 the inequivalent pure and bordered double circulant codes, and double twistulant codes C with minimum weight d_{SD} satisfying that C has the smallest weight distribution among pure and bordered double circulant codes, and double twistulant codes of length n and minimum weight d_{SD} which are not selfdual.

From Table 9, we have the following results concerning the performance of double circulant and double twistulant codes which are not self-dual.

Theorem 2. Suppose that

(n, d) = (8, 3), (16, 6), (20, 6), (28, 9), (32, 9), (44, 12).

Then there is a double circulant [n, n/2, d] code C which is not self-dual and a double twistulant [n, n/2, d] code C which is not self-dual such that C performs better than any self-dual [n, n/2, d] code.

Remark 3. For n = 8, 20, 32, 44 (resp. n = 8, 20, 44), there is a double circulant (resp. double twistulant) code C of length n which is not self-dual such that C has a larger minimum weight than any self-dual code of length n.

Remark 4. For length 48, we verified that $d_P = 12$, $d_B = 14$, $d_T = 12$. Also we verified that there are three inequivalent bordered double circulant [48, 24, 14] codes $B_{48,i}$ (i = 1, 2, 3) which are not self-dual. For the three codes, the first rows of R' and the border values (α, β, γ) in (3) are also given in Table 2.

3 Performance of self-dual codes

In this section, we investigate the performance of self-dual codes of length n and minimum weight $3\lfloor n/12 \rfloor$ for n = 68, 72, 76, 80, 84, 88, 92, 96.

3.1 Largest minimum weights

As mentioned above, the minimum weight d of a self-dual code of length n is bounded by $d \leq 3\lfloor n/12 \rfloor + 3$ [12], and a self-dual code with $d = 3\lfloor n/12 \rfloor + 3$ is called *extremal*. We say that a self-dual code of length n is *optimal* if it has the largest minimum weight among all self-dual codes of that length. Of course, an extremal self-dual code is optimal.

¹These cases are marked by * in columns d_P , d_B and d_T of Table 9.

Code	First row	d	(A_d, A_{d+1}, A_{d+2})
$P_{4,1}$	(11)	2	(2, 4, 2)
$P_{4,2}$	(12)	2	(2, 4, 2)
$P_{12,1}$	(122010)	5	(48, 98, 132)
$P_{12,2}$	(111201)	5	(48, 98, 132)
P_{24}	(110020021021)	8	(348, 1776, 3912)
P_{28}	(11100121001121)	9	(924, 3220, 9996)
$P_{32,1}$	(1201110000101101)	10	(2208, 8832, 7728)
$P_{32,2}$	(1221022111112212)	10	(2208, 8832, 7728)
P_{36}	(112202210120102222)	10	(270, 3636, 15042)
P_{40}	(10122212102112102100)	11	(720, 8120, 29440)
$P_{44,1}$	(2021101121112021101000)	13	(19712, 87296, 87296)
$P_{44,2}$	(1112101101011001100000)	13	(19712, 87296, 87296)
P'_8	(1100)	6	(8, 10, 16)
P_{20}^{\prime}	(1200112220)	6	(10, 180, 680)
P'_{32}	(1021022000211011)	9	(64, 1600, 7616)
P'_{44}	(1211112022021010110000)	12	(1716, 15752, 65120)

Table 1: Pure double circulant codes

Table 2: Bordered double circulant codes

Code	First row	$(lpha,eta,\gamma)$	d	(A_d, A_{d+1}, A_{d+2})
B_4	(2)	(0, 1, 1)	4	(2, 4, 2)
B_8	(112)	(0, 1, 1)	4	(22, 24, 20)
B_{12}	(22101)	(1, 2, 2)	5	(30, 162, 72)
B_{16}	(2110100)	(1, 1, 1)	6	(84, 336, 420)
$B_{24,1}$	(11102122021)	(2, 2, 2)	8	(264, 2794, 990)
$B_{24,2}$	(11121021222)	(2, 2, 2)	8	(264, 2794, 990)
$B_{24,3}$	(21200112221)	(0, 2, 2)	8	(264, 2794, 990)
B_{28}	(1102202200222)	(1, 1, 1)	9	(832, 3536, 9880)
B_{32}	(222011121020010)	(0, 2, 2)	9	(60, 1870, 6876)
B_{36}	(11000101121101000)	(0, 1, 1)	11	(2244, 30804, 9792)
B_{40}	(1012021012200110000)	(1, 1, 1)	11	(722, 7790, 31084)
B_{44}	(120111201121200101100)	(0, 1, 1)	12	(2436, 15470, 61278)
$B_{48,1}$	(11202002011021101001000)	(0, 1, 1)	14	(19320, 304704, 91080)
$B_{48,2}$	(21111010110011001010000)	(0, 1, 1)	14	(19320, 304704, 91080)
$B_{48,3}$	(12011112120211110001000)	(0, 1, 1)	14	(19320, 304704, 91080)
B'_8	(102)	(2, 2, 2)	3	(2, 18, 26)
B'_{20}	(112021000)	(0, 2, 2)	6	(6, 216, 594)

Code	First row	d	(A_d, A_{d+1}, A_{d+2})
T_4	(10)	2	(4, 0, 4)
T_8	(1201)	4	(24, 16, 32)
T_{12}	(121010)	5	(8, 96, 144)
T_{16}	(10021102)	6	(96, 288, 496)
$T_{20,1}$	(1101001011)	7	(200, 680, 1560)
$T_{20,2}$	(1012220001)	7	(200, 680, 1560)
$T_{20,3}$	(1110020021)	7	(200, 680, 1560)
T_{24}	(111221210220)	8	(312, 1928, 3696)
T_{28}	(12211210012220)	9	(616, 4200, 9632)
T_{32}	(1011122111110100)	9	(32, 1856, 7360)
T_{36}	(222120202011110000)	10	(252, 3816, 14868)
T_{40}	(12020112202100100000)	11	(480, 10800, 24160)
T_{44}	(1120222200211010001000)	13	(19712, 87296, 87296)
$T'_{8,1}$	(1120)	3	(8, 8, 24)
$T'_{8,2}$	(1122)	3	(8, 8, 24)
T'_{20}	(1201221021)	6	(20, 140, 780)
T'_{44}	(1112121111221221110100)	12	(1716, 15752, 65120)

Table 3: Double twistulant codes

The weight enumerator of a code of length n is defined as $\sum_{i=0}^{n} A_i y^i$. The weight enumerator W of a self-dual code of length n can be represented as an integral combination of Gleason polynomials (see [12]), so that

(5)
$$W = \sum_{j=0}^{\lfloor n/12 \rfloor} a_j (1+y^3)^{n/4-3j} (y^3(1-y^3)^3)^j,$$

for some integers a_j with $a_0 = 1$. Since the weight enumerator of an extremal self-dual code of length n is uniquely determined, all extremal self-dual codes of length n have the same performance. Note that the weight enumerator of a self-dual $[n, n/2, 3\lfloor n/12 \rfloor]$ code can be expressed using a single integer variable.

For lengths up to 64, the existence of an extremal self-dual code is known (see [8, Table 4]). It is also known that there is no extremal selfdual code for lengths 72 and 96, and that there are self-dual codes with parameters [72, 36, 18] and [96, 48, 24]. In addition, the largest minimum weight among currently known self-dual codes of length n is $3\lfloor n/12 \rfloor$ for n =68, 76, 80, 84, 88, 92. This is a reason for investigating the performance of selfdual codes of length n and minimum weight $3\lfloor n/12 \rfloor$ for n = 68, 72, 76, 80, 84, 88, 92, 96.

3.2 Methods for constructing self-dual codes

Many self-dual codes with large minimum weights were constructed as double circulant codes and double twistulant codes [8]. In this section, the following two methods for constructing self-dual codes are employed.

Let C and D be self-dual codes of lengths m and n, respectively, where $n/2 \ge m$. Let d_1 be the maximum weight among the codewords of C, and let d be the minimum weight of D. Suppose that the set of the first m coordinates Γ_D of D is a subset of some information set. Let E be the code consisting of all vectors $y \in \mathbb{F}_3^{n-m}$ such that $(x, y) \in D$ for some $x \in C$. Then E is a self-dual [n-m, (n-m)/2] code with minimum weight at least $d-d_1$ [3]. By considering the other m coordinates Γ_D , many self-dual codes can be constructed. We say that these self-dual codes of length n-m are constructed from D by subtracting C. In this section, we consider self-dual codes of length n-4 from a self-dual $[n, n/2, 3\lfloor n/12 \rfloor]$ code by subtracting the unique self-dual [4, 2, 3] code e_4 for n = 72, 84, 96.

A four-negacirculant [4n, 2n] code has a generator matrix of the form

(6)
$$\begin{pmatrix} & A & B \\ & I_{2n} & -B^T & A^T \end{pmatrix},$$

where A and B are negacirculant matrices. Many extremal self-dual codes are four-negacirculant codes [10]. In this section, we use this construction to obtain self-dual codes with minimum weight $3\lfloor n/12 \rfloor$ for n = 68, 72, 76, 80, 92.

3.3 Self-dual [68, 34, 15] codes

Using (5), the weight enumerator of a self-dual [68, 34, 15] code is

$$1 + ay^{15} + (596904 + a)y^{18} + (70982208 - 71a)y^{21} + (4537453680 + 265a)y^{24} + (164380156864 + 805a)y^{27} + (3452859764640 - 10283a)y^{30} + \dots + (30394368 - 64a)y^{66}$$

where a is an integer with $1 \leq a \leq 474912$. A self-dual [68, 34, 15] code can be constructed from the extended quadratic residue code of length 72 by subtracting e_4 . In this way, we found self-dual [68, 34, 15] codes with weight distributions where

$$\begin{split} A_{15} =& 3592, 3624, 3628, 3632, 3652, 3696, 3708, 3712, 3728, 3732, 3736, 3768, \\ & 3772, 3776, 3796, 3808, 3840, 3852, 3856, 3872, 3876, 3912, 3916, 3920, \\ & 3940, 3952, 3984, 3996, 4000, 4016, 4020, 4064, 4168, 4200, 4208, 4272, \\ & 4304, 4384. \end{split}$$

A self-dual [68, 34, 15] code can be found in [7, Table 3]. A double twistulant self-dual [68, 34, 15] code can be found in [8, Table 3]. We verified by MAGMA [2] that these codes have $A_{15} = 1224$ and 3128, respectively.

Code	(r_A,r_B)	A_{15}
$C_{68,1}$	((12211110002000221), (11020202120022121))	1088
$C_{68,2}$	((02100210211122010), (22122110221200002))	1428
$C_{68,3}$	((02100210211122010), (11112122100102002))	1496
$C_{68,4}$	((02100210211122010), (12222021011101002))	1564
$C_{68,5}$	((02100210211122010), (12102010210100002))	1632
$C_{68,6}$	((02100210211122010), (10120210101200002))	1700
$C_{68,7}$	((02100210211122010), (12011201122110002))	1768
$C_{68,8}$	((02100210211122010), (01202021220200002))	1836
$C_{68,9}$	((00102220000220100), (12121100111010122))	1904
$C_{68,10}$	((12211110002000221), (10022100222022121)))	1972
$C_{68,11}$	((02100210211122010), (10211100201200002))	2040
$C_{68,12}$	((02100210211122010), (11110200221000002))	2244
$C_{68,13}$	((02100210211122010), (01110022120100002))	2312
$C_{68,14}$	((00102220000220100), (12112010121010122))	2380
$C_{68,15}$	((02100210211122010), (01001002200100002))	2516
$C_{68,16}$	((00102220000220100), (10110110001010122))	2584
$C_{68,17}$	((00102220000220100), (12112210011010122))	2652
$C_{68,18}$	((12211110002000221), (02202210102022121))	2856
$C_{68,19}$	((12211110002000221), (00022021122022121)))	3196
$C_{68,20}$	((00102220000220100), (01111202221010122))	3468

Table 4: Four-negacirculant self-dual [68, 34, 15] codes

By considering four-negacirculant codes, we found new self-dual [68, 34, 15] codes $C_{68,i}$ (i = 1, 2, ..., 20). The first rows r_A and r_B of negacirculant matrices A and B in (6) are listed in Table 4. The numbers A_{15} for these codes are also listed in the table. Hence, $C_{68,1}$ performs better than the above self-dual codes constructed by subtraction, the two codes in [7, Table 3], [8, Table 3] and $C_{68,i}$ (i = 2, 3, ..., 20).

3.4 Optimal self-dual [72, 36, 18] **codes**

Using (5), the weight enumerator of an optimal self-dual [72, 36, 18] code is

$$\begin{split} &1 + ay^{18} + (36213408 - 18a)y^{21} + (2634060240 + 153a)y^{24} \\ &+ (126284566912 - 816a)y^{27} + (3525613242624 + 3060a)y^{30} \\ &+ (59358705673680 - 8568a)y^{33} + \dots + (-115728 + a)y^{72}, \end{split}$$

where a is an integer with $115728 \le a \le 2011856$. The extended quadratic residue code of length 72 is a self-dual code with d = 18 and $A_{18} = 357840$ [6]. A double twistulant self-dual [72, 36, 18] code can be found in [8, Table 3]. We verified by MAGMA [2] that this code has $A_{18} = 213936$.

Table 5: Four-negacirculant self-dual [72, 36, 18] codes

Code	(r_A,r_B)	A_{18}
$C_{72,1}$	((012102100100020021), (022101002101002112))	205464
$C_{72,2}$	((210121111222022000), (200222220120220212))	209184
$C_{72,3}$	((111022210021122000), (001101111111000012))	209736
$C_{72,4}$	((001121111020012112), (221221012112221110))	210456
$C_{72,5}$	((100111020012120220), (020200102102020022))	212280
$C_{72,6}$	((002020000222220002), (102201201102022210))	212376
$C_{72,7}$	((201201222122110010), (120012101020201100))	213456
$C_{72,8}$	((010201112111021012), (022222102122021200))	213648
$C_{72,9}$	((012201211210110112), (220022210111120001))	213744
$C_{72,10}$	((010202021120102002), (021020222222020112))	214992

By considering four-negacirculant codes, we found new self-dual [72, 36, 18] codes $C_{72,i}$ (i = 1, 2, ..., 10). The first rows r_A and r_B of the negacirculant matrices A and B in (6) are listed in Table 5. The numbers A_{18} for these codes are also listed in the table. Hence, $C_{72,i}$ performs better than the two previously known codes and $C_{72,i}$ (i = 2, 3, ..., 10).

3.5 Self-dual [76, 38, 18] codes

Using (5), the weight enumerator of a self-dual [76, 38, 18] code is

$$1 + ay^{18} + (14228720 - 10a)y^{21} + (1403328600 + 9a)y^{24} + (84823417600 + 408a)y^{27} + (3080650381440 - 3468a)y^{30} + (68562946755000 + 15912a)y^{33} + \dots + (5820992 + 8a)y^{75},$$

where a is an integer with $1 \le a \le 1422872$. A self-dual [76, 38, 18] code can be found in [7, Table 3], and a double twistulant self-dual [76, 38, 18] code can be found in [8, Table 3]. We verified by MAGMA [2] that these codes have $A_{18} = 71136$ and 75088, respectively.

Code	(r_A, r_B)	A_{18}
$C_{76,1}$	((1201011221200201200), (1110000120120012120))	65436
$C_{76,2}$	((1112120212012212011), (1220022211120100012))	65968
$C_{76,3}$	((1012111100001222101), (1202111220002221200))	67868
$C_{76,4}$	((1012000220122101201), (1021212120111210100))	68096
$C_{76,5}$	((2112210110201220011), (1121212202120112010))	68628
$C_{76,6}$	((1012221221202111020), (2000000221110021000))	68704
$C_{76,7}$	((1012000220122101201), (0022221101202200100))	69844
$C_{76,8}$	((1112120212012212011), (2020102100210100012))	69996
$C_{76,9}$	((1012000220122101201), (1110001022221200100))	70376
$C_{76,10}$	((1201011221200201200), (0201020102110012120))	70452
$C_{76,11}$	((1012111100001222101), (2212020011021121200))	70604
$C_{76,12}$	((1012000220122101201), (0101221120212000100))	70832
$C_{76,13}$	((1201011221200201200), (2211220201001112120))	70908
$C_{76,14}$	((1012000220122101201), (0000220211200200100))	70984
$C_{76,15}$	((1201011221200201200), (1111020012022212120))	71212
$C_{76,16}$	((2112210110201220011), (1220020022111012010))	71364
$C_{76,17}$	((1201011221200201200), (0101120021112212120))	71668
$C_{76,18}$	((1112120212012212011), (0122201111011100012))	71744
$C_{76,19}$	((1012111100001222101), (2212220200102121200))	72200
$C_{76,20}$	((2112210110201220011), (1121010100211012010))	73340

Table 6: Four-negacirculant self-dual [76, 38, 18] codes

By considering four-negacirculant codes, we found new self-dual [76, 38, 18] codes $C_{78,i}$ (i = 1, 2, ..., 20). The first rows r_A and r_B of negacirculant matrices A and B in (6) are listed in Table 6. The numbers A_{18} for these codes are also listed in the table. Hence, $C_{76,1}$ performs better than the two previously known codes and $C_{76,i}$ (i = 2, 3, ..., 20).

3.6 Self-dual [80, 40, 18] codes

Using (5), the weight enumerator of a self-dual [80, 40, 18] code is

$$1 + ay^{18} + (5262400 - 2a)y^{21} + (673223200 - 71a)y^{24} + (50911463680 + 480a)y^{27} + (2350521997824 - 204a)y^{30} + (67551815604000 - 11832a)y^{33} + \dots + (234280960 + 64a)y^{78},$$

where a is an integer with $1 \le a \le 2631200$. A self-dual [80, 40, 18] code can be constructed from the extended quadratic residue code of length 84 by subtracting e_4 . In this way, we found self-dual [80, 40, 18] codes with weight distributions where

$$\begin{split} A_{18} =& 25400, 25444, 25488, 25508, 25528, 25544, 25552, 25576, 25592, \\ & 25596, 25604, 25616, 25636, 25652, 25660, 25672, 25676, 25684, \\ & 25688, 25700, 25712, 25720, 25724, 25744, 25764, 25780, 25784, \\ & 25792, 25796, 25808, 25820, 25828, 25832, 25852, 25872, 25888, \\ & 25892, 25904, 25920, 25960, 25976, 25980, 26152, 26176. \end{split}$$

A self-dual [80, 40, 18] code can be found in [7, Table 3]. A double twistulant self-dual [80, 40, 18] code can be found in [8, Table 3]. We verified by MAGMA [2] that these codes have $A_{18} = 21320$ and 20960, respectively.

By considering four-negacirculant codes, we found new self-dual [80, 40, 18] codes $C_{80,i}$ (i = 1, 2, ..., 20). The first rows r_A and r_B of negacirculant matrices A and B in (6) are listed in Table 7. The numbers A_{18} for these codes are also listed in the table. Hence, $C_{80,1}$ performs better than the above self-dual codes constructed by subtraction, the two codes in [7, Table 3], [8, Table 3] and $C_{80,i}$ (i = 2, 3, ..., 20).

3.7 Self-dual [84, 42, 21] codes

Using (5), the weight enumerator of a self-dual [84, 42, 21] code is

$$1 + ay^{21} + (128391120 - 13a)y^{24} + (13697686464 + 42a)y^{27} + (972882111168 + 350a)y^{30} + (44029165524624 - 4655a)y^{33} + (1294136458420608 + 27531a)y^{36} + \dots + (46354176 - 8a)y^{87}$$

where a is an integer with $1 \le a \le 5794272$. The extended quadratic residue code QR_{84} and the Pless symmetry code P_{84} of length 84 are currently the

Code	(r_A,r_B)	A_{18}
$C_{80,1}$	((00210000002212002101), (22221120102012011001))	19360
$C_{80,2}$	((11020012111021001111), (10021112112011011202))	19760
$C_{80,3}$	((11020012111021001111), (11112121010011011202))	20240
$C_{80,4}$	((10112222112121111221), (20112102021100112001))	20480
$C_{80,5}$	((10100222101020022100), (20102101121021021112))	20640
$C_{80,6}$	((12121110011110210020), (02000020121112202210))	20720
$C_{80,7}$	((21000220020020220200), (01210202212020121210))	21120
$C_{80,8}$	((02202212000212102221), (21200212221202022011))	21200
$C_{80,9}$	((11211221011111022222), (01010012201212111120))	21600
$C_{80,10}$	((11020012111021001111), (00122020002111011202))	21920
$C_{80,11}$	((01200012212101200110), (00221200012110011200))	22160
$C_{80,12}$	((02202212000212102221), (01210221112202022011))	22320
$C_{80,13}$	((02011101122110012111), (00020202221101122121))	22720
$C_{80,14}$	((01200012212101200110), (21210001022010011200))	22960
$C_{80,15}$	((02011101122110012111), (20012002122001122121))	23280
$C_{80,16}$	((21000220020020220200), (20000221020020121210))	23680
$C_{80,17}$	((12121110011110210020), (22022222022102202210))	24160
$C_{80,18}$	((12121110011110210020), (0200202120220220210))	24320
$C_{80,19}$	((12121110011110210020), (21212110011012202210))	24400
$C_{80,20}$	((10112222112121111221), (01022121011100112001))	24800

Table 7: Four-negacirculant self-dual [80, 40, 18] codes

only known self-dual [84, 42, 21] codes. The code QR_{84} has $A_{21} = 2368488$ and P_{84} has $A_{21} = 1259520$ [6]. This means that P_{84} performs better than QR_{84} . Our extensive search failed to discover a four-negacirculant self-dual [84, 42, 21] code.

3.8 Self-dual [88, 44, 21] codes

Using (5), the weight enumerator of a self-dual [88, 44, 21] code is

$$\begin{aligned} 1 + ay^{21} + (128391120 - 13a)y^{24} + (13697686464 + 42a)y^{27} \\ + (972882111168 + 350a)y^{30} + (44029165524624 - 4655a)y^{33} \\ + (1294136458420608 + 27531a)y^{36} + (25036311539416320 - 108528a)y^{39} \\ + \dots + (46354176 - 8a)y^{87}, \end{aligned}$$

where a is an integer with $1 \le a \le 5794272$. A self-dual [88, 44, 21] code can be found in [1] (see also [7, Table 4]). This code has $A_{21} = 635712$ [6]. Our

extensive search failed to discover a four-negacirculant self-dual [88, 44, 21] code.

3.9 Self-dual [92, 46, 21] codes

Using (5), the weight enumerator of a self-dual [92, 46, 21] code is

$$\begin{split} &1 + ay^{21} + (46823400 - 5a)y^{24} + (6304654752 - 62a)y^{27} \\ &+ (541436863968 + 686a)y^{30} + (30032673751080 - 1855a)y^{33} \\ &+ (1093919194221984 - 9709a)y^{36} + (26544142192296960 + 111720a)y^{39} \\ &+ \dots + (1766329344 - 64a)y^{90}, \end{split}$$

where a is an integer with $1 \leq a \leq 9364680$. We found ten self-dual [92, 46, 21] codes constructed from the Pless symmetry code P_{96} of length 96 by subtracting e_4 , and we determined that these codes have weight distributions where

$$A_{21} = 170536, 171300, 171772, 172000, 172344, 172392, 172640, 172668, 172764, 173236.$$

A double twistulant self-dual [92, 46, 21] code can be found in [8, Table 3]. We verified by MAGMA [2] that this code has $A_{21} = 204608$.

<u><u> </u></u>		4
Code	(r_A, r_B)	A_{21}
$C_{92,1}$	((00022211101222011012202), (12022121221012000210110))	190532
$C_{92,2}$	((10011201111102210102101), (20020102221000122101100))	192648
$C_{92,3}$	((10011201111102210102101), (00111022122201221101100))	195408
$C_{92,4}$	((00022211101222011012202), (10101220110122210210110))	196696
$C_{92,5}$	((21022000211022222102200), (22112012202002220122021))	197892
$C_{92,6}$	((10011201111102210102101), (11101212111120010201100))	199916
$C_{92,7}$	((00022211101222011012202), (20102001112021211210110))	201388
$C_{92,8}$	((21022000211022222102200), (11112220002020112222021))	201572
$C_{92,9}$	((21022000211022222102200), (20001011100020212122021))	202676
$C_{92,10}$	((00022211101222011012202), (20220022012010020210110))	203688

Table 8: Four-negacirculant self-dual [92, 46, 21] codes

By considering four-negacirculant codes, we found new self-dual [92, 46, 21] codes $C_{92,i}$ (i = 1, 2, ..., 10). The first rows r_A and r_B of negacirculant matrices A and B in (6) are listed in Table 8. The numbers A_{21} for these codes

are also listed in the table. Hence, the code N_{92} constructed from P_{96} by subtracting e_4 with $A_{21} = 170536$ performs better than the code in [8, Table 3], the nine other codes constructed from P_{96} by subtracting e_4 , and $C_{92,i}$ (i = 1, 2, ..., 10).

To define N_{92} , we give the generator matrices of P_{96} and e_4 . The code P_{96} is the bordered double circulant code with the first row of R' in (3) given by

and border values $(\alpha, \beta, \gamma) = (0, 1, 1)$. The code e_4 has generator matrix $\begin{pmatrix} 1 & 0 & 1 & 1 \\ 0 & 1 & 1 & 2 \end{pmatrix}$. Then N_{92} is constructed from P_{96} by subtracting e_4 where the four coordinates are $\Gamma_{P_{96}} = (1, 2, 3, 16)$.

3.10 Optimal self-dual [96, 48, 24] codes

Using (5), the weight enumerator of an optimal self-dual [96, 48, 24] code is

$$\begin{split} 1 + ay^{24} + (3082778880 - 24a)y^{27} + (272857821696 + 276a)y^{30} \\ + (18642386018880 - 2024a)y^{33} + (827849897536896 + 10626a)y^{36} \\ + (24804181974320640 - 42504a)y^{39} + (505747055590698240 + 134596a)y^{42} \\ + \dots + (-13283136 + a)y^{96}, \end{split}$$

where a is an integer with $13283136 \le a \le 128449120$. The Pless symmetry code P_{96} of length 96 is a self-dual [96, 48, 24] code (see [6]). A double twistulant self-dual [96, 48, 24] code can be found in [8, Table 3]. The code P_{96} has $A_{24} = 15358848$ [6]. We verified by MAGMA [2] that the code in [8, Table 3] has $A_{24} = 15358848$. Our extensive search failed to discover a four-negacirculant self-dual [96, 48, 24] code.

3.11 Self-dual [100, 50, 21] codes

From [8, Table 4], the largest minimum weight among self-dual codes of length 100 is 21, 24 or 27. A double twistulant self-dual [100, 50, 21] code can be found in [8, Table 3]. It was claimed that C_{100} in [9, Table VI] is a self-dual [100, 50, 21] code. Unfortunately, C_{100} in [9, Table VI] was incorrectly stated to be a four-circulant code. The correct construction is four-negacirculant, that is, the correct self-dual [100, 50, 21] code N_{100} is the four-negacirculant code with first rows r_A and r_B are listed in [9, p. 417] for negacirculant matrices A and B in (6). We verified by MAGMA [2] that the code in [8, Table 3] has $A_{21} = 14400$ and the code N_{100} has $A_{21} = 20900$. This means that the code in [8, Table 3] performs better than N_{100} .

Acknowledgment. This work was supported by JSPS KAKENHI Grant Number 15H03633.

References

- G.F.M. Beenker, A note on extended quadratic residue codes over GF(9) and their ternary images, *IEEE Trans. Inform. Theory* **30** (1984), 403– 405.
- [2] W. Bosma, J. Cannon and C. Playoust, The Magma algebra system I: The user language, J. Symbolic Comput. 24 (1997), 235–265.
- [3] J.H. Conway, V. Pless and N.J.A. Sloane, Self-dual codes over GF(3) and GF(4) of length not exceeding 16, *IEEE Trans. Inform. Theory* 25 (1979), 312–322.
- [4] S.T. Dougherty, T.A. Gulliver and M. Harada, Optimal ternary formally self-dual codes, *Discrete Math.* 196 (1999), 117–135.
- [5] A. Faldum, J. Lafuente, G. Ochoa and W. Willems, Error probabilities for bounded distance decoding, Des. Codes Cryptogr. 40 (2006), 237– 252.
- [6] P. Gaborit, C.-S. Nedeloaia and A. Wassermann, On the weight enumerators of duadic and quadratic residue codes, *IEEE Trans. Inform. Theory* 51 (2005), 402–407.
- [7] P. Gaborit and A. Otmani, Experimental constructions of self-dual codes, *Finite Fields Appl.* 9 (2003), 372–394.
- [8] M. Grassl and T.A. Gulliver, On circulant self-dual codes over small fields, Des. Codes Cryptogr. 52 (2009), 57–81.
- [9] T.A. Gulliver and M. Harada, New nonbinary self-dual codes, *IEEE Trans. Inform. Theory* 54 (2008), 415–417.

- [10] M. Harada, W. Holzmann, H. Kharaghani and M. Khorvash, Extremal ternary self-dual codes constructed from negacirculant matrices, *Graphs Combin.* 23 (2007), 401–417.
- [11] W.C. Huffman, On the classification and enumeration of self-dual codes, Finite Fields Appl. 11 (2005), 451–490.
- [12] C.L. Mallows and N.J.A. Sloane, An upper bound for self-dual codes, Inform. Control 22 (1973), 188–200.

n	d_P	A_{d_P}	Code	d_B	A_{d_B}	Code	d_T	A_{d_T}	Code	d_{SD}	$A_{d_{SD}}$
4	2	2	$P_{4,1}, P_{4,2}$	2	2	B_4	2	4	e_4	3	8
8	4	20	$P_{8,1}$ in [4]	4	22	B_8	4	24	T_8	3	16
	3^*	8	P'_8	3^*	2	B'_8	3^*	8	$T_{8,1}', T_{8,2}'$		
12	5	48	$P_{12,1}, P_{12,2}$	5	30	B_{12}	5	8	T_{12}	6	264
16	6	96	$P_{16,3}$ in [4]	6	84	B_{16}	6	96	T_{16}	6	224
20	7	200	$P_{20,3}$ in [4]	7	198	$P_{20,8}$ in $[4]^2$	7	200	$T_{20,1}, T_{20,2}, T_{20,3}$	6	120
	6^{*}	10	P'_{20}	6^*	6	B'_{20}	6^{*}	20	T'_{20}		
24	8	348	P_{24}	8	264	$B_{24,1}B_{24,2}, B_{24,3}$	8	312	T_{24}	9	4048
28	9	924	P_{28}	9	832	B_{28}	9	616	T_{28}	9	2184
32	10	2208	$P_{32,1}, P_{32,2}$	9	60	B_{32}	9	32	T_{32}	9	960
	9^{*}	64	P'_{32}								
36	10	270	P_{36}	11	2244	B_{36}	10	252	T_{36}	12	42840
40	11	720	P_{40}	11	722	B_{40}	11	480	T_{40}	12	19760
44	13	19712	$P_{44,1}, P_{44,2}$	12	2436	B_{44}	13	19712	T_{44}	12	8008
	12^{*}	1716	P'_{44}				12^{*}	1716	T'_{44}		

Table 9: Double circulant and double twistulant codes

²The border values (α, β, γ) of $P_{20,8}$ were incorrectly reported in [4, Table 5], the correct values are (2, 1, 1).