



## Correction to: Low-dose CT lung images denoising based on multiscale parallel convolution neural network

Xiaoben Jiang<sup>1</sup> · Yan Jin<sup>1</sup>  · Yu Yao<sup>1</sup>

Published online : 21 December 2020  
© Springer-Verlag GmbH Germany, part of Springer Nature 2020

### Correction to:

#### The Visual Computer

<https://doi.org/10.1007/s00371-020-01996-1>

The publication of this article unfortunately contained mistakes. The photos of Xiaoben Jiang and Yu Yao were exchanged. The corrected assignment is given below.

The original article has been corrected.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



**Yu Yao** is studying as a postgraduate at Zhejiang University of Technology. His current research interests include digital image processing and computer vision.



**Xiaoben Jiang** is studying as a postgraduate at Zhejiang University of Technology. His current research interests include digital image processing and computer vision.

---

The original article can be found online at <https://doi.org/10.1007/s00371-020-01996-1>.

---

✉ Yan Jin  
jy@zjut.edu.cn

<sup>1</sup> College of Information Engineering, Zhejiang University of Technology, Hangzhou 310023, Zhejiang Province, China