



Correction to: Fault detection in distillation column using NARX neural network

Syed A. Taqvi^{1,2} · Lemma Dendana Tufa¹ · Haslinda Zabiri¹ · Abdulhalim Shah Maulud¹ · Fahim Uddin¹

Published online: 30 May 2021
© Springer-Verlag London Ltd., part of Springer Nature 2021

Correction to: Neural Computing and Applications
<https://doi.org/10.1007/s00521-018-3658-z>

The original version of this article contained errors in the affiliation list. We found that the second affiliation of 1st Author “Syed A. Taqvi” is missing. The missed affiliation is given below:

Syed A. Taqvi^{1,2}

¹Chemical Engineering Department, Universiti Teknologi PETRONAS, 32610 Seri Iskandar, Perak Darul Ridzuan, Malaysia

²Department of Chemical Engineering, NED University of Engineering and Technology Karachi, 75270, Pakistan.

These errors have now been corrected in the HTML and PDF versions of the Article.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s00521-018-3658-z>.

✉ Lemma Dendana Tufa
lemma_dendana@utp.edu.my

¹ Chemical Engineering Department, Universiti Teknologi PETRONAS, 32610 Perak Darul Ridzuan, Seri Iskandar, Malaysia

² Department of Chemical Engineering, NED University of Engineering and Technology, Karachi 75270, Pakistan