



Correction to: Facial expression recognition sensing the complexity of testing samples

Tianyuan Chang¹ · Huihui Li²  · Guihua Wen¹ · Yang Hu¹ · Jiajiong Ma¹

Published online: 27 July 2020

© Springer Science+Business Media, LLC, part of Springer Nature 2020

Correction to: *Applied Intelligence* (2019) 49:4319–4334
<https://doi.org/10.1007/s10489-019-01491-8>

The original version of this article unfortunately contained a mistake. Graphs c, d and e are missing in Figure 4. The correct and complete graphs of Figure 4 is shown here.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s10489-019-01491-8>

✉ Huihui Li
29777562@qq.com

Tianyuan Chang
tianyuan_chang@163.com

Guihua Wen
crghwen@scut.edu.cn

Yang Hu
superhy199148@hotmail.com

Jiajiong Ma
mullma@outlook.com

¹ South China University of Technology, Guangzhou 510006, China

² Guangdong Polytechnic Normal University, Guangzhou 510665, China




Fig. 4 Confusion matrices for facial expressions on three datasets. The baseline refers to the case that CNN is taken for feature extraction and Softmax is the classifier. CPC also takes CNN for feature extraction and Softmax as the base classifier.