Improving Covariance-Regularized Discriminant Analysis for EHR-based Predictive Analytics of Diseases

Sijia Yang \cdot Haoyi Xiong \cdot Kaibo Xu \cdot Licheng Wang \cdot Jiang Bian \cdot Zeyi Sun

Received: date / Accepted: date

Abstract Linear Discriminant Analysis (LDA) is a well-known technique for feature extraction and dimension reduction. The performance of classical LDA, however, significantly degrades on the High Dimension Low Sample Size (HDLSS) data for the *ill-posed inverse problem*. Existing approaches for HDLSS data classification typically assume the data in question are with Gaussian distribution and deal the HDLSS classification problem with regularization. However, these assumptions are too strict to hold in many emerging real-life applications, such as enabling personalized predictive analysis using Electronic Health Records (EHRs) data collected from an extremely limited number of patients who have been diagnosed with or without the target disease for prediction.

S. Yang

School of Cyberspace Security, State Key Laboratory of Networking and Switching Beijing University of Posts and Telecommunications, Haidian, Beijing, China E-mail: ysjhhh@gmail.com

H. Xiong

Department of Computer Science Missouri University of Science and Technology, Rolla, MO E-mail: haoyi.xiong.fr@ieee.org

K. Xu

Mininglamp Academy of Sciences Mininglamp Technology, Beijing, 100084, China E-mail: xukaibo@mininglamp.com

L. Wang (🖂

School of Cyberspace Security, State Key Laboratory of Networking and Switching Beijing University of Posts and Telecommunications, Haidian, Beijing, China E-mail: wanglc@bupt.edu.cn

J. Bian

Department of Electrical and Computer Engineering University of Central Floria, Orland, FL E-mail: bj1119@knights.ucf.edu

Z. Sun (\boxtimes)

Mininglamp Academy of Sciences Mininglamp Technology, Beijing, 100084, China E-mail: sunzeyi@mininglamp.com

In this paper, we revised the problem of predictive analysis of disease using personal EHR data and LDA classifier. To fill the gap, in this paper, we first studied an analytical model that understands the accuracy of LDA for classifying data with arbitrary distribution. The model gives a theoretical upper bound of LDA error rate that is controlled by two factors: (1) the statistical convergence rate of (inverse) covariance matrix estimators and (2) the divergence of the training/testing datasets to fitted distributions. To this end, we could lower the error rate by balancing the two factors for better classification performance. Hereby, we further proposed a novel LDA classifier De-Sparse that leverages De-sparsified Graphical Lasso to improve the estimation of LDA, which outperforms state-of-theart LDA approaches developed for HDLSS data. Such advances and effectiveness are further demonstrated by both theoretical analysis and extensive experiments on EHR datasets.

1 Introduction

Linear Discriminant Analysis (LDA) [1] is a well-known technique for feature extraction and dimension reduction. It has been widely used in many applications [2,3] such as face recognition, image retrieval, etc. Typically, LDA finds the projection directions such that for the projected data, the between-class variance has been maximized relative to the within-class variance, thus achieving maximum discrimination. An intrinsic limitation of classical LDA is that its objective function requires the nonsingularity of one of the scatter matrices. For many applications, such as the microarray data analysis, all scatter matrices can be singular or ill-posed since the data is often with high dimension but low sample size (HDLSS) [4].

Recently, many efforts have been devoted to bear on such HDLSS problems. For example, Krzanowski et al. proposed a pseudo-inverse LDA to approximate the inverse covariance matrix, when the sample covariance matrix is singular. However, the accuracy of pseudo-inverse LDA is usually low and not well guaranteed [5]. Another technique to alleviate this problem is a two-stage algorithm, i.e., PCA+LDA [6,7]. More popularly, regularized LDA approaches are proposed to solve the problem and improve the performance [8]. For example, researchers proposed a series of algorithms to regularize the covariance matrix estimation [2, 5,9]. The regularized linear discriminant hyperplane was studied in [10,11,4]. All regularized LDA approaches intend to improve LDA through regularizing the estimation of key parameters used in LDA, such as the covariance matrix and/or the linear coefficients for discrimination.

One representative regularized LDA approach is Covariance Regularized Discriminant Analysis (*CRDA*) proposed in [9] based on the sparse inverse covariance estimation leveraging Graphical Lasso [12]. CRDA was originally proposed to estimate the inverse covariance matrix via a shrunken estimator, so as to achieve "superior prediction". Intuitively, through replacing the sample covariance matrix used in LDA with the regularized estimation, the HDLSS problem can be well addressed since the regularized estimators usually outperform the sample covariance matrix estimator [13]. To better elucidate the performance of LDA classifiers with uncertain covariance matrix estimates for Gaussian data classification, [14] studied a model of error rate by matching the estimated vs. true covariance matrices, and the estimated vs. true means. While it is reasonable to assume that




Fig. 1: Medicare visits and Electronic Health Records (EHRs). EHRs of a patient consist of the records of diagnoses and treatments. In this example, totally m medical visits have been placed. For every medical visit, the patient would receive a set of ICD/CPT codes [18] referring the diseases/treatments that have been diagnosed/carried out. One can enable the early diagnosis/detection of diseases through classifying the EHR data, with big data and machine learning techniques.

the estimated mean can easily converge to the population/true mean, the population/true covariance matrix is usually unknown and can be very different with the estimated one [13]. For example, the largest eigenvalue of the sample covariance matrix, which represents the principle component of the data distribution, is not consistent with the population one and the eigenvectors of the sample covariance matrix can be almost orthogonal to the truth under HDLSS [15,16]. Further, the data for classification is usually Non-Gaussian. Thus, it is highly desirable to develop a new analytical model to characterize the error rate for the data with arbitrary distribution (both Gaussian and Non-Gaussian). Two "known factors" of covariance matrix estimation are useful for developing such analytical models, one is the convergence rate and the other one is the sparsity/density of (inverse) covariance matrix estimators [13]. The sparsity/density is already known once the (inverse) covariance matrix is estimated. The convergence rates reflect the maximal error of estimation, and for some estimators, they are well bounded under certain assumptions, such as spectral-norm convergence rate of Graphical Lasso [17].

Among a wide range of HDLSS data classification tasks, in this work, we focus on the problem of using LDA to classify EHR [19] for personalized predictive analytics of target disease. EHRs play a critical role in modern health information management and service innovations. A patient's EHR contains his/her histories of medical visit, medication, diagnoses, treatment plans, allergies and so on as shown in Fig 1. Per each visit a diagnosis record would be updated indicating the disease state, i.e., a set of codes referring to the diseases that diagnosed at a time of visit. One significant feature is the interchangeability of EHR, as a standard protocol for medical/health data generation, storage and communication. The health information is built and managed by authorized institutions in a unified digital format (e.g., ICD-9/10, CPT-9/10 used in EHR standards) such that researchers and scientists can share and analyze the EHR data to enable innovative health services, such as providing computer-assisted diagnosis and offering medication

advice. Among these services, predictive analytics of diseases (or namely early detection of diseases) using patients' past longitudinal health information of the EHR system, has recently attracted significant attention from research communities. There has been a series of works [20,19,21,22,23,24,25,26], which attempt to predict future disease of patients, through data mining techniques using EHR data. Prior literature usually first selected important features, such as diagnosis-frequencies [19], pairwise diagnosis transitions [22], and graphs of diagnosis sequences [24], to represent the EHR data of the patients. Then, a wide range of supervised learning algorithms were adopted to build predictive models for early disease detection, on top of well-represented EHR data.

In this paper, we first propose a novel analytical model for LDA error rate, based on the statistical convergence of (inverse) covariance matrix estimators and the divergence to the Gaussian distributions. Guided by the proposed analytical model, we propose a novel LDA classifier leveraging the (inverse) covariance matrix estimators with faster convergence rate. We apply our model to a large-scale EHR dataset for the predictive analytics of diseases and demonstrate the advantage of the proposed algorithms over other state-of-the-arts. Specifically, in this paper, we made contributions as follows.

- 1. We studied the problem of high-dimensional linear classification using LDA models and proposed a novel analytical model, derived from the existing LDA models on Gaussian data [27,14], to understand the LDA error rate for both Gaussian and Non-Gaussian data, with respect to the statistical error of covariance matrices estimation and the divergence between fitted Gaussian distribution and the data.
- 2. On top of the analytical model, we proposed *De-Sparse*, which extends the well-known baseline approach *Covariance Regularized Discrimiant Analysis* (*CRDA*) [9,28], using De-sparsified Graphical Lasso [29]. Theoretical analysis based on the proposed analytical model shows that *De-Sparse* can bound the maximal error rate, under mild conditions. Compared to CRDA, *De-Sparse* could achieve lower error rate, due to the faster convergence rate of De-sparsified Graphical Lasso.
- 3. To show the practical contribution of the proposed method, we evaluated *De-Sparse* extensively through experiments with large-scale, real-world EHR datasets [30]. In the experiments, we used *De-Sparse* to predict the risk of mental health disorders in college students from ten U.S. universities, using their EHR data from primary care visits. We compared *De-Sparse* with seven baseline algorithms including other regularized LDA models and downstream classifiers. The evaluation result shows that *De-Sparse* outperforms all baselines, and further validates our theoretical analysis.

The paper is organized as follows. In Section 2, we review the problem of high-dimensional linear classification using LDA models and summarize the existing work on EHR-based predictive analytics of diseases. In Section 3, we first introduce the existing covariance-regularized discriminant analysis (CRDA) based on Graphical Lasso, then present de-sparsified covariance regularized LDA algorithms, based on novel de-sparsified inverse covariance matrix estimators, to classify EHR samples for the predictive analytics. In Section 4, we validate the proposed algorithms with real-world datasets through extensive experiments. Finally, we conclude the paper in Section 5.

2 Preliminaries

2.1 LDA for Binary Classification

To use Fisher's Linear Discriminant Analysis (FDA), given N labeled data pairs $(x_1, l_1), (x_2, l_2), (x_3, l_3) \dots (x_N, l_N)$ and $\forall x_i, 1 \leq i \leq N$ refers to a d-dimensional vector, we first estimate the sample covariance matrix (an symmetric $d \times d$ matrix) using maximized likelihood estimator:

$$\bar{\Sigma} = \frac{1}{N} \sum_{i=1}^{N} (x_i - \bar{\mu}) (x_i - \bar{\mu})^{\top}, \tag{1}$$

where $\bar{\mu}$ refers to the *d*-dimensional mean vector of all *N* training samples (x_1, l_1) , $(x_2, l_2) \dots (x_N, l_N)$. Then, $\bar{\mu}_+$ and $\bar{\mu}_-$ are estimated as the mean vectors of the positive training samples and negative training samples in the *N* training samples, respectively.

Corollary 1 (Fisher's Discriminant Analysis for Binary Classification [1]) Given all estimated parameters $\bar{\Sigma}$, $\bar{\mu}_+$, and $\bar{\mu}_-$, the FDA model classifies a new data vector x as the result of Eq. 2 as follows.

$$f_{\bar{\Sigma}}(x) = sign\left(log \frac{x^{\top} \bar{\Sigma}^{-1} \bar{\mu}_{+} - \frac{1}{2} \bar{\mu}_{+}^{\top} \bar{\Sigma}^{-1} \bar{\mu}_{+} + log \pi_{+}}{x^{\top} \bar{\Sigma}^{-1} \bar{\mu}_{-} - \frac{1}{2} \bar{\mu}_{-}^{\top} \bar{\Sigma}^{-1} \bar{\mu}_{-} + log \pi_{-}}\right),$$
(2)

where $sign(\cdot): \mathbb{R} \to \{\pm 1\}$ refers to the signal function, π_+ and π_- refer to the (foreknown) frequencies of positive samples and negative samples in the whole population.

To present LDA with other covariance matrix estimator, based on the LDA paradigm listed in Eq. 2, we use the notations as follows.

Notations. Note that, in the rest of this paper, we denote $f_{\widehat{\Sigma}}(x)$ as an LDA classifier with a specific covariance matrix estimator $\widehat{\Sigma}$, using the sample estimated mean vectors $\overline{\mu}_-$ and $\overline{\mu}_+$. When $\widehat{\Sigma} = \overline{\Sigma}$, then the classifier $f_{\widehat{\Sigma}}(x)$ becomes the traditional Fisher's Linear Discriminant Analysis. When $\widehat{\Sigma} = \widehat{\Theta}^{-1}$ and $\widehat{\Theta}$ is the Graphical Lasso estimator [12], then $f_{\widehat{\Theta}^{-1}}(x)$ refers to the covariance regularized LDA [9,28].

Apparently, the performance of LDA depends on (1) whether the realistic training/testing datasets follow Gaussian distributions and (2) how the mean vectors and inverse covariance matrices are estimated from the datasets.

2.2 Electronic Health Records and Predictive Analytic of Disease

Prior to learning a predictive analytic model for certain diseases, one needs to model the EHR data with a suitable data representation. The most simple yet effective way to represent EHR data is to use diagnosis-frequency vector [31,32,33], which is similar to Term Frequency (TF) or Term Frequency-Inverse Document Frequency (TF-IDF) approach that deals with traditional NLP data [34,35,36]. Given each patient's EHR data (shown in Fig 1), this representation method first retrieves the diagnosis codes [37] recorded during each visit. Inspired by some Natural Language Processing (NLP) and text mining practices [38], researchers also

proposed using some deep learning based NLP approaches to embed EHR records for data representation learning [39,40,41,42,43,44]. For example, [40] studied "Patient2Vec" which embeds patients' past EHR records into vectors while preserving structural information for personalized predictive analysis. [42] focuses on the interpolation and interpretability of EHR representation learning, where authors well-balanced the performance of predictive analysis and the understanding to the longitude disease progress of each individual patient, both using the EHR data with the learned representation. Comprehensive surveys could be found in [45, 18, 46].

In our work, we follow the line of research that uses diagnosis-frequency vector of each patient for EHR-based predictive analysis [31,32,33], as the diagnosis-frequency in a certain duration could well characterize the health status of patients while the coefficient of LDA can represent the significance of every diagnosis code. The frequency of each diagnosis appearing in all past visits (of the last two years) is counted here, followed by further transformation on the frequency of each diagnosis into a vector of frequencies. For example, a diagnosis-frequency vector can be illustrated as $\langle 1,0,\ldots,3 \rangle$, where 0 means the second diagnosis does not exist in all past visits. Note that the dimension $d \geq 15,000$ when using original ICD-9 codes, d=295 even when using clustered ICD-9 codes [47], while the number of samples for training N in our experiment is significantly smaller than d.

2.3 Discussion on Preliminaries

In our work, we revisited the linear discriminant analysis as a classifier and learner for High-Dimensional and Low Sample Size (HDLSS) settings. Indeed, many efforts have been made in the literature for HDLSS data classification. For example, in addition to LDA-type methods, a number of feature extraction or variable selection methods have been studied [48,3]. Lin et al., [49] proposed a feature selection algorithm to classify the high-dimensional gene expression data through incorporating the neighborhood entropy-based uncertainty measures. Over the rough set, the same group of authors [50] adopted a joint feature selection approach that incorporates neighborhood entropy and the fisher scores, for tumor classification. Further, some automatic feature weighting paradigm has been proposed to select features for gene expression data classification [51]. These studies demonstrate that the feature selection algorithms could significantly improve the accuracy of HDLSS data classification, while avoiding the full set of features. The over-reduction problem of LDA has been studied in [52]. In addition to the EHR data, similar regularized projection methods have been used for early diagnosis of diseases for biomedical health data [53,54].

In terms of methodologies, the most close work to this study is covariance-regularized linear discriminant analysis (CRDA) [9], Graphical Lasso [17], and the de-sparsified Graphical Lasso [29,55]. CRDA regularizes the estimation of (inverse) covariance matrices inside the estimation of LDA, while improving the performance of LDA for both prediction and inference. Authors in [28] were the first to bring CRDA for EHR classification and early detection of diseases. We included the algorithms in [28] for comparison and found that *De-Sparse* outperformed CRDA with higher accuracy and F1-score. Compared to the Graphical Lasso estimator [17] that has been frequently used to enhance the inverse covariance matrices estima-

tion, our work followed the ideas of de-biased estimator [56] and used de-sparsified Graphical Lasso estimator [29] to improve the LDA for EHR classification. We would provide a comprehensive discussion on the performance comparisons between Graphical Lasso and de-sparsified one from the perspectives of predictive analytics based on EHR data and LDA.

3 ${\it De-Sparse}$: De-Sparsified Covariance-Regularized Discriminant Analysis

In this section, we first introduce the baseline algorithm based on Covariance-Regularized Discriminant Analysis (CRDA) that is derived from [28]. Then, we present the proposed algorithm *De-Sparse*, an extended Covariance Regularized Discriminant Analysis via De-sparsified Graphical Lasso [29]. Then, using our proposed analytical model of LDA error rate, we compare two methods and demonstrate the advantages of *De-Sparse*.

3.1 CRDA: The Baseline of Covariance-Regularized Discriminant Analysis via Graphical Lasso Inverse Covariance Matrix Estimator

Compared to the sample LDA introduced in Section 2, CRDA [9,28] was proposed to use ℓ_1 -penalized inverse covariance matrix estimator to replace the inverse of sample covariance matrix. Given the labeled data pairs for training (x_1, l_1) , $(x_2, l_2) \ldots (x_N, l_N)$, the algorithm first estimates the sample covariance matrix $\bar{\Sigma}$ and the sample mean vectors $\bar{\mu}_+$, $\bar{\mu}_-$ using the algorithms introduced in Section 2.1. With the sample covariance matrix $\bar{\Sigma}$, this method estimates a sparse inverse covariance matrix $\hat{\Theta}$ using the Graphical Lasso estimator [12] as follows.

Corollary 2 (Graphical Lasso Estimator [12]) Given the sample estimation of the covariance matrix $\bar{\Sigma}$, the Graphical Lasso estimator provides an ℓ_1 -regularized sparse positive-definite approximation to the inverse covariance matrix (denoted as $\hat{\Theta}$) as follows.

$$\widehat{\Theta} = \underset{\Theta>0}{\operatorname{argmin}} \left(\operatorname{tr}(\bar{\Sigma}\Theta) - \log \det(\Theta) + \lambda \sum_{j \neq k} |\Theta_{jk}| \right), \tag{3}$$

where $\Theta>0$ refers to the constraint of symmetric positive definiteness (SPD), the term $\operatorname{tr}(\bar{\Sigma}\Theta)-\log\det(\Theta)$ refers to the negative log-likelihood of the optimization objective Θ over the sample estimate $\bar{\Sigma}$, the term $\sum_{j\neq k}|\Theta_{jk}|$ refers to the sum of absolute values of the non-diagonal elements in the matrix Θ (which is the same as the ℓ_1 -norm of Θ without diagonal elements considered), and λ refers to tuning parameter that makes trade-off between the sparsity and the fitness to samples. Please refer to [12] for the implementation of the algorithms.

Corollary 3 (Statistical Convergence of Graphical Lasso [17]) Suppose the random vector \mathbf{X} is with d-dimensions and zero mean (i.e., $\mathbf{X} \in \mathbb{R}^d$ and $\mathbb{E}(\mathbf{X}) = \mathbf{0}$), where the population estimate of the covariance matrix is $\Sigma = \mathbb{E}(\mathbf{X}\mathbf{X}^\top)$ and the inverse of population covariance matrix is $\Theta = \Sigma^{-1}$. Given N samples $x_1, x_2, x_3, \ldots, x_N$ randomly and independently drawn from \mathbf{X} , the sample estimate of the covariance matrix here should be $\bar{\Sigma} = \frac{1}{N} \sum_{i=1}^{N} x_i x_i^\top$.

With the increasing number of samples (N) given and growing number of dimensions of the data (d), the graphical lasso estimate $\widehat{\Theta}$ based on the sample covariance matrix converges to the population estimate Θ at the rate of Frobenius-norm under mild sparsity conditions, as follows [17].

$$\|\widehat{\Theta} - \Theta\|_{\mathrm{F}} = \mathcal{O}\left(\sqrt{\frac{(d+s)\log p}{N}}\right),$$
 (4)

where $s = \max_{1 \leq i \leq d} \|\Theta_i\|_0$ refers to the maximal degree of the graph in Θ , $\|\cdot\|_0$ refers to the ℓ_0 -norm of the input vector, and Θ_i refers to the i^{th} column vector $(1 \leq i \leq d)$ of the matrix Θ_i .

To the end, the classification rule of CRDA is written as follows

$$CRDA(x) = sign\left(log\frac{x^{\top}\widehat{\Theta}\bar{\mu}_{+} - \frac{1}{2}\bar{\mu}_{+}^{\top}\widehat{\Theta}\bar{\mu}_{+} + log\,\pi_{+}}{x^{\top}\widehat{\Theta}\bar{\mu}_{-} - \frac{1}{2}\bar{\mu}_{-}^{\top}\widehat{\Theta}\bar{\mu}_{-} + log\,\pi_{-}}\right),\tag{5}$$

which can be viewed as an LDA classifier using $\widehat{\Theta}^{-1}$ as the covariance matrix. Apparently, the accuracy of CRDA depends on how the covariance matrices and the mean vectors are estimated. We are going to interpret the performance of CRDA in the Section 3.3.

3.2 De-Sparse: The Improved Algorithm of Covariance-Regularized LDA via De-Sparsified Graphical Lasso

As shown in Eq. 3, the estimator of sparse inverse covariance matrix induced ℓ_1 -penalization and might hurt the estimation due to the over-penalization or over-sparsification. To address this issue, we proposed a de-sparsified Graphical Lasso estimator [29] to replace the vanilla Graphical Lasso.

Corollary 4 (De-sparsified Graohical Lasso [29]) Given the Graphical Lasso estimator $\widehat{\Theta}$ and the sample estimation $\overline{\Sigma}$, we consider the inverse of Graphical Lasso $\widehat{\Theta}^{-1}$ as an approximation to the covariance matrix. In this way, the bias of $\widehat{\Theta}^{-1}$, caused by the sparsity regularizer of Graphical Lasso, for covariance estimation could be written as follows.

$$\widehat{Z} = \bar{\Sigma} - \widehat{\Theta}^{-1}. \tag{6}$$

Using the Kronecker product, authors in [29] consider the potential bias term of $\widehat{\Theta}$ against the inverse of population covariance matrix as follows.

$$\operatorname{Bias}(\bar{\Sigma}, \widehat{\Theta}) = \widehat{\Theta}\widehat{Z}\widehat{\Theta} = \widehat{\Theta}\bar{\Sigma}\widehat{\Theta} - \widehat{\Theta}. \tag{7}$$

The de-sparsified Graphical Lasso estimator \widehat{T} de-biases the Graphical Lasso estimator $\widehat{\Theta}$ through removing the potential bias term caused by the sparsity reguarlizer, as follows.

$$\widehat{T} = \widehat{\Theta} - \operatorname{Bias}(\bar{\Sigma}, \widehat{\Theta}) = 2\widehat{\Theta} - \widehat{\Theta}\bar{\Sigma}\widehat{\Theta}. \tag{8}$$

On top of the Graphical Lasso, the de-sparsified Graphical Lasso estimator can efficiently approximate an estimation of inverse covariance matrix using the data with faster convergence rate in a mild condition.

Corollary 5 (Statistical Convergence of De-sparsified Graphical Lasso [29]) Suppose the random vector \mathbf{X} is with d-dimensions and zero mean (i.e., $\mathbf{X} \in \mathbb{R}^d$ and $\mathbb{E}(\mathbf{X}) = \mathbf{0}$), where the population estimate of the covariance matrix is $\Sigma = \mathbb{E}(\mathbf{X}\mathbf{X}^{\top})$ and the inverse of population covariance matrix is $\Theta = \Sigma^{-1}$. Given N samples $x_1, x_2, x_3, \ldots, x_N$ randomly and independently drawn from \mathbf{X} , the sample estimate of the covariance matrix here should be $\bar{\Sigma} = \frac{1}{m} \sum_{i=0}^{m-1} x_i x_i^{\top}$. The Graphical Lasso estimator and the de-sparsified estimator are denoted as $\widehat{\Theta}$ and \widehat{T} , respectively.

With the increasing number of samples (N) given and growing number of dimensions of the data (d), the De-sparsified Graphical Lasso estimator \widehat{T} converges to the population estimate Θ at the rate of ℓ_{∞} -norm under mild sparsity conditions, as follows [29].

$$\|\widehat{\Theta} - \Theta\|_{\infty} = \mathcal{O}\left(\sqrt{\frac{\log d}{N}}\right). \tag{9}$$

Note that, above convergence rate of de-sparsified Graphical Lasso was obtained under similar sparsity assumptions as [17], while the ℓ_2 -norm or ℓ_{∞} -norm convergence rates of Graphical Lasso remain unknown yet.

Based on *Notations*, we denote the De-sparsified Covariance Regularized Discriminant Analysis (namely *De-Sparse*) as Desparse(x), using the De-sparsified Graphical Lasso \widehat{T} and the mean vectors $\overline{\mu}_+$, $\overline{\mu}_-$.

Desparse(x) =
$$sign\left(log \frac{x^{\top} \hat{T} \bar{\mu}_{+} - \frac{1}{2} \bar{\mu}_{+}^{\top} \hat{T} \bar{\mu}_{+} + log \pi_{+}}{x^{\top} \hat{T} \bar{\mu}_{-} - \frac{1}{2} \bar{\mu}_{-}^{\top} \hat{T} \bar{\mu}_{-} + log \pi_{-}}\right).$$
 (10)

With the de-sparsified inverse covariance matrix estimator \widehat{T} enjoying better statistical properties, De-Sparse is expected to outperform CRDA with better classification accuracy. Detailed comparison will be discussed in the following sections.

3.3 Performance Analysis of LDA, CRDA, and De-Sparse

In this section, we first review the previous studies on the LDA error rate estimation for Gaussian data [27,14], then we generalize LDA error rate from Gaussian data to non-Gaussian data. Finally, we provide a discussion on the classification accuracy comparison among vanilla LDA, CRDA, and *De-Sparse*.

3.3.1 LDA Error Rate for Gaussian Data via Random Matrix Theory

We first assume the data for binary classification follow two (unknown) Gaussian distributions with the same covariance matrix Σ but two different means μ_+ and μ_- , i.e., $\mathcal{N}(\mu_+, \Sigma)$ for positive samples and $\mathcal{N}(\mu_-, \Sigma)$ for negative samples, respectively. Given the LDA classifier $f_{\widehat{\Sigma}}(x)$ based on the sample estimated mean vectors $\bar{\mu}_-$, $\bar{\mu}_+$ and a specific covariance matrix $\widehat{\Sigma}$, the expected error rate of a linear discriminant analysis (i.e., probability of $l \neq f_{\widehat{\Sigma}}(x)$) on the data of $\mathcal{N}(\mu_+, \Sigma)$, $\mathcal{N}(\mu_-, \Sigma)$ is modeled as follows.

Corollary 6 (RMT-based LDA Error Rate Estimation [14]) According to the random matrix theory, [14] models the expectation of classification error rate of LDA (using estimated parameters $\bar{\mu}_+$, $\bar{\mu}_-$, and $\hat{\Sigma}$) on Gaussian distributions $\mathcal{N}(\mu_+, \Sigma)$ and $\mathcal{N}(\mu_-, \Sigma)$ as $\varepsilon(\bar{\mu}_+, \bar{\mu}_-, \hat{\Sigma}, \mu_+, \mu_-, \Sigma)$, as follows.

$$\varepsilon(\bar{\mu}_{+}, \bar{\mu}_{-}, \widehat{\Sigma}, \mu_{+}, \mu_{-}, \Sigma) = \pi_{+} \cdot \Phi \left(-\frac{(\mu_{+} - \frac{(\bar{\mu}_{+} + \bar{\mu}_{-})}{2})^{\top} \widehat{\Sigma}^{-1} (\bar{\mu}_{+} - \bar{\mu}_{-})}{\sqrt{(\bar{\mu}_{+} - \bar{\mu}_{-})^{\top} \widehat{\Sigma}^{-1} \Sigma \widehat{\Sigma}^{-1} (\bar{\mu}_{+} - \bar{\mu}_{-})}} \right) + \pi_{-} \cdot \Phi \left(\frac{(\mu_{-} - \frac{(\bar{\mu}_{+} + \bar{\mu}_{-})}{2})^{\top} \widehat{\Sigma}^{-1} (\bar{\mu}_{+} - \bar{\mu}_{-})}{\sqrt{(\bar{\mu}_{+} - \bar{\mu}_{-})^{\top} \widehat{\Sigma}^{-1} \Sigma \widehat{\Sigma}^{-1} (\bar{\mu}_{+} - \bar{\mu}_{-})}} \right) (11)$$

where Φ refers to the CDF function of a standard normal distribution.

According to Corollary 6 and [14], we could conclude that the expected error rate is sensitive with the parameters $\mu_+, \mu_-, \Sigma, \widehat{\mu}_+, \widehat{\mu}_-$ and $\widehat{\Sigma}$, while the true parameters μ_+, μ_-, Σ are assumed unknown. Compared to the (inverse) covariance matrices estimation, the error of sample mean vector estimation is relatively small [57]. Thus, we adopt the settings in studies [27,2,5] as follows.

Assumption 1 In this paper, we make no assumptions on the mean vectors μ_+, μ_-, μ and always use the sample mean $\bar{\mu}_+, \bar{\mu}_-, \bar{\mu}$ to estimate μ_+, μ_-, μ . Even under the HDLSS settings, with a certain number of samples, it is reasonable to assume the sample estimation of mean vectors $\bar{\mu}_+$ and $\bar{\mu}_-$ should be close to the population mean vectors, i.e., $|\mu_+ - \bar{\mu}_+| \to 0$, $|\mu_- - \bar{\mu}_-| \to 0$, and $|\mu - \bar{\mu}| \to 0$.

Lemma 1 Thus, based on **Theorem 1** and the sample mean relaxation (**Assumption 1**), the expected error rate of $f_{\widehat{\Sigma}}(x)$ can be reduced to

$$\varepsilon(\widehat{\Sigma}, \Sigma) = \Phi\left(-\frac{(\bar{\mu}_{+} - \bar{\mu}_{-})^{\top}\widehat{\Sigma}^{-1}(\bar{\mu}_{+} - \bar{\mu}_{-})}{2\sqrt{(\bar{\mu}_{+} - \bar{\mu}_{-})^{\top}\widehat{\Sigma}^{-1}\Sigma\widehat{\Sigma}^{-1}(\bar{\mu}_{+} - \bar{\mu}_{-})}}\right). \tag{12}$$

In this way, to improve the LDA classifier with the sample mean vectors, there needs an estimator $\widehat{\Sigma}$ to minimize or lower the expected error rate $\varepsilon(\widehat{\Sigma}, \Sigma)$.

Lemma 2 Furthermore, when the estimated covariance matrix $\widehat{\Sigma}$ is set to the oracle one Σ (the LDA is perfectly fitted with the data), the expected error rate reaches the optimal error rate

$$\varepsilon(\widehat{\Sigma}, \widehat{\Sigma}) = \Phi\left(-\frac{\sqrt{(\bar{\mu}_{+} - \bar{\mu}_{-})^{\top}\widehat{\Sigma}^{-1}(\bar{\mu}_{+} - \bar{\mu}_{-})}}{2}\right). \tag{13}$$

Above result suggests that when the covariance matrix $\widehat{\Sigma}$ is perfectly estimated $\widehat{\Sigma} \to \Sigma$ and $\widehat{\Sigma}^{-1}\Sigma \to I$, the LDA classifier would approach to its optimal error rate.

The estimate in Eq. 12 reduces the estimation of LDA classification error rate to the divergence between the population covariance matrix Σ and the estimated one $\widehat{\Sigma}$. On the other hand, Eq. 13 models the generalization error of a model with "perfectly-fitted" covariances [14].

3.3.2 Performance Comparisons

We compare the convergence rate of \widehat{T} and $\widehat{\Theta}$ to the inverse population covariance matrix $\Theta^* = \Sigma^{*-1}$, so as to understand the accuracy of De-Sparse and CRDA. Since the divergence of the datasets to the nearest Gaussian distributions should be the same for both algorithms, we mainly compared the Gaussian error terms for De-Sparse and CRDA, i.e., $\varepsilon(\widehat{T}^{-1}, \Sigma^*)$ vs. $\varepsilon(\widehat{\Theta}^{-1}, \Sigma^*)$. More specifically, [14] demonstrated the connections between the Gaussian data error terms and the spectral properties of \widehat{T} and $\widehat{\Theta}$. Considering **Lemma 2**, we hope to understand (1) how close the matrices $\widehat{T}\Sigma^*$ and $\widehat{\Theta}\Sigma^*$ would approach to I matrix and (2) how the spectrum of these matrices behaves [59], such that

$$\|\widehat{T}\Sigma^* - I\|_2 = \|(\widehat{T} - \Theta^*)\Sigma^*\|_2 \le \lambda_{\max}(\Sigma^*)\|\widehat{T} - \Theta^*\|_2, \text{ and}$$

$$\|\widehat{\Theta}\Sigma^* - I\|_2 = \|(\widehat{\Theta} - \Theta^*)\Sigma^*\|_2 \le \lambda_{\max}(\Sigma^*)\|\widehat{\Theta} - \Theta^*\|_2,$$
(14)

where $\lambda_{\max}(\cdot)$ refers to the largest eigenvalue of the input matrix. Obviously, the terms of $\lambda_{\max}(\Sigma^*)$, $\|\hat{T} - \Theta^*\|_2$ and $\|\hat{\Theta} - \Theta^*\|_2$ are non-negative. When $\|\hat{T} - \Theta^*\|_2 \to 0$ and $\|\hat{\Theta} - \Theta^*\|_2 \to 0$, then optimal error rates would be achieved asymptotically. In this way, we are wondering whether \hat{T} would converge to Θ^* faster than $\hat{\Theta}$ in the spectrum-norm distance.

Considering Corollaries 3 and 5, the sharp spectrum-norm statistical convergence rate of Graphical Lasso is not known in any of the previous studies [17, 60, 29, 13], while the spectrum-norm statistical convergence rate of de-sparsified Graphical Lasso could be easily derived from the ℓ_{∞} -norm rate. In this way, we compare CRDA and *De-Sparse* through the ℓ_2 -norm statistical convergence rate of their inverse covariance matrix estimators. Thus, we can derive the ℓ_2 -norm convergence rate as:

$$\|\widehat{T} - \Theta^*\|_2 = \mathcal{O}\left(\sqrt{\frac{d\log d}{N}}\right). \tag{15}$$

On the other side, [17] demonstrated that the ℓ_2 -norm convergence rate for the Graphical Lasso estimator $\widehat{\Theta}$ is

$$\|\widehat{\Theta} - \Theta^*\|_2 = \mathcal{O}\left(\sqrt{\frac{(d+s)\log d}{N}}\right),$$

where s has been defined in Corollary 3. We conclude the convergence rate of \widehat{T} is faster than $\widehat{\Theta}$. In this way, we consider De-Sparse would outperform CRDA as it adopts a better inverse covariance matrix estimator.

4 Experiments

In this section, we first introduce the design of the experiments to evaluate the superiority of the proposed *De-Sparse* framework. Then, we present the experimental results, including the performance comparison between the *De-Sparse* framework, existing LDA baselines, and other predictive models, followed by a comparison between inverse covariance matrix to support our theoretical analysis of *De-Sparse*.

4.1 Experiment Setups

In this study, to evaluate De-Sparse, we use predictive analytics of disease based on Electronic Health Records (EHR) data.

- **Predictive Analytics of Diseases -** Given N training samples (i.e., the EHR data of each patient) along with corresponding labels i.e., $(x_1, l_1), (x_2, l_2) \dots (x_N, l_N)$ where $l_i \in \{-1, +1\}$ refers to whether the patient i is diagnosed with the target disease or not (i.e., positive sample or negative sample), the predictive analytics task is to determine whether a new patient would develop into the target disease via classification of the vector x to +1 (diagnosed as the positive result) or -1 (diagnosed as the negative result).
- Performance Metrics To demonstrate the effectiveness of predictive analytics of diseases, we compared all these methods with other competitors using Accuracy and F1-score. Specifically, Accuracy characterizes the proportion of patients who are accurately classified by the algorithms. F1-Score measures both correctness and completeness of the prediction. Of-course, we also include other metrics such as sensitivity and specificity to evaluate the performance of predictive analytics through addressing the medical concerns.
- Data for Evaluation In the experiments, we use the de-identified EHR data of 200,000 students from ten U.S. universities [30]. Among all diseases recorded, we choose mental health disorders, including anxiety disorders, mood disorders, depression disorders, and other related disorders, as one targeted disease for early detection [61]. We represent each patient using his/her diagnosis-frequency vector based on the clustered codeset (d = 295).

Note that, to prepare the training and testing sets, we use the complete EHR data of the patients who haven't been diagnosed with any of mental health disorders (negative samples). For patients having been diagnosed with any mental health disorders (positive samples), we collect their EHR data from the first visit to the last visit that was 90 days before the diagnosis of mental health disorders. Thus, we can simulate the early detection of diseases with 90 days in advance.

4.2 Design of Experiment

To understand the performance impact of *De-Sparse* beyond classic LDA, we first propose four LDA baseline approaches to compare against *De-Sparse*, then, three discriminative learning models are used for the comparison:

- LDA Derivatives: LDA, Shrinkage, DIAG and Ye-LDA - The first three algorithms are all based on the common implementation of generalized Fishier's discriminant analysis listed in Eq. 2. Specifically, LDA uses the sample covariance estimation, and inverts the covariance matrix using pseudo-inverse [62] when the matrix inverse is not available; Shrinkage is based on LDA, using a sparse estimation of sample covariance as follows,

$$\Sigma_{\beta} = \beta * \bar{\Sigma} + (1 - \beta) * \operatorname{diag}(\bar{\Sigma}) \text{ and } \Theta_{\beta} = \Sigma_{\beta}^{-1},$$
 (16)

where diag($\bar{\Sigma}$) refers to the diagonal matrix of the sample estimation $\bar{\Sigma}$. DIAG is a special Shrinkage approach with $\beta = 0.0$. Ye-LDA is derived from [7,62].

In our research, we focus on studying the improvement of LDA classification caused by (inverse) covariance matrix regularization, thus we don't compare our method to linear-coefficient-regularized LDA classifiers [10,11,4] or heuristic LDA derivation [6].

Downstream Classifiers: Support Vector Machine (SVM), Logistic Regression (Logit. Reg.) and AdaBoost – Inspired by the previous studies [21,63] in EHR data mining, we use a linear binary SVM classifier with fine-tuned parameters as well as the Logistic Regression classifier. Further, we compare our algorithm to AdaBoost, where AdaBoost-10 refers to the AdaBoost classifier using 10 Logistic Regression instances and AdaBoost-50 leverages 50 instances.

With the seven baseline algorithms, we perform experiments with training sets of varying sizes and cross-validation. To train the classifiers, we randomly selected 50, 100, 150, 200, and 250 positive patients, and randomly selected the same number of negative patients. Then, we test the classifiers, using a testing set with 1000 randomly selected positive patients and the same number of negative patients. Note that there is no over-lap between training set and the paired testing set. All algorithms used in our work are implemented with JSAT 1 and glasso in R 2 .

4.3 Overall Comparison

We include the comparison results of De-Sparse evaluation in Tables 1, 2, 3, 4, and 5 for models learned from $50 \sim 250 \times 2$ labeled samples respectively. All experiments are done with cross validation using random sampling without replacement and repeated 10 times. Specifically, we compare the performance using various experimental settings, such as the varying parameters for model training and number of days in advance for early detection (e.g., 30 days, 60 days and 90 days). We carry out the experiments with varying Days in Advance settings, so as to evaluate the performance of algorithms for predictive analytics. As was addressed, we actually need to use the past EHR data (before the diagnoses of mental disorders) as the features for prediction. More specific, for positive samples in both training and testing datasets, we backtracked their EHR data from their prediction dates. For every positive sample, the prediction date is set as 30, 60 and 90 days before the medicare visit that the patient received his/her first diagnoses of "anxiety disorders, mood disorders, depression disorders, and other related disorders". In this way, we carry out the experiments in three categories according to the varying days in advance.

4.3.1 Comparisons on Accuracy and F1-Score

As can be seen from the results in Tables 1, 2, 3, 4, and 5, De-Sparse clearly outperforms the baseline algorithms in terms of overall accuracy and F1-score. Specifically, De-Sparse achieves 18.6%–21.3% increase in accuracy and 22.9%–32% increase in F1-score over LDA; De-Sparse achieves 17.9% increase in accuracy and 31.5%–40.6% increase in F1-score over DIAG. Compared to Shrinkage and CRDA,

 $^{^{1}\ \}mathrm{https://github.com/EdwardRaff/JSAT}$

 $^{^2\ \, \}rm https://cran.r-project.org/package=glasso$

the accuracy and F1-score of *De-Sparse* in most parameter settings are 0.3%—18.9% higher and 0.14%—71.8% higher, respectively. Compared to SVM, Logistic Regression, and AdaBoost, *De-Sparse* can achieve 2.3%—19.4% higher accuracy and 7.5%—43.5% higher F1-score. In this case, we can conclude that the classic LDA model cannot perform as well as many other predictive models such as SVM and AdaBoost. However, *De-Sparse* significantly outperforms these methods in all settings. Thus, we can conclude that *De-Sparse* overall outperforms the baseline algorithms in all experimental settings. Note that, though *De-Sparse* outperforms CRDA marginally, *De-Sparse* enjoys a more tight upper bound of error rate.

4.3.2 Trade-off between Sensitivity and Specificity

We also intend to compare *De-Sparse* with baseline methods with respect to the needs of medicines. Specifically, in addition to accuracy and F1-score, we focus on two more metrics [64]:

Sensitivity - In medical diagnosis, the sensitivity measures the ability of the
prediction algorithms to correctly identify the patients with the disease (true positive rate). More specific, we estimate sensitivity as

$$Sensitivity = \frac{\text{\# Patients with the diseases} \cap Patients predicted as positive}{\text{\# Patients with the diseases}}.$$
(17)

 Specificity - In contrast, the specificity metric characterizes the ability of the algorithms to correctly identify ones without the disease (true negative rate). More specific, we estimate specificity as

$$Specificity = \frac{\# \text{ Patients without the diseases} \cap \text{Patients predicted as negative}}{\# \text{Patients without the diseases}}$$
(18)

Please see also Tables 1, 2, 3, 4, and 5. In terms of specificity, the baseline algorithms outperform *De-Sparse*, in the most of cases. However, in terms of sensitivity and specificity trade-off, *De-Sparse* on average gains 19.5% higher sensitivity while sacrificing 8.2% specificity, when compared to typical LDA. On opposite side of the trade-off, when compared to CRDA (based on graphical lasso), *De-Sparse* on average gains 2.3% higher specificity while sacrificing 1.4% sensitivity.

4.3.3 Discussion on the Performance Comparison

We consider testing accuracy and F1-score as two primary metrics for the evaluation, as these two metrics well characterize the performance of classifiers. Thus, we conclude that *De-Sparse* overall outperforms the baseline algorithms, including both LDA, SVM, Logistic Regression, and other classifiers, in all experimental settings. In terms of the trade-off between sensitivity and specificity, we argue that *De-Sparse* still outperforms the original LDA classifier and CRDA classifiers, considering the requests of predictive analytics of diseases and the early diagnosis. While the original LDA classifier well-balances the sensitivity and specificity, both CRDA and *De-Sparse* would incorporate slightly higher sensitivity, compared to the original LDA, while having lower specificity. In this way, CRDA and *De-Sparse* could discover more patients potentially with the diseases, but also slightly raise

Table 1: Performance Comparison with Training Set: 50× 2, Testing Set: 2000×2

| | Accuracy | F1-Score | Sensitivity | Specificity |
|---|--|--|--|--|
| | | in Advance: 30 | 201101011103 | - Pecinion |
| AdaBoost (×10) | 0.637 ± 0.028 | 0.571 ± 0.057 | 0.491 ± 0.085 | 0.783 ± 0.053 |
| AdaBoost $(\times 50)$ | 0.640 ± 0.024 | 0.571 ± 0.061 0.570 ± 0.061 | 0.487 ± 0.003 0.487 ± 0.093 | 0.792 ± 0.053 |
| CRDA ($\lambda = 1.0$) | 0.662 ± 0.017 | 0.692 ± 0.028 | 0.762 ± 0.069 | 0.563 ± 0.058 |
| CRDA ($\lambda = 10.0$) | 0.670 ± 0.017 | 0.713 ± 0.010 | 0.819 ± 0.023 | 0.520 ± 0.047 |
| CRDA ($\lambda = 10.0$) | 0.664 ± 0.020 | 0.713 ± 0.010 0.713 ± 0.008 | 0.834 ± 0.023 | 0.494 ± 0.068 |
| LDA | 0.555 ± 0.026 | 0.565 ± 0.033 | 0.579 ± 0.048 | 0.531 ± 0.040 |
| Logistic Regression | 0.615 ± 0.055 | 0.469 ± 0.206 | 0.395 ± 0.200 | 0.835 ± 0.094 |
| De-Sparse ($\lambda = 1.0$) | 0.658 ± 0.019 | 0.677 ± 0.034 | 0.723 ± 0.073 | 0.592 ± 0.050 |
| De-Sparse ($\lambda = 1.0$) | 0.672 ± 0.015 | 0.713 ± 0.010 | 0.813 ± 0.025 | 0.532 ± 0.033 0.532 ± 0.042 |
| De-Sparse ($\lambda = 100.0$) | 0.668 ± 0.018 | 0.714 ± 0.008 | 0.830 ± 0.026 | 0.506 ± 0.056 |
| SVM | 0.611 ± 0.026 | 0.619 ± 0.034 | 0.632 ± 0.050 | 0.590 ± 0.029 |
| DIAG | 0.568 ± 0.014 | 0.515 ± 0.026 | 0.460 ± 0.042 | 0.676 ± 0.046 |
| Shrinkage ($\beta = 0.25$) | 0.574 ± 0.014 | 0.538 ± 0.025 | 0.499 ± 0.041 | 0.649 ± 0.045 |
| Shrinkage ($\beta = 0.5$) | 0.560 ± 0.033 | 0.438 ± 0.220 | 0.413 ± 0.210 | 0.708 ± 0.152 |
| Shrinkage ($\beta = 0.75$) | 0.560 ± 0.025 | 0.480 ± 0.163 | 0.448 ± 0.158 | 0.672 ± 0.118 |
| Επιπιέξε (β = 0.10) | | in Advance: 60 | 0.110 ± 0.100 | 0.012 ± 0.110 |
| AdaBoost (×10) | 0.646 ± 0.021 | 0.596 ± 0.054 | 0.531 ± 0.095 | 0.762 ± 0.057 |
| AdaBoost $(\times 50)$ | 0.639 ± 0.027 | 0.569 ± 0.083 | 0.491 ± 0.036 0.491 ± 0.111 | 0.788 ± 0.060 |
| CRDA ($\lambda = 1.0$) | 0.654 ± 0.016 | 0.690 ± 0.016 | 0.774 ± 0.067 | 0.535 ± 0.088 |
| CRDA ($\lambda = 10.0$) | 0.653 ± 0.019 | 0.706 ± 0.010 | 0.833 ± 0.053 | 0.474 ± 0.083 |
| CRDA ($\lambda = 10.0$) | 0.643 ± 0.024 | 0.700 ± 0.010 0.701 ± 0.028 | 0.844 ± 0.098 | 0.414 ± 0.003 0.443 ± 0.124 |
| LDA | 0.556 ± 0.024 | 0.550 ± 0.042 | 0.547 ± 0.036 0.547 ± 0.072 | 0.565 ± 0.065 |
| Logistic Regression | 0.631 ± 0.031 | 0.535 ± 0.108 | 0.447 ± 0.072 0.447 ± 0.132 | 0.814 ± 0.073 |
| De-Sparse ($\lambda = 1.0$) | 0.655 ± 0.012 | 0.675 ± 0.023 | 0.723 ± 0.070 | 0.587 ± 0.074 |
| De-Sparse ($\lambda = 1.0$) | 0.661 ± 0.016 | 0.708 ± 0.009 | 0.823 ± 0.051 | 0.499 ± 0.077 |
| De-Sparse ($\lambda = 100.0$) | 0.649 ± 0.021 | 0.705 ± 0.020 | 0.844 ± 0.082 | 0.454 ± 0.110 |
| SVM | 0.627 ± 0.019 | 0.625 ± 0.027 | 0.625 ± 0.053 | 0.629 ± 0.056 |
| DIAG | 0.565 ± 0.011 | 0.514 ± 0.046 | 0.468 ± 0.076 | 0.662 ± 0.072 |
| Shrinkage ($\beta = 0.25$) | 0.568 ± 0.012 | 0.530 ± 0.040 | 0.492 ± 0.069 | 0.644 ± 0.063 |
| Shrinkage ($\beta = 0.25$) | 0.567 ± 0.012 | 0.528 ± 0.038 | 0.489 ± 0.067 | 0.646 ± 0.059 |
| Shrinkage ($\beta = 0.5$) | 0.561 ± 0.015 0.561 ± 0.025 | 0.477 ± 0.164 | 0.444 ± 0.163 | 0.677 ± 0.120 |
| β (β = 0.10) | | in Advance: 90 | 0.111 ± 0.100 | 0.011 ± 0.120 |
| AdaBoost (×10) | 0.627 ± 0.034 | 0.572 ± 0.063 | 0.507 ± 0.091 | 0.747 ± 0.054 |
| AdaBoost $(\times 50)$ | 0.632 ± 0.035 | 0.572 ± 0.003 0.575 ± 0.054 | 0.504 ± 0.031 0.504 ± 0.077 | 0.759 ± 0.058 |
| CRDA ($\lambda = 1.0$) | 0.632 ± 0.033 0.641 ± 0.018 | 0.663 ± 0.041 | 0.716 ± 0.106 | 0.766 ± 0.091 |
| CRDA ($\lambda = 1.0$) | 0.651 ± 0.018 | 0.693 ± 0.034 | 0.797 ± 0.093 | 0.505 ± 0.091 0.505 ± 0.096 |
| CRDA ($\lambda = 10.0$) | 0.634 ± 0.040 | 0.675 ± 0.101 | 0.808 ± 0.188 | 0.459 ± 0.030 |
| LDA $(x = 100.0)$ | 0.546 ± 0.025 | 0.532 ± 0.038 | 0.518 ± 0.058 | 0.433 ± 0.173 0.574 ± 0.046 |
| Logistic Regression | 0.540 ± 0.023 0.597 ± 0.058 | 0.423 ± 0.038 0.423 ± 0.217 | 0.318 ± 0.008 0.351 ± 0.207 | 0.843 ± 0.096 |
| De-Sparse ($\lambda = 1.0$) | 0.597 ± 0.038 0.642 ± 0.022 | 0.423 ± 0.217 0.663 ± 0.035 | 0.331 ± 0.207 0.710 ± 0.078 | 0.543 ± 0.090 0.574 ± 0.060 |
| De-Sparse ($\lambda = 1.0$) De-Sparse ($\lambda = 10.0$) | 0.658 ± 0.016 | 0.696 ± 0.022 | 0.710 ± 0.073 0.787 ± 0.073 | 0.574 ± 0.000 0.528 ± 0.084 |
| De-Sparse ($\lambda = 10.0$) De-Sparse ($\lambda = 100.0$) | 0.641 ± 0.031 | 0.683 ± 0.081 | 0.787 ± 0.073 0.808 ± 0.164 | 0.328 ± 0.034 0.475 ± 0.148 |
| SVM $\lambda = 100.0$ | 0.597 ± 0.034 | 0.600 ± 0.036 | 0.606 ± 0.104 0.606 ± 0.047 | 0.473 ± 0.148 0.587 ± 0.046 |
| DIAG | 0.568 ± 0.023 | 0.514 ± 0.048 | 0.464 ± 0.074 | 0.672 ± 0.046 |
| Shrinkage ($\beta = 0.25$) | 0.569 ± 0.023 0.569 ± 0.020 | 0.530 ± 0.048 0.530 ± 0.041 | 0.490 ± 0.065 | 0.648 ± 0.054 |
| Shrinkage ($\beta = 0.25$) Shrinkage ($\beta = 0.5$) | 0.565 ± 0.020 0.565 ± 0.021 | 0.530 ± 0.041 0.519 ± 0.041 | 0.473 ± 0.003 0.473 ± 0.059 | 0.657 ± 0.034 |
| Shrinkage ($\beta = 0.5$) Shrinkage ($\beta = 0.75$) | 0.559 ± 0.021 0.559 ± 0.019 | 0.519 ± 0.041 0.511 ± 0.040 | 0.475 ± 0.059 0.465 ± 0.061 | 0.657 ± 0.044 0.653 ± 0.050 |
| $\frac{\text{Simmage} (\beta = 0.10)}{\text{Simmage}}$ | 0.000 ± 0.010 | 0.011 ± 0.040 | 0.100 ± 0.001 | |

Table 2: Performance Comparison with Training Set: 100× 2, Testing Set: 2000×2

| | Λ | E1 Coope | Compitinita | Crosificita |
|---|--|---|--|--|
| | Accuracy | F1-Score in Advance: 30 | Sensitivity | Specificity |
| AdaBoost (×10) | 0.632 ± 0.029 | $\frac{10.541 \pm 0.095}{0.541 \pm 0.095}$ | 0.452 ± 0.117 | 0.812 ± 0.065 |
| ` , | 0.632 ± 0.029 0.631 ± 0.032 | 0.541 ± 0.095 0.538 ± 0.099 | 0.452 ± 0.117 0.447 ± 0.120 | 0.812 ± 0.065 0.814 ± 0.062 |
| AdaBoost $(\times 50)$ | | | | |
| CRDA ($\lambda = 1.0$) CRDA ($\lambda = 10.0$) | 0.674 ± 0.012 | 0.708 ± 0.019 | 0.792 ± 0.043 | 0.556 ± 0.029 |
| | 0.675 ± 0.006 0.664 ± 0.010 | 0.722 ± 0.008 0.718 ± 0.004 | 0.844 ± 0.022 0.858 ± 0.031 | 0.507 ± 0.017 0.469 ± 0.048 |
| CRDA ($\lambda = 100.0$) LDA | 0.594 ± 0.016 0.594 ± 0.016 | 0.718 ± 0.004 0.592 ± 0.019 | 0.591 ± 0.027 | 0.409 ± 0.048 0.597 ± 0.018 |
| | | | | 0.881 ± 0.075 |
| Logistic Regression | 0.593 ± 0.054 0.674 ± 0.018 | 0.394 ± 0.200 0.700 ± 0.025 | 0.305 ± 0.180 0.765 ± 0.050 | 0.581 ± 0.075 0.582 ± 0.026 |
| De-Sparse ($\lambda = 1.0$) De-Sparse ($\lambda = 10.0$) | 0.674 ± 0.018 0.681 ± 0.006 | 0.700 ± 0.025 0.724 ± 0.006 | 0.765 ± 0.050 0.838 ± 0.018 | 0.582 ± 0.020 0.524 ± 0.020 |
| De-Sparse ($\lambda = 10.0$) De-Sparse ($\lambda = 100.0$) | | | | |
| SVM $(\lambda = 100.0)$ | 0.668 ± 0.009 | $\begin{array}{c} 0.720 \pm 0.006 \\ 0.642 \pm 0.024 \end{array}$ | 0.854 ± 0.028 0.655 ± 0.044 | 0.481 ± 0.041 0.618 ± 0.025 |
| DIAG | 0.636 ± 0.016 0.594 ± 0.019 | | | |
| Shrinkage ($\beta = 0.25$) | 0.694 ± 0.019 0.600 ± 0.020 | 0.562 ± 0.034 0.582 ± 0.031 | 0.524 ± 0.050 0.559 ± 0.045 | 0.663 ± 0.033 |
| Shrinkage ($\beta = 0.25$) Shrinkage ($\beta = 0.5$) | 0.581 ± 0.044 | 0.362 ± 0.031 0.467 ± 0.235 | 0.339 ± 0.043 0.449 ± 0.228 | 0.641 ± 0.022 0.714 ± 0.144 |
| Shrinkage ($\beta = 0.5$) Shrinkage ($\beta = 0.75$) | 0.581 ± 0.044 0.599 ± 0.014 | 0.467 ± 0.235 0.582 ± 0.020 | 0.449 ± 0.228 0.559 ± 0.029 | |
| Shrinkage $(\beta \equiv 0.75)$ | | in Advance: 60 | 0.559 ± 0.029 | 0.639 ± 0.022 |
| AdaBoost (×10) | 0.633 ± 0.024 | $\frac{10.537 \pm 0.076}{0.537 \pm 0.076}$ | 0.439 ± 0.110 | 0.827 ± 0.067 |
| AdaBoost $(\times 10)$ AdaBoost $(\times 50)$ | 0.633 ± 0.024 0.623 ± 0.024 | 0.507 ± 0.076 0.507 ± 0.065 | 0.459 ± 0.110 0.396 ± 0.089 | 0.827 ± 0.067 0.850 ± 0.052 |
| | 0.623 ± 0.024 0.676 ± 0.016 | 0.507 ± 0.005 0.711 ± 0.015 | 0.390 ± 0.089 0.797 ± 0.041 | 0.550 ± 0.052 0.555 ± 0.052 |
| CRDA ($\lambda = 1.0$) | 0.670 ± 0.010 0.672 ± 0.019 | 0.711 ± 0.015 0.719 ± 0.015 | 0.797 ± 0.041 0.837 ± 0.025 | 0.508 ± 0.032 0.508 ± 0.039 |
| CRDA ($\lambda = 10.0$) CRDA ($\lambda = 100.0$) | | | 0.838 ± 0.025 0.838 ± 0.038 | 0.508 ± 0.059 0.498 ± 0.054 |
| ` , | 0.668 ± 0.017 0.603 ± 0.024 | 0.716 ± 0.013 | 0.595 ± 0.033 | |
| LDA Logistic Regression | 0.603 ± 0.024 0.613 ± 0.042 | 0.599 ± 0.026 0.462 ± 0.164 | 0.395 ± 0.035 0.362 ± 0.147 | 0.610 ± 0.032 0.863 ± 0.069 |
| De-Sparse ($\lambda = 1.0$) | 0.679 ± 0.042 | 0.402 ± 0.104 0.707 ± 0.014 | 0.302 ± 0.147 0.776 ± 0.041 | 0.582 ± 0.009 |
| De-Sparse ($\lambda = 1.0$) De-Sparse ($\lambda = 10.0$) | 0.676 ± 0.011 0.676 ± 0.016 | 0.720 ± 0.014 | 0.776 ± 0.041 0.834 ± 0.026 | 0.582 ± 0.043 0.518 ± 0.039 |
| De-Sparse ($\lambda = 10.0$) De-Sparse ($\lambda = 100.0$) | 0.676 ± 0.016 0.671 ± 0.017 | 0.720 ± 0.012 0.718 ± 0.012 | 0.834 ± 0.026 0.838 ± 0.029 | 0.518 ± 0.039 0.504 ± 0.045 |
| SVM $\lambda = 100.0$ | 0.671 ± 0.017 0.644 ± 0.016 | 0.718 ± 0.012 0.645 ± 0.020 | 0.650 ± 0.029 0.650 ± 0.038 | 0.637 ± 0.045 0.637 ± 0.037 |
| DIAG | 0.596 ± 0.015 | 0.562 ± 0.020 0.562 ± 0.033 | 0.650 ± 0.058 0.522 ± 0.058 | 0.637 ± 0.037 0.670 ± 0.054 |
| Shrinkage ($\beta = 0.25$) | 0.690 ± 0.015 0.600 ± 0.016 | 0.502 ± 0.035 0.580 ± 0.024 | 0.522 ± 0.038 0.554 ± 0.040 | 0.670 ± 0.034 0.645 ± 0.038 |
| | | | | |
| Shrinkage $(\beta = 0.5)$ | 0.596 ± 0.035 | 0.532 ± 0.178 | 0.513 ± 0.174 | 0.680 ± 0.113 |
| Shrinkage $(\beta = 0.75)$ | 0.596 ± 0.039 | 0.532 ± 0.179 | 0.513 ± 0.175 | 0.678 ± 0.115 |
| A 1-D (>(10) | <u> </u> | in Advance: 90 | 0.410 0.002 | 0.040 0.050 |
| AdaBoost $(\times 10)$ | 0.626 ± 0.022 | 0.519 ± 0.061 | 0.412 ± 0.093 | 0.840 ± 0.058 |
| AdaBoost (×50) | 0.631 ± 0.017 | 0.523 ± 0.056 | 0.413 ± 0.087 | 0.849 ± 0.053 |
| CRDA ($\lambda = 1.0$) | 0.674 ± 0.013 | 0.709 ± 0.020 | 0.796 ± 0.052 | 0.552 ± 0.047 |
| CRDA ($\lambda = 10.0$) | 0.674 ± 0.010 | 0.721 ± 0.006 | 0.845 ± 0.021 | 0.502 ± 0.034 |
| CRDA ($\lambda = 100.0$) | 0.666 ± 0.015 | 0.719 ± 0.006 | 0.856 ± 0.025 | 0.477 ± 0.052 |
| LDA | 0.605 ± 0.017 | 0.607 ± 0.026 | 0.612 ± 0.045 | 0.598 ± 0.028 |
| Logistic Regression | 0.611 ± 0.036 | 0.453 ± 0.130 | 0.345 ± 0.136 | 0.876 ± 0.067 |
| De-Sparse ($\lambda = 1.0$) | 0.675 ± 0.013 | 0.700 ± 0.026 | 0.764 ± 0.061 | 0.587 ± 0.045 |
| De-Sparse ($\lambda = 10.0$) | 0.682 ± 0.007 | 0.725 ± 0.007 | 0.840 ± 0.025 | 0.523 ± 0.030 |
| De-Sparse ($\lambda = 100.0$) | 0.669 ± 0.013 | 0.721 ± 0.006 | 0.853 ± 0.023 | 0.486 ± 0.046 |
| SVM | 0.632 ± 0.017 | 0.638 ± 0.023 | 0.649 ± 0.039 | 0.616 ± 0.026 |
| DIAG | 0.597 ± 0.015 | 0.574 ± 0.039 | 0.549 ± 0.072 | 0.644 ± 0.063 |
| Shrinkage ($\beta = 0.25$) | 0.593 ± 0.034 | 0.531 ± 0.179 | 0.517 ± 0.182 | 0.668 ± 0.120 |
| Shrinkage ($\beta = 0.5$) | 0.602 ± 0.015 | 0.589 ± 0.028 | 0.575 ± 0.053 | 0.628 ± 0.043 |
| Shrinkage ($\beta = 0.75$) | 0.599 ± 0.015 | 0.586 ± 0.025 | 0.570 ± 0.045 | 0.629 ± 0.037 |

Table 3: Performance Comparison with Training Set:150× 2, Testing Set: 2000×2


| $ \begin{array}{c c c c c c c c c c c c c c c c c c c $ | | | | | |
|---|--------------------------------|-----------------------------------|-------------------|-------------------|-------------------|
| AdaBoost (×10) 0.615 ± 0.010 0.482 ± 0.023 0.363 ± 0.039 0.867 ± 0.024 AdaBoost (×50) 0.615 ± 0.007 0.482 ± 0.025 0.359 ± 0.032 0.871 ± 0.023 CRDA (λ = 1.0) 0.662 ± 0.008 0.723 ± 0.008 0.829 ± 0.021 0.534 ± 0.019 CRDA (λ = 10.0) 0.662 ± 0.014 0.718 ± 0.007 0.861 ± 0.016 0.490 ± 0.035 CRDA (λ = 10.0) 0.662 ± 0.014 0.718 ± 0.007 0.861 ± 0.020 0.464 ± 0.044 LDA 0.613 ± 0.012 0.611 ± 0.018 0.610 ± 0.038 0.615 ± 0.037 Logistic Regression 0.581 ± 0.045 0.352 ± 0.189 0.255 ± 0.142 0.998 ± 0.053 De-Sparse (λ = 10.0) 0.681 ± 0.007 0.712 ± 0.012 0.799 ± 0.028 0.572 ± 0.020 De-Sparse (λ = 10.0) 0.663 ± 0.007 0.727 ± 0.006 0.849 ± 0.013 0.512 ± 0.039 SVM 0.650 ± 0.012 0.660 ± 0.014 0.680 ± 0.024 0.620 ± 0.023 Shrinkage (β = 0.25) 0.599 ± 0.051 0.500 ± 0.251 0.503 ± 0.256 0.637 ± 0.037 Shrin | | | | Sensitivity | Specificity |
| $ \begin{array}{c} {\rm AdaBoost} \left(\times 50 \right) & 0.615 \pm 0.007 & 0.482 \pm 0.025 & 0.359 \pm 0.032 & 0.871 \pm 0.023 \\ {\rm CRDA} \left(\lambda = 1.0. \right) & 0.682 \pm 0.008 & 0.723 \pm 0.008 & 0.829 \pm 0.021 & 0.534 \pm 0.019 \\ {\rm CRDA} \left(\lambda = 100. \right) & 0.671 \pm 0.013 & 0.721 \pm 0.008 & 0.851 \pm 0.016 & 0.490 \pm 0.035 \\ {\rm CRDA} \left(\lambda = 100. 0 \right) & 0.662 \pm 0.014 & 0.718 \pm 0.007 & 0.861 \pm 0.020 & 0.464 \pm 0.044 \\ {\rm LDA} & 0.613 \pm 0.012 & 0.611 \pm 0.018 & 0.610 \pm 0.038 & 0.615 \pm 0.037 \\ {\rm Logistic Regression} & 0.581 \pm 0.045 & 0.352 \pm 0.189 & 0.255 \pm 0.142 & 0.908 \pm 0.053 \\ De-Sparse \left(\lambda = 1.0 \right) & 0.681 \pm 0.009 & 0.712 \pm 0.012 & 0.790 \pm 0.028 & 0.572 \pm 0.020 \\ De-Sparse \left(\lambda = 10.0 \right) & 0.661 \pm 0.007 & 0.727 \pm 0.006 & 0.849 \pm 0.013 & 0.512 \pm 0.019 \\ De-Sparse \left(\lambda = 10.0 \right) & 0.667 \pm 0.013 & 0.720 \pm 0.007 & 0.857 \pm 0.020 & 0.478 \pm 0.041 \\ {\rm SVM} & 0.650 \pm 0.012 & 0.660 \pm 0.014 & 0.680 \pm 0.024 & 0.620 \pm 0.023 \\ {\rm Shrinkage} \left(\beta = 0.25 \right) & 0.599 \pm 0.051 & 0.500 \pm 0.251 & 0.503 \pm 0.256 & 0.696 \pm 0.156 \\ {\rm Shrinkage} \left(\beta = 0.5 \right) & 0.611 \pm 0.039 & 0.562 \pm 0.189 & 0.566 \pm 0.195 & 0.656 \pm 0.121 \\ {\rm Shrinkage} \left(\beta = 0.75 \right) & 0.615 \pm 0.009 & 0.611 \pm 0.024 & 0.608 \pm 0.051 & 0.623 \pm 0.045 \\ {\rm CRDA} \left(\lambda = 1.0 \right) & 0.6677 \pm 0.012 & 0.721 \pm 0.013 & 0.424 \pm 0.156 & 0.826 \pm 0.084 \\ {\rm CRDA} \left(\lambda = 1.0 \right) & 0.6677 \pm 0.017 & 0.717 \pm 0.015 & 0.818 \pm 0.028 & 0.536 \pm 0.032 \\ {\rm CRDA} \left(\lambda = 10.0 \right) & 0.6677 \pm 0.012 & 0.721 \pm 0.008 & 0.848 \pm 0.022 & 0.494 \pm 0.038 \\ {\rm CRDA} \left(\lambda = 10.0 \right) & 0.6671 \pm 0.012 & 0.721 \pm 0.008 & 0.848 \pm 0.022 & 0.494 \pm 0.038 \\ {\rm CRDA} \left(\lambda = 10.0 \right) & 0.662 \pm 0.014 & 0.718 \pm 0.006 & 0.661 \pm 0.031 & 0.662 \pm 0.032 \\ {\rm CRDA} \left(\lambda = 10.0 \right) & 0.6678 \pm 0.011 & 0.724 \pm 0.009 & 0.843 \pm 0.017 & 0.513 \pm 0.023 \\ {\rm Logistic Regression} & 0.600 \pm 0.054 & 0.412 \pm 0.217 & 0.331 \pm 0.195 & 0.669 \pm 0.090 \\ {\rm De-Sparse} \left(\lambda = 10.0 \right) & 0.6678 \pm 0.011 & 0.724 \pm 0.009 & 0.843 \pm 0.017 & 0.513 \pm 0.023 \\ {\rm De-Sparse} \left(\lambda = 10.0 \right) & 0.6674 \pm 0.018 & 0.597 \pm 0.032 & 0.574 \pm 0.054 & 0.655 \pm 0.033 \\ {\rm CRDA} \left(\lambda = 10.0 \right) & 0.6618 \pm 0.015 & 0.605 \pm 0.031 $ | | <u> </u> | | | |
| $ \begin{array}{c} \operatorname{CRDA} \ (\lambda = 1.0) \\ \operatorname{CRDA} \ (\lambda = 10.0) \\ \operatorname{CRDA} \ (\lambda = 100.0) \\ \operatorname{CRDA} \ (\lambda = 100.0) \\ \operatorname{CRDA} \ (\lambda = 100.0) \\ \operatorname{C662} \pm 0.014 \\ \operatorname{C0.613} \\ \operatorname{C0.721} \pm 0.008 \\ \operatorname{C0.851} \pm 0.016 \\ \operatorname{C.861} \pm 0.012 \\ \operatorname{C.921} \pm 0.008 \\ \operatorname{C.861} \pm 0.023 \\ \operatorname{C.922} \\ \operatorname$ | , , | | | | |
| $ \begin{array}{c} \operatorname{CRDA} \left(\lambda = 10.0 \right) & 0.671 \pm 0.013 & 0.721 \pm 0.008 & 0.851 \pm 0.016 & 0.490 \pm 0.035 \\ \operatorname{CRDA} \left(\lambda = 100.0 \right) & 0.662 \pm 0.014 & 0.718 \pm 0.007 & 0.861 \pm 0.020 & 0.464 \pm 0.044 \\ \operatorname{LDA} & 0.613 \pm 0.012 & 0.611 \pm 0.018 & 0.610 \pm 0.038 & 0.615 \pm 0.037 \\ \operatorname{Logistic} \operatorname{Regression} & 0.581 \pm 0.045 & 0.352 \pm 0.189 & 0.255 \pm 0.142 & 0.908 \pm 0.053 \\ \operatorname{De-Sparse} \left(\lambda = 1.0 \right) & 0.681 \pm 0.009 & 0.712 \pm 0.012 & 0.790 \pm 0.028 & 0.572 \pm 0.020 \\ \operatorname{De-Sparse} \left(\lambda = 100.0 \right) & 0.681 \pm 0.007 & 0.727 \pm 0.006 & 0.849 \pm 0.013 & 0.512 \pm 0.019 \\ \operatorname{De-Sparse} \left(\lambda = 100.0 \right) & 0.667 \pm 0.013 & 0.720 \pm 0.007 & 0.857 \pm 0.020 & 0.478 \pm 0.041 \\ \operatorname{SVM} & 0.650 \pm 0.012 & 0.660 \pm 0.014 & 0.680 \pm 0.024 & 0.620 \pm 0.023 \\ \operatorname{D1AG} & 0.619 \pm 0.014 & 0.610 \pm 0.031 & 0.600 \pm 0.056 & 0.637 \pm 0.037 \\ \operatorname{Shrinkage} \left(\beta = 0.25 \right) & 0.599 \pm 0.051 & 0.500 \pm 0.251 & 0.503 \pm 0.256 & 0.696 \pm 0.156 \\ \operatorname{Shrinkage} \left(\beta = 0.5 \right) & 0.611 \pm 0.039 & 0.562 \pm 0.189 & 0.566 \pm 0.195 & 0.666 \pm 0.121 \\ \operatorname{Shrinkage} \left(\beta = 0.75 \right) & 0.615 \pm 0.009 & 0.611 \pm 0.024 & 0.608 \pm 0.051 & 0.623 \pm 0.045 \\ \operatorname{CRDA} \left(\lambda = 1.0 \right) & 0.637 \pm 0.024 & 0.554 \pm 0.072 & 0.466 \pm 0.113 & 0.809 \pm 0.068 \\ \operatorname{CRDA} \left(\lambda = 1.0 \right) & 0.667 \pm 0.017 & 0.717 \pm 0.015 & 0.818 \pm 0.028 & 0.536 \pm 0.032 \\ \operatorname{CRDA} \left(\lambda = 10.0 \right) & 0.662 \pm 0.014 & 0.718 \pm 0.006 & 0.861 \pm 0.031 & 0.463 \pm 0.055 \\ \operatorname{LDA} & 0.623 \pm 0.014 & 0.621 \pm 0.023 & 0.619 \pm 0.040 & 0.627 \pm 0.023 \\ \operatorname{Logistic} \operatorname{Regression} & 0.600 \pm 0.054 & 0.412 \pm 0.217 & 0.331 \pm 0.195 & 0.869 \pm 0.090 \\ \operatorname{De-Sparse} \left(\lambda = 1.0 \right) & 0.688 \pm 0.016 & 0.711 \pm 0.016 & 0.787 \pm 0.033 & 0.574 \pm 0.036 \\ \operatorname{De-Sparse} \left(\lambda = 1.0 \right) & 0.668 \pm 0.013 & 0.724 \pm 0.009 & 0.843 \pm 0.017 & 0.513 \pm 0.023 \\ \operatorname{De-Sparse} \left(\lambda = 10.0 \right) & 0.667 \pm 0.011 & 0.720 \pm 0.007 & 0.856 \pm 0.028 & 0.477 \pm 0.050 \\ \operatorname{DHAG} & 0.615 \pm 0.018 & 0.597 \pm 0.032 & 0.574 \pm 0.054 & 0.659 \pm 0.033 \\ \operatorname{De-Sparse} \left(\lambda = 10.0 \right) & 0.668 \pm 0.013 & 0.533 \pm 0.081 & 0.683 \pm 0.110 \\ \operatorname{Shrinkage} \left(\beta = 0.5 \right) & 0.608 \pm 0.033 & 0.534 \pm 0.075 & 0.436 \pm 0.123 & 0.824 \pm 0.082 \\ \operatorname{AdaBoost} \left(\times 10 \right) & 0.6$ | AdaBoost $(\times 50)$ | 0.615 ± 0.007 | 0.482 ± 0.025 | 0.359 ± 0.032 | 0.871 ± 0.023 |
| $\begin{array}{c} {\rm CRDA} \ (\lambda = 100.0) \\ {\rm LDA} \\ {\rm LDA} \\ {\rm LDA} \\ {\rm LDA} \\ {\rm Co.613} \pm 0.012 \\ {\rm Co.611} \pm 0.018 \\ {\rm Co.615} \pm 0.037 \\ {\rm Logistic Regression} \\ {\rm Co.581} \pm 0.045 \\ {\rm Co.581} \pm 0.045 \\ {\rm Co.581} \pm 0.012 \\ {\rm Co.611} \pm 0.018 \\ {\rm Co.009} \\ {\rm Co.727} \pm 0.012 \\ {\rm Co.606} \\ {\rm Co.009} \\ {\rm Co.000} \\ {\rm Co.0000} \\ {\rm Co.0000} \\ {\rm Co.000} \\ {\rm Co.0000} $ | CRDA ($\lambda = 1.0$) | $\textbf{0.682}\pm\textbf{0.008}$ | 0.723 ± 0.008 | 0.829 ± 0.021 | 0.534 ± 0.019 |
| LDA | CRDA ($\lambda = 10.0$) | 0.671 ± 0.013 | 0.721 ± 0.008 | 0.851 ± 0.016 | 0.490 ± 0.035 |
| Logistic Regression 0.581 ± 0.045 0.352 ± 0.189 0.255 ± 0.142 0.908 ± 0.053 De-Sparse (λ = 1.0) 0.681 ± 0.009 0.712 ± 0.012 0.790 ± 0.028 0.572 ± 0.020 De-Sparse (λ = 10.0) 0.681 ± 0.007 0.727 ± 0.006 0.849 ± 0.013 0.512 ± 0.019 De-Sparse (λ = 100.0) 0.667 ± 0.013 0.720 ± 0.007 0.857 ± 0.020 0.478 ± 0.041 SVM 0.650 ± 0.012 0.660 ± 0.014 0.680 ± 0.024 0.620 ± 0.023 DIAG 0.619 ± 0.014 0.610 ± 0.031 0.660 ± 0.056 0.637 ± 0.037 Shrinkage (β = 0.25) 0.599 ± 0.051 0.500 ± 0.251 0.503 ± 0.256 0.696 ± 0.156 Shrinkage (β = 0.5) 0.611 ± 0.039 0.562 ± 0.189 0.566 ± 0.195 0.665 ± 0.121 Shrinkage (β = 0.75) 0.615 ± 0.009 0.611 ± 0.024 0.608 ± 0.051 0.623 ± 0.045 Days in Advance: 60 AdaBoost (×10) 0.625 ± 0.039 0.512 ± 0.131 0.424 ± 0.156 0.826 ± 0.081 AdaBoost (×50) 0.637 ± 0.024 0.554 ± 0.072 0.466 ± 0.113 0.809 ± 0.068 CRDA (λ = 1.0) 0.677 ± 0.017 0.717 ± 0.015 0.818 ± 0.028 0.536 ± 0.032 CRDA (λ = 100.0) 0.662 ± 0.014 0.718 ± 0.006 0.861 ± 0.031 0.463 ± 0.055 LDA 0.623 ± 0.014 0.621 ± 0.023 0.619 ± 0.040 0.627 ± 0.023 Logistic Regression 0.600 ± 0.054 0.412 ± 0.217 0.331 ± 0.195 0.869 ± 0.090 De-Sparse (λ = 1.0) 0.681 ± 0.016 0.711 ± 0.016 0.787 ± 0.033 0.574 ± 0.035 De-Sparse (λ = 10.0) 0.667 ± 0.011 0.724 ± 0.009 0.843 ± 0.017 0.513 ± 0.023 De-Sparse (λ = 10.0) 0.667 ± 0.014 0.720 ± 0.007 0.856 ± 0.042 0.633 ± 0.024 DIAG 0.615 ± 0.018 0.597 ± 0.032 0.574 ± 0.045 0.655 ± 0.033 Shrinkage (β = 0.55) 0.618 ± 0.018 0.597 ± 0.032 0.574 ± 0.045 0.656 ± 0.045 Shrinkage (β = 0.5) 0.608 ± 0.039 0.534 ± 0.184 0.533 ± 0.181 0.683 ± 0.015 Days in Advance: 90 0.618 ± 0.015 0.602 ± 0.027 0.581 ± 0.045 0.655 ± 0.033 Shrinkage (β = 0.5) 0.618 ± 0.015 0.602 ± 0.007 0.845 ± 0.045 0.655 ± 0.033 CRDA (λ = 10.0) 0.667 ± 0.011 0.720 ± 0.007 0.845 ± 0.025 | | | | | 0.464 ± 0.044 |
| $\begin{array}{c} De\text{-}Sparse (\lambda = 1.0) \\ De\text{-}Sparse (\lambda = 10.0) \\ De\text{-}Sparse (\lambda = 10.0) \\ O.861 \pm 0.007 \\ O.6667 \pm 0.013 \\ O.727 \pm 0.006 \\ O.849 \pm 0.013 \\ O.720 \pm 0.007 \\ O.857 \pm 0.020 \\ O.857 \pm 0.020 \\ O.857 \pm 0.020 \\ O.874 \pm 0.011 \\ O.860 \pm 0.012 \\ O.660 \pm 0.014 \\ O.660 \pm 0.014 \\ O.660 \pm 0.024 \\ O.660 \pm 0.024 \\ O.660 \pm 0.023 \\ O.619 \pm 0.014 \\ O.610 \pm 0.031 \\ O.600 \pm 0.056 \\ O.637 \pm 0.037 \\ Shrinkage (\beta = 0.25) \\ O.599 \pm 0.051 \\ O.509 \pm 0.051 \\ O.500 \pm 0.251 \\ O.500 \pm 0.251 \\ O.503 \pm 0.256 \\ O.666 \pm 0.195 \\ O.666 \pm 0.121 \\ O.660 \pm 0.013 \\ O.600 \pm 0.056 \\ O.696 \pm 0.156 \\ O.503 \pm 0.256 \\ O.696 \pm 0.156 \\ O.666 \pm 0.121 \\ O.623 \pm 0.039 \\ O.611 \pm 0.039 \\ O.611 \pm 0.039 \\ O.611 \pm 0.024 \\ O.608 \pm 0.051 \\ O.608 \pm 0.051 \\ O.623 \pm 0.045 \\ O.608 \pm 0.051 \\ O.608 \pm 0.032 \\ O.712 \pm 0.015 \\ O.717 \pm 0.015 \\ O.717 \pm 0.015 \\ O.619 \pm 0.033 \\ O.609 \pm 0.044 \\ O.623 \pm 0.014 \\ O.623 \pm 0.014 \\ O.623 \pm 0.023 \\ O.602 \pm 0.023 \\ O.602 \pm 0.023 \\ O.602 \pm 0.023 \\ O.602 \pm 0.014 \\ O.621 \pm 0.023 \\ O.602 \pm 0.014 \\ O.621 \pm 0.023 \\ O.608 \pm 0.010 \\ O.667 \pm 0.016 \\ O.711 \pm 0.015 \\ O.808 \pm 0.031 \\ O.808 \pm 0.022 \\ O.808 \pm 0.023 \\ O.808 \pm 0.001 \\ O.608 \pm 0.011 \\ O.724 \pm 0.009 \\ O.848 \pm 0.022 \\ O.848 \pm 0.022 \\ O.849 \pm 0.038 \\ O.869 \pm 0.090 \\ O.843 \pm 0.017 \\ O.661 \pm 0.018 \\ O.787 \pm 0.033 \\ O.754 \pm 0.036 \\ O.608 \pm 0.011 \\ O.724 \pm 0.009 \\ O.856 \pm 0.042 \\ O.865 \pm 0.042 \\ O.865 \pm 0.042 \\ O.865 \pm 0.042 \\ O.868 \pm 0.010 \\ O.667 \pm 0.014 \\ O.720 \pm 0.007 \\ O.856 \pm 0.042 \\ O.633 \pm 0.014 \\ O.609 \pm 0.017 \\ O.654 \pm 0.025 \\ O.665 \pm 0.042 \\ O.633 \pm 0.014 \\ O.615 \pm 0.018 \\ O.609 \pm 0.017 \\ O.654 \pm 0.025 \\ O.665 \pm 0.042 \\ O.663 \pm 0.015 \\ O.668 \pm 0.015 \\ O.608 \pm 0.033 \\ O.744 \pm 0.025 \\ O.665 \pm 0.042 \\ O.663 \pm 0.015 \\ O.608 \pm 0.003 \\ O.609 \pm 0.007 \\ O.856 \pm 0.001 \\ O.663 \pm 0.015 \\ O.609 \pm 0.007 \\ O.856 \pm 0.001 \\ O.663 \pm 0.015 \\ O.609 \pm 0.007 \\ O.856 \pm 0.001 \\ O.663 \pm 0.015 \\ O.609 \pm 0.007 \\ O.856 \pm 0.001 \\ O.663 \pm 0.015 \\ O.668 \pm 0.010 \\ O.663 \pm 0.015 \\ O.609 \pm 0.007 \\ O.664 \pm 0.007 \\ O.$ | | 0.613 ± 0.012 | 0.611 ± 0.018 | | 0.615 ± 0.037 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Logistic Regression | 0.581 ± 0.045 | | | 0.908 ± 0.053 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | - () | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | . , | | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | _ | | | | |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 0 (, , | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 0 (, | 0.611 ± 0.039 | 0.562 ± 0.189 | | |
| AdaBoost (×10) | Shrinkage ($\beta = 0.75$) | 0.615 ± 0.009 | 0.611 ± 0.024 | 0.608 ± 0.051 | 0.623 ± 0.045 |
| AdaBoost (×50) | | | | | |
| CRDA (λ = 1.0) | | | | | |
| CRDA (λ = 10.0) | , , | | | | |
| CRDA (λ = 100.0) | ` , | | | | |
| LDA 0.623 ± 0.014 0.621 ± 0.023 0.619 ± 0.040 0.627 ± 0.023 Logistic Regression 0.600 ± 0.054 0.412 ± 0.217 0.331 ± 0.195 0.869 ± 0.090 $De\text{-Sparse}$ (λ = 1.0) 0.681 ± 0.016 0.711 ± 0.016 0.787 ± 0.033 0.574 ± 0.036 $De\text{-Sparse}$ (λ = 10.0) 0.678 ± 0.011 0.724 ± 0.009 0.843 ± 0.017 0.513 ± 0.023 $De\text{-Sparse}$ (λ = 100.0) 0.667 ± 0.014 0.720 ± 0.007 0.856 ± 0.028 0.477 ± 0.050 SVM 0.649 ± 0.017 0.654 ± 0.025 0.665 ± 0.042 0.633 ± 0.024 DIAG 0.615 ± 0.018 0.597 ± 0.032 0.574 ± 0.054 0.656 ± 0.045 Shrinkage (β = 0.25) 0.608 ± 0.018 0.605 ± 0.031 0.587 ± 0.051 0.649 ± 0.039 Shrinkage (β = 0.5) 0.608 ± 0.039 0.548 ± 0.184 0.533 ± 0.181 0.683 ± 0.110 Shrinkage (β = 0.75) 0.618 ± 0.015 0.602 ± 0.027 0.581 ± 0.045 0.655 ± 0.033 AdaBoost (×10) 0.630 ± 0.023 0.531 ± 0.075 0.436 ± 0.123 0.824 ± 0.082 AdaBoost (×50) 0.630 ± 0.023 0.534 ± 0.017 0.794 ± 0.045 0.553 ± 0.039 CRDA (λ = 1.0) 0.674 ± 0.012 0.708 ± 0.017 0.794 ± 0.045 0.553 ± 0.039 CRDA (λ = 10.0) 0.663 ± 0.013 0.718 ± 0.004 0.857 ± 0.025 0.470 ± 0.050 LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.024 Logistic Regression 0.614 ± 0.045 0.693 ± 0.030 0.745 ± 0.065 <td>,</td> <td></td> <td></td> <td></td> <td></td> | , | | | | |
| Logistic Regression 0.600 ± 0.054 0.412 ± 0.217 0.331 ± 0.195 0.869 ± 0.090 $De\text{-Sparse}$ (λ = 1.0) 0.681 ± 0.016 0.711 ± 0.016 0.787 ± 0.033 0.574 ± 0.036 $De\text{-Sparse}$ (λ = 10.0) 0.678 ± 0.011 0.724 ± 0.009 0.843 ± 0.017 0.513 ± 0.023 $De\text{-Sparse}$ (λ = 100.0) 0.667 ± 0.014 0.720 ± 0.007 0.856 ± 0.028 0.477 ± 0.050 SVM 0.649 ± 0.017 0.654 ± 0.025 0.665 ± 0.042 0.633 ± 0.024 DIAG 0.615 ± 0.018 0.597 ± 0.032 0.574 ± 0.054 0.656 ± 0.045 Shrinkage (β = 0.25) 0.618 ± 0.018 0.605 ± 0.031 0.587 ± 0.051 0.649 ± 0.039 Shrinkage (β = 0.5) 0.608 ± 0.039 0.548 ± 0.114 0.533 ± 0.181 0.663 ± 0.033 Shrinkage (β = 0.75) 0.618 ± 0.015 0.602 ± 0.027 0.581 ± 0.045 0.655 ± 0.033 Days in Advance: 90AdaBoost (×10) 0.630 ± 0.023 0.531 ± 0.075 0.436 ± 0.123 0.824 ± 0.082 AdaBoost (×50) 0.630 ± 0.023 0.534 ± 0.017 0.794 ± 0.045 0.553 ± 0.039 CRDA (λ = 1.0) 0.674 ± 0.012 0.708 ± 0.017 0.794 ± 0.045 0.553 ± 0.039 CRDA (λ = 10.0) 0.663 ± 0.013 0.718 ± 0.004 0.857 ± 0.025 0.470 ± 0.050 LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.045 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 0.679 ± 0.018 0.678 ± 0.010 0.722 ± 0.009 <t< td=""><td>,</td><td></td><td></td><td></td><td></td></t<> | , | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 0 | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | . , | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | |
| DIAG 0.615 ± 0.018 0.597 ± 0.032 0.574 ± 0.054 0.656 ± 0.045 Shrinkage (β = 0.25) 0.618 ± 0.018 0.605 ± 0.031 0.587 ± 0.051 0.649 ± 0.039 Shrinkage (β = 0.5) 0.608 ± 0.039 0.548 ± 0.184 0.533 ± 0.181 0.683 ± 0.110 Shrinkage (β = 0.75) 0.618 ± 0.015 0.602 ± 0.027 0.581 ± 0.045 0.655 ± 0.033 Days in Advance: 90 AdaBoost (×10) 0.630 ± 0.023 0.531 ± 0.075 0.436 ± 0.123 0.824 ± 0.082 AdaBoost (×50) 0.630 ± 0.023 0.534 ± 0.078 0.441 ± 0.126 0.820 ± 0.083 CRDA (λ = 1.0) 0.674 ± 0.012 0.708 ± 0.017 0.794 ± 0.045 0.553 ± 0.039 CRDA (λ = 10.0) 0.661 ± 0.013 0.718 ± 0.004 0.857 ± 0.025 0.470 ± 0.050 LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.024 Logistic Regression 0.614 ± 0.045 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 0.672 ± 0.018 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 0.672 ± 0.018 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 0.678 ± 0.010 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 0.678 ± 0.010 0.678 ± 0.010 0.720 ± 0.009 0.851 ± 0.022 0.485 ± 0.039 0.648 ± 0.039 0.648 ± 0.039 0.648 ± 0.039 0.678 ± 0.010 0.720 ± 0.009 0.851 ± 0.022 0.485 ± 0.039 | - (| | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | - | | | | |
| $ \begin{array}{ c c c c c c } \hline Shrinkage (\beta = 0.75) & 0.618 \pm 0.015 & 0.602 \pm 0.027 & 0.581 \pm 0.045 & 0.655 \pm 0.033 \\ \hline \hline & Days in Advance: 90 \\ \hline \hline AdaBoost (\times 10) & 0.630 \pm 0.023 & 0.531 \pm 0.075 & 0.436 \pm 0.123 & 0.824 \pm 0.082 \\ AdaBoost (\times 50) & 0.630 \pm 0.023 & 0.534 \pm 0.078 & 0.441 \pm 0.126 & 0.820 \pm 0.083 \\ CRDA (\lambda = 1.0) & 0.674 \pm 0.012 & 0.708 \pm 0.017 & 0.794 \pm 0.045 & 0.553 \pm 0.039 \\ CRDA (\lambda = 10.0) & 0.671 \pm 0.011 & 0.720 \pm 0.007 & 0.845 \pm 0.021 & 0.498 \pm 0.035 \\ CRDA (\lambda = 100.0) & 0.663 \pm 0.013 & 0.718 \pm 0.004 & 0.857 \pm 0.025 & 0.470 \pm 0.050 \\ LDA & 0.611 \pm 0.020 & 0.610 \pm 0.025 & 0.608 \pm 0.039 & 0.614 \pm 0.024 \\ Logistic Regression & 0.614 \pm 0.045 & 0.463 \pm 0.174 & 0.374 \pm 0.180 & 0.853 \pm 0.098 \\ De-Sparse (\lambda = 1.0) & 0.672 \pm 0.018 & 0.693 \pm 0.030 & 0.745 \pm 0.065 & 0.600 \pm 0.042 \\ De-Sparse (\lambda = 10.0) & 0.678 \pm 0.010 & 0.722 \pm 0.009 & 0.836 \pm 0.026 & 0.521 \pm 0.033 \\ De-Sparse (\lambda = 100.0) & 0.668 \pm 0.010 & 0.720 \pm 0.005 & 0.851 \pm 0.022 & 0.485 \pm 0.039 \\ \hline \end{array}$ | 0 (, , | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | Shrinkage ($\beta = 0.75$) | | | 0.581 ± 0.045 | 0.655 ± 0.033 |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | v | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | ` , | | | | |
| CRDA ($\lambda = 10.0$) 0.671 ± 0.011 0.720 ± 0.007 0.845 ± 0.021 0.498 ± 0.035 CRDA ($\lambda = 100.0$) 0.663 ± 0.013 0.718 ± 0.004 0.857 ± 0.025 0.470 ± 0.050 LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.024 Logistic Regression 0.614 ± 0.045 0.463 ± 0.174 0.374 ± 0.180 0.853 ± 0.098 De-Sparse ($\lambda = 1.0$) 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 De-Sparse ($\lambda = 10.0$) 0.678 ± 0.010 0.722 ± 0.009 0.836 ± 0.026 0.521 ± 0.033 De-Sparse ($\lambda = 10.0$) 0.668 ± 0.010 0.720 ± 0.005 0.851 ± 0.022 0.485 ± 0.039 | | | | | |
| CRDA ($\lambda = 100.0$) 0.663 ± 0.013 0.718 ± 0.004 0.857 ± 0.025 0.470 ± 0.050 LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.024 Logistic Regression 0.614 ± 0.045 0.463 ± 0.174 0.374 ± 0.180 0.853 ± 0.098 De-Sparse ($\lambda = 1.0$) 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 De-Sparse ($\lambda = 10.0$) 0.678 ± 0.010 0.722 ± 0.009 0.836 ± 0.026 0.521 ± 0.033 De-Sparse ($\lambda = 100.0$) 0.668 ± 0.010 0.720 ± 0.005 0.851 ± 0.022 0.485 ± 0.039 | | | | | |
| LDA 0.611 ± 0.020 0.610 ± 0.025 0.608 ± 0.039 0.614 ± 0.024 Logistic Regression 0.614 ± 0.045 0.463 ± 0.174 0.374 ± 0.180 0.853 ± 0.098 De-Sparse ($\lambda = 1.0$) 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 De-Sparse ($\lambda = 10.0$) 0.678 ± 0.010 0.722 ± 0.009 0.836 ± 0.026 0.521 ± 0.033 De-Sparse ($\lambda = 100.0$) 0.668 ± 0.010 0.720 ± 0.005 0.851 ± 0.022 0.485 ± 0.039 | , | | | | |
| Logistic Regression 0.614 ± 0.045 0.463 ± 0.174 0.374 ± 0.180 0.853 ± 0.098 De-Sparse ($\lambda = 1.0$) 0.672 ± 0.018 0.693 ± 0.030 0.745 ± 0.065 0.600 ± 0.042 De-Sparse ($\lambda = 10.0$) 0.678 ± 0.010 0.722 ± 0.009 0.836 ± 0.026 0.521 ± 0.033 De-Sparse ($\lambda = 100.0$) 0.668 ± 0.010 0.720 ± 0.005 0.851 ± 0.022 0.485 ± 0.039 | , | | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | | | | | |
| $\begin{array}{llllllllllllllllllllllllllllllllllll$ | 0 | | | | |
| De-Sparse ($\lambda = 100.0$) 0.668 ± 0.010 0.720 ± 0.005 0.851 ± 0.022 0.485 ± 0.039 | | | | | |
| | De-Sparse ($\lambda = 10.0$) | | | | |
| SVM 0.639 ± 0.015 0.645 ± 0.020 0.657 ± 0.035 0.622 ± 0.026 | | | — | | |
| | | | | | |
| DIAG 0.610 ± 0.012 0.602 ± 0.022 0.590 ± 0.042 0.631 ± 0.031 | | | | | |
| Shrinkage $(\beta = 0.25)$ 0.613 ± 0.011 0.608 ± 0.019 0.601 ± 0.036 0.626 ± 0.027 | | | | | |
| Shrinkage $(\beta = 0.5)$ 0.602 ± 0.036 0.547 ± 0.183 0.540 ± 0.183 0.665 ± 0.114 | , | | | | |
| Shrinkage $(\beta = 0.75)$ 0.601 ± 0.036 0.545 ± 0.183 0.536 ± 0.182 0.665 ± 0.113 | Shrinkage ($\beta = 0.75$) | 0.601 ± 0.036 | 0.545 ± 0.183 | 0.536 ± 0.182 | 0.665 ± 0.113 |

Table 4: Performance Comparison with Training Set:200× 2, Testing Set: 2000×2

| | Λ | F1-Score | Canaitiaita | CmaaiGaita |
|---|--|--|--|--|
| | Accuracy | in Advance: 30 | Sensitivity | Specificity |
| Ada Danet (V10) | 0.618 ± 0.026 | 0.485 ± 0.082 | 0.373 ± 0.115 | 0.863 ± 0.064 |
| AdaBoost (×10) | 0.618 ± 0.026 0.618 ± 0.022 | 0.485 ± 0.082 0.491 ± 0.064 | 0.373 ± 0.113 0.377 ± 0.092 | 0.859 ± 0.052 |
| AdaBoost $(\times 50)$ | | | | |
| CRDA ($\lambda = 1.0$) CRDA ($\lambda = 10.0$) | 0.688 ± 0.006 | 0.725 ± 0.007 | 0.824 ± 0.017 | 0.553 ± 0.016 |
| | 0.680 ± 0.005 | 0.725 ± 0.005 | 0.847 ± 0.013 | 0.513 ± 0.013 |
| CRDA ($\lambda = 100.0$) LDA | 0.669 ± 0.011 0.637 ± 0.006 | 0.721 ± 0.003 0.644 ± 0.010 | 0.855 ± 0.026 0.655 ± 0.021 | 0.483 ± 0.047 0.620 ± 0.020 |
| | | | | |
| Logistic Regression | 0.598 ± 0.046 | 0.411 ± 0.175 0.717 ± 0.007 | 0.313 ± 0.159 0.794 ± 0.017 | 0.883 ± 0.070 |
| De-Sparse ($\lambda = 1.0$) | 0.686 ± 0.007 | | | 0.578 ± 0.019 |
| De-Sparse ($\lambda = 10.0$) De-Sparse ($\lambda = 100.0$) | 0.684 ± 0.006 | 0.729 ± 0.005 | 0.850 ± 0.007 | 0.519 ± 0.010 |
| SVM $(\lambda = 100.0)$ | 0.673 ± 0.009 0.660 ± 0.012 | 0.723 ± 0.004 0.671 ± 0.012 | 0.852 ± 0.024 0.693 ± 0.014 | 0.494 ± 0.038 0.626 ± 0.015 |
| DIAG | 0.600 ± 0.012 0.623 ± 0.013 | 0.601 ± 0.012 0.603 ± 0.024 | 0.575 ± 0.014 0.575 ± 0.041 | 0.620 ± 0.013 0.671 ± 0.029 |
| Shrinkage ($\beta = 0.25$) | 0.628 ± 0.013 0.628 ± 0.013 | 0.621 ± 0.023 | 0.610 ± 0.039 | 0.671 ± 0.029 0.646 ± 0.024 |
| Shrinkage ($\beta = 0.25$) Shrinkage ($\beta = 0.5$) | 0.628 ± 0.013 0.619 ± 0.042 | 0.565 ± 0.190 | 0.560 ± 0.039 0.560 ± 0.190 | 0.678 ± 0.024 0.678 ± 0.110 |
| Shrinkage ($\beta = 0.5$) Shrinkage ($\beta = 0.75$) | 0.619 ± 0.042 0.633 ± 0.012 | 0.629 ± 0.190 | | 0.678 ± 0.110 0.642 ± 0.022 |
| Shrinkage ($\beta = 0.75$) | | in Advance: 60 | 0.624 ± 0.034 | 0.042 ± 0.022 |
| AdaDaast (v.10) | 0.605 ± 0.023 | 0.445 ± 0.085 | 0.325 ± 0.074 | 0.885 ± 0.033 |
| AdaBoost (×10) | 0.605 ± 0.025 0.616 ± 0.010 | 0.445 ± 0.085 0.479 ± 0.038 | 0.325 ± 0.074 0.356 ± 0.048 | 0.876 ± 0.032 |
| AdaBoost $(\times 50)$ | 0.616 ± 0.010 0.684 ± 0.006 | 0.479 ± 0.038 0.721 ± 0.006 | | 0.549 ± 0.032 |
| CRDA ($\lambda = 1.0$) | 0.674 ± 0.008 | 0.721 ± 0.006 0.722 ± 0.006 | 0.818 ± 0.019 0.844 ± 0.019 | 0.549 ± 0.025 0.505 ± 0.026 |
| CRDA ($\lambda = 10.0$) CRDA ($\lambda = 100.0$) | | | | 0.503 ± 0.026 0.502 ± 0.035 |
| $LDA (\lambda = 100.0)$ LDA | 0.673 ± 0.010 | 0.721 ± 0.006 | 0.845 ± 0.021 | 0.635 ± 0.031 |
| Logistic Regression | 0.626 ± 0.009 0.589 ± 0.038 | 0.622 ± 0.013 0.380 ± 0.151 | 0.616 ± 0.028 0.270 ± 0.113 | 0.908 ± 0.038 |
| De-Sparse ($\lambda = 1.0$) | 0.589 ± 0.038 0.684 ± 0.010 | 0.380 ± 0.131 0.710 ± 0.012 | 0.270 ± 0.113 0.773 ± 0.027 | 0.595 ± 0.038 0.595 ± 0.023 |
| De-Sparse ($\lambda = 1.0$) De-Sparse ($\lambda = 10.0$) | 0.684 ± 0.010 0.682 ± 0.006 | 0.710 ± 0.012 0.726 ± 0.007 | 0.773 ± 0.027 0.844 ± 0.017 | 0.593 ± 0.023 0.520 ± 0.014 |
| De-Sparse ($\lambda = 10.0$) De-Sparse ($\lambda = 100.0$) | 0.682 ± 0.000 0.675 ± 0.008 | 0.720 ± 0.007 0.722 ± 0.006 | 0.843 ± 0.017 0.843 ± 0.022 | 0.520 ± 0.014 0.508 ± 0.031 |
| SVM | 0.673 ± 0.008 0.651 ± 0.006 | 0.722 ± 0.000 0.659 ± 0.010 | 0.645 ± 0.022 0.675 ± 0.026 | 0.626 ± 0.031 0.626 ± 0.028 |
| DIAG | 0.631 ± 0.000 0.627 ± 0.012 | 0.639 ± 0.010 0.615 ± 0.023 | 0.573 ± 0.020 0.597 ± 0.045 | 0.620 ± 0.028 0.657 ± 0.039 |
| Shrinkage ($\beta = 0.25$) | 0.627 ± 0.012 0.618 ± 0.041 | 0.562 ± 0.188 | 0.557 ± 0.045 0.553 ± 0.187 | 0.683 ± 0.111 |
| Shrinkage ($\beta = 0.25$) Shrinkage ($\beta = 0.5$) | 0.618 ± 0.041 0.620 ± 0.040 | 0.562 ± 0.188 0.565 ± 0.189 | 0.553 ± 0.187 0.557 ± 0.187 | 0.683 ± 0.111 0.683 ± 0.110 |
| Shrinkage ($\beta = 0.5$) Shrinkage ($\beta = 0.75$) | 0.620 ± 0.040 0.616 ± 0.039 | 0.503 ± 0.189 0.557 ± 0.186 | 0.537 ± 0.187 0.544 ± 0.183 | 0.688 ± 0.110 0.688 ± 0.109 |
| $\frac{\text{Sill ilikage } (\beta = 0.13)}{\text{Sill ilikage } (\beta = 0.13)}$ | | in Advance: 90 | 0.544 ± 0.165 | 0.000 ± 0.109 |
| AdaBoost (×10) | 0.626 ± 0.033 | 0.507 ± 0.107 | 0.411 ± 0.153 | 0.840 ± 0.088 |
| () | | | | |
| AdaBoost $(\times 50)$ | 0.632 ± 0.028 | 0.533 ± 0.092 | 0.441 ± 0.135 | 0.823 ± 0.080 |
| CRDA ($\lambda = 1.0$) | 0.682 ± 0.008 | 0.722 ± 0.008 | 0.825 ± 0.017 | 0.540 ± 0.020 |
| CRDA ($\lambda = 10.0$) | 0.664 ± 0.012 | 0.718 ± 0.006 | 0.856 ± 0.025 | 0.472 ± 0.044 |
| CRDA ($\lambda = 100.0$) LDA | 0.656 ± 0.016 | 0.715 ± 0.005 | 0.865 ± 0.029 | 0.447 ± 0.058 |
| | 0.631 ± 0.014 | 0.630 ± 0.018 | 0.631 ± 0.034 | 0.630 ± 0.032 |
| Logistic Regression | 0.605 ± 0.060 | 0.424 ± 0.232 | 0.353 ± 0.222 | 0.857 ± 0.107 |
| De-Sparse ($\lambda = 1.0$) | 0.684 ± 0.010 | 0.714 ± 0.014 | 0.789 ± 0.031 | 0.579 ± 0.020 |
| De-Sparse ($\lambda = 10.0$) | 0.676 ± 0.008 | 0.724 ± 0.004 | 0.852 ± 0.019 | 0.500 ± 0.030 |
| De-Sparse ($\lambda = 100.0$) | 0.658 ± 0.015 | 0.716 ± 0.005 | 0.863 ± 0.029 | 0.452 ± 0.057 |
| SVM | 0.657 ± 0.009 | 0.669 ± 0.015 | 0.693 ± 0.031 | 0.621 ± 0.024 |
| DIAG | 0.625 ± 0.013 | 0.614 ± 0.029 | 0.601 ± 0.055 | 0.648 ± 0.045 |
| Shrinkage ($\beta = 0.25$) | 0.627 ± 0.014 | 0.617 ± 0.030 | 0.604 ± 0.056 | 0.651 ± 0.043 |
| Shrinkage $(\beta = 0.5)$ | 0.626 ± 0.013 | 0.616 ± 0.027 | 0.603 ± 0.051 | 0.650 ± 0.042 |
| Shrinkage ($\beta = 0.75$) | 0.626 ± 0.014 | 0.617 ± 0.023 | 0.604 ± 0.045 | 0.649 ± 0.043 |

Table 5: Performance Comparison with Training Set:250× 2, Testing Set: 2000×2

| | Λοομπος | F1-Score | Consitiit | Chooificite |
|---------------------------------|---------------------------------------|-----------------------------------|-------------------|-------------------|
| | Accuracy | | Sensitivity | Specificity |
| AdaBaset (v10) | | in Advance: 30 0.484 ± 0.110 | 0.200 0.147 | 0.000 0.070 |
| AdaBoost (×10) | 0.620 ± 0.037 | | 0.380 ± 0.147 | 0.860 ± 0.076 |
| AdaBoost $(\times 50)$ | 0.625 ± 0.033 | 0.499 ± 0.097 | 0.394 ± 0.138 | 0.856 ± 0.074 |
| CRDA ($\lambda = 1.0$) | 0.689 ± 0.010 | 0.726 ± 0.009 | 0.824 ± 0.021 | 0.553 ± 0.025 |
| CRDA ($\lambda = 10.0$) | 0.677 ± 0.012 | 0.722 ± 0.009 | 0.840 ± 0.020 | 0.513 ± 0.029 |
| CRDA ($\lambda = 100.0$) | 0.666 ± 0.014 | 0.719 ± 0.007 | 0.853 ± 0.027 | 0.479 ± 0.050 |
| LDA | 0.644 ± 0.009 | 0.645 ± 0.012 | 0.648 ± 0.023 | 0.640 ± 0.020 |
| Logistic Regression | 0.605 ± 0.057 | 0.424 ± 0.204 | 0.339 ± 0.200 | 0.870 ± 0.089 |
| De-Sparse ($\lambda = 1.0$) | 0.690 ± 0.007 | 0.719 ± 0.007 | 0.791 ± 0.022 | 0.589 ± 0.027 |
| De-Sparse ($\lambda = 10.0$) | 0.684 ± 0.009 | 0.726 ± 0.008 | 0.837 ± 0.015 | 0.531 ± 0.012 |
| De-Sparse ($\lambda = 100.0$) | 0.671 ± 0.012 | 0.721 ± 0.008 | 0.848 ± 0.026 | 0.494 ± 0.039 |
| SVM | 0.663 ± 0.013 | 0.673 ± 0.015 | 0.694 ± 0.024 | 0.632 ± 0.023 |
| DIAG | 0.633 ± 0.011 | 0.619 ± 0.028 | 0.599 ± 0.055 | 0.668 ± 0.046 |
| Shrinkage ($\beta = 0.25$) | 0.625 ± 0.044 | 0.569 ± 0.192 | 0.562 ± 0.193 | 0.689 ± 0.108 |
| Shrinkage $(\beta = 0.5)$ | 0.626 ± 0.044 | 0.569 ± 0.192 | 0.561 ± 0.192 | 0.691 ± 0.106 |
| Shrinkage ($\beta = 0.75$) | 0.639 ± 0.011 | 0.633 ± 0.022 | 0.624 ± 0.039 | 0.653 ± 0.025 |
| | · · · · · · · · · · · · · · · · · · · | in Advance: 60 | | |
| AdaBoost $(\times 10)$ | 0.635 ± 0.026 | 0.539 ± 0.087 | 0.449 ± 0.141 | 0.820 ± 0.091 |
| AdaBoost $(\times 50)$ | 0.634 ± 0.027 | 0.536 ± 0.089 | 0.445 ± 0.144 | 0.823 ± 0.091 |
| CRDA $(\lambda = 1.0)$ | 0.692 ± 0.006 | 0.729 ± 0.006 | 0.827 ± 0.014 | 0.557 ± 0.015 |
| CRDA ($\lambda = 10.0$) | 0.682 ± 0.008 | 0.730 ± 0.004 | 0.860 ± 0.019 | 0.504 ± 0.031 |
| $CRDA (\lambda = 100.0)$ | 0.674 ± 0.014 | 0.726 ± 0.005 | 0.864 ± 0.025 | 0.483 ± 0.051 |
| LDA | 0.642 ± 0.011 | 0.643 ± 0.015 | 0.645 ± 0.025 | 0.638 ± 0.017 |
| Logistic Regression | 0.623 ± 0.048 | 0.489 ± 0.184 | 0.411 ± 0.195 | 0.835 ± 0.105 |
| De-Sparse ($\lambda = 1.0$) | 0.691 ± 0.008 | 0.717 ± 0.009 | 0.781 ± 0.019 | 0.601 ± 0.017 |
| De-Sparse ($\lambda = 10.0$) | 0.689 ± 0.004 | $\textbf{0.733}\pm\textbf{0.004}$ | 0.854 ± 0.013 | 0.524 ± 0.017 |
| De-Sparse ($\lambda = 100.0$) | 0.676 ± 0.013 | 0.727 ± 0.005 | 0.863 ± 0.024 | 0.488 ± 0.048 |
| SVM | 0.662 ± 0.008 | 0.668 ± 0.012 | 0.681 ± 0.023 | 0.642 ± 0.017 |
| DIAG | 0.634 ± 0.012 | 0.613 ± 0.026 | 0.582 ± 0.053 | 0.687 ± 0.049 |
| Shrinkage ($\beta = 0.25$) | 0.627 ± 0.044 | 0.565 ± 0.189 | 0.545 ± 0.185 | 0.709 ± 0.101 |
| Shrinkage $(\beta = 0.5)$ | 0.642 ± 0.010 | 0.634 ± 0.015 | 0.620 ± 0.028 | 0.663 ± 0.028 |
| Shrinkage ($\beta = 0.75$) | 0.641 ± 0.010 | 0.636 ± 0.012 | 0.627 ± 0.021 | 0.655 ± 0.022 |
| | · · | in Advance: 90 | | |
| AdaBoost $(\times 10)$ | 0.633 ± 0.027 | 0.536 ± 0.089 | 0.447 ± 0.140 | 0.818 ± 0.086 |
| AdaBoost $(\times 50)$ | 0.631 ± 0.026 | 0.535 ± 0.087 | 0.445 ± 0.137 | 0.818 ± 0.085 |
| CRDA ($\lambda = 1.0$) | 0.686 ± 0.006 | 0.721 ± 0.009 | 0.813 ± 0.029 | 0.558 ± 0.026 |
| CRDA ($\lambda = 10.0$) | 0.675 ± 0.007 | 0.720 ± 0.006 | 0.838 ± 0.021 | 0.512 ± 0.028 |
| CRDA ($\lambda = 100.0$) | 0.671 ± 0.009 | 0.719 ± 0.004 | 0.844 ± 0.028 | 0.497 ± 0.043 |
| LDA | 0.648 ± 0.009 | 0.648 ± 0.018 | 0.651 ± 0.037 | 0.644 ± 0.025 |
| Logistic Regression | 0.628 ± 0.028 | 0.520 ± 0.095 | 0.427 ± 0.146 | 0.828 ± 0.090 |
| De-Sparse ($\lambda = 1.0$) | $\boldsymbol{0.687\pm0.009}$ | 0.713 ± 0.014 | 0.778 ± 0.033 | 0.597 ± 0.022 |
| De-Sparse ($\lambda = 10.0$) | 0.683 ± 0.006 | $\textbf{0.725}\pm\textbf{0.008}$ | 0.839 ± 0.021 | 0.527 ± 0.018 |
| De-Sparse ($\lambda = 100.0$) | 0.673 ± 0.008 | 0.720 ± 0.005 | 0.841 ± 0.024 | 0.505 ± 0.037 |
| SVM | 0.666 ± 0.009 | 0.672 ± 0.014 | 0.687 ± 0.030 | 0.644 ± 0.023 |
| DIAG | 0.635 ± 0.015 | 0.621 ± 0.030 | 0.601 ± 0.053 | 0.668 ± 0.032 |
| Shrinkage ($\beta = 0.25$) | 0.638 ± 0.012 | 0.631 ± 0.027 | 0.621 ± 0.051 | 0.656 ± 0.032 |
| Shrinkage ($\beta = 0.5$) | 0.642 ± 0.011 | 0.635 ± 0.026 | 0.626 ± 0.050 | 0.657 ± 0.032 |
| Shrinkage ($\beta = 0.75$) | 0.641 ± 0.010 | 0.635 ± 0.024 | 0.628 ± 0.046 | 0.655 ± 0.030 |



(a) Error Reduction of All Estimators Beyond Sample Estimation




Fig. 2: Comparison on ℓ_2 -norm Estimator Error Reduction of Inverse Covariance Matrices Estimation (the higher the better)

the frequency of false alarms. We believe, compared to the marginal increase of false alarms, the improvement of sensitivity should be appreciated in medical contexts. Compared *De-Sparse* to CRDA, the de-sparsified Graphical Lasso here helps *De-Sparse* achieve higher overall accuracy and F1-score with a more balanced pair of sensitivity and specificity.

4.4 Empirical Convergence of Parameter Estimation

We hypothesize De-Sparse improves LDA because that the de-sparsified Graphical Lasso used in *De-Sparse* approaches to the inverse of population covariance matrix has a tighter error bound than the inverse of sample covariance matrix used in simple LDA models, when the training sample size is limited. In order to verify our hypothesis, we compare the inverse covariance matrix estimators used in *De-Sparse*, CRDA, and other LDA baselines, using the EHR data. Specifically, we (1) learned a "ground truth" covariance matrix $\Sigma_{\rm GT}$ (and its inverse $\Theta_{\rm GT} = \Sigma_{\rm GT}^{-1}$) using diagnosis-frequency vectors of 10,000 patients (w/o the target disease, balanced) randomly retrieved from all patients of 22 U.S. university healthcare systems, (2) randomly selected another 50 to 250 samples (w/o the target disease, balanced) to train LDA, De-Sparse, CRDA and Shrinkage, (3) estimated the error between the inverse covariance matrix (denoted as Θ , $\Theta = \widehat{\Theta}$ for CRDA, $\Theta = \widehat{T}$ for De-Sparse, and $\Theta = \Theta_{\beta}$ for Shrinkage LDA) learned in each classifier versus the inverse of "ground truth" covariance matrix Σ_{GT} , all in ℓ_2 -norm, and (4) further estimated the error reduction of Θ from the inverse of sample covariance estimation (i.e., $\bar{\Theta} = \bar{\Sigma}^{-1}$) as

$$R(\Theta) = \|\Theta - \bar{\Theta}\|_2^2 - \|\Theta_{GT} - \Theta\|_2^2, \tag{19}$$

where $\Theta = \widehat{\Theta}$ for CRDA, $\Theta = \widehat{T}$ for *De-Sparse*, and $\Theta = \Theta_{\beta}$ for Shrinkage LDA. We repeated above (1)–(4) steps for 100 times, and illustrated the average *error reduction* $R(\Theta)$ in Fig. 2(a), with varying parameters and settings.

Fig. 2(a) demonstrates that, estimators used in $De\text{-}Sparse\ (\widehat{T})$ and CRDA $(\widehat{\Theta})$ outperform the sample estimation in all settings, while DIAG and Shrinkage estimators (i.e., Θ_{β} and $\beta=0.0,\,0.25,\,0.5,\,$ and 0.75) may cause even higher estimation error (with negative error reduction) when the number of samples increases. Fig. 2(b) illustrates the trend of error reduction with CRDA and De-Sparse. Though the difference between these two algorithms is not visible in such scale, we can observe that these two algorithms achieve the maximal error reduction when number of samples is 150 in our experiments, while the error reduction is low when the number of samples is relatively small (50) or large (250). Because, when the sample size is small, both sample-based estimation $(\widehat{\theta})$ and the regularized estimation (\widehat{T}) and $(\widehat{\theta})$ work poorly, though (\widehat{T}) and $(\widehat{\theta})$ still outperform $(\widehat{\theta})$. With the increasing sample size, the advantage of CRDA and $(\widehat{\theta})$ to the sample-based estimation and the regularized estimation converge well, thus the error reduction becomes marginal.

5 Conclusion

In this paper, we study the long existing problem of covariance-regularized discriminant analysis for classification under high-dimensional low sample sizes (HDLSS) settings. More specific, we take care of the applications to the predictive analytics of diseases using Electronic Health Records (EHRs) data and common diagnosis-frequency data representation. To understand the performance of LDA, we extend the existing theory [27,14] and propose a novel analytical model characterizing the error rate of LDA classification under the uncertainty of parameter estimation. Based on the analytical model, we propose De-Sparse- a novel LDA classifier

using de-sparsified Graphical Lasso. Our analysis shows that the proposed algorithm could outperform the existing Covariance-regularized discriminant analysis (CRDA) based on common Graphical Lasso. The experimental results on real-world Electronic Health Record (EHR) datasets show *De-Sparse* outperforms all baseline algorithms. We interpret the comparison of results and demonstrate the advantage of proposed methods in medicare settings. Further, the empirical studies on estimator comparison validate our analysis.

References

- Richard O. Duda, Peter E. Hart, and David G. Stork. Pattern Classification (2nd Ed). Wiley. 2001.
- Roger Peck and John Van Ness. The use of shrinkage estimators in linear discriminant analysis. IEEE Transactions on Pattern Analysis and Machine Intelligence, 5:530–537, 1982.
- 3. Haoyi Xiong, Wei Cheng, Jiang Bian, Wenqing Hu, Zeyi Sun, and Zhishan Guo. DBSDA: Lowering the bound of misclassification rate for sparse linear discriminant analysis via model debiasing. *IEEE transactions on neural networks and learning systems*, 30(3):707–717, 2018.
- Peter Buhlmann and Sara Van De Geer. Statistics for High-Dimensional Data: Methods, Theory and Applications. Springer, 2011.
- WJ Krzanowski, Philip Jonathan, WV McCarthy, and MR Thomas. Discriminant analysis
 with singular covariance matrices: methods and applications to spectroscopic data. Applied
 Statistics, pages 101–115, 1995.
- Peter N. Belhumeur, João P. Hespanha, and David J. Kriegman. Eigenfaces vs. fisherfaces: Recognition using class specific linear projection. In ECCV (1), volume 1064, pages 45–58. Springer, 1996.
- Jieping Ye, Ravi Janardan, and Qi Li. Two-dimensional linear discriminant analysis. In NIPS, pages 1569–1576, Cambridge, MA, USA, 2004.
- 8. Andrey Nikolayevich Tikhonov. On the stability of inverse problems. In *Dokl. Akad. Nauk SSSR*, volume 39, pages 195–198, 1943.
- 9. Daniela M Witten and Robert Tibshirani. Covariance-regularized regression and classification for high dimensional problems. *Journal of the Royal Statistical Society: Series B* (Statistical Methodology), 71(3):615–636, 2009.
- 10. Line Clemmensen, Trevor Hastie, Daniela Witten, and Bjarne Ersbøll. Sparse discriminant analysis. Technometrics, 53(4), 2011.
- 11. Jun Shao, Yazhen Wang, Xinwei Deng, Sijian Wang, et al. Sparse linear discriminant analysis by thresholding for high dimensional data. *The Annals of Statistics*, 39(2):1241–1265, 2011.
- Jerome Friedman, Trevor Hastie, and Robert Tibshirani. Sparse inverse covariance estimation with the graphical lasso. Biostatistics, 9(3):432-441, 2008.
- 13. T Tony Cai, Zhao Ren, Harrison H Zhou, et al. Estimating structured high-dimensional covariance and precision matrices: Optimal rates and adaptive estimation. *Electronic Journal of Statistics*, 10(1):1–59, 2016.
- Amin Zollanvari and Edward R Dougherty. Random matrix theory in pattern classification: An application to error estimation. In 2013 Asilomar Conference on Signals, Systems and Computers, 2013.
- Vladimir A Marčenko and Leonid A Pastur. Distribution of eigenvalues for some sets of random matrices. Mathematics of the USSR-Sbornik, 1(4):457, 1967.
- Iain M Johnstone. On the distribution of the largest eigenvalue in principal components analysis. Annals of Statistics, pages 295–327, 2001.
- Adam J Rothman, Peter J Bickel, Elizaveta Levina, Ji Zhu, et al. Sparse permutation invariant covariance estimation. Electronic Journal of Statistics, 2:494–515, 2008.
- Pranjul Yadav, Michael Steinbach, Vipin Kumar, and Gyorgy Simon. Mining electronic health records (ehrs) a survey. ACM Computing Surveys (CSUR), 50(6):1–40, 2018.
- Fei Wang and Jimeng Sun. Psf: A unified patient similarity evaluation framework through metric learning with weak supervision. *Biomedical and Health Informatics*, *IEEE Journal* of, 19(3):1053–1060, May 2015.

- Jimeng Sun, Fei Wang, Jianying Hu, and Shahram Edabollahi. Supervised patient similarity measure of heterogeneous patient records. ACM SIGKDD Explorations Newsletter, 14(1):16–24, 2012.
- 21. Kenney Ng, Jimeng Sun, Jianying Hu, and Fei Wang. Personalized predictive modeling and risk factor identification using patient similarity. *AMIA Summit on Clinical Research Informatics (CRI)*, 2015.
- 22. Jinghe Zhang, Haoyi Xiong, Yu Huang, Hao Wu, Kevin Leach, and Laura E. Barnes. MSEQ: Early detection of anxiety and depression via temporal orders of diagnoses in electronic health data. In Big Data (Workshop), 2015 International Conference on. IEEE, 2015
- 23. Susan Jensen and UK SPSS. Mining medical data for predictive and sequential patterns: Pkdd 2001. In Proceedings of the 5th European Conference on Principles and Practice of Knowledge Discovery in Databases, 2001.
- 24. Chuanren Liu, Fei Wang, Jianying Hu, and Hui Xiong. Temporal Phenotyping from Longitudinal Electronic Health Records: A Graph Based Framework. In Proceedings of the 21th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, KDD '15, pages 705–714, New York, NY, USA, 2015. ACM.
- Sijia Yang, Jian Bian, Zeyi Sun, Licheng Wang, Haojin Zhu, Haoyi Xiong, and Yu Li. Early detection of disease using electronic health records and fisher's wishart discriminant analysis. *Procedia Computer Science*, 140:393–402, 2018.
- 26. Haoyi Xiong, Jinghe Zhang, Yu Huang, Kevin Leach, and Laura E. Barnes. Daehr: a discriminant analysis framework for electronic health record data and an application to early detection of mental health disorders. ACM Transactions on Intelligent Systems and Technology (to appear), 2017.
- 27. Peter A Lachenbruch and M Ray Mickey. Estimation of error rates in discriminant analysis. *Technometrics*, 10(1):1–11, 1968.
- 28. Jiang Bian, Laura E Barnes, Guanling Chen, and Haoyi Xiong. Early detection of diseases using electronic health records data and covariance-regularized linear discriminant analysis. In 2017 IEEE EMBS International Conference on Biomedical & Health Informatics (BHI), pages 457–460. IEEE, 2017.
- 29. Jana Jankova, Sara van de Geer, et al. Confidence intervals for high-dimensional inverse covariance estimation. *Electronic Journal of Statistics*, 9(1):1205–1229, 2015.
- James C. Turner and Adrienne Keller. College Health Surveillance Network: Epidemiology and Health Care Utilization of College Students at U.S. 4-Year Universities. *Journal of American College Health*, pages 530–538, 2015.
- 31. Tielman T Van Vleck and Noémie Elhadad. Corpus-based problem selection for ehr note summarization. In *AMIA Annual Symposium Proceedings*, volume 2010, page 817. American Medical Informatics Association, 2010.
- 32. Sheng Yu, Damon Berry, and Jesus Bisbal. Performance analysis and assessment of a tf-idf based archetype-snomed-ct binding algorithm. In 2011 24th International Symposium on Computer-Based Medical Systems (CBMS), pages 1–6. IEEE, 2011.
- 33. Feichen Shen, Sunghwan Sohn, Majid Rastegar-Mojarad, Sijia Liu, Joshua J Pankratz, Michael A Hatton, Nancy Sowada, Om K Shrestha, Shawna L Shurson, and Hongfang Liu. Populating physician biographical pages based on EMR data. AMIA Summits on Translational Science Proceedings, 2017:522, 2017.
- 34. Hans Peter Luhn. A statistical approach to mechanized encoding and searching of literary information. *IBM Journal of Research and Development*, 1(4):309–317, 1957.
- 35. Karen Sparck Jones. A statistical interpretation of term specificity and its application in retrieval. *Journal of Documentation*, 1972.
- Akiko Aizawa. An information-theoretic perspective of tf-idf measures. Information Processing & Management, 39(1):45-65, 2003.
- 37. Erik R Dubberke, Kimberly A Reske, L Clifford McDonald, and Victoria J Fraser. Icd-9 codes and surveillance for clostridium difficile—associated disease. *Emerging Infectious Diseases*, 12(10):1576, 2006.
- Kamran Kowsari, Kiana Jafari Meimandi, Mojtaba Heidarysafa, Sanjana Mendu, Laura Barnes, and Donald Brown. Text classification algorithms: A survey. *Information*, 10(4):150, 2019.
- 39. Edward Choi, Mohammad Taha Bahadori, Elizabeth Searles, Catherine Coffey, Michael Thompson, James Bost, Javier Tejedor-Sojo, and Jimeng Sun. Multi-layer representation learning for medical concepts. In *Proceedings of the 22nd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pages 1495–1504, 2016.

40. Jinghe Zhang, Kamran Kowsari, James H Harrison, Jennifer M Lobo, and Laura E Barnes. Patient2vec: A personalized interpretable deep representation of the longitudinal electronic health record. *IEEE Access*, 6:65333–65346, 2018.

- 41. Edward Choi, Mohammad Taha Bahadori, Le Song, Walter F Stewart, and Jimeng Sun. Gram: graph-based attention model for healthcare representation learning. In Proceedings of the 23rd ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, pages 787–795, 2017.
- 42. Tian Bai, Shanshan Zhang, Brian L Egleston, and Slobodan Vucetic. Interpretable representation learning for healthcare via capturing disease progression through time. In Proceedings of the 24th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining, pages 43–51, 2018.
- 43. Tengfei Ma, Cao Xiao, and Fei Wang. Health-atm: A deep architecture for multifaceted patient health record representation and risk prediction. In *Proceedings of the 2018 SIAM International Conference on Data Mining*, pages 261–269. SIAM, 2018.
- 44. Alvin Rajkomar, Eyal Oren, Kai Chen, Andrew M Dai, Nissan Hajaj, Michaela Hardt, Peter J Liu, Xiaobing Liu, Jake Marcus, Mimi Sun, et al. Scalable and accurate deep learning with electronic health records. NPJ Digital Medicine, 1(1):18, 2018.
- 45. Benjamin Shickel, Patrick James Tighe, Azra Bihorac, and Parisa Rashidi. Deep ehr: a survey of recent advances in deep learning techniques for electronic health record (ehr) analysis. *IEEE Journal of Biomedical and Health Informatics*, 22(5):1589–1604, 2017.
- 46. Jose Roberto Ayala Solares, Francesca Elisa Diletta Raimondi, Yajie Zhu, Fatemeh Rahimian, Dexter Canoy, Jenny Tran, Ana Catarina Pinho Gomes, Amir H Payberah, Mariagrazia Zottoli, Milad Nazarzadeh, et al. Deep learning for electronic health records: A comparative review of multiple deep neural architectures. *Journal of Biomedical Informatics*, 101:103337, 2020.
- 47. HCUP. Appendix a clinical classification software-diagnoses, 2014.
- 48. Haoyi Xiong, Wei Cheng, Wenqing Hu, Jiang Bian, and Zhishan Guo. Awda: An adaptive wishart discriminant analysis. In 2017 IEEE International Conference on Data Mining (ICDM), pages 525–534. IEEE, 2017.
- Lin Sun, Xiaoyu Zhang, Yuhua Qian, Jiucheng Xu, and Shiguang Zhang. Feature selection using neighborhood entropy-based uncertainty measures for gene expression data classification. *Information Sciences*, 502:18–41, 2019.
- Lin Sun, Xiaoyu Zhang, Yuhua Qian, Jiucheng Xu, Shiguang Zhang, and Yun Tian. Joint neighborhood entropy-based gene selection method with fisher score for tumor classification. Applied Intelligence, 49(4):1245–1259, 2019.
- 51. Lifei Chen and Shengrui Wang. Automated feature weighting in naive bayes for high-dimensional data classification. In *Proceedings of the 21st ACM International Conference on Information and Knowledge Management*, pages 1243–1252, 2012.
- 52. Huan Wan, Hui Wang, Gongde Guo, and Xin Wei. Separability-oriented subclass discriminant analysis. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 40(2):409–422, 2017.
- 53. Xiaohui Yang, Xiaoying Jiang, Chenxi Tian, Pei Wang, Funa Zhou, and Hamido Fujita. Inverse projection group sparse representation for tumor classification: A low rank variation dictionary approach. *Knowledge-Based Systems*, 196:105768, 21 May 2020 https://doi.org/10.1016/j.knosys.2020.10576805768.
- 54. Qiu Xiao. Jianhua Dai. Jiawei Luo, and Hamido Fuiita. Multiview manifold regularized learning-based method for prioritizing candi- $Knowledge ext{-}Based$ disease miRNAs. Systems,https://www.sciencedirect.com/science/article/pii/S0950705119301480.
- 55. Haoyi Xiong, Wei Cheng, Yanjie Fu, Wenqing Hu, Jiang Bian, and Zhishan Guo. De-biasing covariance-regularized discriminant analysis. In Proceedings of the Twenty-Seventh International Joint Conference on Artificial Intelligence, IJCAI-18, pages 2889–2897. International Joint Conferences on Artificial Intelligence Organization, 7 2018.
- Marco Marozzi. Multivariate multidistance tests for high-dimensional low sample size case-control studies. Statistics in Medicine, 34(9):1511–1526, 2015.
- Christopher Field. Small sample asymptotic expansions for multivariate m-estimates. The Annals of Statistics, pages 672–689, 1982.
- Gilles Blanchard, Motoaki Kawanabe, Masashi Sugiyama, Vladimir Spokoiny, and Klaus-Robert MÞller. In search of non-gaussian components of a high-dimensional distribution. Journal of Machine Learning Research, 7(Feb):247–282, 2006.

- Amin Zollanvari, Ulisses M Braga-Neto, and Edward R Dougherty. Analytic study of performance of error estimators for linear discriminant analysis. *IEEE Transactions on Signal Processing*, 59(9):4238–4255, 2011.
- 60. Onureena Banerjee, Laurent El Ghaoui, and Alexandre d'Aspremont. Model selection through sparse maximum likelihood estimation for multivariate gaussian or binary data. *Journal of Machine Learning Research*, 9(Mar):485–516, 2008.
- 61. Kenneth S Kendler, John M Hettema, Frank Butera, Charles O Gardner, and Carol A Prescott. Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety. Archives of General Psychiatry, 60(8):789–796, 2003.
- 62. Jieping Ye, Ravi Janardan, Cheong Hee Park, and Haesun Park. An optimization criterion for generalized discriminant analysis on undersampled problems. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 26(8):982–994, 2004.
- 63. Sandy H Huang, Paea LePendu, Srinivasan V Iyer, Ming Tai-Seale, David Carrell, and Nigam H Shah. Toward personalizing treatment for depression: predicting diagnosis and severity. *Journal of the American Medical Informatics Association*, 21(6):1069–1075, 2014.
- 64. Douglas G Altman and J Martin Bland. Diagnostic tests. 1: Sensitivity and specificity. British Medical Journal, 308(6943):1552, 1994.