




## Correction to: ErythroidCounter: an automatic pipeline for erythroid cell detection, identification and counting based on deep learning

You Zhou<sup>1</sup> · Ye Wang<sup>1</sup> · Junhui Wu<sup>1</sup> · Muhammad Hassan<sup>1</sup> · Wei Pang<sup>2</sup> · Lili Lv<sup>3</sup> · Liupu Wang<sup>1</sup>  · Honghua Cui<sup>3</sup>

Published online: 8 October 2022

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2022

**Correction to: Multimedia Tools and Applications (2022) 81:25541-25556**  
<https://doi.org/10.1007/s11042-022-12209-3>

The corresponding author "You Zhou" in the original publication of this article was incorrect. The corresponding author should be "Liupu Wang". The original article has been corrected.

**Publisher's note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

---

The online version of the original article can be found at <https://doi.org/10.1007/s11042-022-12209-3>

✉ Liupu Wang  
[wanglpu@jlu.edu.cn](mailto:wanglpu@jlu.edu.cn)

<sup>1</sup> Jilin University, 2699 Qianjin Street, Changchun, China

<sup>2</sup> Heriot-Watt University, Edinburgh, Scotland, UK

<sup>3</sup> The Second Hospital of Jilin University, Changchun, China