

A framework and a tool support to manage Cloud Computing services quality between Clients and Providers using e-SCM

¹F.J. Domínguez-Mayo, ¹J.A. García-García, ¹M.J. Escalona, ¹M. Mejías, ²M. Urbieta, ²G. Rossi

¹Department of Computer Languages and System, University of Seville
Seville, Spain

{fjdominguez, mjescalona, risoto}@us.es
julian.garcia@iwt2.org

²LIFIA, Facultad de Informática, UNLP,
La Plata, Argentina
{murbieta, gustavo}@lifia.info.unlp.edu.ar

Abstract

Cloud Computing has generated considerable interest in both companies specializing in Information and Communication Technology (ICT) and business in general. The Sourcing Capability Maturity Model for service (e-SCM) is a capability model for offshore outsourcing services between Clients and Providers that provide appropriate strategies to facilitate Cloud Computing implementation between **them**. This capability model intends to achieve the required quality of service and develop an effective working relationship between both Clients and Providers. In addition, QuEF (Quality Evaluation Framework) is a framework to **control** the quality of any product and/or process. The framework offers a tool support that can generate software artefacts to manage any type of product and service efficiently and effectively. **Thus**, the aim of this paper is to enable this framework and tool support for the quality management of Cloud Computing services between Clients and Providers by means of e-SCM.

Keywords: *QUALITY MANAGEMENT; SOFTWARE QUALITY; SQA; QUALITY CONCEPTS; OFFSHORE OUTSOURCING; CLOUD COMPUTING.*

1 Introduction

Cloud Computing is a paradigm that stores information permanently on Internet servers and sent it temporally to clients' caches (e.g. desktops, entertainment centres or laptops) (Monaco 2012). Cloud Computing is a new model of business services and technology, which allows the user to access a catalogue of standardized services and meet the needs of the business, a flexible and adaptive, if demands are not predictable or of peak workloads, paying only for consumption made.

This new paradigm allows the number of network-based services to increase. This fact benefits suppliers that can offer, quickly and efficiently, a **larger** number of services to users who are able to access them, enjoying the 'transparency' and immediacy of the system and a pay per use.

In fact, offshore outsourcing and Cloud Computing are the perfect combination between tradition and innovation. Besides, most ICT providers have included offerings within their Clouds, as an alternative in the set of solutions, adapting traditional concepts to the capabilities offered by the Cloud.

Cloud Computing (Wei 2010), possibly the most significant new technique in the 21st century, is now having great impact on society, especially on the business world. It provides services that release clients from worrying about data processing problems so that they can focus on their major businesses. It is a concept that incorporates software as a service, such as Web 2.0 and other recent concepts, also known as technological trends, which have in common that they rely on the Internet to meet the user's computing needs. It (Ma 2012) can provide critical services for business management, reducing ICT costs and maintenance costs of hardware

and software effectively. In the meanwhile, it can enable enterprises to **access professional** ICT solutions with less ICT investment. Cloud Computing is of great significance to the ICT industry of each country. Cloud computing could **provide organizations with substantial benefits**, including increased agility, **despite it would also imply considerable risks**. Cloud Computing technology is a major trend with implications in ICT organizations. A growing number of Providers are starting to supply Cloud Computing with offerings, and analysts predict that some enterprises will purchase a significant percentage of their applications and infrastructure as Cloud Computing services within a few years.

The new developments in the field of information technology offer people enjoyment, comfort and convenience (Wei 2010). Cloud Computing is one of the latest developments within the ICT industry, also known as on-demand computing. It provides **a** full scalability, reliability, high performance and relatively low-cost feasible solution as compared to dedicated infrastructures. It is a service-shaped application delivered on the Internet and system hardware at data centres offering these services. This technology has the capacity to admit a common collection of resources on request. It is proving extremely striking to cash-strapped IT departments that are requested to deliver better services under pressure.

According to ITSqc (ITSqc Official site 2012) (a spin-off from Carnegie Mellon University), organizations are increasingly delegating IT-intensive business activities as Cloud Computing services to service providers, taking advantage of new capabilities in the global telecommunications infrastructure. Service providers range from in-house units to shared-service centres to capture offshore units to external service providers. Business processes being delegated range from in-sourced shared services to outsourced routine and non-critical tasks, as well as outsourced strategic processes that have direct impact on revenues. Managing and meeting clients' expectations and giving effective governance of these relationships are major challenges in these business relationships. ESourcing Capability Models (e-SCM) are "best practices" capability models supported by a set of qualification methods to improve sourcing relationships on the Internet-enabled economy. The eSourcing Capability Model for Service Providers (e-SCM-SP) and the eSourcing Capability Model for Client Organizations (e-SCM-CL) are complementary models addressing both sides of these relationships.

The main goal of this research is to lay the **basis** for a framework and a tool support regarding Cloud Computing quality management between Clients and Providers using the e-SCM capability model. The paper is organized into the following sections. Section 2 **introduces** a global analysis of the situation. Section 3 **describes** e-SCM capability models for Clients and Providers. Section 4 analyzes the framework that will let us manage Cloud Computing and offshore outsourcing quality. In Section 5, both the factory and the tool support that is generated in terms of e-SCM models are presented. Finally, Section 6 states a set of conclusions, contributions and possible future work.

2 Related Works

We have carried out a Systematic Literature Review (SLR) to find related works. This SLR, has helped us study the most important related works before tackling the indicated problem in this paper. Moreover, there are many reasons for undertaking a SLR. The most common ones for this study deal with identifying gaps in the quality management of offshore outsourcing and Cloud Computing to suggest areas for further investigation and offer a background to appropriately position new research activities related to them. Specifically, we aim to determine the most studied offshore outsourcing and Cloud Computing studies to assess whether a framework and a tool support exist for the quality management of offshore outsourcing and Cloud Computing reducing costs, effort and time.

In addition, with this SLR, we have to capture information and observe trends and technology on the increase from the outside **in order** to select, analyze, disseminate and communicate them. The aim is to turn them into knowledge to make less risky decisions and be able to anticipate changes. Managing offshore outsourcing and Cloud Computing quality has some benefits such as: setting direction and meeting customers' expectations, improving process control, reducing wastage, lowering cost, increasing market share, facilitating training, involving staff and raising morale, **among others**.

The review method is based on the research protocol of Kitchenham's work (Kitchenham and Charters 2007). This section defines the search strategy as well as sources, the studies selection and the selection **execution**.

2.1 Sources Selection

This section **compiles** the sources to execute searches for primary studies. First of all, we carried out

preliminary searches with the intention of both identifying existing systematic reviews and assessing the volume of potentially relevant studies, so that in this case, we found the following relevant initiatives: Brinkkemper and Jansen 2012; Samimi and Patel 2011; Timmermans et al. 2010; Yang and Tate 2009; Hughes 2011; Buyya 2009; Alvi et al. 2011; Hu et al. 2011; Roberts II and Al-Hamdani 2011; Dudin et Smetanin 2011; Song and Su 2011; Marta et al. 2011; Haider and Wahab 2011; Lian-xiang 2011; Nazareno et al. 2010; and Rebollo et al. 2012.

After that, a Web search was performed to find out other relevant new concepts associated with our domain. Several sets of keywords were used by combining the main concepts/terms of our study. Some examples are:

- “offshore outsourcing” AND “cloud computing”
- “offshore outsourcing” AND “quality”
- “offshore outsourcing” AND “evaluation”
- “cloud computing” AND “quality”
- “cloud computing” AND “evaluation”

The last step consisted in looking for references of papers in previous reviews in order to identify more **concepts**.

2.2 Studies Selection

The selection criteria to evaluate study sources were: the availability for consulting articles on the Internet or on the digital library of the University of Seville, which has e-books and also access to other resources such as Google Scholar, Scopus, Mendeley, Science Direct, ISI Web of Knowledge, ACM Digital Library, CiteSeerX or the IEEE digital library, among others.

- Search Type 1: As there are many work published, our search started gathering those papers that only included concepts in the Title, excluding those issued prior to 2006. Then, we analysed results and studies dealing with the quality management of offshore outsourcing and Cloud Computing. If the paper topic was not related to these topics, then it was excluded of the study. The process to consider a paper was as follows: first, we reflected on Title, Abstract, Keywords and Content and finally on Conclusions. Most papers were included in this type of search, since the concept word in the Title reveals that the paper focuses on that concept.
- Search Type 2: Later, we searched through the concepts included in the Abstract, Keyword and Title, excluding again those papers issued prior to 2006. Nevertheless, the large number of papers found by search engines constituted a relevant figure of interest. Due to such unexpected figure, it was not practicable to **read all papers in depth**.
- Search Type 3: Finally, we searched through the concepts in All fields. In the same way as in Search Type 2, we were only interested in finding whether a framework or tool support for the quality management of offshore outsourcing and Cloud Computing exist or not.

2.3 Selection Execution

In this section, we present the studies found after executing our Systematic Literature Review. As far as maturity models are concerned, TickITplus (TickITplus 2012) defines five levels of maturity of an organization, in accordance with the requirements stated in ISO/IEC 15504-2. These levels are, in ascending order, Foundation, Bronze, Silver, Gold and Platinum. Levels from Bronze to Platinum are progressed by determining whether an organization has complied with certain process attributes by means of capability assessments. Compliance at the Foundation level is determined by making sure that an organization has identified processes correctly and is operating them. It is recognized that existing TickIT organizations **aim to move forward** the graded levels at their own pace and as improvements allow. Consequently, the Foundation level **enables** organizations to progress to TickITplus with minimal effort and then to start with their process maturity journey.

The scheme **is** designed to permit combinations of IT-related requirements and reference standards to be

mapped into the BPL, which will initially include ISO 9001. As the scheme develops, further requirements and reference standards could be added on demand, such as:

- ISO/IEC 20000-1, Information technology - Service management - Part 1: Service management system requirements
- ISO/IEC 27001, Information technology – Security techniques – Information security management systems – Requirements
- ISO/IEC 25030, Software engineering - Software product Quality Requirements and Evaluation (SQuaRE) - Quality requirements
- IEC 61508, Functional safety of electrical/electronic/programmable electronic safety-related systems.
- ISO 22301:2012, Societal security -- Business continuity management systems --- Requirements

In these lines, Capability Maturity Model Integration (CMMI) (CMMI Official site 2012) is a process improvement approach whose goal is to help organizations better their performance. CMMI can be used to guide process improvement across a project, a division or an entire organization. CMMI Version 1.3 is currently supported. CMMI helps integrate traditionally separate organizational functions, set process improvement goals and priorities, provide guidance for quality processes and offer a point of reference for appraising current processes.

ITSqc (ITSqc Official site 2012) has released a technical report series that compares in detail e-SCM-SP with other standards, good practices and frameworks, including Software CMM, People CMM, CMMI, ISO 9001, BS 15000 and ITIL (ITIL Official site 2012), COBIT and COPC. These comparisons show clearly the value-added differences of e-SCM-SP and the complementary relationships it keeps with other quality models. Due to the experiences from more than 40 appraisals on multiple continents, it shows that organizations that already are implementing one or more of these frameworks, using an internal improvement capability, are well positioned to successfully implement e-SCM-SP.

ISO is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is carried out through ISO technical committees in liaison with international organizations, governmental and non-governmental bodies. ISO's most recent family of standards for quality management systems are currently in their final draft (FDIS) form and comprises:

- ISO/FDIS 9000:2000 - Quality management systems – Fundamentals and vocabulary
- ISO/FDIS 9001:2000 - Quality management systems – Requirements
- ISO/FDIS 9004:2000 – Guidelines for performance improvement

They are built around business processes with a strong emphasis on improvement and a focus on meeting customers' needs. The new standards originated from a regular six-year review and are intended to be generic and adaptable to all kinds of organizations. ISO 9002 and ISO 9003 are to be discontinued (but can still be used by those organizations authorized against them during the three-year transition period), and ISO 9001 and ISO 9004 are designed to apply together, although they can be used independently. ISO Series can form the means by which a holistic management system can be implemented, into which quality, health and safety and environmental responsibility can be integrated, with the audits carried out either separately or as a whole. Now ISO Standard is also more closely aligned with the requirements of the EFQM Excellence Model.

In contrast, as far as offshore outsourcing is concerned in Brinkkemper and Jansen (Brinkkemper and Jansen 2012) authors provide ICT practitioners with more insight into offshore outsourcing. This book assists in several parts of the outsourcing process: firstly, in finding and establishing offshore outsourcing relationships; secondly, in maintaining and managing the relationships; and, finally, in governing the outsourcing projects successfully.

As far as works about Cloud Computing are concerned, Samimi et al provide in (Samimi and Patel 2011) a comparative review grid on Cloud Computing economic and pricing models from which appropriate tariffs and charging models can be chosen to meet particular business objectives. The actual choice depends on many other factors like enterprise regulations, tax laws, service-level agreements and return on investments, which are relevant, but outside the scope of this paper. The authors give the basic core principles and a comparative review of the latest and most appropriate economic and pricing models applicable to grid and Cloud Computing in order to propose better models for the future.

In (Buyya 2009), **the authors conclude that** there is a limited support for market-oriented resource management and a need to be extended to support: negotiation of QoS between Clients and Providers to establish SLAs;

mechanisms and algorithms for allocation of VM resources to meet SLAs; and manage risks associated with the violation of SLAs. Furthermore, interaction protocols need to be extended **in order to** assist interoperability between different Cloud Service Providers.

In (Timmermans et al. 2010), Timmermans et al identify ethical issues of Cloud Computing that arise from the fundamental nature of the technology rather than any specific circumstances. Authors describe how these general features were identified, how ethical issues arising from them were collected and conclude by discussing means of addressing them. Another author, Zhao, in (Zhao 2010) illustrates with several examples Cloud Computing as possibly the most significant new technique in the 21st century that is now bringing enormous impact on society, especially on the business world. It provides services that release clients from worrying about data processing problems so that they can focus on their major businesses. The author shows how Cloud Computing will make the business world simpler, more efficient and **specialized**.

In addition, (Yang and Tate 2009) present a descriptive literature review and a classification scheme for Cloud Computing research. The former consists of 58 articles published since the recent inception of Cloud Computing. Authors classify articles and present results in a scheme structured into four main categories: technological issues, business issues, applications and general. The results **confirm** that although current Cloud Computing research is still skewed towards technological issues, such as performance, network and data management, new research theme regarding the social and organizational implications of Cloud Computing is emerging.

Finally, Hughes et al (Hughes 2011b) synopsise previous investigatory research regarding these emerging problems. They then continue describing and reviewing the structure and operation of the Cloud Computing Management System which applies an object-mapping declarative language **that, in turn**, utilizes an object-oriented system to support operations.

We hope this review will provide a snapshot and **a** reference source of the current state of Cloud Computing research and stimulate further research interest.

3 Cloud Computing and e-SCM

The result of the Systematic Literature Review **shows** no found work about frameworks and tool support **that ensures** the management and quality continuous improvement in Cloud Computing among Clients and Providers.

There is no doubt that Cloud Computing is a key factor that will accelerate the processing of application maps and models of ICT infrastructure management, which had been performed until now by organizations. Adopting the concept of Cloud provides significant benefits such as, total scalability of the business, reduction of investment and operational costs of ICT, use of flexible capacity in those times when the business is demanded, possibility of introducing new economic models of payment per use, improvement of connectivity business with customers at anytime or anywhere, and more speed when launching new products and services demanded by the business, among others.

The advent of Cloud Computing has caused a stir both in specialist ICT companies and in companies in general. All are willing to gamble on the opportunities and benefits generated by the Cloud, although there is still some confusion, especially when it comes to define it and know what exactly the differences between services that have already been offering for years are. Offshore outsourcing is precisely one of the segments where there is more confusion, especially among organizations that aim to outsource part of their business. On the one hand, offshore outsourcing allows a third party to provide services more efficiently based on specialization and economies of scale. On the other hand, Cloud Computing to outsource infrastructure and management software, added as benefits to customers to pay only for the resources they need, without investment or over sizing of platform, what is needed can be provisioned with flexibility and immediacy without long purchasing processes and levels of safety and quality of service guaranteed.

Most ICT organizations have decided to include Cloud Computing within their offerings, especially as an alternative in the set of solutions, by adapting traditional concepts to the capabilities offered by new technologies and the Cloud model **in order to** meet any organization's needs.

Cloud Computing is an option that complements the existing range of different models of implementation and consumption of services. Within the range of offshore outsourcing organizations have offered in the market for years, joined to this new concept of service, the pay per use model provides organizations with the possibility to ensure the transfer of certain services/ applications or environments to a platform outside their facilities and organization.

Cloud Computing can encompass a variety of infrastructures and services within information technology. Three main categories of external service that fall within our broad Cloud Computing definition **are** identified in Vats et al. (Vats et al. 2012) as Software as a Service (SaaS), Platform as a Service (PaaS) and Infrastructure as a Service (IaaS)

Client companies need assurance that the outsourcing company can provide services of the required quality when selecting a partner for offshore outsourcing, and an effective working relationship can be developed with the outsourcing company. Clients need to be assured that outsourcers provide an agreed-level quality of work. Initially, this not always happened with offshoring.

Various quality models and standards **are** introduced to overcome this problem. These **include** e-SCM, which **recognize** that both the Service Provider and the Client **need** to work together to ensure success. Carnegie Mellon University led a consortium in 2001 to develop the e-Sourcing Capability Maturity Model for Service Providers (e-SCM SP), covering a wider range of functions than CMMI.

According to ITSqc (we have presented this study in Section 2), there are two basic uses of e-SCM's, implementation and appraisal. A formal method to determine which parts of the model an organization implements (and do not implement) is the appraisal usage. E-SCM appraisal method is called e-SCM Capability Determination Method. **This** method is the same for both models. It copes with completing questionnaires, reviewing documentation, conducting interviews with site personnel and compiling and reporting results. ITSqc **trains and authorizes** teams of Authorized Evaluators conduct Capability Determinations.

E-SCM's can also be used as a guide to sourcing-related process implementation. E-SCM's are partial requirements specifications for a process. They are not directly implementable processes. The general approach followed when using e-SCM models for improvement purposes first deals with determining the gaps between the organization's current processes and the applicable model practices, then building a plan for process implementation and later managing the implementation steps described in the plan to completion. Finally, the process is repeated (gap analysis, plan and implementation).

The e-Sourcing Capability Model for Service Providers (e-SCM-SP) (ITSqc Official site 2012) helps sourcing organizations manage and reduce their risks and improve their capabilities across the entire sourcing **lifecycle**. The model practices can be **conceived** as the best practices associated with successful sourcing relationships. It addresses the critical issues related to IT-enabled sourcing (eSourcing) for both outsourced and in-sourced (shared services) agreements.

Service Providers use the e-SCM-SP and its accompanying Capability Determination methods to evaluate their eSourcing capabilities and become e-SCM-SP certified. This status **poses** an advantage over their competitors. The main objectives of e-SCM SP (Service Providers) are:

- Improving Service Provider's capability across the sourcing lifecycle by providing guidance to them.
- Giving clients service providers' capability by evaluating them.
- Delivering service providers a standard to differentiate themselves from competitors.
- Offering a process framework for the formation and management of enduring outsourcing relationships between Service Providers and Clients. It is specifically developed to meet challenges in IT and process management outsourcing.

Next, we present a summary of e-SCM SP levels:

- **Level 1:**
 - The organization **lacks proper management practices** with improper procedures and unformulated systems.
 - The organization has **no particular performance measurement** activities or procedures.
 - Projects meet frequent **crises** and also exceed their **budgets and time** schedules, due to this situation.
- **Level 2:**
 - Capturing and understanding the **client's requirements** and then designing and deploying the service to meet these requirements.
 - Delivering the necessary services at agreed service levels and **managing all the risk**.
 - Providing **proper training** or acquiring personnel for required skills and also maintaining the **up-to-date** technology and the required infrastructure for this contract.
 - Keeping a **proper service in order to** collect and disseminate the information to control and **track service delivery**.
- **Level 3:**

- **More maturity** with respect to market sector targets, cultural attributes and capability to keep activities under control and measure.
- Activities obtained from previous experience, **sharing the knowledge** gained from their **previous** phases engagements and documentation.
- Capability to monitor and control infrastructure and be able to reward personnel performance.
- **Forecasted and prevented the risk** involved during the relationship and the project development.
- **Level 4:**
 - **Customizing their services** with respect to different **sectors** of **client's projects**.
 - **Predicting their performance** regarding their previous **successful** case studies and proactively improve performance.
 - **Encouraging innovation** and **benchmarking** the organizational performance.
 - Incorporating the appropriate **technology advances** by performing systematic evaluation.
- **Level 5:**
 - The supplier has attained **complete maturity**.
 - The supplier will be rewarded for **sustaining** enhancement over a period of time.
 - The supplier requires **level 4 performances** during certification evaluations.

In e-SCM SP model, practices are defined for each organizational element, which in turn contains Overall Practices and Phase Specific Practices (Pre Contract, Contract Execution and Post Contract). The main elements that are involved in IT service and IT solution organizations are: Organizational Management, People Management, Business Operations, Technology and Knowledge Management.

In addition, the e-Sourcing Capability Model for Client Organizations (e-SCM-CL) addresses a full range of client-organization tasks, ranging from developing the organization's sourcing strategy, planning for sourcing and Service Provider selection, initiating an agreement with Service Providers or managing service delivery to completing the agreement. The main objectives of e-SCM CL are:

- Providing guidance to the client organization that will improve its capability across the sourcing areas.
- Offering client organizations an objective means of evaluating their sourcing capability.
- Helping client organizations efficiently manage their Service Providers and reduce their deficiencies in performance.

Next, we present a summary of the e-SCM CL levels:

- **Level 1 Performance Sourcing:**
 - The client organization has not fully implemented the best practices stated in level 2.
 - There is a high **chance that the outsourcing relationship will fail**.
- **Level 2 Consistently managing sourcing:**
 - The client organization has fully implemented the capability level 2 practices.
 - They **can** manage the sourcing activities and **get executive** support.
- **Level 3 Managing organizational sourcing performance:**
 - Client organizations **can manage** their sourcing activities according to their strategy.
 - They have to implement all level 2 practices along with level 3 practices to achieve this level.
- **Level 4 Proactively enhancing value:**
 - The client concentrates on **enhancing their performance** across the sourcing relationship and also **uses innovations** to achieve objectives.
 - Apart from capability level 2 and 3 practices, more practices have to be implemented for this level.
- **Level 5 Sustaining Excellence:**
 - Clients demonstrate measurable, **sustained and consistent** performance by effectively implementing all practices of level 2, 3 and 4.
 - In this level, no additional practices are required.

4 Managing Cloud Computing Quality between Clients and Providers

Clients and Providers have to align their capabilities, in order to ensure a high-level Cloud Computing services quality. As shown in Figure 1, to reach this common capability between both of them, we have firstly to analyze their capabilities separately by means of checklists containing all properties established in a Quality Model. Our checklists identify what phase and capability implement Clients and Providers. As a consequence of this analysis process, we can evaluate these results. This process concludes how both Clients and Providers are aligned.




Fig. 1. A proposed framework for the quality management of Cloud Computing services between Clients and Providers

We must define two quality models to achieve our goal: one for Clients and other for Providers. In Section 4.1, we define quality model metamodels to describe these models. Section 4.2 shows the application of this metamodel to e-SCM CL and e-SCM SP and finally, in Section 4.3, we propose the framework to manage Cloud Computing services quality using both quality models.

4.1 The Quality Model

The Quality Model (Domínguez-Mayo et al. 2012a) represents the core and the quality management revolves around it. We propose a Quality Model metamodel consisting in a simplification and adaptation of ISO/IEC 15939 (ISO/IEC 15939:2007 2012) so that the model instantiation can be more flexible and practical. The main objective concludes that quality management becomes strategically active. Therefore, all the strategic assets have to be identified and it is necessary to carry out capture, definition and validation of the Quality Model that will be used for quality management. The Quality Model contains: **Features** and **Sub-Features** (both are categories of an entity's properties). A **Feature** is a higher-level category of the domain description of an entity, while a **Sub-Feature** is a lower-level category. A **Property** points out the degree to which a Sub-Feature is measured. In simple terms, a Property is used for measuring Sub-Features.

Below, different levels for Properties and Quality Characteristics are explained.

- **Feature** (FT-<Level 1>): It is a general concept of an entity, a set of properties, but a higher-level concept of an entity's characterization that describes it broadly. A Feature has a set of Sub-Features.
- **Sub-Feature** (FT-<Level 0>): It is a specific concept of an entity. It is a set of Properties, but a lower-level concept of an entity's characterization. It is used to categorize the Properties of the entity in two levels (Feature and Sub-Feature).
- **Property**: It **indicates** the degree to which a Sub-Feature is measured. **Particularly**, a Property is used for describing and analyzing **the** Sub-Features of an entity. In terms of Properties, our aim is to look for a series of qualitative and quantitative Properties based on their nature, although it might be interesting to have standard properties on Cloud Computing that are, somehow, centralized. In the literature, numerous references to metrics can be found, but standardization has yet to **be** carried out.




Fig. 2. Quality Metamodel

As explained before, Quality **Characteristics** (hierarchical by **Quality Characteristics (or QC-<Level 1>)** and **Quality Sub-Characteristics (or QC-<Level 0>)**) are the quality aspects together with these Properties that have to be assured on an entity.

Subsequently, as shown in Figure 1, the author would define the relations between these Properties and Quality Characteristics to identify how each Sub-Feature in each Quality Sub-Characteristic is influenced. These association links would represent dependencies between Properties and Quality Characteristics. They would show Quality Characteristics that are affected by Sub-Features or areas of the entity that **would** be significantly affected **if it changed**.

Association links may be based on proven and real-world experience. The impact of each Sub-Feature on Quality Sub-Characteristics must be demonstrated and requirements must be determined by a real-case study applied to a number of real projects. This should be supplemented by references to published literature. A weight is used to define the importance of a Property in a Sub-Feature value.

- **Properties** are the descriptive environment in which the quality management is going to be performed.
- **Quality Characteristics** are those quality aspects designers must ensure in the set of Properties that are offered to users.

On the contrary, Quality Characteristics and Quality Sub-Characteristics are quality aspects influenced by an environment description or Properties. In other words, Quality Characteristic is a higher-level quality aspect. Higher-level attributes are called Quality Characteristics and lower-level attributes are called Quality Sub-Characteristics, in **a hierarchy of Quality Characteristics**.

Table 1. MoI (Matrix of Influences) to indicate association links between Sub-Features and Quality Sub-Characteristics

		Q_1		Q_2		...		Q_k			
		$q_{1,1}$...	q_{1,j_1}	$q_{2,1}$...	q_{2,j_2}	...	$q_{k,1}$...	q_{k,j_k}
F_1	$f_{1,1}$	√		√	×		√		√		√
	...										
F_2	f_{1,j_1}	×		√	√		√		√		√
	$f_{2,1}$	×		√	√		×		×		×
...	...										
	f_{2,j_2}	×		√	√		×		×		×
F_i	$f_{i,1}$	×		√	√		√		√		√
	...										
	f_{i,j_i}	√		×	√		√		√		√

A MoI (Matrix of Influences) relates Properties and Quality Characteristics, as Table 1 shows. Properties and Quality Characteristics are organized in rows and columns; Properties (hierarchical in Features and Sub-Features) are listed in rows and Quality Characteristics (hierarchical in Quality Characteristics and Sub-Characteristics) are represented in columns. In the MoI, the Sub-Features value is calculated by means of the Checklists containing Properties (hierarchical in Features and Sub-Features) that are used to obtain the methodology value.

A qualitative value can determine the degree of influence on each relation modelled by a cell. In this case, the degree of influence is an association link between Sub-Features and Sub-Characteristics, regardless of the degree of importance. Thus, the MoI represents the degree of influence of each Sub-Feature on each Quality Sub-Characteristic. This is a qualitative value that has to be transformed into a quantitative value. For example, two value scales of the influence degree can only be defined as: Influence (√) or Not Influence (×).

4.2 A Quality Model for applying e-SCM

We have changed the matrix elements representation and have adapted the elements and relationship of our quality metamodel, in order to prepare our Quality Metamodel (presented in Section 4.1) for the implementation of e-SCM to manage offshore outsourcing quality between Clients and Providers. Now, Quality Characteristics represent the Number of Capability Level in e-SCM, Sub-Quality Characteristics represent the Name of Capability Level in e-SCM, the Feature represents the Life-Cycle Phase - Capability Area in e-SCM, the Sub-Feature represents the Procedure in e-SCM and the Property represents the Activity of e-SCM procedures. Now, Quality Characteristics relationship is 1..1 because each capability level has a unique name. Finally, Figure 3 confirms the adaptation of our quality metamodel to e-SCM.




Fig. 3. Quality Metamodel for e-SCM

The construction of a Matrix of Influences (MoI) is direct, **after defining the quality metamodel for e-SCM**. Table 2 **illustrates** the relationship between Capability Levels (columns) and Procedures or Models of each Life-Cycle Phase - Capability Area in e-SCM (rows). Relationships within MoI are represented by two symbols: \surd (Influence) and \times (Not Influence).

Table 2. Adapted MoI (Matrix of Influences) to implement e-SCM models

		Capability Level 1	Capability Level 2	Capability Level 3	Capability Level 4	Capability Level 5
		Description	Description	Description	Description	Description
Life-cycle Phase - Capability Area	Model	\surd	\times	\times	\times	\times
	...					
Life-cycle Phase - Capability Area	Model	\surd	\surd	\times	\times	\times
	...					
Life-cycle Phase - Capability Area	Model	\surd	\surd	\surd	\times	\times
	...					
Life-cycle Phase - Capability Area	Model	\surd	\surd	\surd	\surd	\times
	...					
Life-cycle Phase - Capability Area	Model	\surd	\surd	\surd	\surd	\surd
	...					

Once the quality metamodel for e-SCM **is defined**, we **can already design** two models for e-SCM; the first one deals with the implementation of e-SCM-CL and the second one with the implementation of e-SCM-SP. However, we will only show the Matrix of Influences (MoI) for the Initiation Phase and Capability Levels of the e-SCM-CL model, not to extend this paper too much.

Then, Table 4 offers the MoI for the Initiation Phase and Capability Levels of the e-SCM-CL model and Table 3 shows the Properties for SPE03 procedures (Select Candidate Service Providers of the e-SCM-CL model).

The e-SCM-SP **is** designed to complement existing quality models so that Service Providers can capitalize on their previous improvement efforts. A series of documents comparing e-SCM-SP with other models and standards **are** developed. Each of the Models is distributed along three dimensions: Sourcing Life Cycle, Capability Area **and** Capability Level.

Most quality models just focus on **designing and delivering capabilities**, but e-SCM-SP's Sourcing Life Cycle not only includes delivery, but also initiation and completion of the contract. The two phases are often the most critical ones to successful sourcing relationships. The Sourcing Life Cycle also includes Overall Practices.

Capability Areas provide logical groupings of Practices to help users better remember and intellectually manage the content of the Model. Service Providers can then build or demonstrate skills in a particular critical-sourcing function. The ten Capability Areas are: Knowledge Management, People Management, Performance Management, Relationship Management, Technology Management, Threat Management, Service Transfer, Contracting, Service Design and Deployment, and Service Delivery.

The five e-SCM-SP's Capability Levels point out the level of an organization's capability. Level 1 specifies that the organization is providing a service. A Level 2 organization has procedures in place **to allow consistently meeting** its clients' requirements. At Level 3, an organization can manage its performance consistently across engagements. Level 4 requires an organization to be able to add value to its services through innovation. Service Providers at Level 5 have proven that they can sustain excellence over a period of at least two years.

Table 3. Properties for SPE03 - Select Candidate Service Providers of the e-SCM-CL model

PT-<SPE03> - Select Candidate Service Providers	PB-< SPE031>	Give support for creating and maintaining work products and tasks for selecting Candidate Service Providers according to the documented selection procedures.	
	PD-<SPE032>	Document and implement work products and tasks required for selecting Candidate Service Providers according to the documented selection procedures. Documentation and implementation include the following Activities	
	PB-<SPE0321>	1. Create detailed schedules for selecting Candidate Service Providers.	
	PB-<SPE0322>	2. Review Service Provider's responses and evaluation results	
	PD->SPE0323>	3. Conduct discussions with the identified Service Provider.	
	PB-< SPE03231>	a)	Communicate the organization's expectations on Service Providers, based on the identified requirements.
	PB-< SPE03232>	b)	Understand Service Providers' expectations on the client organization, in order to meet their commitments.
	PB-< SPE03233>	c)	Clarify rights, responsibilities and ownership of current and future intellectual property.
	PB-< SPE03234>	d)	Understand Candidate Service Providers' ability and willingness to satisfy identified commitments.
	PB-< SPE0324>	4. Select Candidate Service Providers, based on the selection criteria and their ability to meet identified requirements.	
	PB-< SPE0325>	5. Obtain approval on commitments between the client organization and the selected Candidate Service Providers.	
	PB-< SPE03251>	a)	Document the organization's expectations on the selected Candidate Service Providers, based on the identified requirements.
	PB-< SPE03252>	b)	Document selected Candidate Service Providers' expectations on organization, in order to meet their commitments.
	PB-< SPE03253>	c)	Analyze rights, responsibilities and ownership of current and future intellectual properties.
	PB-< SPE03254>	d)	Reevaluate the selection to ensure objectivity and consistency, after receiving inputs from the members of the selection team.
PB-< SPE03255>	e)	Make the final Service Provider selection decision.	
PB-< SPE03256>	f)	Obtain approval regarding the selected Candidate Service Providers from relevant stakeholders.	
PB-< SPE03257>	g)	Maintain records of the final Service Provider selection.	
PB-< SPE033>	Support the implementation of selecting Candidate Service Providers. spe03		

Table 4. Matrix of Influences (MoI) for the Initiation Phase and Capability Levels of the e-SCM-CL model

		Capability Level 1	Capability Level 2	Capability Level 3	Capability Level 4	Capability Level 5
		Performing Sourcing	Consistently Managing Sourcing	Managing Organizational Sourcing Performance	Proactively Enhancing Value	Sustaining Excellence
Initiation SPE - Service Provider	SPE01 - Communicate Requirements	√	√	×	×	×
	SPE02 - Evaluate Potential Service Providers	√	√	×	×	×
	SPE03 - Select Candidate Service Providers	√	√	×	×	×
Initiation TFR - Service Transfer	TFR01 - Service Transition	√	√	×	×	×
	TFR02 - Verify Design	√	√	√	×	×
	TFR03 - Resources Transferred Out	√	√	×	×	×
	TFR04 – Personnel Transferred Out	√	√	×	×	×
	TFR05 - Knowledge Transferred Out	√	√	×	×	×
Initiation AGR - Sourcing Agreements	AGR01 - Negotiations Guidelines	√	√	√	×	×
	AGR02 - Confirm Existing Conditions	√	√	×	×	×
	AGR03 - Negotiations	√	√	×	×	×
	AGR04 - Agreement Roles	√	√	×	×	×
	AGR05 - Define SLAs and Measures	√	√	×	×	×
	AGR06 - Create Agreements	√	√	×	×	×
	AGR07 - Amend Agreements	√	√	×	×	×
Initiation PLN - Sourcing Planning	PLN01 - Establish Sourcing Project	√	√	×	×	×
	PLN02 - Service Definition	√	√	×	×	×
	PLN03 - Service Provider Selection Procedures	√	√	×	×	×
	PLN04 - Evaluation Criteria	√	√	×	×	×
	PLN05 - Prepare Service Requirements	√	√	×	×	×

4.3 A proposed framework to manage quality

In this section, we propose a framework to manage Cloud Computing services quality that uses both quality models. We know that ISO 9000 contains eight quality management principles, on which to base an efficient, effective and adaptable quality management system. They are applicable throughout industry, commerce and service sectors:

- **Customer focus:** An effective QMS must **guarantee** that the organization has a strong Customer Focus.

Customer needs and expectations must be determined and transformed into product requirements.

- **Leadership:** Top management have to demonstrate Leadership, by providing unity of purpose through an appropriate quality policy, ensuring that measurable objectives are established and demonstrating that they are fully committed to developing, sustaining and improving the QMS.
- **Involving people:** Managers must **make sure** that people is involved in the organization **at all levels**. This includes ensuring that they are aware of the importance of meeting customers' requirements and the **responsibilities it involves**, and people are competent on the basis of appropriate training and experience.
- **Process approach:** An effective QMS must be a strategic tool designed to deliver business objectives, and must have, at its core, a Process Approach, with each process transforming one or more inputs to create an output of value to the customer. The key business processes may be supported by procedures and work instructions in those cases where it is deemed necessary to rigidly define what rules are to be followed when undertaking a task. Most organizations will have core business processes that highlight those activities that directly add value to the product or service for the external customer, and support processes that are required to maintain the effectiveness of the core processes.
- **Systems approach:** The understanding of these interrelationships among these processes demands that a Systems Approach to management is adopted. Processes must be thoroughly understood and managed **so that available resources can be used in the most efficient way** to ensure that the needs of all the stakeholders, customers, employees, shareholders and the community are met to **get excellent Quality**.
- **Continual improvement:** Customer satisfaction is a constantly moving entity depending on changes in technology and the market place, so an effective QMS must be in a state of Continual Improvement. For this purpose, attention must be paid to both the voice of the customer, through complaint analysis, opinion surveys and regular contacts, and the voice of processes, through measurement, monitoring and analysis of both process and product data.
- **Factual decision-making:** The continual improvement will result in Factual Decision-Making.
- **Mutually beneficial supplier relationships:** Each organization is itself only a link in the chain of a larger raw material process, and long-term needs of the community and the organization needs to be Mutually Beneficial Supplier Relationships.

The framework we propose must ensure that two important requirements are met:

- **Customers' requirements:** Confidence in the ability of the organization to deliver the desired product and service consistently meeting their needs and expectations.
- **The organization's requirements:** Both internally and externally, and at an optimum cost with efficient use of the available resources; material, human, technology and information.

QuEF (**Quality Evaluation Framework**) [Domínguez-Mayo et al. 2012b] is a framework that was initially developed for the quality management of Model-Driven Web Development methodologies, but has been extended (It is based on ITILv3 but it is focused on a quality model instead of a service) to cover the quality management of other areas or domains like e-Health Systems or Cloud Computing. QuEF **has been** improved with several phases (Figure 4): Strategy phase, Design phase, Transition phase, Operation phase and Quality Continual Improvement phase. Such phases have been defined together with processes and artefacts to cover a complete Quality Model **life cycle**. The purpose of QuEF is to converge towards a continuous automatic quality improvement by means of generating Checklists and documentation as well as automatic evaluations and plans in order to control and improve quality and, in turn, automatically reduce effort and time.

- **Quality Model Strategy:** This phase is capital to the concept of Quality Model life cycle and its main objective is that the quality management became a strategic active.
- **Quality Model Design:** This phase deals with providing guidance on the Quality Model design, processes and other aspects of the Quality Model final design management effort. Significantly, design within QuEF is understood to encompass all **relevant elements** to design the Quality Model.
- **Quality Model Transition:** This phase provides guidance on the Quality Model changes that have no influence on the **Operation** phase. This phase states how to manage changes on the Quality Model.
- **Quality Model Operation:** This phase provides guidance to perform the analysis, evaluation and planning on Cloud Computing quality continuous improvement. In this phase, the Quality Model is used to manage Cloud Computing quality.
- **Quality Model Continual Improvement:** This phase aims to align and realign the Quality Model with

the real needs to cover and quality aspects to confirm with the approach stakeholder. The Quality Model can change in terms of the identification of news tends or because the technology has changed.

These requirements can only be truly met, if objective evidence is provided in the form of information and data, to support the system activities from the ultimate supplier to the ultimate customer.

The framework enables an organization to achieve the goals and objectives set out in its policy and strategy. It offers consistency and satisfaction in terms of methods, materials or equipment, and interacts with all activities within the organization, beginning with identifying customers' requirements and ending with their satisfaction at every transaction interface. QuEF can be implemented in all areas of activity, whether large or small businesses, manufacturing, service or public sector.

Using QuEF, which focuses on the Quality Model, the quality management of offshore outsourcing and Cloud Computing benefits on: set direction and meet customers' expectations, improve process control, reduce wastage, lower cost, increase market share, facilitate training or involve staff, among others.




Fig. 4. Phases of QuEF (Domínguez-Mayo et al. 2012b)

Adopting QuEF needs to be an organization's strategic decision and it depends on varying needs, objectives, products/services provided, processes employed and the size and structure of the organization. QuEF must ensure that products/services conform customers' needs and expectations as well as the organization's objectives. As ISO recommends, issues to be considered when setting up QuEF include: Design, Build, Control, Deployment, Measurement, Review and Improvement.

Taking each of these in turn:

- Design and Build includes the structure of the quality management system, the process and its implementation. The design must be led by senior managers to suit the organization's needs, and this is ideally executed by means of a framework to direct the thinking. The design of the framework should

come from determining the organization's core processes and well-defined goals and strategies, and be linked to the needs of one or more stakeholders. The process of designing and building the framework must also be clear, with the quality function playing a key role, but involvement and buy-in to the system must also come from all other functions.

- Deployment and implementation **are** best achieved using process packages, where each core process is broken down into sub-processes and described by a combination of documentation, education, training, tools, systems and metrics.
- Control of the framework will depend on the size and complexity of the organization. ISO is a site-based system, and local audits and reviews are essential even if these are supplemented by central reviews. Local control, where possible, is effective, and good practice is found where key stakeholders are documented within the process and the process owner is allowed to control all of the process. Ideally, process owners/operators are involved in writing procedures.
- Measurement is carried out to determine the effectiveness and efficiency of each process towards attaining its objectives. It should include the contribution of the framework to the organization's goals. This could be achieved by measuring the following: policy definition completeness, coverage of business, reflection on policies, deployment, usage, whether staff find the framework helpful to their work, speed of change of the framework and relevance of framework architecture to the job in hand.

A form of scorecard deployed through the organization down to the individual objective level can be **utilized**, and setting targets at all levels is **essential**.

5 A Tool Support for applying e-SCM for Clients and Providers

Every day we have new, complex and novel applications in the market that house different areas of interest. Therefore, the need arises for power tools to perform quality management effectively and efficiently. In this case, we need some way to apply the e-SCM model in a more efficient and simple way and above all, saving costs and time.

This section shows a tool support for the framework, explained in the previous section, to apply this model for Services and Providers.

The **IWT2 research group (Web Engineering & Early Testing)** is developing QuEF-TS that means, a set of **software** factories and Web applications generated by these factories that support QuEF. The idea is to automate all processes and artefacts defined on QuEF for each phase.

QuEF-TS **is** divided into different factories for each phase. Thus, each factory can generate all software tools or Web applications in terms of the Quality Model specified. Then, factories containing QuEF-TS can **produce** the following Web applications or tool support for each phase of QuEF:

- **QuEF-S Web application:** It is generated by QuEF-S Factory and it is the tool that supports the Quality Model Strategy phase. (It is currently being developed)
- **QuEF-D Web application:** It is generated by QuEF-D Factory and it is the tool that supports the Quality Model Design phase. (It has not been developed yet)
- **QuEF-T Web application:** It is generated by QuEF-T Factory and it is the tool that supports the Quality Model Transition phase. (It has not been developed yet)
- **QuEF-O Web application:** It is generated by QuEF-O Factory and it is the tool that supports the Quality Model Operation phase. It has already been developed and this Web application can generate specific checklists and all the necessary elements based on the Quality Model to analyze, control and evaluate it.
- **QuEF-QCI Web application:** It is generated by QuEF-QCI Factory and it is the tool that supports the Quality Continual Improvement in quality management. (It has not been developed yet)

In our case, we **provide** an Enterprise Architect modelling environment with UML 2.2, which is **given** by model constructions. **We use** Microsoft Visual Studio 2010 for code development, which is an IDE (Integrated Development Environment) for Windows operating systems. **The language is C#**, which is an object-oriented programming language developed and standardized by Microsoft as part of the platform. Finally, we **make use of** Microsoft SQL Server, which is a system for managing databases produced by Microsoft and focused on the relational model.

Quality management is performed in the Operation phase. QuEF-O Factory and QuEF-O Web application have already been developed completely. In these lines, within the transferring projects context of IWT2 research group, we have realized that there is a gap in the market in terms of deciding on the most suitable software product for organizations which, at the same time, enforces the quality management of these software products at organizations. In addition, when working in transferring projects to organizations, we have found similar problems and drawbacks in all of them.

The THOT project is a transfer project carried out in collaboration with the public government of Andalucía (Junta de Andalucía) in Spain. It has two main objectives; on the one hand, to obtain a detailed analysis and evaluation of Document Management Systems (DMS) applied to contracting records for infrastructure projects of transports and services; on the other hand, to find out and define an innovative solution that may improve procedural records management. Currently, there are several solutions for this type of systems in the market, although we have selected the most appropriate one in relation to the project scope. Thus, QuEF-O Factory and QuEF-O Web application have been used to obtain the detailed analysis and evaluation of different DMS alternatives.

ADAPTA is another project that is using this tool. It is an Interconnecta Project, led by INDRA, which is developed along with a consortium of companies. Among these companies, Wellness Telecom has outsourced our research group to be provided with a detailed analysis and evaluation of tools for capturing and defining requirements within Web environments. Then, we meet again the same problem, therefore we have to analyze and evaluate these tools in order to select the most appropriate one for the project.

Another example in which QuEF-O Factory and QuEF-O Web Application are important for our research group is the implementation of standards. We have noticed that organizations we usually work with always need to implement standards and best practices to be more competitive in the market. Thus, this is other case in which we have to decide what standard and best practice is more appropriate to the nature of the organization, by means of justifying the quality associated with their implementation and helping them to implement standards. It similarly happens in other contexts such as e-Health, e-Government or e-Learning, among others.

Implementation of standards is the context where we have found the necessity to align the service capability that our research group provides to our clients and, at the same time, the service capability that our research group receives from our providers in order to ensure the quality of this service. Consequently, this tool has been applied to the e-SCM model. Furthermore, we describe this tool and its uses in the following paragraphs.

Activity diagrams are used to describe the business and operational step-by-step workflows of components within the system. In Figure 5, we can see the overall flow of control between users (not necessarily registered users) and the administrator of the system. Activity diagrams are constructed from a limited number of shapes, connected with arrows. The most important shape types are: rounded rectangles representing activities; diamonds representing decisions; a black circle representing the start (initial state) of the workflow; and an encircled black circle representing the end (final state). This activity diagram shows the process to manage quality by means of these applications. First of all, the administrator creates the Quality Model and, later on, the users validate it. If they approve the quality model, the administrator can generate the QuEF-O Web Application. The first thing the administrator must cope with is editing weights and MoI values. Afterwards, users must validate such weights and MoI values depending on their project contexts, and finally, quality can be managed.




Fig. 5. Activity diagram for the use of the tool support

Figure 6 shows the use case diagrams defining the different roles involved in QuEF-O Factory and QuEF-O Web application generated by the factory respectively. In this use case we show the functionalities of each user role for QuEF-O Factory and QuEF-O Web application. In QuEF-O Factory, the Administrator is the person in charge of creating and editing the quality model and generating QuEF-O Web application. However, as regards QuEF-O Web application, the user can only evaluate Properties and Quality Characteristics while the registered user can log in and out and complete and edit checklists. The administrator can perform all these functionalities and edit weights and MoI values.




Fig. 6. Use cases for the QuEF-O Factory and QuEF-O Web Application

With regard to design and used technology, it must be **highlighted** that the system architecture **is** designed according to design patterns used to carry out the implementation. One of the main buildings is the standard Web Forms model used for the generation of the Web. Web Forms is a programming model whose main feature is the level of abstraction and encapsulation it provides, although this is extremely versatile. Web Forms is a technology on which Microsoft keeps on investing heavily, and ASP.NET 4.0 introduces many new features and improvements that correct many of those historically considered weaknesses. ASP.NET is one of the pillars. NET Framework, and for many years it was the only Web Forms programming model available. At birth, Web Forms introduced significant developments with respect to other Web development technologies such as ASP, PHP or JSP. One of the most significant was the separation between server code and HTML markup. The typical structure of a Web Forms page consists of one side of a *.aspx which defines the structure and adds HTML server controls declaratively on the page (server controls will be further explained below). Besides, we have the source code behind file, *.aspx.cs or *.aspx.vb, depending on the programming language in which the server code page **is deployed**. Subsequently, both files are compiled into assemblies containing the server code that generates the HTML delivered to run the page.

QuEF-O Factory **generates** QuEF-O Web application using the developed plugin for Enterprise Architect. As we have already done along previous sections and due to the particularities of this project, we have to make a double study, a first part dealing with the factory and a second part dealing with the generation of the Web. The following figures show the class diagram of the QuEF-O Factory.

Figure 7 shows the QuEF-TS generator application (it includes QuEF-O Factory). In this application you can select the Directory to produce the Web Application code and the QuEF phases or tools to be generated. This interface is the one we **visualize** before creating the Web application. There **are** a number of options for setting up the system, but for now, only one of them is available (the generation of QuEF-O Web application).




Fig. 7. The Quality Model defined in Enterprise Architect

Finally, the Web application with the selected tools is generated. Figure 8 provides an example of the QuEF-O Web application generated in terms of the Quality Model. In this example, all checklists are **designed** in order to identify which Capability Area and Life-cycle Phase are implemented.

We remember that the idea is to automate the analysis, evaluation and plan of Cloud Computing services quality continual improvement **for** the Quality Model.

The default page on QuEF-O Web application shows the **log in** main page. In this page, users **can log in** and **access the** Web application. Depending on their roles on the Web application (user, registered user or administrator) the user **has** access to different functionalities as we have seen in the analysis section.




Fig. 8. QuEF-O Factory generates code




Fig. 9. Checklists are used to analyze the Sourcing Life Cycle and the Capability Area for **Client Organizations** and Service Providers

Once registered users have accessed to QuEF-O Web application, they can fill in checklists selected from the menu elements, as shown in Figure 9. These checklists are stored and can be updated by registered users.

There is a set of checklists for each registered user. Unregistered users can just visualize the value of these checklists, but they cannot edit them on the evaluation menu option.

For the analyses, there are three different options for registered users and the administrator, who is the only one that can edit all these values. Registered users can only **examine** values for MoI (Matrix of Influences), weight values for Properties and weight values for Quality Characteristics. In the implementation, the checklist menu has been separated from the analysis menu so that it can be more accessible to users.

The administrator is the **only one that can edit value in these interfaces**. Consequently, the showed interfaces correspond to the administrator role.

Finally, we can evaluate Properties and Quality **Characteristics** as shown in next figures. Figure 10 represents the capability level of a client in terms of the implemented Sourcing Life Cycle and Capability Area. The values can also be compared with other registered clients' values. Thus, we cannot only compare their capability level, but **also** their Sourcing Life Cycle and Capability Area. Figure 11 shows the capability level of a provider **regarding** the implemented Sourcing Life Cycle and Capability Area. In this sample, the application of results would conclude that both Client and Provider are aligned to work together.

EVALUATIONS OF VALUES FROM QUALITY CHARACTERISTICS




Fig. 10. Capability Level of a client organization

EVALUATIONS OF VALUES FROM QUALITY CHARACTERISTICS




Fig. 11. Capability Levels of a Service Provider

6 Conclusions and Future Work

This paper proposes a framework for managing Cloud Computing services quality between Clients and Providers efficiently and effectively. **For this purpose**, a Systematic Literature Review was performed in order to **deal with identified** gaps in the quality management of offshore outsourcing and Cloud Computing and **determine** the most analyzed offshore outsourcing and Cloud Computing studies. The aim was to identify whether a framework and a tool support exist for the quality management of offshore outsourcing and Cloud Computing reducing costs, effort and time. This result has shown that there are no found works **focused on frameworks that can ensure** the quality management in Cloud Computing services between Clients and Providers.

In consequence, we propose a Quality Model metamodel, which is an adaptation and simplification of ISO/IEC 15939 (ISO/IEC 15939:2007 2012), to make the model instantiation more flexible and practical. Nevertheless, the QuEF framework allows establishing appropriate strategies to facilitate the implementation of Cloud Computing as an offshore outsourcing between Clients and Providers. The objective is to align them to **work with ICT** as the general business in the Cloud that uses these services through a capability model. The Sourcing Capability Maturity Model for service (e-SCM), which is a capability model for offshore outsourcing between Clients and Providers to achieve the required quality of service and develop an effective working relationship between them, have been used to solve this problem. Besides, we **recommend** a framework to **handle** quality when applying the e-SCM model between both Client and Providers.

The framework offers a set of phases and tools to manage quality efficiently and effectively. **Concerning** tool support, the **IWT2** research group is developing QuEF-TS that means, a set of **software** factories and Web applications generated by these factories that support QuEF. The idea is to systematize all processes and artefacts defined on QuEF for each phase.

QuEF supporting tools enable the quality management of Cloud Computing between Clients and Providers by means of e-SCM. The tool support has been shown in the paper in order to apply the e-SCM model in a more efficient and simple way and mainly saving costs and time for Clients and Providers. **This tool allows them to evaluate** the current state of each Capability Area and Life-Cycle Phase as well as the present state of their capability levels. Being aware of their current state is capital for them, as they need to work together to ensure success.

The framework and the tool support can also be applied to other context and domains. **Therefore**, we believe that we can provide knowledge and improve the quality of processes in the **Health** context. Therefore, as future work, we will expand and **implement** our quality metamodel to use it in the **Health** area with the intention of improving medical processes and patients' experience.

It also can be adapted to assess not only capability models and standards, but also any processes or products. An example is the current work that the IWT2 research group is developing, where QuEF is being applied to the THOT Project (funded by the Feder of European Union). In the THOT project, we are analyzing and evaluating quality in different Document Management Software systems for the public administration.

Acknowledgements

This research has been partially supported by the NDTQ-Framework project (TIC-5789) of Junta de Andalucía, by the TEMPROS (Testing Temprano y Modelos de Simulación Híbrida en la Producción de Software) Project of the Ministerio de Educación y Ciencia, Spain (TIN2010-20057-C03-02) and by the FEDER of European Union for financial support via project "THOT. Proyecto de innovación de la gestión documental aplicada a expedientes de contratación de servicios y obras de infraestructuras de transporte" of the "Programa Operativo FEDER de Andalucía 2007-2013". We also thank all the Staff and Researches of the Regional Government of Andalucía Agency of Public Work for their dedication and professionalism.

References

- Alvi, F. A., Choudary, B.S., Jaferry, N., Pathan, E. (2011). *A review on cloud computing security issues & challenges*.
- Brinkkemper, S., and Jansen, S. (2012). *Collaboration in Outsourcing*. Palgrave Macmillan, ISBN: 978-0-230-34770-0
- Buyya, R., Shin Yeo, C., Venugopal, S., Broberg, J., Brandic, I. (2009). *Cloud computing and emerging IT platforms: Vision, hype, and reality for delivering computing as the 5th utility*. Future Generation Computer Systems, Volume 25, Issue 6, Pages 599-616, ISSN 0167-739X, 10.1016/j.future.2008.12.001.
- CMMI Official site: <http://www.sei.cmu.edu/cmmi/>. Carnegie Mellon University Software Engineering Institute. Retrieved July 2012.
- Domínguez-Mayo, F.J., Escalona, M.J., Mejías, M., Ross, M., Staples, G. (2012). *Quality Evaluation for Model-Driven Web Engineering Methodologies*. Information Software Technology, Vol. 54, Issue 11, pp. 1265–1282.
- Domínguez-Mayo, F.J., Escalona, M. J., Mejías, M., Ross, M., Staples, G. (2012). *A Quality Management Based on the Quality Model Life Cycle*. Computer Standards & Interfaces. Vol. 34, Issue 4, pp. 396-412.
- Dudin, E.B., Smetanin. Y.G. (2011). *A review of cloud computing*. Scientific and Technical Information Processing, 38 (4), pp. 280-284.
- Haider, W., Wahab, A. (2011). *A review on Cloud Computing Architectures and Applications*. Computer Engineering and Intelligent Systems. Vol 2, No 4, pp. 206-210.
- Hu, F., Qiu, M., Li, J., Grant, T., Tylor, D., McCaleb, S., Butler L., and Hamner, R. (2011). *A review on cloud computing: Design challenges in architecture and security*. Journal of Computing and Information Technology, 19 (1), pp. 25-55.
- Hughes, G. (2011). *Research, design and development review of the Cloud Computing Management System (CCMS)*. International Conference for Internet Technology and Secured Transactions (ICITST). pp. 128 – 131.
- Hughes, G., Al-Jumeily, D., Hussain, A.J. (2011). *Research, design and development review of the Cloud Computing Management System (CCMS)*. International Conference for Internet Technology and Secured Transactions, ICITST 2011, art. no. 6148365, pp. 128-131.
- ISO/IEC 15939:2007 Systems and software engineering -- Measurement process. Retrieved March 2012 from <http://www.iso.org>
- ITIL Official site: <http://www.itil-officialsite.com/> Retrieved July 2012.
- ITSqc Official site: <http://www.itsqc.org> Retrieved July 2012
- Lian-xiang, H.U. (2011). *Review of Researches on Cloud Computing Application in Domestic Libraries*. Journal of Library and Information Sciences in Agriculture.
- Kitchenham, B. A., Charters, S., (2007). Guidelines for performing Systematic Literature Reviews in Software Engineering No. EBSE-2007-01.
- Ma, S., (2012). A review on cloud computing development. Journal of Networks, 7 (2), pp. 305-310.
- Marta, F.C., Correia, A.M.R., and Neves, F.T., (2011). *Supporting KMS through cloud computing: A scoping review*. Proceedings of the 6th Iberian Conference on Information Systems and Technologies, CISTI 2011, art. no. 5974347.
- Monaco, A. (2012). *A View Inside the Cloud*. theinstitute.ieee.org (IEEE). Retrieved August 21, 2012
- Nazareno, F., Kyung-Hee L., and Wan-Sup, C. (2010). *Mining molecular interactions from scientific literature using cloud computing*. IEEE International Conference on Bioinformatics and Biomedicine Workshops (BIBMW), 2010, pp.864-865, 18-18 Dec. 2010doi: 10.1109/BIBMW.2010.5703948
- Rebollo, O., Mellado D., and Fernández-Medina, E. (2012). *A Systematic Review of Information Security Governance Frameworks in the Cloud Computing Environment*. Journal of Universal Computer Science, vol. 18, no. 6 (2012), 798-815

- Roberts II, J.C., and Al-Hamdani, W. (2011). *Who can you trust in the cloud? A review of security issues within cloud computing*. Proceedings of the 2011 Information Security Curriculum Development Conference, InfoSecCD'11, pp. 15-19.
- Samimi, P., and Patel, A. (2011). *Review of pricing models for grid & cloud computing*. ISCI 2011 - 2011 IEEE
- Song, W., and Su, X. (2011). *Review of Mobile cloud computing*. 2011 IEEE 3rd International Conference on Communication Software and Networks, ICCSN 2011, art. no. 6014374, pp. 1-4.
- TickITplus Official site: <http://www.tickitplus.org/Information.aspx>, Retrieved May 2012
- Timmermans, J., Ikonen, V., Stahl B.C., and Bozdog, E. (2010). *The ethics of cloud computing: A conceptual review*. Proceedings - 2nd IEEE International Conference on Cloud Computing Technology and Science, CloudCom 2010, art. no. 5708509, pp. 614-620.
- Vats, K., Sharma S., and Rathee, A. (2012). *A Review of Cloud Computing and e-Governance*. International Journal of Advanced Research in Computer Science and Software Engineering. Vol. 2, Iss. 2 (2012)
- Wei, Z. (2010). *An Initial Review of Cloud Computing Services Research Development*. Multimedia Information Networking and Security (MINES), 2010 International Conference on, vol., no., pp.324-328, 4-6 Nov. 2010 doi: 10.1109/MINES.2010.75
- Yang, H., and Tate, M. (2009). *Where are we at with cloud computing?: A descriptive literature review*. 12th Australian Conference on Knowledge Management and Intelligent Decision Support, ACKMIDS 09 and 20th Australasian Conference on Information Systems, ACIS 2009, pp. 807-819.
- Zhao, W. (2010). *An initial review of cloud computing services research development*. Proceedings - 2010 2nd International Conference on Multimedia Information Networking and Security, MINES 2010, art. no. 5670830, pp. 324-328.