

ERRATUM

## Erratum to: Study of the kinetic and energetic reaction properties of multilayered aluminum–nickel nanofoils

Georgios D. Theodossiadis<sup>1</sup> · Michael F. Zaeh<sup>1</sup>

Published online: 12 June 2017

© German Academic Society for Production Engineering (WGP) 2017


**Erratum to: Prod. Eng. Res. Devel. (2017) 11:245–253 DOI 10.1007/s11740-017-0733-8**

The original version of this article unfortunately contained a mistake.

The legend of Fig. 7 was incorrect. The correct legend and figure is given here.

### Reference

33. Jayaraman S, Knio OM, Mann AB, Weihs TP (1999) Numerical predictions of oscillatory combustion in reactive multilayers. J Appl Phys 86(2):800–809



**Fig. 7** TEM image of a cross section of a reactive Al–Ni nanofoil sample with 50 nm thick bilayers, fabricated by magnetron sputtering; constituents of the layer structure: aluminum (*bright*) and nickel (*dark*) (Jayaraman et al. [33])

The online version of the original article can be found under doi:[10.1007/s11740-017-0733-8](https://doi.org/10.1007/s11740-017-0733-8).

✉ Georgios D. Theodossiadis  
[info@iwb.mw.tum.de](mailto:info@iwb.mw.tum.de)

<sup>1</sup> Institute for Machine Tools and Industrial Management (iwb), Technical University of Munich (TUM), Boltzmannstr. 15, 85748 Garching, Germany