

Automated Axon Tracking of 3D Confocal Laser Scanning Microscopy Images Using Guided Probabilistic Region Merging

Ranga Srinivasan · Xiaobo Zhou · Eric Miller · Ju Lu ·
Jeff W. Lichtman · Stephen T. C. Wong

Published online: 8 January 2009
© Humana Press Inc. 2009

Erratum to: Neuroinform (2007) 5:189–203
DOI 10.1007/s12021-007-0013-4

Due to a production error an author's name was misspelled.
The correct spelling is Lichtman. We apologize for the
error.

The online version of the original article can be found at: <http://dx.doi.org/10.1007/s12021-007-0013-4>.

R. Srinivasan · X. Zhou · S. T. C. Wong
Harvard Center for Neurodegeneration and Repair–Center
for Bioinformatics, Harvard Medical School,
Boston, MA, USA

R. Srinivasan
Department of Electrical and Computer Engineering,
Northeastern University,
Boston, MA, USA

E. Miller
Department of Electrical and Computer Engineering,
Tufts University,
Medford, MA, USA

X. Zhou · S. T. C. Wong (✉)
Functional and Molecular Imaging Center,
Department of Radiology, Brigham and Women's Hospital
and Harvard Medical School,
Boston, MA, USA
e-mail: wong@crystal.harvard.edu

J. Lu · J. W. Lichtman
Department of Molecular and Cellular Biology,
Harvard University,
Cambridge, MA, USA