



Correction to: Deep learning-based 1-D magnetotelluric inversion: performance comparison of architectures

Mehdi Rahmani Jevinani¹ · Banafsheh Habibian Dehkordi¹ · Ian J. Ferguson² · Mohammad Hossein Rohban³

Published online: 24 February 2024

© The Author(s), under exclusive licence to Springer-Verlag GmbH Germany, part of Springer Nature 2024

Correction to: Earth Science Informatics

<https://doi.org/10.1007/s12145-024-01233-6>

In this article Fig. 10 was wrongly duplicate to Fig. 11;
Fig. 10 should have appeared as shown below.

The original article can be found online at <https://doi.org/10.1007/s12145-024-01233-6>.

✉ Banafsheh Habibian Dehkordi
bhabibian@ut.ac.ir

Mehdi Rahmani Jevinani
mehdi.rahmani.je@ut.ac.ir

Ian J. Ferguson
Ij.Ferguson@umanitoba.ca

Mohammad Hossein Rohban
rohban@sharif.edu

¹ Institute of Geophysics, University of Tehran, Tehran, Iran

² Department of Geological Sciences, University of Manitoba, Winnipeg, MB, Canada

³ Department of Computer Engineering, Sharif University of Technology, Tehran, Iran




Fig. 10 Histograms of the correlation coefficient for the thickness in the case of noise-free and noisy data. **a** U-Net; **b** VAE and **c** Res-Net

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.