Some complete ω -powers of a one-counter language, for any Borel class of finite rank

Olivier FINKEL and Dominique LECOMTE¹

June 16, 2020

CNRS, Université Paris Diderot, Sorbonne Université,
 Institut de Mathématiques de Jussieu-Paris Rive Gauche, Equipe de Logique Mathématique
 Campus des Grands Moulins, bâtiment Sophie-Germain, case 7012, 75205 Paris cedex 13, France finkel@math.univ-paris-diderot.fr

•¹ Sorbonne Université, Université Paris Diderot, CNRS, Institut de Mathématiques de Jussieu-Paris Rive Gauche, Equipe d'Analyse Fonctionnelle Campus Pierre et Marie Curie, case 247, 4, place Jussieu, 75 252 Paris cedex 5, France dominique.lecomte@upmc.fr

•¹ Université de Picardie, I.U.T. de l'Oise, site de Creil, 13, allée de la faïencerie, 60 107 Creil, France

Abstract. We prove that, for any natural number $n \ge 1$, we can find a finite alphabet Σ and a finitary language L over Σ accepted by a one-counter automaton, such that the ω -power

$$L^{\infty} := \{ w_0 w_1 \dots \in \Sigma^{\omega} \mid \forall i \in \omega \ w_i \in L \}$$

is Π^0_n -complete. We prove a similar result for the class Σ^0_n .

²⁰¹⁰ Mathematics Subject Classification. Primary: 03E15, Secondary: 54H05, 68R15

Keywords and phrases. Borel class, complete, context-free, one-counter automaton; ω -power

Acknowledgements. We thank very much the anonymous referees for their very useful comments about a preliminary version of our article.

1 Introduction

We pursue in this paper the study of the topological complexity of ω -powers of languages of finite words over a finite alphabet Σ . A finitary language over a finite alphabet Σ is a subset A of the set $\Sigma^{<\omega}$ of finite words with letters in Σ . The set of infinite words over the alphabet Σ , i.e., of sequences of length ω of letters of Σ , is denoted Σ^{ω} . The ω -power associated with $A \subseteq \Sigma^{<\omega}$ is the set A^{∞} of the infinite words constructible with A by concatenation, i.e., $A^{\infty} := \{ a_0 a_1 \ldots \in \Sigma^{\omega} \mid \forall i \in \omega \ a_i \in A \}$. Notice that we denote here A^{∞} the ω -power associated with A, as in [Lec05, FL09], while it is often denoted A^{ω} in Theoretical Computer Science papers, as in [Sta97, Fin01, Fin03, FL07]. Here we reserved the notation A^{ω} to denote the Cartesian product of countably many copies of A since this will be often used in this paper.

In the theory of formal languages of infinite words, accepted by various kinds of automata, the ω -powers appear very naturally in the characterization of the class REG_{ω} of ω -regular languages (respectively, of the class CF_{ω} of context free ω -languages) as the ω -Kleene closure of the family REG of regular finitary languages (respectively, of the family CF of context free finitary languages) [Sta97]. Since the set Σ^{ω} of infinite words over a finite alphabet Σ can be equipped with the usual Cantor topology, the question of the topological complexity of ω -powers of finitary languages naturally arose and was posed in particular by Niwinski [Niw90], Simonnet [Sim92], and Staiger [Sta97]. Moreover the ω -powers have also been studied from the perspective of Descriptive Set Theory in [Lec05, FL09].

As the concatenation map, from A^{ω} onto A^{∞} , which associates to a given sequence $(a_i)_{i \in \omega}$ of finite words the concatened word $a_0 a_1 \dots$, is continuous, an ω -power is always an analytic set.

It was proved in [Fin03] that there exists a (context-free) language L such that L^{∞} is analytic but not Borel. Amazingly, the language L is very simple to describe and it is accepted by a simple 1-counter automaton. Louveau has proved independently that analytic-complete ω -powers exist, but the existence was proved in a non effective way (this is non-published work). We refer the reader to [ABB96] for basic notions about context-free languages.

Concerning Borel ω -powers, it was proved that, for each integer $n \geq 1$, there exist some ω -powers of (context-free) languages which are Π^0_n -complete Borel sets, [Fin01]. It was proved in [Fin04] that there exists a finitary language V such that V^∞ is a Borel set of infinite rank, and in [DF07] that there is a (context-free) language W such that W^∞ is Borel above Δ^0_ω .

We proved in [FL07, FL09] a result which showed that ω -powers exhibit a great topological complexity: for each nonzero countable ordinal ξ , there exist Π^0_ξ -complete ω -powers, and Σ^0_ξ -complete ω -powers. This result has an effective aspect: for each recursive ordinal $\xi < \omega^{\rm CK}_1$, where $\omega^{\rm CK}_1$ is the first non-recursive ordinal, there exists recursive finitary languages P and S such that P^∞ is Π^0_ξ -complete and S^∞ is Σ^0_ξ -complete.

Many questions are still open about the topological complexity of ω -powers of languages in a given class like the class of context-free languages, 1-counter languages, recursive languages, or more generally languages accepted by some kind of automata over finite words.

In this paper we obtain the following new results about ω -powers of languages accepted by 1-counter automata.

Theorem 1 Let $n \ge 1$ be a natural number.

- (a) There is a finitary language P_n which is accepted by a one-counter automaton and such that the ω -power P_n^{∞} is Π_n^0 -complete.
- (b) There is a finitary language S_n which is accepted by a one-counter automaton and such that the ω -power S_n^{∞} is Σ_n^0 -complete.

Moreover, for any given integer $n \ge 1$, one can effectively construct some one-counter automata accepting such finitary languages P_n and S_n .

This article is organized as follows. Notions of automata and formal language theory are recalled in Section 2. Some basic notions of topology are recalled in Section 3. The definition and some properties of the operation of exponentiation of sets are given in Section 4. Our results related to the classes Π_n^0 are proved in Section 5 and our results related to the classes Σ_n^0 are proved in Section 6.

We give in this article a construction of complete ω -powers of a one-counter language, for any Borel class of finite rank. It remains open to determine completely the topological complexity of ω -powers of one-counter languages. Recall that it has been proved in [Fin06] that for each recursive ordinal $\xi < \omega_1^{\text{CK}}$, there exist some ω -languages P_ξ and S_ξ accepted by Büchi one-counter automata such that P_ξ is Π_ξ^0 -complete and S_ξ is Σ_ξ^0 -complete.

Moreover each ω -language $L\subseteq \Sigma^\omega$ accepted by a Büchi one-counter automaton is of the form $L=\bigcup_{1\leq j\leq n}U_j\cdot V_j^\infty$, for some one-counter finitary languages U_j and V_j , $1\leq j\leq n$. Therefore it seems plausible that there exist complete ω -powers of a one-counter language, for each Borel class of recursive rank.

2 Automata

We assume the reader to be familiar with formal languages, see for example [HMU01, Tho90]. We first recall some of the definitions and results concerning pushdown automata and context free languages, as presented in [ABB96, CG77, Sta97].

When Σ is a finite alphabet, a nonempty **finite word** over Σ is a sequence $w=a_0\dots a_{l-1}$, where $a_i\in\Sigma$ for each i< l, and $l\geq 1$ is a natural number. The **length** of w is l, denoted by |w|. If |w|=0, then w is the **empty word**, denoted by λ . When w is a finite word over Σ , we write $w=w(0)w(1)\dots w(l-1)$, and the prefix $w(0)w(1)\dots w(i-1)$ of w of length i is denoted by w|i, for any $i\leq l$. We also write $u\subseteq v$ when the word u is a prefix of the finite word v. The set of finite words over Σ is denoted by $\Sigma^{<\omega}$, and Σ^+ is the set of nonempty finite words over Σ . A **language** over Σ is a subset of $\Sigma^{<\omega}$. For $L\subseteq\Sigma^{<\omega}$, the **complement** $\Sigma^{<\omega}\setminus L$ of L (in $\Sigma^{<\omega}$) is denoted by L^- .

The first infinite ordinal is ω . An ω -word over Σ is an ω -sequence $a_0a_1\ldots$, where $a_i\in\Sigma$ for each natural number i. When σ is an ω -word over Σ , we write $\sigma=\sigma(0)\sigma(1)\ldots$, and the prefix $\sigma(0)\sigma(1)\ldots\sigma(i-1)$ of σ of length i is denoted by $\sigma|i$, for any natural number i. We also write $u\subseteq\sigma$ when the finite word u is a prefix of the ω -word σ . The set of ω -words over Σ is denoted by Σ^ω . An ω -language over Σ is a subset of Σ^ω . For $A\subseteq\Sigma^\omega$, the complement $\Sigma^\omega\setminus A$ of A is denoted by A-.

The usual **concatenation** product of two finite words u and v is denoted $u \cap v$ (and sometimes just uv). This product is extended to the product of a finite word u and an ω -word σ : the infinite word $u \cap \sigma$ is then the ω -word such that $(u \cap \sigma)(k) = u(k)$ if k < |u|, and $(u \cap \sigma)(k) = \sigma(k - |u|)$ if $k \ge |u|$.

If E is a set, $l \in \omega$ and $(e_i)_{i < l} \in E^l$, then $\cap_{i < l} e_i$ is the concatenation $e_0 \dots e_{l-1}$. Similarly, $\cap_{i \in \omega} e_i$ is the concatenation $e_0 e_1 \dots$ For $L \subseteq \Sigma^{<\omega}$, $L^{\infty} := \{\sigma = w_0 w_1 \dots \in \Sigma^{\omega} \mid \forall i \in \omega \ w_i \in L\}$ is the ω -power of L.

Definition 2 A **pushdown automaton** is a 7-tuple $\mathcal{A} = (Q, \Sigma, \Gamma, q_0, Z_0, \delta, F)$, where Q is a finite set of states, Σ is a finite input alphabet, Γ is a finite pushdown alphabet, $q_0 \in Q$ is the initial state, $Z_0 \in \Gamma$ is the start symbol which is the bottom symbol and always remains at the bottom of the pushdown stack, δ is a map from $Q \times (\Sigma \cup \{\lambda\}) \times \Gamma$ into the set of finite subsets of $Q \times \Gamma^{<\omega}$, and $F \subseteq Q$ is the set of final states. The automaton A is said to be **real-time** if there is no λ -transition, i.e., if δ is a map from $Q \times \Sigma \times \Gamma$ into the set of finite subsets of $Q \times \Gamma^{<\omega}$.

If $\gamma \in \Gamma^+$ describes the pushdown stack content, then the leftmost symbol will be assumed to be on the "top" of the stack. A **configuration** of the pushdown automaton \mathcal{A} is a pair (q, γ) , where $q \in Q$ and $\gamma \in \Gamma^{<\omega}$. For $a \in \Sigma \cup \{\lambda\}$, $\gamma, \beta \in \Gamma^{<\omega}$ and $Z \in \Gamma$, if (p, β) is in $\delta(q, a, Z)$, then we write $a: (q, Z\gamma) \mapsto_{\mathcal{A}} (p, \beta\gamma)$.

Let $w = a_0 \dots a_{l-1}$ be a finite word over Σ . A sequence of configurations $r = (q_i, \gamma_i)_{i < N}$ is called a run of A on w starting in the configuration (p, γ) if

- (1) $(q_0, \gamma_0) = (p, \gamma),$
- (2) for each i < N-1, there exists $b_i \in \Sigma \cup \{\lambda\}$ satisfying $b_i : (q_i, \gamma_i) \mapsto_{\mathcal{A}} (q_{i+1}, \gamma_{i+1})$ such that $a_0 \dots a_{l-1} = b_0 \dots b_{N-2}$.

A run r of A on w starting in configuration (q_0, Z_0) will be simply called a **run of** A **on** w. The run is **accepting** if it ends in a final state.

The language L(A) accepted by A is the set of words admitting an accepting run by A. A **context-free language** is a finitary language which is accepted by a pushdown automaton. We denote by CFL the class of context-free languages.

A **one-counter automaton** is a pushdown automaton with a pushdown alphabet of the form $\Gamma = \{Z_0, z\}$, where Z_0 is the bottom symbol and always remains at the bottom of the pushdown stack. A **one-counter language** is a (finitary) language which is accepted by a one-counter automaton.

- **Remarks.** (1) The pushdown automaton defined above is in general *non-deterministic*. In the sequel, we often indicate when the considered automata can be deterministic or when the non-determinism is essential in the behaviour of the automata.
- (2) The accepting condition here is by final states. Some other accepting conditions have been considered. For instance a language is context-free if and only if it is accepted by a pushdown automaton by final states *and* empty stack [ABB96]. In particular, in the last sections of the paper, we will consider acceptance by final states *and* empty stack.

Definition 3 *Let* Σ , Γ *be finite alphabets.*

- (a) $A(\Sigma, \Gamma)$ -substitution is a map $f: \Sigma \to 2^{\Gamma^{<\omega}}$.
- (b) We extend this map to $\Sigma^{<\omega}$ be setting $f(\widehat{\ }_{i< l}\ a_i) := \{\widehat{\ }_{i< l}\ w_i \mid \forall i< l\ w_i \in f(a_i)\}$, where $l \in \omega$ and $a_0, \cdots, a_{l-1} \in \Sigma$.
 - (c) We further extend this map to $2^{\sum < \omega}$ by setting $f(L) := \bigcup_{w \in L} f(w)$.

- (d) Let f be a (Σ, Γ) -substitution, and \mathcal{F} be a family of languages. If the language f(a) belongs to \mathcal{F} for each $a \in \Sigma$, then the substitution f is called a \mathcal{F} -substitution.
- (e) We then define the operation \square on families of languages. Let \mathcal{E} , \mathcal{F} be families of (finitary) languages. Then $\mathcal{E} \square \mathcal{F} := \{ f(L) \mid L \in \mathcal{E} \text{ and } f \text{ is a } \mathcal{F}\text{-substitution} \}$.

The operation of substitution gives rise to an infinite hierarchy of context free finitary languages defined as follows.

Definition 4 Let OCL(0) = REG be the class of regular languages, OCL(1) = OCL be the class of one-counter languages, and $OCL(k+1) = OCL(k) \square OCL$, for $k \ge 1$.

It is well known that the hierarchy given by the families of languages OCL(k) is strictly increasing. And there is a characterization of these languages by means of automata.

Proposition 5 ([ABB96]) A language L is in OCL(k) if and only if L is recognized by a pushdown automaton such that, during any computation, the words in the pushdown stack remain in a bounded language of the form $(z_{k-1})^{<\omega} \dots (z_0)^{<\omega} Z_0$, where $\{Z_0, z_0, \dots, z_{k-1}\}$ is the pushdown alphabet. Such an automaton is called a k-iterated counter automaton. The union $ICL := \bigcup_{k \geq 1} OCL(k)$ is called the family of iterated counter languages, which is the closure under substitution of the family OCL.

Note that we can consider that a k-iterated counter automaton is a k-counter automaton in the following way. If the content of the pushdown stack of a k-iterated counter automaton is equal to $(z_{k-1})^{n_{k-1}} \dots (z_0)^{n_0} Z_0$ for some natural numbers n_0, \dots, n_{k-1} , then the numbers n_0, \dots, n_{k-1} are the contents of the counters $1, \dots, k$ of the k-counter automaton. Moreover, it is then clear that the content of the ith counter can only be changed when the contents of counters numbered i+1, i+2, $\dots, k-1$ are equal to zero. We now recall the formal definition of a k-counter automaton.

Definition 6 Let $k \ge 1$ be an integer. A k-counter automaton is a 5-tuple $\mathcal{A} = (Q, \Sigma, q_0, \Delta, F)$, where Q is a finite set of states, Σ is a finite input alphabet, $q_0 \in Q$ is the initial state,

$$\Delta\!\subseteq\!Q\!\times\!(\Sigma\cup\{\lambda\})\!\times\!\{0,1\}^k\!\times\!Q\!\times\!\{0,1,-1\}^k$$

is the transition relation, and $F \subseteq Q$ is the set of final states. The k-counter automaton $\mathcal A$ is said to be **real-time** if there is no λ -transition, i.e., if $\Delta \subseteq Q \times \Sigma \times \{0,1\}^k \times Q \times \{0,1,-1\}^k$.

If the machine A is in the state q and $c_i \in \omega$ is the content of the i^{th} counter C_i , then the **configuration** (or global state) of A is the (k+1)-tuple $(q, c_0, \ldots, c_{k-1})$.

Let
$$a \in \Sigma \cup \{\lambda\}$$
, $q, q' \in Q$, $(c_0, \ldots, c_{k-1}) \in \omega^k$. We write

$$a:(q,c_0,\ldots,c_{k-1})\mapsto_{\mathcal{A}}(q',c_0+l_0,\ldots,c_{k-1}+l_{k-1})$$

when $(q, a, i_0, \ldots, i_{k-1}, q', l_0, \ldots, l_{k-1}) \in \Delta$, where $i_j = 0$ if $c_j = 0$ and $i_j = 1$ if $c_j > 0$. This implies that the transition relation has the property that if $(q, a, i_0, \ldots, i_{k-1}, q', l_0, \ldots, l_{k-1}) \in \Delta$ and $i_m = 0$ for some m < k, then $l_m = 0$ or $l_m = 1$ (but l_m cannot be equal to -1).

Let $w = a_0 \dots a_{l-1}$ be a finite word over Σ . A sequence $r = (q_i, c_0^i, \dots, c_{k-1}^i)_{i < N}$ of configurations, where N > l, is called a **run of** \mathcal{A} on w starting in the configuration (p, c_0, \dots, c_{k-1}) if

- (1) $(q_0, c_0^0, \dots, c_{k-1}^0) = (p, c_0, \dots, c_{k-1}),$
- (2) for each i < N-1, there exists $b_i \in \Sigma \cup \{\lambda\}$ such that

$$b_i: (q_i, c_0^i, \dots, c_{k-1}^i) \mapsto_{\mathcal{A}} (q_{i+1}, c_0^{i+1}, \dots, c_{k-1}^{i+1}),$$

and
$$a_0 \dots a_{l-1} = b_0 \dots b_{N-2}$$
.

A run of A on w starting in the configuration $(q_0, 0, ..., 0)$ will be simply called a **run of** A **on** w. The run is **accepting** if it ends in a final state. The language L(A) accepted by A is the set of finite words admitting an accepting run by A.

Let $\sigma = a_0 a_1 \dots$ be an ω -word over Σ . An ω -sequence of configurations $r = (q_i, c_0^i, \dots, c_{k-1}^i)_{i \in \omega}$ is called a **run of** A **on** σ **starting in the configuration** (p, c_0, \dots, c_{k-1}) if

- (1) $(q_0, c_0^0, \dots, c_{k-1}^0) = (p, c_0, \dots, c_{k-1}),$
- (2) for each $i \in \omega$, there is $b_i \in \Sigma \cup \{\lambda\}$ such that $b_i : (q_i, c_0^i, \dots, c_{k-1}^i) \mapsto_{\mathcal{A}} (q_{i+1}, c_0^{i+1}, \dots, c_{k-1}^{i+1})$, and either $b_0 b_1 \dots = a_0 a_1 \dots$, or $b_0 b_1 \dots$ is a finite prefix of $a_0 a_1 \dots$

The run r is said to be **complete** when $a_0a_1 \ldots = b_0b_1 \ldots$ For every such run, In(r) is the set of all states entered infinitely often during the run r. A complete run of A on σ starting in the configuration $(q_0, 0, \ldots, 0)$ will be simply called a **run of** A **on** σ . The ω -language accepted by A is

$$L(A) := \{ \sigma \in \Sigma^{\omega} \mid \text{ there exists a run } r \text{ of } A \text{ on } \sigma \text{ such that } In(r) \cap F \neq \emptyset \}.$$

Remark. The acceptance condition for finite words here is by final states. Some other acceptance conditions have been considered. In particular, in the last sections of the paper, we will consider acceptance of finite words by final states *and* counters having the value zero.

3 Topology

We now recall some notions of topology, assuming the reader to be familiar with the basic notions, that can be found in [Mos80, Kec95, Sta97, PP04]. The topological spaces in which we will work in this paper will be subspaces of Σ^ω , where Σ is either finite having at least two elements (like $2:=\{0,1\}$), or countably infinite. The topology on Σ^ω is the product topology of the discrete topology on Σ . For $w \in \Sigma^{<\omega}$, the set $N_w := \{\alpha \in \Sigma^\omega \mid w \subseteq \alpha\}$ is a basic clopen (i.e., closed and open) set of Σ^ω . The open subsets of Σ^ω are of the form $W \cap \Sigma^\omega := \{w\sigma \mid w \in W \text{ and } \sigma \in \Sigma^\omega\}$, where $W \subseteq \Sigma^{<\omega}$. When Σ is finite, this topology is called the **Cantor topology** and Σ^ω is compact. When $\Sigma = \omega$, Σ^ω is the Baire space, which is homeomorphic to $\mathbb{P}_\infty := \{\alpha \in 2^\omega \mid \forall i \in \omega \; \exists j \geq i \; \alpha(j) = 1\}$, via the map defined on ω^ω by $h(\beta) := \mathbf{0}^{\beta(0)} \mathbf{10}^{\beta(1)} \mathbf{1} \dots$ There is a natural metric on Σ^ω , the **prefix metric** defined as follows. For $\sigma \neq \tau \in \Sigma^\omega$, $d(\sigma,\tau) := 2^{-l_{pref}(\sigma,\tau)}$, where $l_{pref(\sigma,\tau)}$ is the first natural number n such that $\sigma(n) \neq \tau(n)$. The topology induced on Σ^ω by this metric is our topology.

We now define the Borel hierarchy.

Definition 7 Let X be a topological space, and $n \ge 1$ be a natural number. The classes $\Sigma_n^0(X)$ and $\Pi_n^0(X)$ of the Borel hierarchy are inductively defined as follows:

 $\Sigma_1^0(X)$ is the class of open subsets of X.

 $\Pi_1^0(X)$ is the class of closed subsets of X.

 $\Sigma_{n+1}^0(X)$ is the class of countable unions of Π_n^0 -subsets of X.

 $\Pi_{n+1}^0(X)$ is the class of countable intersections of Σ_n^0 -subsets of X.

The Borel hierarchy is also defined for the transfinite levels. Let $\xi \ge 2$ be a countable ordinal.

 $\Sigma^0_{\xi}(X)$ is the class of countable unions of subsets of X in $\bigcup_{\gamma<\xi} \Pi^0_{\gamma}$

 $\Pi^0_{\xi}(X)$ is the class of countable intersections of subsets of X in $\bigcup_{\gamma<\xi} \ \Sigma^0_{\gamma}$.

Suppose now that $\xi \geq 1$ is a countable ordinal and $X \subseteq Y$, where X is equipped with the induced topology. Then $\Sigma^0_\xi(X) = \{A \cap X \mid A \in \Sigma^0_\xi(Y)\}$, and similarly for Π^0_ξ , see [Kec95, Section 22.A]. Note that we defined the Borel classes $\Sigma^0_\xi(X)$ and $\Pi^0_\xi(X)$ mentioning the space X. However, when the context is clear, we will sometimes omit X and denote $\Sigma^0_\xi(X)$ by Σ^0_ξ and similarly for the dual class. The Borel classes are closed under finite intersections and unions, and continuous preimages. Moreover, Σ^0_ξ is closed under countable unions, and Π^0_ξ under countable intersections. As usual, the ambiguous class Δ^0_ξ is the class $\Sigma^0_\xi \cap \Pi^0_\xi$. The class of **Borel sets** is $\Delta^1_1 := \bigcup_{1 \leq \xi < \omega_1} \Sigma^0_\xi = \bigcup_{1 \leq \xi < \omega_1} \Pi^0_\xi$, where ω_1 is the first uncountable ordinal. The **Borel hierarchy** is as follows:

This picture means that any class is contained in every class to the right of it, and the inclusion is strict in any of the spaces Σ^{ω} . A subset of Σ^{ω} is a Borel set of **rank** ξ if it is in $\Sigma^0_{\xi} \cup \Pi^0_{\xi}$ but not in $\bigcup_{1 \leq \gamma < \xi} (\Sigma^0_{\gamma} \cup \Pi^0_{\gamma})$.

We now define completeness with respect to reducibility by continuous functions. Let Γ be a class of sets of the form Σ^0_ξ or Π^0_ξ . A subset C of Σ^ω is said to be Γ -complete if C is in $\Gamma(\Sigma^\omega)$ and, for any finite alphabet Y and any $A\subseteq Y^\omega$, $A\in \Gamma$ if and only if there exists a continuous function $f:Y^\omega\to\Sigma^\omega$ such that $A=f^{-1}(C)$. The Σ^0_n -complete sets and the Π^0_n -complete sets are thoroughly characterized in [Sta86]. Recall that a subset of Σ^ω is Σ^0_ξ (respectively Π^0_ξ)-complete if it is in Σ^0_ξ but not in Π^0_ξ (respectively in Π^0_ξ but not in Σ^0_ξ), [Kec95]. For example, the singletons of Σ^ω are Σ^0_ξ -complete. The set Σ^0_ξ defined at the beginning of the present section is a well known example of a Σ^0_ξ -complete set.

The class $\dot{\Gamma} := \{ \neg A \mid A \in \Gamma \}$ is the class of the complements of the sets in Γ . In particular, $\check{\Sigma}_{\xi}^0 = \Pi_{\xi}^0$ and $\check{\Pi}_{\xi}^0 = \Sigma_{\xi}^0$.

There are some subsets of the topological space Σ^ω which are not Borel sets. In particular, there is another hierarchy beyond the Borel hierarchy, called the projective hierarchy. The first class of the projective hierarchy is the class Σ^1_1 of analytic sets. A subset A of Σ^ω is **analytic** if we can find a finite alphabet Y and a Borel subset B of $(\Sigma \times Y)^\omega$ such that $x \in A \Leftrightarrow \exists y \in Y^\omega \ (x,y) \in B$, where $(x,y) \in (\Sigma \times Y)^\omega$ means that (x,y)(i) = (x(i),y(i)) for each natural number i.

A subset of Σ^{ω} is analytic if it is empty, or the image of the Baire space by a continuous map. The class Σ^1_1 of analytic sets contains the class of Borel sets in any of the spaces Σ^{ω} . Note that $\Delta^1_1 = \Sigma^1_1 \cap \Pi^1_1$, where $\Pi^1_1 := \check{\Sigma}^1_1$ is the class of **co-analytic** sets, i.e., of complements of analytic sets.

The ω -power of a finitary language L is always an analytic set. Indeed, if L is finite and has n elements, then L^{ω} is the continuous image of the compact set $\{0, 1, \dots, n-1\}^{\omega}$. If L is infinite, then there is a bijection between L and ω , and L^{ω} is the continuous image of the Baire space ω^{ω} , [Sim92].

4 The operation "exponentiation of sets"

The Wadge hierarchy of Borel sets is a great refinement of the Borel hierarchy. Wadge gave first a description of this hierarchy, see [Wad83]. Duparc got in [Dup01] a new proof of Wadge's results for the case of Borel sets of finite rank, and he gave a normal form of Borel sets of finite rank, i.e., an inductive construction of a Borel set of every given degree. His proof relies on set theoretic operations which are the counterpart of arithmetical operations over ordinals needed to compute the Wadge degrees.

In fact J. Duparc studied the Wadge hierarchy via the study of the conciliating hierarchy. He introduced in [Dup01] the conciliating sets, which are sets of finite or infinite words over an alphabet Σ , i.e. subsets of $\Sigma^{<\omega} \cup \Sigma^{\omega} = \Sigma^{\leq\omega}$. Among the set theoretic operations which are defined over concilating sets, we shall only need in this paper the operation of exponentiation. We first recall the following.

Definition 8 Let Σ_A be a finite alphabet, \leftarrow be a letter out of Σ_A , $\Sigma := \Sigma_A \cup \{\leftarrow\}$, and x be a finite or infinite word over the alphabet Σ . Then x^{\leftarrow} is inductively defined as follows.

- $-\lambda^{\leftarrow}:=\lambda.$
- $\text{- For a finite word } u \in \Sigma^{<\omega}, \left\{ \begin{array}{l} (ua)^{\twoheadleftarrow} := u^{\twoheadleftarrow} a \text{ if } a \in \Sigma_A, \\ (u \twoheadleftarrow)^{\twoheadleftarrow} := u^{\twoheadleftarrow} \text{ with its last letter removed if } |u^{\twoheadleftarrow}| > 0, \\ (u \twoheadleftarrow)^{\twoheadleftarrow} := \lambda \text{ if } |u^{\twoheadleftarrow}| = 0. \end{array} \right.$
- For an infinite word σ , $\sigma^{\text{\tiny "-}}:=\lim_{n\in\omega}\;(\sigma|n)^{\text{\tiny "-}}$, where, given $(w_n)\in(\Sigma_A^{<\omega})^{\omega}$ and $w\in\Sigma_A^{<\omega}$,

$$w \subseteq \lim_{n \in \omega} w_n \Leftrightarrow \exists p \in \omega \ \forall n \ge p \ w_n ||w| = w.$$

Remark. For $x \in \Sigma^{\leq \omega}$, x^{\leftarrow} denotes the string x, once every $^{\leftarrow}$ occurring in x has been "evaluated" as the back space operation (the one familiar to your computer!), proceeding from left to right inside x. In other words, $x^{\leftarrow} = x$ from which every interval of the form " $a \leftarrow$ " $(a \in \Sigma_A)$ is removed.

For example, if
$$x=(a \twoheadleftarrow)^n$$
 for some $n \ge 1$, $x=(a \twoheadleftarrow)^\omega$ or $x=(a \twoheadleftarrow)^\omega$ then $x^{\twoheadleftarrow}=\lambda$. If $x=(ab \twoheadleftarrow)^\omega$, then $x^{\twoheadleftarrow}=a^\omega$. If $x=bb(\twoheadleftarrow a)^\omega$, then $x^{\twoheadleftarrow}=b$.

We now can define the operation $A \mapsto A^{\sim}$ of exponentiation of conciliating sets.

Definition 9 Let Σ_A be a finite alphabet, \leftarrow be a letter out of Σ_A , $\Sigma := \Sigma_A \cup \{\leftarrow\}$, and $A \subseteq \Sigma_A^{\leq \omega}$. Then we set $A^{\sim} := \{x \in \Sigma^{\leq \omega} \mid x^{\leftarrow} \in A\}$.

The operation \sim is monotone with regard to the Wadge ordering and produces some sets of higher complexity. Duparc considered the following correspondence. If Σ_A is a finite alphabet, $A \subseteq \Sigma_A^{\leq \omega}$ and d is a letter out of Σ_A , then we define

$$A^d := \{ \sigma \in (\Sigma_A \cup \{d\})^\omega \mid \sigma(/d) \in A \},$$

where $\sigma(d)$ is the sequence obtained from σ by removing every occurrence of the letter d.

We recall the results useful in this paper.

Theorem 10 (Duparc [Dup01]) Let Σ_A be a finite alphabet.

- (a) Let $A \subseteq \Sigma_A^{\leq \omega}$, and $n \geq 1$ be a natural number. If $A^d \subseteq (\Sigma_A \cup \{d\})^{\omega}$ is Σ_n^0 -complete (respectively, Π_n^0 -complete), then $(A^{\sim})^d$ is Σ_{n+1}^0 -complete (respectively, Π_{n+1}^0 -complete).
- (b) Let $A \subseteq \Sigma_A^{\omega}$, and $n \ge 2$ be a natural number. If A is Π_n^0 -complete, then A^{\sim} is Π_{n+1}^0 -complete.

Remark. Item (b) of the preceding theorem follows from (a) because

- whenever $A\subseteq \Sigma_A^\omega$, $n\geq 2$ is a natural number and A is Π_n^0 -complete, then A^d is also Π_n^0 -complete,
- whenever $A \subseteq \Sigma_A^{\omega}$, $n \ge 3$ is a natural number and $A^d \subseteq (\Sigma_A \cup \{d\})^{\omega}$ is Π_n^0 -complete, then A is also a Π_n^0 -complete set.

This property was useful in [Fin01] to study the ω -powers of finitary languages. The first author proved in [Fin01] that the class CFL_{ω} of context-free ω -languages, (i.e., those which are accepted by Büchi pushdown automata), is closed under this operation \sim .

We now recall a slightly modified variant of the operation \sim , introduced in [Fin01], and which is particularly suitable to infer properties of ω -powers.

Definition 11 Let Σ_A be a finite alphabet, \leftarrow be a letter out of Σ_A , $\Sigma := \Sigma_A \cup \{\leftarrow\}$, and $A \subseteq \Sigma_A^{\leq \omega}$. Then we set $A^{\approx} := \{x \in \Sigma^{\leq \omega} \mid x^{\leftarrow} \in A\}$, where x^{\leftarrow} is inductively defined as follows.

- $-\lambda^{\leftarrow}:=\lambda.$
- $\text{- For a finite word } u \in \Sigma^{<\omega}, \left\{ \begin{array}{l} (ua)^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}} := u^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}} a \text{ if } a \in \Sigma_A, \\ (u \twoheadleftarrow)^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}} := u^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}} \text{ with its last letter removed if } |u^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}}| > 0, \\ (u \twoheadleftarrow)^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}} \text{ is undefined if } |u^{\text{\tiny $^{\scriptscriptstyle \leftarrow}$}}| = 0. \end{array} \right.$
- For an infinite word σ , $\sigma^{\leftarrow} := \lim_{n \in \omega} (\sigma | n)^{\leftarrow}$.

The only difference is that here $(u \leftarrow)^{\leftarrow}$ is undefined if $|u^{\leftarrow}| = 0$. It is easy to see that if $A \subseteq \Sigma_A^{\omega}$ is a Borel set such that $A \neq \Sigma_A^{\omega}$, i.e., $A^- \neq \emptyset$, then A^{\approx} is Wadge equivalent to A^{\sim} (see [Fin01]) and thus one can get the following version of Theorem 10.(b).

Theorem 12 Let Σ_A be a finite alphabet, and $n \ge 2$ be a natural number. If $A \subseteq \Sigma_A^{\omega}$ is Π_n^0 -complete, then A^{\approx} is Π_{n+1}^0 -complete.

5 Π_n^0 -complete ω -powers

Notation. Let Σ_A be a finite alphabet, \leftarrow be a letter out of Σ_A , and $\Sigma := \Sigma_A \cup \{\leftarrow\}$. The language L_3 over Σ is the context-free language generated by the context free grammar with the following production rules:

$$S \rightarrow aS \twoheadleftarrow S \text{ with } a \in \Sigma_A,$$

 $S \rightarrow a \twoheadleftarrow S \text{ with } a \in \Sigma_A,$
 $S \rightarrow \lambda$

(see [H-U] for the basic notions about grammars). This language L_3 corresponds to the words where every letter of Σ_A has been removed after using the backspace operation. It is easy to see that L_3 is a deterministic one-counter language, i.e., L_3 is accepted by a deterministic one-counter automaton. Moreover, for $a \in \Sigma_A$, the language L_3a is also accepted by a deterministic one-counter automaton.

We can now state the following result.

Lemma 13 (see [Fin01]) Whenever $A \subseteq \Sigma_A^{\omega}$, the ω -language $A^{\approx} \subseteq \Sigma^{\omega}$ is obtained by substituting in A the language L_3a for each letter $a \in \Sigma_A$.

An ω -word $\sigma \in A^{\approx}$ may be considered as an ω -word $\sigma^{\leftarrow} \in A$ to which we possibly add, before the first letter $\sigma^{\leftarrow}(0)$ of σ^{\leftarrow} (respectively, between two consecutive letters $\sigma^{\leftarrow}(n)$ and $\sigma^{\leftarrow}(n+1)$ of σ^{\leftarrow}), a finite word belonging to the context free (finitary) language L_3 .

Corollary 14 Whenever $A \subseteq \Sigma_A^{\omega}$ is an ω -power of a language L_A , i.e., $A = L_A^{\infty}$, then A^{\approx} is also an ω -power, i.e., there exists a (finitary) language E_A such that $A^{\approx} = E_A^{\infty}$. Moreover, if the language L_A is in the class OCL(k) for some natural number k, then the language E_A can be found in the class OCL(k+1).

Proof. Let $h: \Sigma_A \to 2^{\Sigma^{<\omega}}$ be the substitution defined by $a \mapsto L_3 a$, where L_3 is the context free language defined above. Then it is easy to see that now A^{\approx} is obtained by substituting in A the language $L_3 a$ for each letter $a \in \Sigma_A$. Thus $E_A = h(L_A)$ satisfies the statement of the theorem. \square

We now recall the following result, proved in [Fin01].

Theorem 15 For each natural number $n \ge 1$, there is a context free language P_n in the subclass of iterated counter languages such that P_n^{∞} is Π_n^0 -complete.

Proof. Let $B_1 = \{ \sigma \in \{\mathbf{0}, \mathbf{1}\}^{\omega} \mid \forall i \in \omega \ \sigma(i) = \mathbf{0} \} = \{\mathbf{0}\}^{\infty}$. B_1 is a Π_1^0 -complete set of the form P_1^{∞} where P_1 is the singleton containing only the word $\mathbf{0}$. Note that that $P_1 = \{\mathbf{0}\} =: 1$ is a regular language, hence in the class OCL(0).

Let then $B_2 = \mathbb{P}_{\infty}$ be the well known Π_2^0 -complete regular ω -language. Note that $B_2 = (1^{<\omega} \mathbf{1})^{\infty}$. Let $P_2 := 1^{<\omega} \mathbf{1}$. Then P_2 is a regular language, hence in the class OCL(0).

We now consider the substitution $h:\{0,1\}\to 2^{(\{0,1\}\cup\{\leftarrow\})^{<\omega}}$ from the proof of Corollary 14, and set $P_3:=h(P_2)$, which is a context-free language in the class OCL(1). Note that the set $P_3^\infty=h(P_2)^\infty=(P_2^\infty)^\approx$ is Π_3^0 -complete, by Theorem 10.

Iterating this method $n \ge 1$ times, we easily obtain a context free language $P_{n+2} \in OCL(n)$ such that P_{n+2}^{∞} is Π_{n+2}^{0} -complete.

Note that P_1 and P_2 are regular, hence accepted by some (real-time deterministic) finite automata (without any counter). On the other hand, the languages L_3a , for $a \in \Sigma_A$, are one-counter languages. Moreover we can easily see that, for each $a \in \Sigma_A$, the language L_3a is accepted by a real-time one-counter automaton \mathcal{A} , such that \mathcal{A} accepts a finite word w iff there is a run on w ending in an accepting state and with empty stack. This implies that the language P_3 is also accepted by a real-time one-counter automaton, by final states and empty stack. We can now state the following proposition.

Proposition 16 Let $A \subseteq \Sigma_A^{<\omega}$ be a finitary language accepted by a real-time one-counter automaton \mathcal{A} accepting words by final states and empty stack, and let $h: \Sigma_A \to 2^{\Sigma^{<\omega}}$ be the substitution defined by $a \mapsto L_3 a$, where L_3 is the one-counter language defined above. Then the language h(A) is in OCL(2), and it is accepted by a real-time two-iterated counter automaton \mathcal{B} accepting words by final states and empty stack.

We explain in an informal way the idea of the construction of the real-time two-iterated counter automaton \mathcal{B} from the automaton \mathcal{A} . The stack alphabet of \mathcal{A} is of the form $\{Z_0, z_0\}$, and the stack alphabet of \mathcal{B} is of the form $\{Z_0, z_0, z_1\}$. The automaton \mathcal{B} starts the reading of a word over the alphabet Σ as the one-counter automaton \mathcal{A} accepting the language \mathcal{A} . Then at any moment of the computation it may guess (using the non-determinism) that it reads a finite segment w of L_3 that will be erased (using the eraser \leftarrow). It reads w using the additional stack letter z_1 which permits to simulate a one-counter automaton at the top of the stack while keeping the memory of the stack of \mathcal{A} (which is actually a counter). Then, after the reading of w, \mathcal{B} simulates again the one-counter automaton \mathcal{A} , and so on. The automaton \mathcal{B} accepts words by final states (corresponding to final states of \mathcal{A}) and empty stack. We now state one of our main technical results.

Proposition 17 Let $A \subseteq \Sigma^{<\omega}$ be a finitary language accepted by a real-time two-iterated counter automaton \mathcal{A} accepting words by final states and empty stack, and such that the ω -power A^{∞} is Σ_n^0 -complete (respectively, Π_n^0 -complete) for some natural number $n \geq 3$. Then we can find a finite alphabet Y and a finitary language $B \subseteq Y^{<\omega}$ such that B is accepted by a real-time one-counter automaton \mathcal{B} accepting words by final states and empty stack, and B^{∞} is Σ_n^0 -complete (respectively, Π_n^0 -complete). Moreover one can take a two-letter alphabet $Y = \{0,1\}$ with the same property.

Proof. Note first that we have already seen in Section 2 that a (real-time) two-iterated counter automaton (accepting words by final states *and* empty stack) may be seen as a (real-time) two-counter automaton (accepting words by final states *and* counters having the value zero). The idea is to code the content of two counters. We shall need the following notion. Let $m \ge 1$ be a natural number, and n, p, q be natural numbers such that neither 2 nor 3 divides $n \ge 1$, and $m = n.2^p.3^q$. Then we set $M_2(m) := p$ and $M_3(m) = q$. So $2^{M_2(m)}$ is the greatest power of 2 which divides m, and $2^{M_3(m)}$ is the greatest power of 3 which divides m.

Let then $\mathcal{A}:=(Q,\Sigma,q_0,\Delta,F)$ be a (real-time) two-iterated counter automaton accepting the language $A=L(\mathcal{A})\subseteq \Sigma^{<\omega}$, by final states *and* empty stack. We define the finitary language \mathcal{L} as the set of finite words over the alphabet $\Sigma\cup\{\mathbf{0},\mathbf{1},\mathbf{2}\}$, where $\mathbf{0},\mathbf{1},\mathbf{2}$ are new letters not in Σ , of the form $\bigcap_{i< n}v_i$ a_i $\mathbf{1}$ w_i z_i $\mathbf{2}$ u_{i+1} , where $|v_0|=1$, $n\geq 1$, $v_i,w_i\in 1^+$, $z_i,u_i\in 1^{<\omega}$, $a_i\in \Sigma$, $|u_{i+1}|=|z_i|$ and we can find a sequence $(q_i)_{i\leq n}$ of states of Q and integers $l_i,l_i'\in\{-1,0,1\}$ such that, for each i< n,

$$a_i \colon \left(q_i, M_2(|v_i|), M_3(|v_i|)\right) \mapsto_{\mathcal{A}} \left(q_{i+1}, M_2(|v_i|) + l_i, M_3(|v_i|) + l_i'\right)$$

and $|w_i| = |v_i| \cdot 2^{l_i} \cdot 3^{l'_i}$.

Moreover, the state q_n is a final state of \mathcal{A} , i.e., $q_n \in F$, and $M_2(|w_{n-1}|) = 0$, $M_3(|w_{n-1}|) = 0$. Note that the state q_0 of the sequence $(q_i)_{i < n}$ is also the initial state of \mathcal{A} .

Claim 1 *The language* \mathcal{L} *is accepted by a one-counter automaton* \mathcal{C} .

Indeed, we shall explain informally the behaviour of a one-counter automaton $\mathcal C$ accepting the finitary language $\mathcal L$. We first consider the reading of a word $w \in (\Sigma \cup \{\mathbf 0, \mathbf 1, \mathbf 2\})^{<\omega}$ of the form

$$(\widehat{\ }_{i < n} \mathbf{0}^{p_i} a_i \mathbf{1} \mathbf{0}^{m_i} \mathbf{2}) \mathbf{0}^{p_n},$$

where the p_i, m_i ,'s are positive integers, and the a_i 's are in Σ .

Using the finite control, (i.e., a finite set of states and a set of transitions involving only these states, and the input letters that are read; this corresponds to the behaviour of a finite state automaton) the automaton \mathcal{C} first checks that the first three letters of w form an initial segment $\mathbf{0}$ a_0 $\mathbf{1}$, for some letter $a_0 \in \Sigma$. Moreover, when reading the $p_0 = 1$ letter $\mathbf{0}$ before a_0 , the automaton \mathcal{C} , using the finite control, checks that $p_0 > 0$ and determines whether $M_2(p_0) = 0$, and whether $M_3(p_0) = 0$. Here we actually have $M_2(p_0) = 0$ and $M_3(p_0) = 0$. Moreover the counter content of \mathcal{C} is increased by one for each letter $\mathbf{0}$ read.

The automaton C now reads the letter a_0 and it guesses a transition of A leading to

$$a_0: (q_0, M_2(p_0), M_3(p_0)) \mapsto_{\mathcal{A}} (q_1, M_2(p_0) + l_0, M_3(p_0) + l'_0)$$

We set $v_0 := \mathbf{0}^{p_0}$ and $w_0 := \mathbf{0}^{p_0.2^{l_0}.3^{l'_0}}$.

The counter value is now equal to p_0 and, when reading the letters $\mathbf{0}$ following a_0 , the automaton \mathcal{C} checks that $m_0 \ge p_0.2^{l_0}.3^{l_0'}$ in such a way that the counter value becomes zero after having read the $p_0.2^{l_0}.3^{l_0'}$ letters $\mathbf{0}$ following the first letter $\mathbf{1}$. For instance, if $l_0 = l_0' = 1$, then $|w_0| = |v_0|.6$ so this can be done by decreasing the counter content by one each time six letters $\mathbf{0}$ are read. The other cases are treated similarly. The details are here left to the reader.

Note also that the automaton \mathcal{C} has kept in its finite control the value of the state q_1 .

We now set $\mathbf{0}^{m_0} := w_0.z_0$. We have seen that, after having read w_0 , the counter value of the automaton \mathcal{C} is equal to zero. Now when reading z_0 the counter content is increased by one for each letter read so that it becomes $|z_0|$ after having read z_0 . The automaton \mathcal{C} now reads a letter A and next decreases its counter by one for each letter $\mathbf{0}$ read until the counter content is equal to zero. We set $\mathbf{0}^{p_1} := u_1.v_1$ with $u_1 = z_0$. The automaton \mathcal{C} now reads the segment v_1 . Using the finite control, it checks that $|v_1| > 0$ and determines whether $M_2(|v_1|) = 0$, and whether $M_3(|v_1|) = 0$. Moreover the counter content is increased by one for each letter $\mathbf{0}$ read. The automaton \mathcal{C} now reads the letter a_1 and it guesses a transition of \mathcal{A} leading to

$$a_1: (q_1, M_2(|v_1|), M_3(|v_1|)) \mapsto_{\mathcal{A}} (q_2, M_2(|v_1|) + l_1, M_3(|v_1|) + l_1')$$

We set $w_1 := \mathbf{0}^{|v_1|.2^{l_1}.3^{l_1'}}$. The counter value is now equal to $|v_1|$. The automaton $\mathcal C$ now reads the second letter $\mathbf 1$ and, when reading the m_1 letters $\mathbf 0$ following this letter $\mathbf 1$, the automaton $\mathcal C$ checks that $m_1 \ge |v_1|.2^{l_1}.3^{l_1'}$ in such a way that the counter value becomes zero after having read the $|v_1|.2^{l_1}.3^{l_1'}$ letters $\mathbf 0$ following the second letter $\mathbf 1$.

For instance, if $l_1 = 0$ and $l'_1 = -1$, then $|w_1| = |v_1| .3^{-1}$, so this can be done by decreasing the counter content by three each time one letter $\mathbf{0}$ is read. And if $l_1 = -1$ and $l'_1 = -1$, then $|w_1| = |v_1| .2^{-1} .3^{-1} = |v_1| .6^{-1}$ so this can be done by decreasing the counter content by six each time one letter $\mathbf{0}$ is read. The other cases are treated similarly. The details are here left to the reader.

Note that these different cases can be treated using λ -transitions, in such a way that there will be at most 5 consecutive λ -transitions during a run of \mathcal{C} on w. This will be an important useful fact in the sequel.

Note also that the automaton C has kept in its finite control the value of the state q_2 .

The reading of w by C continues similarly. An acceptance condition by final states and empty stack can be used to ensure that $q_n \in F$, $M_2(|w_{n-1}|) = 0$, $M_3(|w_{n-1}|) = 0$, and $|z_{n-1}| = p_n$.

In order to complete the proof, we can remark that $\mathcal{R} = (\mathbf{0}^{<\omega}.\Sigma.\mathbf{1}.\mathbf{0}^{<\omega}.\mathbf{2}.\mathbf{0}^{<\omega})^{<\omega}$ is a regular language, so we have only considered the reading by \mathcal{C} of words $w \in \mathcal{R}$. Indeed, if the language $L(\mathcal{C})$ was not included into \mathcal{R} , then we could replace it with $L(\mathcal{C}) \cap \mathcal{R}$ because the class OCL is closed under intersection with regular languages (by a classical construction of product of automata, the language \mathcal{R} being accepted by a deterministic finite-state automaton).

We will now use a coding of ω -words over Σ given by the map $g_{N,l}: \Sigma^{\omega} \to (\Sigma \cup \{\mathbf{0}, \mathbf{1}, \mathbf{2}\})^{\omega}$, where $(N, l) \in \mathcal{P} := \{(N, l) \in (\omega \setminus \{0\}) \times \omega \mid 6 \text{ does not divide } N\}$, and

$$g_{N,l}(\sigma) := \mathbf{0} \ (\widehat{}_{i \in \omega} \ \sigma(i) \ \mathbf{1} \ \mathbf{0}^{N.6^{l+i}} \ \mathbf{2} \ \mathbf{0}^{N.6^{l+i}}).$$

Claim 2 The equality $(L(\mathcal{A}))^{\infty} = g_{N,l}^{-1}(\mathcal{L}^{\infty})$ holds, i.e., $\forall \sigma \in \Sigma^{\omega}$, $g_{N,l}(\sigma) \in \mathcal{L}^{\infty} \Leftrightarrow \sigma \in (L(\mathcal{A}))^{\infty}$.

Indeed, let \mathcal{A} be a real-time two-iterated counter automaton accepting finite words over Σ , by final states *and* empty stack, and $\mathcal{L} \subseteq (\Sigma \cup \{0,1,2\})^{<\omega}$ be defined as above.

Let $\sigma \in \Sigma^{\omega}$ be an ω -word such that $g_{N,l}(\sigma) \in \mathcal{L}^{\infty}$. Recall that $g_{N,l}(\sigma)$ can be written

$$\mathbf{0} \; (\widehat{}_{i \in \omega} \; \sigma(i) \; \mathbf{1} \; \mathbf{0}^{N.6^{l+i}} \; \mathbf{2} \; \mathbf{0}^{N.6^{l+i}})$$

As $g_{N,l}(\sigma) \in \mathcal{L}^{\infty}$, we can also write $g_{N,l}(\sigma) = \bigcap_{j \in \omega} (\bigcap_{i < n_j} v_{i,j} \ a_{i,j} \ \mathbf{1} \ w_{i,j} \ z_{i,j} \ \mathbf{2} \ u_{i+1,j})$, where, for each natural number j, $|v_{0,j}| = 1$, $n_j \geq 1$, $v_{i,j}, w_{i,j} \in 1^+$, $z_{i,j}, u_{i,j} \in 1^{<\omega}$, $a_{i,j} \in \Sigma$, $|u_{i+1,j}| = |z_{i,j}|$ and we can find a sequence $(q_{i,j})_{i \leq n_j}$ of states of Q such that $q_{0,j} = q_0$ is the initial state of A, and integers $l_{i,j}, l'_{i,j} \in \{-1,0,1\}$ such that, for each $i < n_j$,

$$a_{i,j}: (q_{i,j}, M_2(|v_{i,j}|), M_3(|v_{i,j}|)) \mapsto_{\mathcal{A}} (q_{i+1,j}, M_2(|v_{i,j}|) + l_{i,j}, M_3(|v_{i,j}|) + l'_{i,j})$$

and $|w_{i,j}| = |v_{i,j}| \cdot 2^{l_{i,j}} \cdot 3^{l'_{i,j}}$. Moreover, the state $q_{n_j,j}$ is a final state, $M_2(|w_{n_j-1,j}|) = 0$, and $M_3(|w_{n_j-1,j}|) = 0$.

In particular, $|v_{0.0}| = 1 = 2^{\circ}.3^{\circ}$. We will prove, by induction on $i < n_0$, that

$$|w_{i,0}| = 2^{M_2(|w_{i,0}|)}.3^{M_3(|w_{i,0}|)},$$

and $|w_{i,0}| = |v_{i+1,0}|$ if $i < n_0 - 1$. Moreover, setting $c_0^i = M_2(|v_{i,0}|)$ and $c_1^i = M_3(|v_{i,0}|)$, we will prove that, for each $i < n_0 - 1$, $a_{i,0} : (q_{i,0}, c_0^i, c_1^i) \mapsto_{\mathcal{A}} (q_{i+1,0}, c_0^{i+1}, c_1^{i+1})$.

We have already seen that $|v_{0,0}|=1=2^0.3^0$. By hypothesis we can find a state $q_{1,0}\in Q$ and integers $l_{0,0}, l'_{0,0}\in \{-1,0,1\}$ such that

$$a_{0,0}: (q_0, M_2(|v_{0,0}|), M_3(|v_{0,0}|)) \mapsto_{\mathcal{A}} (q_{1,0}, M_2(|v_{0,0}|) + l_{0,0}, M_3(|v_{0,0}|) + l'_{0,0}),$$

i.e., $a_{0,0}: (q_0,0,0)\mapsto_{\mathcal{A}} (q_{1,0},l_{0,0},l_{0,0}')$. Then $|w_{0,0}|=|v_{0,0}|.2^{l_{0,0}}.3^{l_{0,0}'}=2^{l_{0,0}}.3^{l_{0,0}'}$. Now note that $|w_{0,0}.z_{0,0}|=|u_{1,0}.v_{1,0}|=\mathbf{0}^{N.6^l}$ and $|u_{1,0}|=|z_{0,0}|$. Thus $|v_{1,0}|=|w_{0,0}|=2^{l_{0,0}}.3^{l_{0,0}'}$. Setting $c_0^0:=0$, $c_0^1:=0$, $c_0^1:=l_{0,0}:=M_2(|v_{1,0}|)$ and $c_1^1:=l_{0,0}':=M_3(|v_{1,0}|)$, it holds that

$$a_{0,0}:(q_0,c_0^0,c_1^0)\mapsto_{\mathcal{A}}(q_{1,0},c_0^1,c_1^1).$$

Assume now that, for each $i < n_0 - 1$, it holds that $|w_{i,0}| = |v_{i+1,0}| = 2^{M_2(|w_{i,0}|)}.3^{M_3(|w_{i,0}|)}$ and $a_{i,0}: (q_{i,0},c_0^i,c_1^i) \mapsto_{\mathcal{A}} (q_{i+1,0},c_0^{i+1},c_1^{i+1})$. We know that we can find a state $q_{n_0,0} \in Q$ and integers $l_{n_0-1,0}, l'_{n_0-1,0} \in \{-1,0,1\}$ such that

$$a_{n_0-1,0}: \left(q_{n_0-1,0}, M_2(|v_{n_0-1,0}|), M_3(|v_{n_0-1,0}|)\right) \mapsto_{\mathcal{A}} \left(q_{n_0,0}, M_2(|v_{n_0-1,0}|) + l_{n_0-1,0}, M_3(|v_{n_0-1,0}|) + l'_{n_0-1,0}\right),$$

i.e.,
$$a_{n_0-1,0}$$
 : $(q_{n_0-1,0}, c_0^{n_0-1}, c_1^{n_0-1}) \mapsto_{\mathcal{A}} (q_{n_0}, c_0^{n_0-1} + l_{n_0-1,0}, c_1^{n_0-1} + l'_{n_0-1,0})$.

Then $|w_{n_0-1,0}| = |v_{n_0-1,0}|.2^{l_{n_0-1,0}}.3^{l'_{n_0-1,0}} = 2^{c_0^{n_0-1}+l_{n_0-1,0}}.3^{c_1^{n_0-1}+l'_{n_0-1,0}} = 1$ since moreover, by hypothesis, $M_2(|w_{n_0-1,0}|) = M_3(|w_{n_0-1,0}|) = 0$.

Finally we inductively proved the announced claim, and this shows that $a_{0,0}a_{1,0}\dots a_{n_0-1,0}$ is accepted by \mathcal{A} , by final states and empty stack. On the other hand, $|w_{n_0-1,0}.z_{n_0-1,0}|=N.6^{l+n_0-1}$, $|w_{n_0-1,0}|=1$ and $|u_{n_0}|=|z_{n_0-1,0}|$, thus $|u_{n_0}|=N.6^{l+n_0-1}-1$. As above, we can prove, by induction on j, that, for every $j\in\omega$, the finite word $a_{0,j}a_{1,j}\dots a_{n_j-1,j}$ is in $L(\mathcal{A})$, and thus σ is in $L(\mathcal{A})^\infty$.

Conversely it is easy to see that if
$$\sigma \in L(A)^{\infty}$$
, then $g_{N,l}(\sigma) \in \mathcal{L}^{\infty}$.

We now come back to the proof of Proposition 17. By Claim 1, \mathcal{L} is accepted by a one-counter automaton \mathcal{C} , and there are at most 5 consecutive λ -transitions during a run of \mathcal{C} on a finite word w.

The alphabet Y will be $\Sigma \cup \{\mathbf{0}, \mathbf{1}, \mathbf{2}\}$. We first define the language B' which will be of the form $\mu \cup \mathcal{L}$, where μ is a finitary language over Y. We will moreover ensure that μ is accepted by a one-counter automaton, (for which there are also at most 5 consecutive λ -transitions during a run on a finite word) by finite states and empty stack, so that it will also be the case of B', by non-determinism. The set \mathcal{L}^{∞} will look like A^{∞} on some compact set $K_{1,0}$. We actually define, for any natural numbers N, l such that 6 does not divide $N \geq 1$, some compact sets $K_{N,l}$. On the $K_{N,l}$'s, we will be able to control the complexity of B'^{∞} , which will essentially be that of \mathcal{L}^{∞} , and \mathcal{L}^{∞} will be complex. Out of the $K_{N,l}$'s, we do not know the complexity of \mathcal{L}^{∞} . This is the reason why we introduce μ . The set μ^{∞} will be simple, will hide the possible complexity of \mathcal{L}^{∞} out of the union of the $K_{N,l}$'s, and will not hide the complexity of \mathcal{L}^{∞} on the $K_{N,l}$'s. We set $K_{N,l} := g_{N,l}[\Sigma^{\omega}]$. As $g_{N,l}$ is a homeomorphism onto its range, $K_{N,l}$ is compact. By Claim 2, $g_{N,l}^{-1}(\mathcal{L}^{\infty} \cap K_{N,l}) = A^{\infty}$ for each $l \in \omega$.

We are ready to define μ . We set

$$\mu \! := \! \{ \ w \! \in \! Y^{<\omega} \mid \exists n \! \ge \! 2 \ \exists (a_i)_{i < n} \! \in \! \Sigma^n \ \exists (P_i)_{i < n} \! \in \! (\omega \setminus \! \{0\})^n \ \exists (Q_i)_{i < n} \! \in \! \omega^n \\ w \! = \! \mathbf{0} \left(\smallfrown_{i < n} a_i \ \mathbf{1} \ \mathbf{0}^{P_i} \ \mathbf{2} \ \mathbf{0}^{Q_i} \right) \wedge \left(P_{n-2} \! \neq \! Q_{n-2} \ \lor \ P_{n-1} \! \neq \! 6.P_{n-2} \right) \}.$$

Note that all the words in B' have the same form $\mathbf{0}$ ($\widehat{}_{i < n} a_i \mathbf{1} \mathbf{0}^{P_i} \mathbf{2} \mathbf{0}^{Q_i}$). Note also that any finite concatenation of words of this form still has this form. We set

$$S := \{ \mathbf{0} (\cap_{i \in \omega} a_i \mathbf{1} \mathbf{0}^{P_i} \mathbf{2} \mathbf{0}^{Q_i}) \mid (a_i)_{i \in \omega} \in \Sigma^{\omega} \land (P_i)_{i \in \omega} \in (\omega \setminus \{0\})^{\omega} \land (Q_i)_{i \in \omega} \in \omega^{\omega} \}.$$

We now show that μ^{∞} is "simple". Note that

$$\mu^{\infty} = \{ \gamma \in Y^{\omega} \mid \forall l \in \omega \ \exists t \in \mu^l \land \widehat{\ }_{i < l} \ t(i) \subseteq \gamma \}.$$

This shows that $\mu^{\infty} \in \Pi_2^0(Y^{\omega})$.

We first prove the result for B' and the class Σ_n^0 . Note that $B'^\infty \cap K_{1,0} = \mathcal{L}^\infty \cap K_{1,0}$ is not a Π_n^0 subset of $K_{1,0}$ since $g_{1,0}^{-1}(\mathcal{L}^\infty \cap K_{1,0}) = A^\infty$, and A^∞ is Σ_n^0 -complete and hence not in the class Π_n^0 , so that B'^∞ is not a Π_n^0 subset of Y^ω . By 22.10 in [Kec95], it remains to see that B'^∞ is a Σ_n^0 -subset of Y^ω .

We define $F: S \setminus \mu^{\infty} \to (\{\lambda\} \cup \mu) \times \mathcal{P}$ as follows. Let $\gamma := \mathbf{0} \ (\widehat{\ }_{i \in \omega} \ a_i \ \mathbf{1} \ \mathbf{0}^{P_i} \ \mathbf{2} \ \mathbf{0}^{Q_i}) \in S \setminus \mu^{\infty}$, and $(N, l) \in \mathcal{P}$ with $P_0 = N.6^l$. If $\gamma \in K_{N,l}$, then we put $F(\gamma) := (\lambda, N, l)$. If $\gamma \notin K_{N,l}$, then there is $i_0 \in \omega$ maximal for which $P_{i_0} \neq Q_{i_0}$ or $P_{i_0+1} \neq 6.P_{i_0}$. Let $(N', l') \in \mathcal{P}$ with $P_{i_0+1} = N'.6^{l'}$. We put $F(\gamma) := \left(\mathbf{0} \ (\widehat{\ }_{i \leq i_0} \ a_i \ \mathbf{1} \ \mathbf{0}^{P_i} \ \mathbf{2} \ \mathbf{0}^{Q_i}) \ a_{i_0+1} \ \mathbf{1} \ \mathbf{0}^{P_{i_0+1}} \ \mathbf{2} \ \mathbf{0}^{Q_{i_0+1}-1}, N', l'+1\right)$. We then set $R := F[S \setminus \mu^{\infty}]$.

Assume that $\gamma \in B'^{\infty} \setminus \mu^{\infty}$. Note that $\gamma \in S \setminus \mu^{\infty}$, so that $(t,N,l) := F(\gamma)$ is defined, $t \subseteq \gamma$ and $\gamma - t \in K_{N,l}$. We define, for $(t,N,l) \in R$, $P_{t,N,l} := \{ \gamma \in Y^{\omega} \mid t \subseteq \gamma \land \gamma - t \in K_{N,l} \}$ and $A_{t,N,l} := \{ \gamma \in P_{t,N,l} \mid \gamma - t \in \mathcal{L}^{\infty} \cap K_{N,l} \}$. Note that $P_{t,N,l}$ is compact, contained in $S \setminus \mu^{\infty}$, and $F(\gamma) = (t,N,l)$ if $\gamma \in P_{t,N,l}$. This shows that the $P_{t,N,l}$'s are pairwise disjoint and disjoint from μ^{∞} . Note also that $A_{t,N,l}$ is Σ_n^0 . The previous discussion shows that $B'^{\infty} = \mu^{\infty} \cup \bigcup_{(t,N,l) \in R} A_{t,N,l}$, so that B'^{∞} is also in Σ_n^0 .

For the class Π_n^0 , we note that $B'^\infty = \mu^\infty \setminus (\bigcup_{(t,N,l) \in R} P_{t,N,l}) \cup \bigcup_{(t,N,l) \in R} A_{t,N,l} \cap P_{t,N,l}$. Thus $\neg B'^\infty = \neg (\mu^\infty \cup \bigcup_{(t,N,l) \in R} P_{t,N,l}) \cup \bigcup_{(t,N,l) \in R} P_{t,N,l} \setminus A_{t,N,l}$. As $n \ge 3$, the first part is in Σ_n^0 , as well as the second, so that B'^∞ is in Π_n^0 .

To finish the proof, we first notice that it is easy to see that the finitary language μ , as the finitary language \mathcal{L} , is accepted by a non-deterministic one-counter automaton, for which there are also at most 5 consecutive λ -transitions during a run on a finite word, by final states and empty counter. Details are here left to the reader. Then the language $B' = \mathcal{L} \cup \mu$ is also accepted by a non-deterministic one-counter automaton, by final states and empty counter, for which there are also at most 5 consecutive λ -transitions during a run on a finite word. In order to get the language B from the language B' we use a simple morphism which is a very particular case of a substitution. If the alphabet of B'is $Y := \{a_1, a_2, \dots, a_k\}$ for some integer $k \ge 1$, then we add a letter c to Y, set $Z := Y \cup \{c\}$, and consider the morphism $h: Y \to Z^{<\omega}$ defined by $h(a_i) = a_i c^6$ for each integer $i \in [1, k]$. This morphism is naturally extended to words and then to languages. Then we set B = h(B'). A word of B is simply obtained from a word w of B' by adding 6 letters c after each letter of w. It is then easy to see that the language B is accepted by a non-deterministic real-time one-counter automaton A by final states and empty counter. This automaton is simply obtained from a non-deterministic one-counter automaton \mathcal{B} , for which there are also at most 5 consecutive λ -transitions during a run on a finite word, accepting B' by final states and empty counter. The simple idea is that the λ -transitions of \mathcal{B} now occur during the reading by A of the letters c in a word of B.

Moreover it is easy to see that if B'^{∞} is Σ_n^0 -complete, (respectively, Π_n^0 -complete), for some natural number $n \geq 3$, then B^{∞} is also Σ_n^0 -complete, (respectively, Π_n^0 -complete).

Finally it is easy to use the morphism $f: Z \to \{0, 1\}^{<\omega}$ defined by $f(a_j) = \mathbf{0}^j \mathbf{1}$ for every j in $\{1, \ldots, k\}$ and $f(c) = \mathbf{0}^{k+1} \mathbf{1}$. Then the language $f(B) \subseteq \{0, 1\}^{<\omega}$ is accepted by a non-deterministic real-time one-counter automaton by final states and empty counter, and it is easy to see that if B^{∞} is Σ_n^0 -complete, (respectively, Π_n^0 -complete), for some natural number $n \geq 3$, then $f(B)^{\infty}$ is also Σ_n^0 -complete, (respectively, Π_n^0 -complete).

We now finish the proof of the main result of this section.

Proof of Theorem 1.(a).

Theorem 15 and the discussion after it provide, for n = 1, 2, a regular finitary language P_n such that P_n^{∞} is Π_n^0 -complete. So we are done if $n \le 2$.

This discussion also provides a finite alphabet Σ_{P_3} and a finitary language $P_3 \subseteq \Sigma_{P_3}^{<\omega}$, accepted by a real-time one-counter automaton, by final states *and* empty stack, such that P_3^{∞} is Π_3^0 -complete. By an argument similar to the one used in the last paragraph of the proof of Proposition 17, it is possible to get $\Sigma_{P_3} = \{0, 1\}$ with the same property.

By Proposition 16, if $h: \Sigma_{P_3} \to 2^{(\Sigma_{P_3} \cup \{\leftarrow\})^{<\omega}}$ is the substitution defined by $a \mapsto L_3 a$, then the language $h(P_3)$ is in OCL(2), and $h(P_3)$ is accepted by a real-time two-iterated counter automaton accepting words by final states and empty stack. The proof of Theorem 15 shows that $h(P_3)^{\infty}$ is Π_4^0 -complete. Proposition 17 provides a finite alphabet $\Sigma_{P_4} = \{\mathbf{0}, \mathbf{1}\}$ and a finitary language $P_4 \subseteq \Sigma_{P_4}^{<\omega}$, accepted by a real-time one-counter automaton, by final states and empty stack, such that P_4^{∞} is Π_4^0 -complete. It remains to repeat this argument with $n \ge 4$ instead of 3.

We obtained an inductive construction of languages P_n accepted by one counter automata such that P_n^{∞} is Π_n^0 -complete. We can argue slightly differently, as follows. First we can show that Proposition 17 is valid if we replace in the hypothesis "a real-time two-iterated counter automaton \mathcal{A} " by "a real-time k-iterated counter automaton \mathcal{A} , for some integer $k \geq 2$ "; the proof of this extension of Proposition 17 is very similar to the proof of Proposition 17, the idea being that we have in this case to code the content of k counters, but the ideas and the constructions of the proof are very similar, details are here left to the reader. Then Theorem 1.(a) now follows from Theorem 15 and from this extension of Proposition 17. Notice that we only gave a detailed proof of Proposition 17 in the case of k=2 because it is easier to exposit and this case contains all the fundamental ideas of the proof of the extended case of an integer $k \geq 2$.

6 Σ_n^0 -complete ω-powers

We want to find an alphabet Γ and a context free language $A \subseteq \Gamma^{<\omega}$ such that A^{∞} is Σ_n^0 -complete.

Notation. We will consider the bijection $\mathcal{P}:\omega\to\omega^2$ obtained by taking the diagonals with constant sum (0,0), then (1,0),(0,1), then (0,2),(1,1),(2,0), then (3,0),(2,1),(1,2),(0,3), and so on alternatively down and up in the second coordinate. Formally, we define $\mathcal{M}:\omega\to\omega$ by

$$\mathcal{M}(n)\!:=\!\max\{q\!\in\!\omega\mid\frac{q(q+1)}{2}\!\leq\!n\}.$$

We will consider the bijection $<.,.>:\omega^2 \rightarrow \omega$ defined by

$$< N, p > := \begin{cases} \frac{(N+p)(N+p+1)}{2} + N \text{ if } N+p \text{ is even,} \\ \frac{(N+p)(N+p+1)}{2} + p \text{ if } N+p \text{ is odd.} \end{cases}$$

Its inverse bijection $\mathcal{P}:\omega\to\omega^2$ is given by

$$\mathcal{P}(q) := \begin{cases} \left(q - \frac{\mathcal{M}(q)(\mathcal{M}(q)+1)}{2}, \mathcal{M}(q) - q + \frac{\mathcal{M}(q)(\mathcal{M}(q)+1)}{2}\right) \text{ if } \mathcal{M}(q) \text{ is even,} \\ \left(\mathcal{M}(q) - q + \frac{\mathcal{M}(q)(\mathcal{M}(q)+1)}{2}, q - \frac{\mathcal{M}(q)(\mathcal{M}(q)+1)}{2}\right) \text{ if } \mathcal{M}(q) \text{ is odd.} \end{cases}$$

If $\alpha \in 2^{\omega}$ and $M \in \omega$, then we define the M'th vertical $(\alpha)_M \in 2^{\omega}$ of α by setting

$$(\alpha)_M(p) := \alpha(\langle M, p \rangle)$$

if $p \in \omega$. We also define the odd part $(\alpha)^1 \in 2^\omega$ of α by setting $(\alpha)^1(q) := \alpha(2q+1)$ if $q \in \omega$.

Example. By 23.A in [Kec95], the set $\mathcal{S}_3:=\{x\in 2^{\omega^2}\mid \exists m\in\omega\ \exists^\infty n\in\omega\ x(m,n)=\mathbf{0}\ \}$ of double binary sequences having a vertical with infinitely many zeros is Σ^0_3 -complete. Note that the set $\mathcal{S}:=\{\alpha\in 2^\omega\mid \exists N\in\omega\ \exists^\infty q\in\omega\ \left((\alpha)_{2N}\right)^1(q)=\mathbf{1}\ \}$ is also Σ^0_3 -complete. Indeed, its definition shows that it is Σ^0_3 , and the map $c\colon 2^{\omega^2}\to 2^\omega$ defined by

$$c(x)(q)\!:=\! \begin{cases} \mathbf{0} \text{ if } \mathcal{P}(q)(0) \text{ is odd or } \mathcal{P}(q)(1) \text{ is even,} \\ \mathbf{1}\!-\!x\!\left(\frac{\mathcal{P}(q)(0)}{2},\frac{\mathcal{P}(q)(1)-1}{2}\right) \text{ if } \mathcal{P}(q)(0) \text{ is even and } \mathcal{P}(q)(1) \text{ is odd,} \end{cases}$$

is continuous and satisfies $S_3 = c^{-1}(S)$.

Note that we also have $S = \{ \alpha \in 2^{\omega} \mid \exists N \in \omega \ \left((\alpha)_{2N} \right)^1 \in (1^{<\omega} \mathbf{1})^{\infty} \}$. More generally we will consider in the sequel the ω -language $S := \{ \alpha \in 2^{\omega} \mid \exists N \in \omega \ \left((\alpha)_{2N} \right)^1 \in L^{\infty} \}$, where L is a finitary language over the alphabet $2 := \{ \mathbf{0}, \mathbf{1} \}$, such that the ω -power L^{∞} is in the class $\mathbf{\Delta}_{\xi+1}^0 \setminus \mathbf{\Sigma}_{\xi}^0$, where $\xi \geq 2$ is a countable ordinal.

We will be able to take $\Gamma=4:=\{\mathbf{0},\mathbf{1},\mathbf{2},\mathbf{3}\}$. The language A will be made of two pieces: we will have $A:=\mu\cup\pi$. Informally, the set π^∞ will look like $\mathcal S$ on some nice compact set K_0 . We actually define, for any natural number l, some compact set K_l . On the K_l 's, we will be able to control the complexity of A^∞ , which will essentially be that of π^∞ , and π^∞ will be non- $\Pi^0_{\xi+1}$. Out of the K_l 's, we do not know the complexity of π^∞ . This is the reason why we introduce μ . The set μ^∞ will be simple, will hide the possible complexity of π^∞ out of the union of the K_l 's, and will not hide the complexity of π^∞ on the K_l 's.

Notation. We will sometimes view 2 or 3 as alphabets, and sometimes view them as letters. To make this distinction clear, we will use the boldface notation 0, 1, 2, 3 for the letters, and the lightface notation 2, 3 otherwise. So we have $2 = \{0, 1\}$, $3 = \{0, 1, 2\}$, and $4 = \{0, 1, 2, 3\}$. We set

$$K_0 := \{ (\cap_{i \in \omega} \mathbf{2} \ s_{2i} \ \mathbf{3} \ s_{2i+1}) \in 4^{\omega} \mid \forall m \in \omega \ s_m \in 2^m \}.$$

The idea is to view an element α of the Cantor space 2^ω as the concatenation of the diagonal finite binary sequences s_m , with $s_m \in 2^m$, using the bijection \mathcal{P} . In K_0 , we introduce some separators of the s_m 's, $\mathbf{2}$ and $\mathbf{3}$ alternatively, so that α is now seen as an element of 4^ω . Similarly, we set $K_{l+1} := \{ \ (\frown_{j \in \omega} \mathbf{3} \ s_{2j+1} \ \mathbf{2} \ s_{2j+2}) \in 4^\omega \mid \forall m \geq 1 \ s_m \in 2^{2l+2+m} \ \}$, for each $l \in \omega$, erasing the first 2l+3 diagonal finite binary sequences appearing in the elements of K_0 . As the map $\varphi_l : K_l \to 2^\omega$, defined by $\varphi_l(\gamma) := \frown_{j \in \omega} s_{2j+\varepsilon}^{(-1)^\varepsilon} s_{2j+\varepsilon+1}^{(-1)^{\varepsilon+1}}$, where $\varepsilon \in 2$ is 0 exactly when l=0, is a homeomorphism, K_l is compact.

We define $f: 2 \rightarrow 2^{4^{<\omega}}$ by

$$f(a) := \{ a \ t \ \mathbf{3} \ u \ v \ \mathbf{2} \ w \in 4^{<\omega} \mid t, u, v, w \in 2^{<\omega} \land |t| = |u| \text{ is even } \land |v| = |w| \ge 3 \text{ is odd } \}.$$

The language π will be of the form $\pi_0 \cup \pi_1$, the latter language π_1 depending on some fixed language $L \subseteq 2^{<\omega}$. We first set

$$\pi_0 := \{ (\cap_{j < N} \mathbf{2} \, s_{2j} \, \mathbf{3} \, s_{2j+1}) \, \mathbf{2} \, a \in 4^{<\omega} \mid N \in \omega \, \wedge \, (\forall q \leq 2N+1 \, s_q \in 2^{<\omega}) \, \wedge \, s_0 = \lambda \, \wedge \, a \in 2 \, \}.$$

Fix then $L \subseteq 2^{<\omega}$. We set $\pi_1 := f(L)$, extending f as in Definition 3. We then set $\pi := \pi_0 \cup \pi_1$.

In order to simplify further notation, we set, for $N \in \omega$ and $(k_m)_{m \in \omega} \in \omega^{\omega}$ fixed and $p, q \in \omega$, $M_q := 2N + 2q + 2$ and $S_p^q := \sum_{p \le m \le q} (k_m + 1)$.

The next lemma expresses the fact that π^{∞} looks like S on K_0 .

Lemma 18
$$\varphi_0[\pi^\infty \cap K_0] = \{ \alpha \in 2^\omega \mid \exists N \in \omega \ ((\alpha)_{2N})^1 \in L^\infty \}.$$

Proof. Let $\gamma \in \pi^{\infty} \cap K_0$, and $\alpha := \varphi_0(\gamma)$. We can write $\gamma = \bigcap_{m \in \omega} w_m = \bigcap_{j \in \omega} \mathbf{2} \ s_{2j} \ \mathbf{3} \ s_{2j+1}$, where $w_m \in \pi \setminus \{\lambda\}$ and $s_k \in 2^k$. As the first coordinate of γ is $\mathbf{2}$, w_0 is of the form $(\bigcap_{j \leq N} \mathbf{2} \ s_{2j} \ \mathbf{3} \ s_{2j+1}) \ \mathbf{2} \ a$, and $a = s_{2N+2}(0)$, which exists since $|s_{2N+2}| = 2N+2$.

As the first coordinate of γ not in 2 after w_0 is 3, w_1 is not in π_0 . Thus $w_1 \in \pi_1 = f(L)$ is of the form $\hat{j}_{\leq k_1}$ a_j^1 t_j^1 3 $u_j^1 v_j^1$ 2 w_j^1 . Inductively on $j \leq k_1$, we see that $|t_j^1| = 2N = |u_j^1|$, $|u_j^1 v_j^1| = s_{M_j+1}$, $|v_j^1| = M_j + 1 - 2N = |w_j^1|$, and $w_j^1 \subseteq s_{M_j+2}$. Indeed, for j = 0, this comes from the facts that $a \ a_0^1 \ t_0^1 = s_{M_0}$, $|t_0^1| = |u_0^1|$ and $|v_0^1| = |w_0^1|$. If $j < k_1$, then this comes from the facts that $w_j^1 \ a_{j+1}^1 \ t_{j+1}^1 = s_{M_j+2}$, $|t_{j+1}^1| = |u_{j+1}^1|$ and $|v_{j+1}^1| = |w_{j+1}^1|$.

As the first coordinate of γ not in 2 after w_1 is 3, w_2 is not in π_0 . Thus w_2 is of the form $\gamma_{j \leq k_2} a_j^2 t_j^2 a_j^2 a_j^2$

If we continue like this, we find $(k_m)_{m\in\omega}$ such that

$$w_{m+1} = \bigcap_{j \le k_{m+1}} a_j^{m+1} t_j^{m+1} \mathbf{3} u_j^{m+1} v_j^{m+1} \mathbf{2} w_j^{m+1},$$

$$|t_j^{m+1}| = 2N, \ |u_j^{m+1}| = 2N, \ |v_j^{m+1}| = 2(j+1+S_1^m) + 1 = |w_j^{m+1}|, \ u_j^{m+1} \ v_j^{m+1} = s_{\left(M_{j+1+S_1^m}\right)-1} \ \text{for each } m, w_j^{m+1} \ a_{j+1}^{m+1} \ t_{j+1}^{m+1} = s_{M_{j+1+S_1^m}} \ \text{for each } j < k_{m+1}, \ \text{and } w_{k_{m+1}}^{m+1} \ a_0^{m+2} \ t_0^{m+2} = s_{M_{S_1^{m+1}}}.$$

Moreover, for each m, $_{j \leq k_{m+1}} a_j^{m+1} \in L$. Note that

$$a_j^{m+1}\!=\!s_{M_{j+S_1^m}}(M_{j+S_1^m}\!-\!2N\!-\!1)\!=\!s_{M_{j+S_1^m}}^{-1}(2N)$$

 $\text{ and }\alpha(<2N,2q+\eta>) = s_{2N+2q+\eta+1}^{(-1)^\eta}(2N) \text{ if } q\in\omega \text{ and } \eta\in 2. \text{ Thus } \left((\alpha)_{2N}\right)^1\in L^\infty, \text{ as desired.}$

Conversely, assume that $(\alpha)_{2N}^1 \in L^\infty$ for some $N \in \omega$. We set $s_0 := \lambda$ and, for $j = 2q + \eta \in \omega$,

$$s_{j+1} := (\langle \alpha(\frac{j(j+1)}{2}), \cdots, \alpha(\frac{(j+1)(j+2)}{2} - 1) \rangle)^{(-1)^{\eta+1}},$$

so that $\gamma := \bigcap_{j \in \omega} \mathbf{2} \ s_{2j} \mathbf{3} \ s_{2j+1}$ satisfies $\gamma \in K_0$ and $\varphi_0(\gamma) = \alpha$. We set

$$w_0 := (\widehat{\ }_{j \le N} \mathbf{2} \ s_{2j} \mathbf{3} \ s_{2j+1}) \mathbf{2} \ s_{2N+2}(0),$$

so that $w_0 \in \pi_0$ and $w_0 \subseteq \gamma$. Let $(v_m)_{m \in \omega} \in L^{\omega}$ with $((\alpha)_{2N})^1 = \bigcap_{m \in \omega} v_m$.

We set $w_{m+1} := \bigcap_{\Sigma_{i < m} |v_i| \le q < \Sigma_{i \le m} |v_i|} \left(\left(s_{M_q} - s_{M_q} | (2q+1) \right) \mathbf{3} \ s_{M_q+1} \ \mathbf{2} \ s_{M_q+2} | (2q+3) \right)$. Note that $w_{m+1} \in f(v_m) \subseteq f(L) = \pi_1$ since, with $j < |v_m|$ and $q := \Sigma_{i < m} \ |v_i| + j$,

$$s_{M_q}(2q+1) = s_{M_q}^{-1}(2N) = \alpha(\langle 2N, 2q+1 \rangle) = \left((\alpha)_{2N}\right)^1(q) = v_m(j)$$

and $\gamma = \bigcap_{m \in \omega} w_m \in \pi^{\infty} \cap K_0$, so that $\alpha \in \varphi_0[\pi^{\infty} \cap K_0]$ as desired.

Notation. We are ready to define μ . The idea is that an infinite sequence containing a word in μ cannot be in K_0 . We set $\mu := \bigcup_{i < 2} \mu_i$, where $\mu_0 := \{ w \in 4^{<\omega} \mid \exists v \in 4^{<\omega} \setminus \{\lambda\} \ v \ \mathbf{2} \ \mathbf{3} \subseteq w \}$,

$$\mu_1 := \{ w \in 4^{<\omega} \mid \exists v \in 4^{<\omega} \ \exists v', v'' \in 2^{<\omega} \ v \ \mathbf{3} \ v' \ \mathbf{2} \ v'' \ \mathbf{3} \subseteq w \ \land \ |v''| \neq |v'| + 1 \},$$

and $\mu_2 := \{ w \in 4^{<\omega} \mid \exists v \in 4^{<\omega} \mid \exists v', v'' \in 2^{<\omega} \quad v \ 2 \ v' \ 3 \ v'' \ 2 \subseteq w \land |v''| \neq |v'| + 1 \}$. We now show that μ^{∞} is "simple". Note that $\mu^{\infty} = \{ \gamma \in 4^{\omega} \mid \forall l \in \omega \ \exists t \in \mu^{<\omega} \mid t l \geq l \land \bigcap_{i < |t|} t(i) \subseteq \gamma \}$. This shows that $\mu^{\infty} \in \Pi_2^0(4^{\omega})$.

Theorem 19 Let $\xi \ge 2$ be a countable ordinal. If $L^{\infty} \in \Delta^0_{\xi+1} \setminus \Sigma^0_{\xi}$, then A^{∞} is $\Sigma^0_{\xi+1}$ -complete.

Proof. It is straightforward to prove that if $T \subseteq 2^{\omega}$ is $\Delta^0_{\xi+1} \setminus \Sigma^0_{\xi}$, then $\{\alpha \in 2^{\omega} \mid \exists N \in \omega \ (\alpha)_N \in T\}$ is $\Sigma^0_{\xi+1}$ -complete. This, 22.10 in [Kec95] and Lemma 18 imply that $A^{\infty} \cap K_0 = \pi^{\infty} \cap K_0$ is not a $\Pi^0_{\xi+1}$ subset of K_0 . Thus A^{∞} is not a $\Pi^0_{\xi+1}$ subset of 4^{ω} . By 22.10 in [Kec95] again, it remains to see that A^{∞} is a $\Sigma^0_{\xi+1}$ subset of 4^{ω} . We set, for $i, N \in \omega$ and $v \in 2^{2N+1}$,

$$P_{v,i} := \left\{ \alpha \in 2^{\omega} \mid \mathbf{0}^{\frac{(M_i - 1)M_i}{2} + 2i + 1} v \subseteq \alpha \land \left((\alpha)_{2N} \right)^1 - \left(\left((\alpha)_{2N} \right)^1 | i \right) \in L^{\infty} \right\},$$

$$K_{v,i} := \left\{ \gamma \in 4^{\omega} \mid v \subseteq \gamma \land \gamma - v \in K_{N+i+1} \right\}.$$

In other words, $P_{v,i}$ is the set of elements of the Cantor space starting with M_i-1 diagonal finite binary sequences with only zeros, whose next diagonal starts with 2i+1 zeros, and such that the odd part of the $(2N)^{\text{th}}$ vertical, minus its initial segment of length i, is in L^{∞} .

The next claim, in the style of Lemma 18, essentially says that π^{∞} looks like $P_{v,i}$ on the compact set $K_{v,i}$.

Claim 1. Let $i, N \in \omega$ and $v \in 2^{2N+1}$. Then

$$\pi^{\infty} \cap K_{v,i} = \{ \gamma \in 4^{\omega} \mid \delta := (\gamma_{\leq N+i} \mathbf{2} \mathbf{0}^{2j} \mathbf{3} \mathbf{0}^{2j+1}) \mathbf{2} \mathbf{0}^{2i+1} \gamma \in K_0 \land \varphi_0(\delta) \in P_{v,i} \}.$$

$$\gamma = v \cap_{j \in \omega} \mathbf{3} \ s_{M_{i+j}+1} \mathbf{2} \ s_{M_{i+j}+2} = \cap_{m \in \omega} w_m,$$

where $s_k \in 2^k$ and $w_m \in \pi$. As the first coordinate of γ not in 2 is 3, w_0 is of the form

$$\cap_{j \leq k_0} a_j^0 t_j^0 \mathbf{3} u_j^0 v_j^0 \mathbf{2} w_j^0.$$

Inductively on $j \leq k_0$, we see that $|t_j^0| = 2N = |u_j^0|$, $u_j^0 v_j^0 = s_{M_{i+j}+1}$, $|v_j^0| = M_{i+j} + 1 - 2N = |w_j^0|$, and $w_j^0 \subseteq s_{M_{i+j}+2}$. Indeed, for j=0, this comes from the facts that a_0^0 $t_0^0 = v$, $|t_0^0| = |u_0^0|$ and $|v_0^0| = |w_0^0|$. If $j < k_0$, then this comes from the facts that w_j^0 a_{j+1}^0 $t_{j+1}^0 = s_{M_{i+j}+2}$, $|t_{j+1}^0| = |u_{j+1}^0|$ and $|v_{j+1}^0| = |w_{j+1}^0|$.

We then argue as in the proof of Lemma 18 to get $(k_m)_{m\in\omega}$ with

$$w_m = \bigcap_{j \le k_m} a_j^m t_j^m \mathbf{3} u_j^m v_j^m \mathbf{2} w_j^m,$$

$$\begin{split} |t_j^m| &= 2N, |u_j^m| = 2N, |v_j^m| = 2(i+j+1+S_0^{m-1}) + 1 = |w_j^m|, u_j^m \ v_j^m = s_{\left(M_{i+j+1+S_0^{m-1}}\right) - 1} \text{ for each } m, \\ w_j^m \ a_{j+1}^m \ t_{j+1}^m &= s_{M_{i+j+1+S_0^{m-1}}} \text{ for each } j < k_m, \text{ and } w_{k_m}^m \ a_0^{m+1} \ t_0^{m+1} = s_{M_{i+S_0^m}}. \text{ Moreover, for each } m, \\ \cap_{j \le k_m} \ a_j^m \in L. \text{ Note that } a_j^m = s_{M_{i+j+S_0^{m-1}}} (M_{i+j+S_0^{m-1}} - 2N - 1) = s_{M_{i+j+S_0^{m-1}}}^{-1} (2N). \text{ Thus } \end{split}$$

$$\begin{split} \left((\alpha)_{2N} \right)^1 - \left(\left((\alpha)_{2N} \right)^1 | i \right) &= \left(\left((\alpha)_{2N} \right)^1 (i), \left((\alpha)_{2N} \right)^1 (i+1), \cdots \right) \\ &= \left(\alpha (<2N, 2i+1>), \alpha (<2N, 2i+3>), \cdots \right) \\ &= (s_{M_i}^{-1}(2N), s_{M_i+2}^{-1}(2N), \cdots) \\ &= (a_0^0, a_1^0, \cdots, a_{k_0}^0, a_0^1, \cdots, a_{k_1}^1, \cdots) \end{split}$$

is in L^{∞} , as desired.

Conversely, assume that $\gamma \in 4^{\omega}$, $\delta := (\widehat{}_{j \leq N+i} \mathbf{2} \mathbf{0}^{2j} \mathbf{3} \mathbf{0}^{2j+1}) \mathbf{2} \mathbf{0}^{2i+1} \gamma \in K_0$, and $\alpha := \varphi_0(\delta)$ is in $P_{v,i}$. Then $\gamma \in K_{v,i}$. We set, for $j = 2q + \eta \geq M_i$,

$$s_{j+1} := (\langle \alpha(\frac{j(j+1)}{2}), \cdots, \alpha(\frac{(j+1)(j+2)}{2} - 1) \rangle)^{(-1)^{\eta+1}},$$

so that $\gamma = v \cap_{j \in \omega} \mathbf{3} \ s_{M_{i+j}+1} \mathbf{2} \ s_{M_{i+j}+2}$. Let $(v_m)_{m \in \omega} \in L^{\omega}$ with

$$\left((\alpha)_{2N} \right)^1 - \left(\left((\alpha)_{2N} \right)^1 | i \right) = \bigcap_{m \in \omega} v_m.$$

We set

$$\begin{split} w_0 \coloneqq & v \; \left(\mathbf{3} \; s_{M_i+1} \; \mathbf{2} \; s_{M_i+2} | (2i+3) \right) \\ & \left(\smallfrown_{i < q < i + |v_0|} \; \left(\left(s_{M_q} - s_{M_q} | (2q+1) \right) \; \mathbf{3} \; s_{M_q+1} \; \mathbf{2} \; s_{M_q+2} | (2q+3) \right) \right), \end{split}$$

so that $w_0 \in \pi_1$ and $w_0 \subseteq \gamma$. We then set

$$w_{m+1} := \bigcap_{i+\Sigma_k \le m \mid v_k \mid \le q < i+\Sigma_k \le m+1 \mid v_k \mid} \left(\left(s_{M_q} - s_{M_q} \mid (2q+1) \right) \mathbf{3} \ s_{M_q+1} \mathbf{2} \ s_{M_q+2} \mid (2q+3) \right).$$

Note that $w_{m+1} \in f(v_{m+1}) \subseteq f(L) = \pi_1$ since, with $j < |v_{m+1}|$ and $q := i + \sum_{k \le m} |v_k| + j$,

$$s_{M_q}(2q+1) = s_{M_q}^{-1}(2N) = \alpha(<2N,2q+1>) = \left((\alpha)_{2N}\right)^1(q) = v_{m+1}(j)$$

and $\gamma = \bigcap_{m \in \omega} w_m \in \pi^{\infty}$, as desired.

The next claim provides a characterization of A^{∞} giving an upper bound on its topological complexity.

 \Diamond

Claim 2. Let $\gamma \in 4^{\omega}$. Then

$$\gamma \in A^{\infty} \Leftrightarrow \gamma \in \mu^{\infty} \vee \gamma \in \pi^{\infty} \cap K_0 \vee \exists t \in \{\lambda\} \cup \mu \ (t \subseteq \gamma \wedge \exists i, N \in \omega \ \exists v \in 2^{2N+1} \ \gamma - t \in \pi^{\infty} \cap K_{v,i}).$$

Indeed, the right to left implication is clear. So assume that $\gamma \in A^{\infty} \setminus \mu^{\infty}$. Note that we can find $(v_j)_{j \in \omega} \in (2^{<\omega})^{\omega}$, $(a_j)_{j \in \omega} \in \{\mathbf{2}, \mathbf{3}\}^{\omega}$ and $(w_m)_{m \in \omega} \in A^{\omega}$ with $\gamma = \bigcap_{j \in \omega} v_j \ a_j = \bigcap_{m \in \omega} w_m$. As $\gamma \notin \mu^{\infty}$, there is $m_0 \in \omega$ such that w_m is of the form $\bigcap_{j \leq k_m} a_j^m \ t_j^m \ \mathbf{3} \ u_j^m \ v_j^m \ \mathbf{2} \ w_j^m$ if $m \geq m_0$. Moreover, we may assume that $|t_j^m| = |t_0^{m_0}|$ is even and $|w_j^m| = |w_0^{m_0}| + 2(S_{m_0}^{m-1} + j) \geq 3$ is odd if $m \geq m_0$, and that m_0 is minimal with these properties.

Case 1. $m_0 = 0$.

We set $t := \lambda$, $i := \frac{|w_0^0| - 3}{2}$, $N := \frac{|t_0^0|}{2}$, $v := a_0^0 \ t_0^0$ and $\delta := \bigcap_{m \ge m_0} w_m$, so that $\delta \in \pi^\infty \cap K_{v,i}$ and $\gamma = \delta$ is as desired.

Case 2. $\exists m < m_0 \text{ such that } w_m \in \mu$.

We set $t:= {^\frown}_{m < m_0} w_m$, $i:=\frac{|w_0^{m_0}|-3}{2}$, $N:=\frac{|t_0^{m_0}|}{2}$, $v:=a_0^{m_0} \ t_0^{m_0}$ and $\delta:= {^\frown}_{m \geq m_0} w_m$, so that $t \in \mu$, $t \subseteq \gamma$, $\delta \in \pi^\infty \cap K_{v,i}$ and $\gamma - t = \delta$ is as desired.

Case 3. $\exists m < m_0$ such that w_m is of the form $(\cap_{j \le N_m} \mathbf{2} \ s_{2j} \mathbf{3} \ s_{2j+1}) \mathbf{2} \ a$.

If $m \geq 1$, then $t := {^\frown}_{m < m_0} w_m$ is in μ , and we argue as in Case 2. So we may assume that m = 0. If $\gamma \in K_0$, then $\gamma \in \pi^\infty$. So we may assume that $\gamma \notin K_0$, which gives $j_0 \in \omega$ such that $|v_{j_0+1}| \neq |v_{j_0}| + 1$. If $J > j_0$, then ${^\frown}_{j \leq J} v_j \ a_j \in \mu$. We choose J big enough to ensure that ${^\frown}_{m < m_0} w_m \subseteq {^\frown}_{j \leq J} v_j \ a_j$. We then choose $m_1 \geq m_0$ such that ${^\frown}_{j \leq J} v_j \ a_j \subseteq {^\frown}_{m < m_1} w_m$. We set $t := {^\frown}_{m < m_1} w_m$, $i := \frac{|w_0^{m_1}| - 3}{2}$, $N := \frac{|t_0^{m_1}|}{2}$, $v := a_0^{m_1} t_0^{m_1}$ and $\delta := {^\frown}_{m \geq m_1} w_m$, so that $t \in \mu$, $t \subseteq \gamma$, $\delta \in \pi^\infty \cap K_{v,i}$ and $\gamma - t = \delta$ is as desired.

Case 4. $m_0 \ge 1$ and w_m is of the form $f_{j \le k_m} a_j^m t_j^m 3 u_j^m v_j^m 2 w_j^m$ if $m < m_0$.

The minimality of m_0 gives $j \le k_{m_0}$ such that $|t_0^{m_0-1}| \ne |t_i^{m_0}|$ or

$$|w_i^{m_0}| \neq |w_0^{m_0-1}| + 2(k_{m_0-1}+1+j).$$

We set $t := \bigcap_{m \le m_0} w_m$, $i := \frac{|w_0^{m_0+1}|-3}{2}$, $N := \frac{|t_0^{m_0+1}|}{2}$, $v := a_0^{m_0+1} t_0^{m_0+1}$ and $\delta := \bigcap_{m > m_0} w_m$, so that $t \in \mu$, $t \subseteq \gamma$, $\delta \in \pi^\infty \cap K_{v,i}$ and $\gamma - t = \delta$ is as desired.

Note that $P_{v,i}$ is a $\Delta^0_{\xi+1}$ subset of 2^{ω} . By Claim 1, $\pi^{\infty} \cap K_{v,i}$ is a $\Delta^0_{\xi+1}$ subset of 4^{ω} . By Claim 2, A^{∞} is a $\Sigma^0_{\xi+1}$ subset of 4^{ω} .

It remains to see that A is accepted by a one-counter automaton. We first check that $\mu_0, \mu_1, \mu_2, \pi_0$, π_1 are accepted by a one-counter automaton. The language μ_0 is not only accepted by a one-counter automaton, it is in fact regular.

Lemma 20 The language $\mu_0 := \{ w \in 4^{<\omega} \mid \exists v \in 4^{<\omega} \setminus \{\lambda\} \ v \ \mathbf{2} \ \mathbf{3} \subseteq w \}$ is regular.

Proof. It is easy to construct a finite automaton accepting μ_0 .

Lemma 21 The language

$$\pi_0 \! := \! \{ \; (^{\frown}_{j \leq N} \; \mathbf{2} \; s_{2j} \; \mathbf{3} \; s_{2j+1}) \; \mathbf{2} \; a \! \in \! 4^{<\omega} \; | \; N \! \in \! \omega \; \wedge \; (\forall q \! \leq \! 2N \! + \! 1 \; \; s_q \! \in \! 2^{<\omega}) \; \wedge \; s_0 \! = \! \lambda \; \wedge \; a \! \in \! 2 \; \}$$

is regular.

Proof. It is again easy to construct a finite automaton accepting the language π_0 . The details are here left to the reader.

Lemma 22 The languages

$$\mu_1\!:=\!\{\ w\!\in\! 4^{<\omega}\ |\ \exists v\!\in\! 4^{<\omega}\ \exists v',v''\!\in\! 2^{<\omega}\ v\ \mathbf{3}\ v'\ \mathbf{2}\ v''\ \mathbf{3}\!\subseteq\! w\ \land\ |v''|\!\neq\!|v'|\!+\!1\ \},$$

$$\mu_2\!:=\!\{\;w\!\in\!4^{<\omega}\;|\;\exists v\!\in\!4^{<\omega}\;\;\exists v',v''\!\in\!2^{<\omega}\;\;v\;\mathbf{2}\;v'\;\mathbf{3}\;v''\;\mathbf{2}\!\subseteq\!w\;\wedge\;|v''|\!\neq\!|v'|\!+\!1\;\}$$

are accepted by real-time one-counter automata accepting words by final states and empty stack.

Proof. We indicate informally the idea of the construction of a real-time one-counter automaton \mathcal{A} accepting the language μ_1 by final states *and* empty stack. The automaton can use its finite control to check that the input word has an initial segment of the form $\mathbf{3}\ v'\ \mathbf{2}\ v''\ \mathbf{3}$ for some finite words $v',v''\in 2^{<\omega}$. Moreover the automaton \mathcal{A} can use its counter and the non-determinism to check that $|v''|\neq |v'|+1$.

If the automaton guesses that |v''| > |v'| + 1, then it increases its counter by 1 for each letter of v' and for the next letter 2 which is read; next, while reading the segment v'', it decreases its counter by 1 for each letter of v'' which is read, checking that the counter value becomes zero before ending the reading of v''. On the other hand, if the automaton guesses that |v''| < |v'| + 1, then the automaton \mathcal{A} begins to read a non null number k of letters of v' without increasing the counter, guessing that |v''| = |v'| + 1 - k; then it decreases the counter by 1 for each letter of v' and for the next letter 2 which is read; and the automaton checks that |v''| = |v'| + 1 - k by decreasing the counter by 1 for each letter of v'' which is read.

Similar ideas are used in the case of the language μ_2 . The details are here left to the reader.

Lemma 23 Let L be a finitary language over 2 accepted by a real-time one-counter automaton, by final states and empty stack. Then the language

$$\pi_1 := \{ \ (\ \, \cap_{j \le k} \ t_j \ \mathbf{3} \ u_j \ v_j \ \mathbf{2} \ w_j) \in 4^{<\omega} \ | \ k \in \omega \ \wedge \ |t_j| = |u_j| + 1 \ \text{is odd} \ \wedge \ |v_j| = |w_j| \ge 3 \ \text{is odd} \ \wedge \\ \ \, \cap_{j < k} \ t_j(0) \in L \ \}$$

is in OCL(2), and π_1 is accepted by a real-time two-iterated counter automaton, by final states and empty stack. If moreover L is rational, hence accepted by a real-time finite automaton (without any counter) by final states, then π_1 is in OCL(1) and is accepted by a real-time one counter automaton, by final states and empty stack.

We now explain the behaviour of the automaton $\mathcal B$ using its stack when reading a word of the form $\bigcap_{j\le k} t_j$ 3 u_j v_j 2 w_j . At the beginning the automaton reads $t_0(0)$ and it simulates the automaton $\mathcal A$ with stack alphabet Γ . Then when reading the remaining part of t_0 it uses the stack letter z_1 and pushes a letter z_1 for each letter of t_0 read. When reading u_0 the automaton $\mathcal B$ pops a letter z_1 for each letter read until all letters z_1 have been popped from the stack. Again when reading v_0 the automaton pushes a letter z_1 for each letter of v_0 read and it pops a letter z_1 for each letter of w_0 read until all letters z_1 have been popped from the stack. The next letter to be read is $t_1(0)$ and the automaton $\mathcal B$ simulates again the automaton $\mathcal A$ while reading this letter. Moreover it uses the "second counter" at the top of its stack with letters z_1 to check that $|t_1| = |u_1| + 1 \land |v_1| = |w_1|$. The reading continues like that and the finite control can be used to check that $|t_j|$ is odd and $|w_j| \ge 3$ is odd for every j. Finally after having read the letter $t_k(0)$ the automaton $\mathcal B$ has simulated the automaton $\mathcal A$ on $f_{j\le k} t_j(0)$ and it can check by final states and empty stack that $f_{j\le k} t_j(0) \in L$; the automaton has only now to check the form of t_k 3 t_k t_k t_k t_k ending the reading in an accepting state and with an empty stack. This finishes the proof in the case of a language t_k accepted by a real-time one-counter automaton $\mathcal A$, by final states t_k empty stack.

The proof is very similar and just simpler in the case of a language L which is rational and accepted by a real-time finite automaton by final states.

Proof of Theorem 1.(b). The proof of Theorem 1.2 in [FL09] shows that if

$$S_1 = \{ w \in 2^{<\omega} \mid \mathbf{0} \subseteq w \lor \exists k \in \omega \ \mathbf{10}^k \mathbf{1} \subseteq w \},$$

then S_1^{∞} is Σ_1^0 -complete. Note that S_1 is regular, and thus accepted by a one-counter automaton.

Theorem 2 in [FL09] provides a finitary language S_2 which is accepted by a one-counter automaton and such that S_2^{∞} is Σ_2^0 -complete. So we are done if $n \leq 2$.

Note that the language $L:=\{w\in 2^{<\omega}\mid \exists j<|w|\ w(j)=1\}$, the set of finite binary sequences having at least one coordinate equal to 1, is rational and hence is accepted by a real-time finite automaton, by final states. By Lemma 23, the language π_1 associated with L is in OCL(1), and π_1 is accepted by a real-time one counter automaton, by final states and empty stack. By Lemmas 20, 22, 21 and the non-determinism, this is also the case of $\mu \cup \pi$. By Theorem 19, $(\mu \cup \pi)^{\infty}$ is Σ_3^0 -complete since $L^{\infty} = \mathbb{P}_{\infty} \in \Pi_2^0 \setminus \Sigma_2^0 \subseteq \Delta_3^0 \setminus \Sigma_2^0$.

The proof of Theorem 1 (a) provides a finite alphabet Σ and a finitary language $P_3 \subseteq \Sigma^{<\omega}$, accepted by a real-time one counter automaton, by final states and empty stack, such that P_3^{∞} is Π_3^0 -complete. Coding letters of Σ with finite words over 2 if necessary, we may assume that $\Sigma=2$. By Lemma 23, the language π_1 associated with P_3 is in OCL(2), and π_1 is accepted by a real-time two-iterated counter automaton, by final states and empty stack. By Lemmas 20, 22, 21 and the non-determinism, this is also the case of $\mu \cup \pi$. By Theorem 19, $(\mu \cup \pi)^{\infty}$ is Σ_4^0 -complete since $(P_3)^{\infty} \in \Pi_3^0 \setminus \Sigma_3^0 \subseteq \Delta_4^0 \setminus \Sigma_3^0$. Proposition 17 provides a finite alphabet Σ_{S_4} and a finitary language $S_4 \subseteq \Sigma_{S_4}^{<\omega}$, accepted by a real-time one-counter automaton, by final states and empty stack, such that S_4^{∞} is Σ_4^0 -complete.

It remains to repeat this argument with $n \ge 4$ instead of 3.

References

- [ABB96] J.-M. Autebert, J. Berstel, and L. Boasson. Context free languages and pushdown automata. In *Handbook of formal languages, Vol. 1.* Springer-Verlag, 1996.
- [CG77] R.S. Cohen and A.Y. Gold. Theory of ω -languages, parts one and two. *Journal of Computer and System Science*, 15:169–208, 1977.
- [DF07] J. Duparc and O. Finkel. An ω -power of a context free language which is Borel above Δ_{ω}^{0} . In *Proceedings of the International Conference Foundations of the Formal Sciences V: Infinite Games, November 26th to 29th, 2004, Bonn, Germany*, volume 11 of *College Publications at King's College (Studies in Logic)*, pages 109–122., London, 2007.
- [Dup01] J. Duparc. Wadge hierarchy and Veblen hierarchy: Part 1: Borel sets of finite rank. *Journal of Symbolic Logic*, 66(1):56–86, 2001.
- [Fin01] O. Finkel. Topological properties of omega context free languages. *Theoretical Computer Science*, 262(1–2):669–697, 2001.
- [Fin03] O. Finkel. Borel hierarchy and omega context free languages. *Theoretical Computer Science*, 290(3):1385–1405, 2003.
- [Fin04] O. Finkel. An omega-power of a finitary language which is a Borel set of infinite rank. *Fundamenta Informaticae*, 62(3–4):333–342, 2004.
- [Fin06] O. Finkel. Borel ranks and Wadge degrees of omega context free languages. *Mathematical Structures in Computer Science*, 16(5):813–840, 2006.

- [FL07] O. Finkel and D. Lecomte. There exist some ω-powers of any Borel rank. In *Proceedings* of the 16th EACSL Annual International Conference on Computer Science and Logic, CSL 2007, Lausanne, Switzerland, September 11-15, 2007, volume 4646 of Lecture Notes in Computer Science, pages 115–129. Springer, 2007.
- [FL09] O. Finkel and D. Lecomte. Classical and effective descriptive complexities of omegapowers. *Annals of Pure and Applied Logic*, 160(2):163–191, 2009. preprint available from http://fr.arxiv.org/abs/0708.4176.
- [HMU01] J. E. Hopcroft, R. Motwani, and J. D. Ullman. Introduction to automata theory, languages, and computation. Addison-Wesley Publishing Co., Reading, Mass., 2001. Addison-Wesley Series in Computer Science.
- [Kec95] A. S. Kechris. Classical descriptive set theory. Springer-Verlag, New York, 1995.
- [Lec05] D. Lecomte. Omega-powers and descriptive set theory. *Journal of Symbolic Logic*, 70(4):1210–1232, 2005.
- [Mos80] Y. N. Moschovakis. *Descriptive set theory*. North-Holland Publishing Co., Amsterdam, 1980.
- [Niw90] D. Niwinski. A problem on ω -powers. In 1990 Workshop on Logics and Recognizable Sets, University of Kiel, 1990.
- [PP04] D. Perrin and J.-E. Pin. *Infinite words, automata, semigroups, logic and games*, volume 141 of *Pure and Applied Mathematics*. Elsevier, 2004.
- [Sim92] P. Simonnet. Automates et théorie descriptive. PhD thesis, Université Paris VII, 1992.
- [Sta86] L. Staiger. Hierarchies of recursive ω -languages. *Elektronische Informationsverarbeitung* und Kybernetik, 22(5-6):219–241, 1986.
- [Sta97] L. Staiger. ω -languages. In *Handbook of formal languages*, *Vol. 3*, pages 339–387. Springer, Berlin, 1997.
- [Tho90] W. Thomas. Automata on infinite objects. In J. van Leeuwen, editor, *Handbook of Theoretical Computer Science*, volume B, Formal models and semantics, pages 135–191. Elsevier, 1990.
- [Wad83] W. Wadge. *Reducibility and determinateness in the Baire space*. PhD thesis, University of California, Berkeley, 1983.