

## Erratum to: The effects of multiphasic prepulses on automatic and attention-modulated prepulse inhibition

Albert B. Poje<sup>1</sup> · Diane L. Filion<sup>2</sup>

Published online: 14 June 2017

© Marta Olivetti Belardinelli and Springer-Verlag GmbH Germany 2017

### Erratum to: Cogn Process DOI 10.1007/s10339-017-0808-7

There are some typos in the Abstract section, Introduction section and General discussion section in the original version of this article. They are mentioned below.

#### Abstract:

“These results suggest that multiple influences on PPI can be assessed concurrently depending on prepulse parameters designed to activate the TDR when used in a PPI protocol capable of assessing the effects of selective attention on prepulse processing.”

The correct sentences should read as follows.

#### Abstract:

“These results suggest that multiple influences on PPI can be assessed concurrently depending on prepulse parameters designed to activate the TDR when used in a PPI protocol capable of assessing the effects of selective attention on prepulse processing.”

#### Introduction:

“According to Graham (1992), the “transient detection response” (TDR) contributes to sensorimotor gating and pre-attentive processing by detecting transient events (e.g., stimulus onsets, shifts) that activate stimulus protection and identification processes.”

The correct sentences should read as follows.

#### Introduction:

“According to Graham (1992), the “transient detection response” (TDR) contributes to sensorimotor gating and pre-attentive processing by detecting transient events (e.g., stimulus onsets, shifts) that activate stimulus protection and identification processes.”

#### General discussion:

“This is a transient-laden prepulse that is multidimensional in nature (based on the empirical work of Cranney and Cohen 1985; Ison et al. 1975; Marsh et al. 1975) and intended to highly activate the TDR as discussed by Graham (1992) and later by Blumenthal (1999).”

The correct sentences should read as follows.

#### General discussion:

“This is a transient-laden prepulse that is multidimensional in nature (based on the empirical work of Cranney and Cohen 1985; Ison et al. 1975; Marsh et al. 1975) and intended to highly activate the TDR as discussed by Graham (1992) and later by Blumenthal (1999).”

The online version of the original article can be found under doi:[10.1007/s10339-017-0808-7](https://doi.org/10.1007/s10339-017-0808-7).

✉ Albert B. Poje  
apoje@kumc.edu

<sup>1</sup> Division of Psychology, Department of Psychiatry and Behavioral Sciences, University of Kansas Medical Center and Hospital, 3901 Rainbow Blvd., Kansas City, KS 66160, USA

<sup>2</sup> Department of Psychology, University of Missouri at Kansas City, 5100 Rockhill Rd., Kansas City, MO 64110, USA