

A fuzzy computational model of emotion for cloud based sentiment analysis

Karyotis, C, Doctor, F, Iqbal, R, James, A & Chang, V

Author post-print (accepted) deposited by Coventry University's Repository

Original citation & hyperlink:

Karyotis, C, Doctor, F, Iqbal, R, James, A & Chang, V 2017, 'A fuzzy computational model of emotion for cloud based sentiment analysis' *Information Sciences*, vol (in press), pp. (in press)

<https://dx.doi.org/10.1016/j.ins.2017.02.004>

DOI 10.1016/j.ins.2017.02.004

ISSN 0020-0255

ESSN 1872-6291

Publisher: Elsevier

NOTICE: this is the author's version of a work that was accepted for publication in *Information Sciences*. Changes resulting from the publishing process, such as peer review, editing, corrections, structural formatting, and other quality control mechanisms may not be reflected in this document. Changes may have been made to this work since it was submitted for publication. A definitive version was subsequently published in *Information Sciences*, [(in press), (2017)] DOI: 10.1016/j.ins.2017.02.004

© 2017, Elsevier. Licensed under the Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International <http://creativecommons.org/licenses/by-nc-nd/4.0/>

Copyright © and Moral Rights are retained by the author(s) and/ or other copyright owners. A copy can be downloaded for personal non-commercial research or study, without prior permission or charge. This item cannot be reproduced or quoted extensively from without first obtaining permission in writing from the copyright holder(s). The content must not be changed in any way or sold commercially in any format or medium without the formal permission of the copyright holders.


This document is the author's post-print version, incorporating any revisions agreed during the peer-review process. Some differences between the published version and this version may remain and you are advised to consult the published version if you wish to cite from it.

Accepted Manuscript

A fuzzy computational model of emotion for cloud based sentiment analysis

Charalampos Karyotis, Faiyaz Doctor, Rahat Iqbal, Anne James, Victor Chang

PII: S0020-0255(17)30416-4
DOI: [10.1016/j.ins.2017.02.004](https://doi.org/10.1016/j.ins.2017.02.004)
Reference: INS 12727



To appear in: *Information Sciences*

Received date: 25 March 2016
Revised date: 4 November 2016
Accepted date: 2 February 2017

Please cite this article as: Charalampos Karyotis, Faiyaz Doctor, Rahat Iqbal, Anne James, Victor Chang, A fuzzy computational model of emotion for cloud based sentiment analysis, *Information Sciences* (2017), doi: [10.1016/j.ins.2017.02.004](https://doi.org/10.1016/j.ins.2017.02.004)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A fuzzy computational model of emotion for cloud based sentiment analysis

Charalampos Karyotis^{b,*}, Faiyaz Doctor^b, Rahat Iqbal^b, Anne James^b, Victor Chang^{a,c}

^a*School of Computing, Creative Technologies & Engineering, Leeds Beckett University, Leeds, LS6 3QR, UK*

^b*Faculty of Engineering, Environment & Computing, Coventry University, Priory Street, Coventry CV1 5FB, UK*

^c*Xi'an Jiaotong Liverpool University, Suzhou, P. R. China*

Abstract

This paper presents a novel emotion modeling methodology for incorporating human emotion into intelligent computer systems. The proposed approach includes a method to elicit emotion information from users, a new representation of emotion (AV-AT model) that is modelled using a genetically optimized adaptive Fuzzy Logic technique, and a framework for predicting and tracking user's affective trajectory over time. The fuzzy technique is evaluated in terms of its ability to model affective states in comparison to other existing machine learning approaches. The performance of the proposed affect modeling methodology is tested through the deployment of a personalised learning system, and series of offline and online experiments. A hybrid cloud intelligence infrastructure is used to conduct large-scale experiments to analyze user sentiments and associated emotions, using data from a million Facebook users. A performance analysis of the infrastructure on processing, analyzing, and data storage has been carried out, illustrating its viability for large-scale data processing tasks. A comparison of the proposed emotion categorizing approach with Facebook's sentiment analysis API demonstrates that our approach can achieve comparable

*Corresponding author

Email addresses: karyotic@uni.coventry.ac.uk (Charalampos Karyotis), faiyaz.doctor@coventry.ac.uk (Faiyaz Doctor), r.iqbal@coventry.ac.uk (Rahat Iqbal), csx118@coventry.ac.uk (Anne James), ic.victor.chang@gmail.com (Victor Chang)

performance. Finally, discussions on research contributions to cloud intelligence using sentiment analysis, emotion modeling, big data, and comparisons with other approaches are presented in detail.

Keywords: hybrid cloud, big data, emotion modeling, affective computing, adaptive fuzzy systems, social network sentiment analysis

1. Introduction

The modern and technologically advanced realm of interconnected computing artifacts calls for techniques, which enable the surrounding environment to behave in intelligent ways. Ambient Intelligence (AmI) emerged to satisfy this need, by providing intelligence to networks of electronic devices around us [14]. However, to realize the vision of AmI the development of truly intelligent systems calls for a basic understanding of core aspects of human behavior, such as emotions. Emotion is a basic characteristic of human nature, which influences performance, decision-making, interpretation, and assimilation of knowledge. Recognizing and representing human emotion is a problem for which mathematical or traditional modelling methods can be ineffective. This is because the processes are too complex for mathematical reasoning, and contain inherent uncertainties pertaining to human nature and perception. Nowadays, humans facilitated by the rapid advancements in technology, produce huge quantities of personalized and contextualized affect related information. Social networks provide a platform where millions of people interact, share opinions, and express their feelings. The development of computational intelligence techniques enables these platforms to become modern large-scale laboratories in which the development of intelligent emotion aware applications can be incubated with the aim of maximizing the quality of computerized solutions [10, 46]. Social network sentiment analysis [43] promises to improve the quality offered by products and services, by automatically detecting user opinion, including evaluations and affective state. In order to fulfill its goals, Sentiment Analysis can largely benefit from computational intelligence techniques able to handle the inherent chal-

25 lenges of big data and human affect.

Affective Computing (AC) is an emerging interdisciplinary scientific field, which endeavors to develop intelligent machines that incorporate the user's affect into their design, in order to provide a higher level of human-machine interaction. AC attempts to bridge the gap between the highly emotional human and the emotionally challenged computer [9]. Professor Rosalind W. Picard provided the first and the most widely accepted definition of AC, which states that, "Affective computing is computing that relates to, arises from or deliberately influences emotion" [44, 45]. The emotion theory utilized towards the development of an application is crucial to its design. This choice influences the affect recognition, and modeling aspects of the system, since different representations favor different configurations, and pose certain limitations. As it was stated in [9] a computer application that incorporates affect in its design can never be separated completely from the underlying emotion theory. In [9] Calvo et al. highlight the need for affective computing researchers to understand and contribute in the emotion modeling literature. There are considerable limitations concerning the utilization of different emotion models. In order to overcome these limitations, this paper proposes a new representation of emotion called the AV-AT model of emotion. By utilizing the AV-AT model, an applicable and effective way to incorporate emotion in the design of intelligent computer systems is presented in order to realize affective computing capabilities.

As seen in review studies by Marcella et al. [37] and Kowalcuzk et al. [32], previous research attempts to construct computational models of emotion were oriented towards developing virtual agents which generated realistic human-like emotion responses. Attempts to develop computational models of emotion with more affect recognition oriented goals are rare to non-existent. The authors argue that the development and testing of computational models, under the scope of affect-recognition, will reveal useful basic affect components. Observing and estimating the parameters, or affect dimensions of emotion is a problematic task impacting upon the ability of an AC application to provide accurate emotion

labeling. As Calvo states, “Identifying the appropriate level of representation for practical AC applications is still an unresolved question” [9]. In this paper, an emotion representation with a reasonable trade-off between accuracy and complexity is provided. It utilizes novel dimensional models of emotion
 60 under an affective computing scope. This representation is modeled through a genetically optimized adaptive fuzzy logic technique, which aims to be accurate; user friendly; computationally inexpensive; and reflect the underlying emotion theory. The fuzzy computational mechanism, along with the AV-AT model of emotion form the core components of the proposed emotion modeling methodology.
 65 ology. This methodology is used in the development of a personalized learning system, which provides a benchmark for other AC applications to utilize the proposed approach.

In this paper, the authors aim to illustrate the usefulness of implementing the proposed fuzzy emotion representation model, and to demonstrate its effectiveness and applicability in big data settings. The big data settings are
 70 represented through a hybrid cloud intelligence infrastructure with sentiment analysis, social network analysis, and data queries, based on data collected from one million Facebook users. The rest of the paper is organized as follows: in Section 2, the authors present the necessary background knowledge regarding different emotion representations. Moreover, the use of fuzzy logic in affect
 75 modeling is justified, and evidence is provided to support the use of education as a suitable context for testing the proposed emotion modeling methodology. In Section 3, the development and evaluation process of the AV-AT computational model of emotion is described. In Section 4, a hybrid cloud, involving repository
 80 and processing resources at four different sites, is used to evaluate a proposed cloud intelligence service. Moreover, this section includes key functions and the use of sentiment analysis to categorize Facebook users’ emotions, based on the set of emotions discussed in this paper. In Section 5, large-scale experiments are carried out and the results of processing, analyzing, and storing data are
 85 used to support the case of the presented cloud intelligence system. Section 6 discusses the impact of our research, and draws comparisons with other ap-

proaches. Finally, in Section 7 general conclusions and future research directions are discussed, and our contributions are summarized.

2. Background

90 2.1. *Classifying Emotion*

Understanding and classifying emotions is a very complex and delicate task, still under debate among psychologists. In 1884, the American psychologist and philosopher William James wondered: “What is an emotion?” and this question has triggered a discussion, which is still active today [25]. A common answer to
 95 this question is that emotions are mental states provided by the structure of the nervous system, which result in consistent and specific patterns of physiology, such as movements of the facial muscles, feelings, and behavior [35]. This approach is congruent with the perception of emotions as “natural kinds”, meaning they are distinct, they exist in nature, and they can be identified independently
 100 of human perception [35]. An illustration of this kind of emotion modeling approach was proposed in the 1970s when Paul Ekman using cross-cultural facial expressions experiments, identified a set of six basic emotions (anger, disgust, fear, happiness, sadness and surprise, also known as the “Big Six”) [23]. This “natural kind” approach can be immediately challenged if we consider the in-
 105 finite number of states, which should be named as distinct emotions. A major problem for Affective Computing researchers is the fact that emotion labeling is highly dependent on the cultural background of the people under investigation [54], and the context of the application [3]. Hence, it is almost impossible to create the necessary databases to reflect the massive number of emotions, while
 110 at the same time account for cultural and contextual differences. Most systems using discrete emotion models are based on facial recognition and due to the limitations described above they are constrained to use sets of emotions, which do not necessarily reflect the affective state of the user. This is highlighted in Zeng et al.’s review, where most of the systems, which relied on facial recognition,
 115 tion, used Ekman’s Big Six, despite the fact that those emotions were irrelevant

to the application contexts [58]. Additionally, as it was stated in [20] “basic emotions” have been emphasized in AC systems at the expense of other “non-basic” emotions. The team’s results showed that other “non basic” emotions, such as engagement, boredom, confusion, and frustration occurred at a much larger scale after generalizing across tasks, interfaces, and methodologies [20].

Contrary to the view that emotions are natural kinds, psychological constructivism suggests that emotions emerge from the combination of more basic structural elements. These psychological primitives combine in numerous ways in order to produce a variety of mental and affective experiences, such as emotions [41]. For example, a very popular view is that emotions originate from a two dimensional space called core affect [49]. The first dimension is arousal (how passive or active someone is) and the second dimension is valence (how positive or negative someone feels). Through cognitive elaboration, core affect can be converted to emotions [50]. This arousal valence (AV) representation of emotion is a very popular model used by AC researchers [36, 51]. However, we argue that this approach poses limitations in the selection of emotions to describe the user’s affective state. The researcher is bound to using emotions easily separable in AV space, otherwise the affect recognition part of their system might underperform. Moreover, the nature and number of the basic structural elements of emotion is still under investigation [18], and as a result, the same applies to the dimensional representation of emotion in AC systems.

A simple and modern approach in emotion modeling is the recently introduced Affective Trajectories hypothesis. According to the AT hypothesis “emotion arises partly from the interaction of the evaluations of one’s current state, predictions of the future, and the outcomes that one experiences after these predictions” [17]. These processes interact, and combine with each other to create an emotional experience [31]. For example, anger can emerge when a positive prediction is followed by a negative outcome. A framework for utilizing the AT theory in AC was presented in [29]. There are certain limitations concerning the AT framework since it was previously tested in a context free environment, and despite the fact that these basic cues demonstrated some predictive power,

it is necessary for the oversimplified AT hypothesis structure to be enriched in order to be able to differentiate efficiently between different emotion labels [29].

This paper proposes the utilization of a two stage modeling approach, by combining the AV representation of emotion, with the AT hypothesis, termed as the AV-AT model. In the first stage, emotion labels emerge from different combinations of the person's prediction about the future, arousal, and valence. In the second stage, emotion labels emerge from different combinations of the person's evaluation of the outcome after their predictions, arousal, and valence. As proven for the AT hypothesis [29], each individual utilizes and combines the basic AT elements in a highly personalized way. As a result, this affects the proposed AV-AT model since it is an extension of the AT hypothesis. By using the AV-AT model, we aim to differentiate more successfully among emotion labels compared to using other emotion models.

2.2. Fuzzy Logic for Emotion Modeling

The notion of emotion and its structural elements is inherently fuzzy and contains uncertainty. As Wu states in [56], emotion is subject to inter and intrapersonal uncertainty. Interpersonal uncertainty concerns the different perceptions and expressions, which individuals have about the same emotion, while intrapersonal uncertainty is the uncertainty an individual has about their own emotions at different times or contexts. Fuzzy logic systems have the ability to handle these innate uncertainties [56] and have been used as a means to represent and model affect relations [29, 30]. Fuzzy logic systems as proposed by Zadeh [57] are also able to represent and model the relations existing in data using interpretable rules, thus allowing knowledge extraction about the domain under investigation. This research aims to elicit the underlying affect relations as part of the emotion modeling approach, therefore fuzzy rules that can be learnt from user data are proposed as a means to represent these affect relations. In addition, adaptive fuzzy systems have been shown to enhance the capabilities of fuzzy models by enabling online adaptation of the model to occur in response to user and environmental changes [21, 22]. They have also

been shown to be very efficient at capturing individual differences concerning emotional expression and construction, with the ability to deliver their results without an excessive computational burden [29]. Fuzzy systems' internal parameters can also be optimized with the use of optimization algorithms in order to provide more precise results. For example in [5], a fuzzy logic system for a financial application was optimized with the use of a genetic algorithm. We can conclude from the above, that the use of a genetically optimized adaptive fuzzy system for representing an uncertain and highly personalized emotion model, as proposed in this paper, is a very reasonable choice of approach.

2.3. Education and Social Networks for Emotion Modeling

Our proposed affect modeling approach requires an appropriate context in order to be tested. Education is such a context, since emotions correlate very strongly with learning. Emotions, such as confusion, which is an indicator of cognitive disequilibrium, and flow, which represents a state of high involvement and interest, can be considered as desired states for a student since they have a positive effect on learning [15, 16]. Other emotions like boredom and frustration are identified to have a negative correlation with a student's learning and should be avoided [15]. A number of AC systems consider this strong relation in order to promote the wellbeing of the student [2, 26]. The personalized system proposed in this paper is tested in an educational context, and more specifically in the context of Activity Led Learning (ALL) [28] and Problem Based Learning (PBL) [4]. Both pedagogical frameworks are in line with the two-stage structure of the proposed approach, since they are based on discrete activities with start and end points, which can be the points in time when the student's predictions, evaluations and corresponding affective states are acquired [27].

A student centered educational context is a logical testing platform for the proposed affect modeling approach. However, its practical application value would be maximized if this methodology were to be applied in a larger context such as social networks. The use of affect detection and sentiment analysis on the huge amounts of data offered by Facebook or Twitter users can be ap-

plied towards creating novel applications in educational or other contexts. The importance of sentiment analysis in social networks has been demonstrated in many previous studies. In [53] the research team's results revealed that incorporating social-network information leads to statistically significant improvements in sentiment classification. Another more educationally focused example is in [40] where Ortigosa et al. presented a method for sentiment analysis in Facebook and its potential applications in e-learning. Exploiting massive amounts of social network data for sentiment analysis purposes is a challenging process concerning big data analysis, processing, and storage requirements. In this research, a hybrid cloud is used and tested as an infrastructure for integrating the proposed affect modeling approach. The choice to utilize hybrid cloud can be justified because, as discussed in Hashem et al.'s review, cloud computing is a powerful technology able to perform massive-scale and complex computing [26].

3. AV-AT Methodology

In this section, we describe the development and evaluation of the AV-AT computational model of emotion. Section 3.1 includes the online survey, which provided the data from which the computational emotion model was created. In Section 3.2, the fuzzy rule extraction, optimization, and adaptation method used to construct the data driven fuzzy model is explained in detail. In Section 3.3, the performance of our fuzzy emotion modeling approach is tested and validated against other machine-learning approaches. In Section 3.4, the implementation of a personalized learning system using this affect modeling approach is presented. In Section 3.5, the suggested emotion modeling methodology is evaluated and useful conclusions are extracted, with the help of two experimental tutorial sessions.

3.1. Data Collection - Online Survey

In this section, an overall design of the online survey is outlined. This survey provided the necessary information for the construction of the generic fuzzy rule

base to represent the proposed emotion model. Moreover, through the survey, participant specific data were obtained and used to aid in the development of a more personalized system for individual users. During this survey, the authors aimed to explore and model the affect relations existing between a set of emotions, which can be reported by a student to describe their affective state, and the basic elements of the AV-AT model. Namely, the emotion labels of 'flow', 'excitement', 'calm', 'boredom', 'stress', 'confusion', 'frustration', and 'neutral' were used, and their relations with 'arousal', 'valence', 'prediction', and 'evaluation of the outcome' were explored. The survey was conducted with the help of the online tool QuestionPro. Eighty participants of various ethnic origins completed the online survey. All the participants were provided with the necessary instructions for successfully completing the survey. Before proceeding, the participants provided their consent and some basic demographic information (age and gender). The survey was in line with the design proposed by Kirkland et al. [31] which was modified to suit an educational context.

In the online survey, different scenarios specifically designed to induce different combinations of the basic AV-AT elements, were presented to the participants. The scenarios narrated common, education related situations, since our aim was to induce education related emotions. A total of 18 scenarios were presented in a random order. Each scenario consisted of two stages, and asked the participants to imagine themselves in the depicted story. In the first stage, the beginning of the story was presented, and the overall current state, and prediction about the future were described. At this point, the participants were asked to use the sliders provided, and rate their arousal, valence and prediction about the future on a scale of 0 to 100. Prediction ranged from 0 (very negative prediction) to 100 (very positive). Valence ranged from 0 (unpleasant) to 100 (pleasant). Arousal ranged from 0 (deactivated, low arousal) to 100 (activated, high arousal). After providing their prediction, valence and arousal values, the participants were also asked to use sliders in order to rate their affective state for that part of the story. More specifically, the participants were asked to choose from a list of 8 emotions (flow, excitement, calm, boredom, stress, confusion,

frustration, and neutral) the extent to which these labels described their affective state. The ratings for these ranged from 0 (not at all) to 100 (perfectly). The participants were free to rate as many of the emotion labels as they wished. In the second stage, the outcome of the story was presented to the participants. During the second stage the participants were asked to rate the outcome of the story, which could be ‘worse’, ‘better’ or ‘as they had predicted’ in the first stage, ranging from 0 (worse than expected, terrible) to 100 (better than expected, great). Then they provided values for the valence and arousal elements along with the target emotions felt.

3.2. Fuzzy Modeling

In this section, the stages of our fuzzy set and fuzzy rule extraction method are described, along with the optimization and adaptation approaches. This process resulted in the construction of two fuzzy classification systems, one for each stage of the emotion model. The required data in order to construct the computational model were provided from the online survey described in the previous section. The training samples contain 3 inputs and 8 outputs for each stage. In the first stage, the inputs are arousal, valence, and prediction, and in the second stage, they are arousal, valence, and outcome. In both stages, the outputs are values of the eight emotions (flow, excitement, calm, boredom, stress, confusion, frustration, and neutral). All variables take values in the interval $[0,100]$. Every training sample is in the form of $(x^{(ts)}; y^{(ts)})$ where $ts = 1, \dots, 1440$ since the data collected from the survey is a total of 1440 samples.

3.2.1. Fuzzy Set and Fuzzy Rule Extraction

Initially, we opted to construct the necessary fuzzy sets from the user survey data to describe the basic elements of prediction, valence, arousal, outcome, and the eight aforementioned emotions. A partitioning of five fuzzy sets was chosen in order to cover the input and output space, so that the extracted model is accurate, but at the same time retains a satisfying degree of interpretability. The Fuzzy C-Means (FCM) clustering algorithm [6] was used in order to define

295 five original fuzzy sets. These fuzzy sets have triangular membership functions.
Every membership function has a degree of membership equal to 1 at the center
previously calculated by the FCM, and a support that is defined as the space
between the projections of the previous center and the next center on the hor-
izontal axis. At this point, it should be noted that the properties of our fuzzy
300 sets are only dependent on the position of their centers. This attribute is later
used for the optimization of the system.

After the initialization of the fuzzy sets, a fuzzy rule base is extracted from
the data with the help of an enhanced version of the Wang Mendel (WM)
method as presented in [55]. Initially, we defined five original fuzzy sets, which
covered all inputs and outputs. Let I_{in}^q be the corresponding fuzzy set for
the input $in = 1, \dots, 3$ and G_{out}^p be the corresponding fuzzy set for output
 $out = 1, \dots, 8$ where q and $p = 1, \dots, 5$. The rules we aimed to extract
from the data would be in the following form:

$$\text{If } x_1 \text{ is } I_1^q \text{ and } \dots x_3 \text{ is } I_3^q \text{ then } y_1 \text{ is } G_1^p \text{ and } \dots \text{and } y_8 \text{ is } G_8^p \quad (1)$$

Below we present the proposed method for one of the emotion outputs, as
the same applies for the multi-output case.

For each sample $(x^{(ts)}; y^{(ts)})$ the membership values $\mu_{F_{in}^q}(x_{in}^{(ts)})$ were calcu-
lated for all inputs and all corresponding fuzzy sets. Then we proceeded with
finding the highest membership value at q'

$$\mu_{I_{in}^{q'}}(x_{in}^{(ts)}) \geq \mu_{I_{in}^q}(x_{in}^{(ts)}) \quad (2)$$

for $q = 1, \dots, 5$. Each sample $(x^{(ts)}; y^{(ts)})$ was used in order to extract the
following rule:

$$\text{If } x_1 \text{ is } I_1^{q'} \text{ and } \dots x_n \text{ is } I_n^{q'} \text{ then } y \text{ is centered at } y^{(ts)} \quad (3)$$

The weight $w^{(s)}$ of the rule was also calculated as:

$$w^{(s)} = \prod_{in=1}^3 \mu_{I_{in}^{q'}}(x_{in}^{(ts)}) \quad (4)$$

At this point of the algorithm, every sample was converted to a fuzzy rule. Following this process all the rules with the same If-part were accumulated into a group. Let W be the number of groups. If we assume that in group g belong N_g samples $(ts_u^g) \quad u = 1, \dots, N_g$ consequently, we extract N_g rules in the form:

$$\text{If } x_1 \text{ is } I_1^{(g)} \text{ and } \dots x_3 \text{ is } I_3^{(g)} \text{ then } y \text{ is centered at } y^{(ts_u^g)} \quad (5)$$

We computed the weighted average using the following formula:

$$av^{(g)} = \frac{\sum_{u=1}^{N_g} y^{(ts_u^g)} w^{(ts_u^g)}}{\sum_{u=1}^{N_g} w^{(ts_u^g)}} \quad (6)$$

After calculating the membership value for all output fuzzy sets, we selected the fuzzy set with the highest value. Let $'p$ be the corresponding set.

$$\mu_{G'^p}(av^{(g)}) \geq \mu_{G^p}(av^{(g)}) \quad (7)$$

At the end of this process, the rules contained in that group were merged into a final rule.

$$\text{If } x_1 \text{ is } I_1^g \text{ and } \dots x_3 \text{ is } I_3^g \text{ then } y \text{ is } G^g \quad (8)$$

where G^g is the set with the highest membership as identified before.

The fuzzy rule bases extracted were then used by two classification systems. The first classifier was responsible for mapping values of prediction, valence, and arousal to values of the eight emotions. The second classifier mapped values of outcome, valence, and arousal to values of the aforementioned emotions. Both these classifiers utilized product inference, singleton fuzzification, and center average defuzzification to deliver results for stage 1 and 2 of the proposed emotion model respectively. If we consider the final rule base to include a total of L rules, the output was calculated using the following formula (where $y_{center}^{(g)}$ is the center of the fuzzy set G^g). It is important to notice that the output values were dependant on the position of the fuzzy set center points.

$$y = \frac{\sum_{g=1}^L y_{center}^{(g)} (\prod_{in=1}^3 \mu_{G_{in}^{(g)}}(x_{in}))}{\sum_{g=1}^L (\prod_{in=1}^3 \mu_{G_{in}^{(g)}}(x_{in}))} \quad (9)$$

305 3.2.2. Optimization

The extracted fuzzy set and rules, as well as the calculation of the output emotions are dependent on the position of the fuzzy set's center points. A genetic algorithm (GA) was applied, in order to optimize the performance of the constructed system. The performance of the system was evaluated in terms of
 310 the Normalized Mean Square Error (NRMSE), which was generated based on a validation set. The validation set comprised of data from the online survey, which was set aside and not used in the training of the classification system. Using the GA, we optimized the values for all input and output fuzzy set centers to produce the minimum value for the NRMSE error. Hence, the objective func-
 315 tion of the genetic algorithm was defined as the value of the NRMSE calculated in the validation set. Moreover, we also required the results to be interpretable. The center points extracted from the optimization process should lead to a reasonable interpretation, and facilitate the visualization of the affect relations existing in the AV-AT emotion model.

320 As mentioned in the comparative study conducted by Elbetagi et al., there are four basic parameters affecting the performance of the GA: population size, number of generations, crossover, and mutation rates [24]. In order to achieve a good trade-off between performance and interpretability, a number of different combinations of the aforementioned parameter settings were tested. As a re-
 325 sult, the parameter values that were selected generated a small NRMSE, while at the same time the fuzzy set center points corresponded to separate fuzzy terms being represented. As a result, values of parameters that generated non-interpretable results were rejected, since they did not promote an understanding of the proposed AV-AT emotion representation approach. For example, when
 330 the GA used a larger population, it generated marginally better results for the NRMSE, nevertheless the fuzzy set center points were not enabling the construction of an interpretable fuzzy rule base. The GA was implemented by utilizing Matlab's optimization toolbox. In order to use this implementation we provided the algorithm with the parameters shown in Figure 1. These parameters gen-

erated the most desirable results. The optimization process was performed for 55 variables (5 center points for each of the 5 fuzzy sets describing 3 input and 8 output variables). The same procedure was repeated for both stages of the emotion model and it included the following steps:

- Divide the data set to a training and a validation set.
- The chromosome representing each individual of the population is defined in terms of the position of the fuzzy set center points, for every input and output.
- Initialize the original population (20 individuals) to populate the first generation of the genetic algorithm. In the initial population, the original center points calculated by the FCM are also included as individuals.
- Utilize the method described in the previous section in order to build a fuzzy rule-base for each individual of the population with the help of the training data. Create an instance of the classification system based on the extracted rule base. Calculate the classification accuracy of each fuzzy classifier in the validation set.
- The GA uses the population and the objective function values to produce a new population.
- The selection function of the GA, which chooses the parents for the next generation, is set to be the stochastic uniform function.
- Two individuals of the current generation are guaranteed to survive to the next generation, 80% of individuals of the next generation is produced due to crossover, and the remaining 20% is produced due to mutation.
- The crossover function combines two individuals from the current generation to create a child for the next generation. In our case, the crossover function creates a random binary vector and selects the genes from the first parent where the vector is 1 and the genes from the second parent

where the vector is 0 and then combines them in order to construct to the child.

- The Gaussian function is chosen as the mutation function. A random number extracted from a Gaussian distribution is added to each vector entry of an individual. Through these small changes, the necessary genetic diversity is provided and the GA is able to search a larger space.
- The GA evolves until there is no considerable change in the fitness function (e^{-6}) for a consecutive number of generations or until it reaches the maximum number of iterations (100).
- The values of the fuzzy sets' center points for the best individual in the last generation of the GA are used in the construction of the rule base.

The optimization process succeeded at providing a solution that contained a combination of interpretable center points for the fuzzy sets of the proposed model, while at the same time it improved the classification performance of the original fuzzy model that used the center points calculated by the FCM. By utilizing Matlab's 2016 optimization toolbox a basic comparison between the GA and other available optimization techniques was also performed based on classification accuracy of the generated fuzzy classifiers and parameter interpretability. More specifically, we utilized the pattern search (direct search), particleswarm (particle swarm), and simulannealbnd (simulated annealing) options provided by the toolbox. The NRMSE results presented in Figure 1 justify the utilization of the proposed GA based approach in terms of achieving a marginally better performance error compared to the other algorithms. In Figure 1 we can observe that the GA optimized fuzzy set center points for the prediction, arousal, and valence elements offer an interpretable solution. In contrast, other methods provided solutions with lower interpretability. These comparisons are by no means exhaustive but justify the design choices that were made for tuning the fuzzy classifiers parameters.

(a) GA parameters		(b) Optimization Performance					
GA parameters		NRMSE	No optimization	GA	Pattern Search	Simulated Annealing	Particle Swarm
Number of Variables	55						
Lower Bound, Upper Bound	-10,110	Stage 1	18.80	17.48	17.74	18.09	17.80
Population Type	Double Vector	Stage 2	20.60	19.36	19.41	19.80	19.40
Population Size	20						
Creation Function	Constraint Dependant	(c) Fuzzy center points					
Fitness scaling	Rank scales	Prediction	Arousal		Valence		
Selection Function	Stochastic Uniform	-0,109 (Very negative)	-0,059 (Very low)		-1,637 (Very negative)		
Elite Count	2	23,986 (Negative)	25,182 (Low)		27,430(Negative)		
Crossover fraction	0.8	49,442 (Neutral)	48,088 (Neutral)		50,842(Neutral)		
Mutation function	Gaussian	74,083 (Positive)	73,399 (High)		76,422(Positive)		
Crossover function	Scattered	100,871 (Very Positive)	100,249 (Very High)		100,479(Very Positive)		
	Function tolerance e^{-6} ,						
Stopping Criteria	Stall generations 10,						
	Max generations100						

Figure 1: (a) GA parameters (b) Optimization performance (c) Fuzzy centers for prediction, arousal, and valence (stage1).

3.2.3. Adaptation

The adaptation mechanism of the proposed method is a modification of the Adaptive On-Line Fuzzy Inference System (AOFIS) [21] as presented in [29]. This method was exploited in two ways. Firstly, the data samples collected from the responses of a particular user in the online survey (Section 3.1) were presented one by one to the system. The system considered them as desired changes provided by the user, and made the necessary changes to the rule base of each classifier. This allowed our method to have a personalized rule base reflecting the user's preferences right from the start, before they engaged actively with a real-time version of the system (offline adaptation). Secondly, when the user was utilizing the online version of the system and they were not happy with the results provided to them, they were able to provide their own values of the output emotions, so that the system made the necessary corrections (online adaptation). In both cases, the adaptation process was as follows. When a new data sample $(x^{(ts)}; y^{(ts)})$ was provided to the system, the membership values

$\mu_{in}^q(x_c^{(ts)})$ for all inputs $in = 1, \dots, 3$ and all fuzzy sets $q = 1, \dots, 5$ were computed. The rules that fired were detected, and the rule with the maximum activation value was identified. Assuming R is the total number of activated rules, by using the following formula we calculated the center points' optimal position y_{optc} , by taking into account the contribution of the other $R-1$ rules that fired.

$$y_{optc} = \frac{y^{(ts)}(\sum_{g=1}^R (\Pi_{in=1}^3 \mu_{G_{in}^{(g)}}(x_{in}^{(ts)})) - \sum_{g=1}^{R-1} y_{center}^{(g)}(\Pi_{in=1}^3 \mu_{G_{in}^{(g)}}(x_{in}^{(ts)})))}{\Pi_{in=1}^3 \mu_{G_{in}^{(g)}}(x_{in}^{(ts)})} \quad (10)$$

The calculated value was used in order to find the fuzzy set with the highest membership value.

$$\mu_{G'^p}(y_{optc}) \geq \mu_{G^p}(y_{optc}) \quad (11)$$

Ultimately, the highest activation value rule consequent was replaced by the corresponding fuzzy set G'^p .

3.3. Offline Performance Comparison

In order to test the effectiveness of the proposed fuzzy method, the survey data were used to compare the fuzzy method's results with the results provided from different classification systems. This comparison was done for both stages of the emotion model. In the first stage, the inputs were prediction, valence, arousal, and the outputs were the values of the eight targeted emotions. In the second stage, the inputs were the evaluation of the outcome, valence, and arousal and the outputs were the values of the emotion labels. The suggested fuzzy method was compared to a Multilayer Perceptron (MLP) using a single hidden layer containing ten nodes, a Radial Basis Function Network (RBF) using the softmax activation function, a linear regression model (LNR) and a regression tree (RT). The comparison was drawn in terms of the NRMSE, and the ability of each system to identify the dominant emotion (which was considered to be the emotion for which the participant or the system provided the highest value). The comparisons for each stage were performed using ten-fold cross validation. Additionally, in order to compare the AV-AT model with the

AV representation of emotion, the NRMSE and Dominant Emotion Accuracy (DEA) for all evaluated systems are provided, when the systems were trained by using only the arousal and valence values. To identify the dominant emotion we simulated the decision an affective computing researcher would make if they used the AV model, by constructing a minimum distance classifier (D). In order to do this we used the Affective Norms for English Words (ANEW) [7] database to define clusters in arousal-valence space representing each of the eight emotion words. The center of each cluster was the arousal and valence values for this word in the database. Using the arousal and valence values provided by the participant, the Euclidian distances from each clusters' centers were calculated. The minimum distance, among the calculated distances, was used to define the dominant emotion. It is important to note, that at that point, the results were calculated without using the adaptive part of the fuzzy method. The contribution of this component will be evaluated in Section 3.5.

The results in Table 1 and 2 show that the proposed Fuzzy method had a better performance for both stages, and for both AV, and AV-AT models compared to the other approaches. At the same time, it provided us with an easily interpretable rule base, which allowed us to observe the underlying affect relations, in contrast to black box approaches such as the MLP.

Table 1: Stage 1 NRMSE and Dominant Emotion Accuracy for survey data.

Emotions	NRMSE and Dominant Emotion Accuracy (STAGE1 SURVEY)										
	AV - AT					AV					
	FM	MLP	RBF	LNR	RT	FM	MLP	RBF	LNR	RT	D
Flow	16.3	17.92	18.05	21.1	19.89	22.28	23.08	22.52	24.9	25.83	NA
Excitement	15.2	17.11	17.38	21.81	18.09	16.35	18.25	17.2	22.27	18.21	NA
Calm	21.69	24.1	24.06	25.98	26.47	22.16	24.51	24.27	25.97	25.88	NA
Boredom	16.09	17.5	17.09	21.88	19.42	17.03	17.7	17.82	21.98	19.46	NA
Stress	18.73	20.18	19.9	22.15	23.57	20.2	21.57	21.42	23.19	23.8	NA
Confusion	16.04	17.58	17.93	19.6	19.75	16.68	17.88	18.27	19.64	18.87	NA
Frustration	17.97	19.31	19.85	21.67	21.36	19.78	21.43	21.72	22.63	22.65	NA
Neutral	17.85	21.44	19.21	29.65	20.35	19.11	22.22	20.27	29.62	21.31	NA
Overall	17.48	19.29	19.18	22.98	21.11	19.2	20.83	20.44	23.77	22.01	NA
DEA	66.94	64.44	63.68	62.01	59.69	60.56	54.24	58.82	56.25	51.77	54.17

Table 2: Stage 2 NRMSE and Dominant Emotion Accuracy for survey data.

NRMSE and Dominant Emotion Accuracy (STAGE2 SURVEY)											
Emotions	AV - AT					AV					D
	FM	MLP	RBF	LNR	RT	FM	MLP	RBF	LNR	RT	
Flow	19.14	20.87	20.71	22.87	22.79	20.79	21.89	21.89	23.76	24.4	NA
Excitement	15.73	18.52	18.43	21.43	18.86	17.58	19.75	19.17	22.4	20.67	NA
Calm	25.4	29.68	29.53	32.19	31.68	25.71	30.66	30.43	32.17	30.17	NA
Boredom	19.76	21.52	21.65	24	24.93	20.28	21.07	21.29	24.03	23.73	NA
Stress	20.12	22.17	21.82	23.04	24.64	20.75	21.74	21.75	23.19	24.38	NA
Confusion	19.79	23.59	23.7	25.57	23	20.65	23.67	23.11	25.83	23.69	NA
Frustration	18.15	18.88	19.31	22.22	22.27	19.95	19.57	19.61	22.8	21.53	NA
Neutral	16.81	20.57	19.11	30.33	20.41	33.62	20.88	20.29	30.3	20.67	NA
Overall	19.36	21.97	21.78	25.21	23.57	22.42	22.4	22.19	25.56	23.66	NA
DEA	55.28	49.03	51.04	48.4	45.31	47.01	50.49	51.04	48.13	45.94	43.75

In order to highlight the interpretability of the extracted fuzzy rule base we collocate the fuzzy rules obtained for flow and excitement.

If valence is positive, and arousal is high, and prediction is positive, then flow is very high.

If valence is positive, and arousal is high, and outcome is better than expected, then excitement is very high.

As demonstrated by the classification results (Tables 1 and 2), the AV-AT model appears to be significantly better in the first stage and marginally better to comparable in the second stage, for all systems, compared to the AV model. In addition, the NRMSE results for all classification systems are improved notably compared to the results in [29] where the Affective Trajectories hypothesis was proposed as the emotion modeling approach. The same applies for both stage 1 and stage 2 (prediction and outcome stages).

The online survey step was also required for the offline tuning of the system. With the help of the adaptive mechanism, the responses of a specific participant were used as desired changes to the original systems' predicted values. In this way, a new participant-specific fuzzy rule base was extracted, which was later

used as a starting point for a personalized learning system.

445 3.4. *Personalized Learning System*

The fuzzy mechanism along with the AV-AT model of emotion is utilized in order to construct a personalized learning system and enable the suggested methodology to be tested in real-time within a specific context. The system's architecture provides a benchmark for AC systems to integrate the proposed
450 fuzzy affect modeling approach in education, or other application contexts. The system's architecture is based on the two-stage emotion modeling approach, as seen in Figure 2. This architecture comprises of two fuzzy classifiers, which utilize the fuzzy method described in Section 3.2. The classifiers use the personalized fuzzy rule base extracted with the help of the online survey, which
455 is unique for every user. The system is also inclusive of the adaptive mechanism as described in Section 3.2.3 in order to provide the necessary changes to the fuzzy rule base when the user is not happy with the results. The output emotions for each stage comprise of the eight emotions used before. The system provides the appropriate feedback to improve the user's experience, based
460 on the calculated values of the aforementioned emotions. In this research, the system is applied during educational sessions, which are divided into a number of different activities. A basic step-by-step implementation concerning one activity is described below. The same procedure is repeated for all consequent activities. Before a new activity starts, the participant is asked to provide their
465 prediction about the upcoming activity. The prediction along with the values of arousal and valence, which are also elicited from the participant, are given to classifier 1 which provides values for the eight target emotions. These values are presented to the user in order to reflect on their performance. If the user is not happy with the results, they have the option to provide new values for
470 each of the eight emotions. The adaptive part of the system will then process these values, to make all the necessary changes to the rule base of the classifier. Given the calculated values of the eight emotions, the system presents tips and short motivational quotes to the user. When the activity ends, the user is asked




Figure 2: Personalized learning system architecture.

to provide a value representing their evaluation of the outcome of the activity.
 475 This value, along with the arousal and valence values, are then fed into classifier
 2 which will provide the necessary classification results. The system's feedback
 and adaptation is the same with stage 1. In Figure 3, we can observe the af-
 fective trajectories of a student as provided by the system, over the course of a
 tutorial session consisting of 4 activities.




Figure 3: System's output of a student affective trajectories during a tutorial session.

480 3.5. Model Evaluation

Two practical experiments were designed and carried out in order to test the proposed approach. Twenty-one participants, who had previously completed the online survey, participated in two tutorials comprising of two sessions each. The first tutorial was in the area of fuzzy logic, while the second covered a more
 485 general machine-learning topic, mostly focused on neural networks. Participants in both tutorials were divided into groups of three students, and they used their personal laptops on which the system was installed.

In the first tutorial, the participants were able to see the results and feedback of the system, and had the option to provide new values for the targeted emotion
 490 labels, to tune the system if they were not satisfied by the system's values. The values provided by the participants, along with the system's values were stored in order to be used for offline analysis. In the second tutorial session, the participants were asked to provide values of the target emotions at the beginning and at the end of every activity. During these sessions, they were
 495 not able to see the results, or the feedback of the system; as a result, the values they provided were not biased in any way. Nevertheless, the online adaptive part of the fuzzy method was still utilized in the background, making use of the values the participants provided, as desired changes to the system's responses. In both cases, the NRMSE was calculated for all emotion categories, along
 500 with the ability of the system to recognize the dominant emotion. Results for both practical sessions are presented in Table 3. In this Table, values of the DEA achieved when the AV model was used by applying the minimum distance method described in Section 3.3, are also included.

It is evident from the results in Table 3 that the performance of the model
 505 massively outperforms the survey results for both practical sessions (Tables 1 and 2). This is due to the adaptation process, which enabled the system to account for individual differences, which play a major role in the AV-AT emotion model in the same manner they do in the AT model [29]. Additionally, the AV-AT emotion model offers a better approach to recognizing the dominant
 510 emotion compared to the AV model for all cases and stages. This is clearer

Table 3: NRMSE and Dominant Emotion Accuracy for practical experiments.

Emotions	NRMSE and Dominant Emotion Accuracy (DEA)			
	Stage1		Stage2	
	Practical Session 1	Practical Session 2	Practical Session 1	Practical Session 2
Flow	7.3253	11.8456	8.8728	13.4173
Excitement	8.3177	13.9371	7.1235	13.6475
Calm	9.3274	15.5236	8.105	15.9639
Boredom	7.2292	10.0378	9.6106	11.9808
Stress	10.837	11.88	6.5552	9.9761
Confusion	6.13	7.1484	9.6812	9.5869
Frustration	7.6439	9.6337	9.5817	8.3396
Neutral	5.527	9.8717	8.674	8.4263
Overall	7.7922	11.2348	8.5255	11.4173
AV-AT DEA	88.10%	80.94%	80.95%	75.60%
AV DEA	58.93%	64.24%	60.12%	55.95%

for stage 1, revealing the importance of the prediction element. The AV model scored around 60% for all stages and sessions, a percentage that was anticipated, if we consider that it is a stage independent model, since the emotion label used is dependent only on the arousal and valence values. In comparison with the adaptive version of the AT used in [29], the results are significantly better for both stages. In terms of the overall NRMSE the AT model scored 20.35 for the first, and 16.39 for the second stage respectively, which are worse compared to the results achieved by the AV-AT model.

Once the participants had completed the tutorials they were formally debriefed, and they were also asked to provide their views concerning their experience of the system. It was noted that the participants' predictions were directly influenced by their mood (positive valence was related to a positive prediction), their familiarity with the subject (people more familiar with the subject made more positive predictions), and some personal characteristics such as an optimistic or a pessimistic stance. In addition, it was observed that the participants were happy to offer their predictions and evaluations concerning the activities. Providing their evaluations and predictions about the educational process made them more engaged rather than distracted.

Given the method's proven ability to model and monitor the affective trajectories of small groups of students, its true potential lies in the fact that it could be applied to perform large-scale sentiment analysis and recognize the affective trajectories of larger groups of individuals. This computational model of emotion could provide a useful tool for performing sentiment analysis during the interaction of groups of people with social networks, and utilize the extracted results to provide estimates of their affective movement in time. Additionally, despite the fact that these tutorial sessions provide a measure of the method's performance, and useful ideas about its practical implementation, greater insight in the underlying emotion theory can be obtained by applying this method in social network data. This can be achieved by using a hybrid cloud, and monitoring the affective associations that millions of users make, concerning their predictions about the future, their evaluations of certain outcomes, and the emotion words they choose to describe their affective state. In order to further explore this affective methodology, and take advantage of this method's benefits in social network sentiment analysis, the necessary infrastructures should be able to process, analyze, and store big data. This ability is demonstrated in the following sections.

4. A Hybrid Cloud Service

This section describes the hybrid cloud service able to integrate the proposed fuzzy computational model of emotion with sentiment and social network analysis, to ensure data can be processed and analyzed simultaneously on the cloud. The core technologies include the following streams. Firstly, SQL and NoSQL databases to authenticate, query, process and store data. Secondly, the MapReduce and Spark frameworks to process large volume and velocity of data, and support parallel computing. Thirdly, the social network APIs, which can fully translate the emotions of a large number of social network users, into data analysis and visualization. Fourthly, the multi-layered security adopted by Chang et al. [13] that can provide a robust security environment to withstand

attacks from Trojans and viruses of 2013 known vulnerabilities. Multi-layered security consists of the integration of three major security technologies: (1) access control and firewall; (2) identity management and intrusion detection; and (3) encryption and decryption. The hybrid cloud is composed of three private clouds located at London, Leeds, and Southampton, and two public clouds with large instances on Amazon UK to allow scientific research to be conducted on a mega scale [12]. The hardware infrastructure is presented in Table 4.

Table 4: Hardware infrastructure used for large-scale experiments and simulations.

Location	CPUs (average of 3.0 GHz per unit)	Memory (GB)	Storage (TB)	Optimum Network speed (GBps)
London	64 (control center)	128 GB	12 TB	10
Leeds	32	64 GB	8 TB	1
Southampton	32	64 GB	8 TB	10 (March 2016)
Amazon (Dublin)	32	64 GB	1.28 TB	1

The set up facilitates large-scale experiments and simulations to be undertaken in the cloud in order to validate our approaches. The data has been owned and provided by Facebook as part of the Facebook developer agreement, covering the 2013-2014 period. The London based data center forms the control center because of its superior infrastructure and its location. Data is fed directly into the London control center where all other jobs for data processing can be distributed equally to each site. This can ensure each data center or cloud resource has a manageable amount of data. The data center at Leeds can replace work required for Amazon in Dublin to save costs in moving data across sites. All the outputs of the analysis on the data were stored in the London and Leeds data centers for further analysis, extraction, and archiving of data. Datumbox API is a Facebook API that specializes in sentiment analysis, and has been used to collect and analyze users' emotions [1]. To make the emotions previously used in this paper compliant to Facebook's sentiment analysis emotions in Table 5 have been categorized in a scale of 1 (the lowest) and 5 (the highest). Related words have been collected and categorized to ensure that

there is greater matching between the words of emotion used in our research and Facebook. The rationale for this is as follows. Frustration and stress are words of expressing negative feelings, and thus are rated as 1. Confusion and boredom carry more aspects of negativity than the positive emotions and are rated as 2. Neutral and calm represent words at an even scale and are rated as 3. Occasionally, calm is rated as 4 in situations that users are involved with accidents, natural disasters and unexpected incidents that may pose threats to personal safety. Flow is related to activities that Facebook users have been involved in and are willing to share. The majority of them belong to positive categories and are thus rated as 4. In the data given for this experiment, 50% of “cools” have been used in neutral status and 50% have been used in accidents, natural disasters or unexpected incidents, resulting in an equal split of ratings for 3 and 4. Excitement is related to events that make Facebook users delighted and are rated as 5. While using Datumbox API to process users’ emotions, additional commands are written to ensure the smooth processing and analysis.

Table 5: Categorization of the Facebook users’ emotion matching our definition of emotion.

Emotions	Scale/rating	Related words
Frustration	1	Frustrated; fed up; blow; annoyance; set back; upset
Stress	1	Stressful; stressed; pressure; pressurized; nervous; break down
Confusion	2	Confused; baffle; puzzled; no objectives
Boredom	2	Boring; apathy; dull; lack of activities
Neutral	3	Even; unbiased
Calm	3 (or 4)	Cool; steady; quiet but mindful; calmness
Flow	4	Moving; continuous; active
Excitement	5	Happy; delighted, blissful; over joy; feeling great

5. Large scale experiments and analysis of our results

In this section the analysis, and the results of all the large-scale simulations for our sentiment analysis, are described. In the first part, the execution time required to review each type of rating is demonstrated. In the second part, the


600 sentiment analysis for data on one million Facebook users is presented, and in
the third part the correlation between our proposed approach and sentimental
analysis on the Facebook users is discussed. Figure 4a shows the execution time
for processing data for the data centers at London, Southampton and Leeds.
London processes 50% of all the data, and Leeds and Southampton sites process
605 25% respectively. All the experiments were conducted five times in order for us
to obtain the mean execution time values. The processing time difference be-
tween Leeds and Dublin is within 1%. The execution time is consistent between
London and Southampton, since the execution time completed for data process-
ing in Southampton is close to half of the time required in London. There is also
610 a similar execution time between London and Leeds due to the slower network
speed and greater distance between the two locations.

Figure 4b shows the execution time for sentiment analysis and presentation
for all the ratings. Results are independent of the locations and all sites have
results within a 1% difference. In the data provided by Facebook, sentiments
615 that express a rating of 5 have the highest execution time, followed by rating 1,
2 and then 3 and 4, which also follow a similar trend to the results in Figure 4a.
Ratings with more “supporters” mean that a longer time is required to provide
sentiment analysis and present results. Figure 4c shows the execution time for
storing data at each site based on the mean values of the five experiments.
620 London has the shorter execution time than Leeds to store data. Southampton
has not been included since upgrades have been recently completed in March
2015. As it is very expensive to move data out of Amazon Dublin, public clouds
are excluded for this comparison.

Figure 4d shows the total execution time for experiments in Figures 4a, 4b
625 and 4c between the London and Leeds data centers. Here it can be seen that
there is a shorter execution time to complete all processing tasks in the London
data center despite it processing 50% of the data. This is due to the experiments
being carried out at this site and the site having a superior infrastructure. There
is a 100% completion for all the data processing, analysis, and storage of data
630 on both sites. Figure 5 shows results between our approach and Facebook’s




(a) Execution time for processing data at each site



(b) Execution time for sentiment analysis and presentation



(c) Execution time for storing data at each site



(d) Execution time for processing, analyzing, and storing sentiment analysis and data

Figure 4: Execution times.

sentiment analysis. The comparison of the approaches does not meet 100% of matches due to various reasons such as vague status from the users, mixed feelings experienced by the users, and data being too large to handle. In our demonstration, results in Figure 4 show that the size of the data is not the reason for creating a mismatch. Hence, the likely causes are the vague status, which are hard to interpret correctly or the mixed feelings due to the nature of the events or the speed in which events have occurred. While the status update is difficult to be captured fully for 1 million users, we can only rely on the availability of the disclosed data for us to perform analysis with the following steps. Firstly, all status updates have been categorized into five groups of rating. Secondly, a list has been processed that has been used for experiments for results

in Figures 4a,4b, 4c, and then after the end of experiments, another list has been processed to check whether all the status updates have been correctly categorized and analyzed to ensure there is a quality assurance process in place.

645 The task is to check consistency between the use of our approach to categorize emotions into numerical ratings (the numerical and word mappings are shown in Table 5) and the results of direct queries from Facebook Query Language (FQL) introduced by [11]. Sentiment analysis can be processed by numerical ratings in order to reduce processing time and complexities in dealing with large
650 number of users [42, 34]. Although processing by numerical rating as specified in Table 5 can improve performance, it is important to check with results from FQL queries to ensure that our approach can get a high percentage of correct matches between words of emotion and the determined sentiments. Figure 5 shows that there is close correlation between these two approaches, with rating 5 having the highest match (98.70%), followed by rating 1 (98.40%), rating 2 (97.90%), rating 4 (93.10%) and rating 3 (92.50%). When Facebook users have shown that they are either very upset or delighted, there is a clear distinction in their emotions that increases the matching percentage. However when the user has neutral feelings, it has become more challenging to find a match, although a matching of 92.50% can still be considered high.




Figure 5: Percentage of good match between our approach and Facebook's sentiment analysis.

6. Discussion

In this section, we discuss the impact of our work and present comparison with other approaches. There are two groups of work to compare. The first group is the fuzzy logic approach to analyze and model emotions that comes

under computer science and psychology disciplines. The second group is the use of cloud computing and big data processing for conducting large-scale sentiment analysis and social network analysis.

This paper presented a novel emotion representation, namely the AV-AT model. This new representation was tested through online and offline experiments, and the results illustrated that the AV-AT model was more effective in differentiating between the labels we choose to describe our affective state, when compared to the popular Arousal Valence (AV) representation [50], or the Affective Trajectories hypothesis [31]. The arousal valence model is extensively used by many state of the art AC systems [8, 52]. The Affective Trajectories hypothesis is also used in recent AC research in order to facilitate the construction of affective computing systems [29]. As seen in Figure 6, the AV-AT performs considerably better compared to the AV model in terms of DEA, and compared to the AT model in terms of the NRMSE. These findings support the potential usefulness of the model in the hands of AC researchers in order to use sets of emotions, which better describe their user's affective state, when compared to other approaches. The AV-AT facilitates a deeper understanding of emotional processes, since it was driven by affect-recognition purposes, instead of imitating human emotion for virtual agents, such as the computational models of emotion reviewed by Marcella et al. [37] and Kowalcuzk et al. [32].




Figure 6: AV-AT model of emotion vs. AV and AT models.

This paper's affect-modeling approach can be applied in various contexts. This can be achieved by modifying the set of target emotions. In an affective driving application for example, the system could use a set of emotions similar to the one used by Nasoz et al. (panic, frustration, anger, boredom, fatigue, and fear) [39]. In affective gaming a set of emotions as the one used in [36] can

690 be utilized (boredom, challenge, excitement, frustration, and fun), whereas in
 an affective learning application a set of emotions such as the one described in
 this paper would be appropriate. The only limitation to be considered is the
 requirement for discrete points in time in order to obtain estimates of the basic
 elements of prediction and outcome.

695 Literature informs us that, our affective state correlates strongly with changes
 to our physiology [47, 38, 19]. Estimates of arousal and valence elements can be
 automatically extracted with the use of the relevant physiological sensors. This
 can be achieved with the help of non-obtrusive wearable devices such as the
 Autosense, the Empatica E3, or E4 sensors and other available sensors. This
 700 sensor-specific information can be combined with estimates of the prediction
 and outcome elements. These elements, as illustrated in section 3.5, can be
 extracted from a combination of the user profile, and other contextual infor-
 mation. Therefore, a two-leveled system such as the one proposed in [36] that
 utilizes the AV model, could be used in order to fully automate the emotion
 705 recognition process.

Concerning the comparison of the proposed approach in the utilization of
 cloud computing and big data processing for conducting large-scale sentiment
 analysis, and social network analysis, we discuss the following observations in
 respect to relevant work. Ortigosa et al. [40] use a Facebook API, SentBuk,
 710 to collect and analyze user data. In their work, they only use three types of
 emotions: positive, neutral and negative, with 66.89% of users being positive,
 thus representing a biased selection of their choice. They explain how their work
 is relevant to e-learning using a case study. However, they do not use cloud
 intelligence and some technical details of their approach are vaguely described.
 715 Krishna et al. [33] have illustrated their rationale, steps, and results from their
 experiments to demonstrate that Facebook sentiment analysis can be conducted
 on cloud computing. Nevertheless, they do not provide details about the types
 of data they have dealt with, nor details of the cloud resources used. Ren [48]
 presents one of the first papers in this area. They explain the concepts of using
 720 a fuzzy logic based system to collect and analyze users' emotions in the cloud.

There are measurements on different types of emotions collected and translated to the stakeholders. Although there are interesting concepts discussed, there is no information about how to replicate their approach using standard APIs from social networks such as Facebook, or how to set up and measure users' data intelligently, and whether such data is derived from their own case study.

7. Conclusions and Future Work

This paper introduced a methodology for incorporating emotion in the design of intelligent computer systems, and explored its applicability and performance, through carrying out a series of online and offline experiments. The approach presented, initially establishes the mixed AV-AT emotion model. In order for this model to be successfully utilized, an adaptive fuzzy modeling method was implemented, which used optimized parameters with the help of a GA. A framework and basic architecture was proposed, which integrates the suggested approach, so that it can be utilized by affective computing systems. Moreover, an AC system was developed to evaluate the performance of the suggested affect modeling methodology in a real setting, while at the same time promoting student learning and engagement within modern pedagogical contexts.

We have demonstrated a cloud computational intelligence infrastructure, which can integrate the suggested emotion modeling approach. This was achieved by conducting large-scale experiments carrying out data processing, sentiment analysis, and storage on data comprising of one million Facebook users. The proposed emotion modeling approach can be used as part of a cloud intelligence framework through the use of hybrid cloud services. Explanations for our research impact have been justified to ensure that our work is unique and significant. Contributions for big data processing were explained to ensure that our work could bridge the gap between theory and practice.

The main contributions of our research can be summarized as follows:

- A novel emotion modeling methodology is proposed for incorporating human emotion as part of intelligent computer systems.

- 750 • A new mixed representation of emotion called the AV-AT model is presented offering high recognition accuracy and enabling flexibility in choosing suitable sets of emotions.
- The adaptive fuzzy method presented, achieved a satisfactory classification performance compared to other well-known ML approaches, while at the same time retaining a high degree of interpretability.
- 755 • A personalized learning system was developed, specifically designed for assisting students in the context of PBL pedagogical framework that has been tested successfully in two practical tutorial sessions.
- Research directions were presented for applying this methodology in various contexts.
- 760 • We demonstrated cloud intelligence and provided evidence of the ability and effectiveness of a large-scale deployment. Our hybrid cloud intelligence service processed and performed sentiment analysis and stored the outputs, with competitive execution times at all sites.
- 765 • The proposed computational intelligence based emotion modelling approach was used to implicitly classify emotion states, and achieved a high percentage of matching with Facebook's sentiment analysis.

By providing a novel computational methodology to represent and model emotion, we aim to enhance our understanding of the incorporation of emotion in the design of intelligent computing systems, resulting in the improvement of services provided by those systems to their users. Future work will involve the modification of our approach to account for the transition probabilities between affective states. We aim to achieve this by using dynamic modeling tools, such as the Fuzzy Cognitive Map (FCM) [51] methodology. Future developments of the work will also include analysis of more up-to-date, and larger scale user data, along with the deployment of state of the art bio-inspired optimization algorithms in order to improve specific parameters of the developed fuzzy model.

References

- [1] Datum box, machine learning api, www.datumbox.com/machine-learning-api/.
780
- [2] K. Almohammadi, B. Yao, H. Hagra, An interval type-2 fuzzy logic based system with user engagement feedback for customized knowledge delivery within intelligent e-learning platforms, in: 2014 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE), IEEE, 2014, pp. 808–817.
- [3] L. F. Barrett, B. Mesquita, M. Gendron, Context in emotion perception, *Current Directions in Psychological Science* 20 (5) (2011) 286–290.
785
- [4] H. S. Barrows, Problem-based learning in medicine and beyond: A brief overview, *New directions for teaching and learning* 1996 (68) (1996) 3–12.
- [5] D. Bernardo, H. Hagra, E. Tsang, A genetic type-2 fuzzy logic based system for financial applications modelling and prediction, in: Fuzzy Systems (FUZZ), 2013 IEEE International Conference on, IEEE, 2013, pp. 1–8.
790
- [6] J. C. Bezdek, *Pattern recognition with fuzzy objective function algorithms*, Springer Science & Business Media, 2013.
- [7] M. M. Bradley, P. J. Lang, Affective norms for english words (anew): Instruction manual and affective ratings, Tech. rep., Technical report C-1, the center for research in psychophysiology, University of Florida (1999).
795
- [8] P. Bustamante, N. L. Celani, M. Perez, O. Q. Montoya, Recognition and regionalization of emotions in the arousal-valence plane, in: 2015 37th Annual International Conference of the IEEE Engineering in Medicine and Biology Society (EMBC), IEEE, 2015, pp. 6042–6045.
800
- [9] R. A. Calvo, S. D’Mello, Affect detection: An interdisciplinary review of models, methods, and their applications, *IEEE Transactions on affective computing* 1 (1) (2010) 18–37.

- [10] M. Chan, E. Campo, D. Estève, J.-Y. Fourniols, Smart homes—current
805 features and future perspectives, *Maturitas* 64 (2) (2009) 90–97.
- [11] V. Chang, A cybernetics social cloud, *Journal of Systems and Software*.
- [12] V. Chang, Towards a big data system disaster recovery in a private cloud,
Ad Hoc Networks 35 (2015) 65–82.
- [13] V. Chang, Y.-H. Kuo, M. Ramachandran, Cloud computing adoption
810 framework: A security framework for business clouds, *Future Generation
Computer Systems* 57 (2016) 24–41.
- [14] D. J. Cook, J. C. Augusto, V. R. Jakkula, Ambient intelligence: Tech-
nologies, applications, and opportunities, *Pervasive and Mobile Computing*
5 (4) (2009) 277–298.
- [15] S. Craig, A. Graesser, J. Sullins, B. Gholson, Affect and learning: an ex-
815 ploratory look into the role of affect in learning with autotutor, *Journal of
educational media* 29 (3) (2004) 241–250.
- [16] M. Csikszentmihalyi, *Flow: The psychology of optimal experience* (1990).
- [17] W. Cunningham, P. Zelazo, The development of iterative reprocessing: Im-
820 plications for affect and its regulation (2010).
- [18] W. a. Cunningham, K. a. Dunfield, P. E. Stillman, Emotional States from
Affective Dynamics, *Emotion Review* 5 (4) (2013) 344–355.
- [19] M. E. Dawson, A. M. Schell, D. L. Filion, *The Electrodermal System*
(2007).
- [20] S. D’Mello, R. Calvo, Beyond the basic emotions: what should affective
825 computing compute?, ... Abstracts on Human Factors in Computing ...
(2013) 2287–2294.
- [21] F. Doctor, H. Hagaras, V. Callaghan, A Fuzzy embedded agent-based
approach for realizing ambient intelligence in intelligent inhabited envi-

- 830 ronments, IEEE Transactions on Systems, Man, and Cybernetics Part
A:Systems and Humans. 35 (1) (2005) 55–65.
- [22] F. Doctor, C. H. Syue, Y. X. Liu, J. S. Shieh, R. Iqbal, Type-2 fuzzy sets
applied to multivariable self-organizing fuzzy logic controllers for regulating
anesthesia, Applied Soft Computing Journal 38 (2016) 872–889.
- 835 [23] P. Ekman, W. V. Friesen, Unmasking the face: A guide to recognizing
emotions from facial clues, No. 1968, Ishk, 1975.
- [24] E. Elbeltagi, T. Hegazy, D. Grierson, Comparison among five evolutionary-
based optimization algorithms, Advanced Engineering Informatics 19 (1)
(2005) 43–53.
- 840 [25] M. Gendron, L. F. Barrett, Reconstructing the past: A century of ideas
about emotion in psychology., Emotion Review 1 (4) (2009) 316–339.
- [26] I. A. T. Hashem, I. Yaqoob, N. B. Anuar, S. Mokhtar, A. Gani, S. Ul-
lah Khan, The rise of "big data" on cloud computing: Review and open
research issues, Information Systems 47 (2015) 98–115.
- 845 [27] R. Iqbal, F. Doctor, M. Romero, A. James, Activity-led learning approach
and group performance analysis using fuzzy rule-based classification model,
in: Proceedings of the 2013 IEEE 17th International Conference on Com-
puter Supported Cooperative Work in Design (CSCWD), 2013, pp. 599–
606.
- 850 [28] R. Iqbal, A. James, L. Payne, M. Odetayo, H. Arochena, Moving to
activity-led-learning in computer science, Proceedings of iPED 2008 2 (3)
(2008) 4.
- [29] C. Karyotis, F. Doctor, R. Iqbal, A. James, An intelligent framework for
monitoring students affective trajectories using adaptive fuzzy systems,
in: Fuzzy Systems (FUZZ-IEEE), 2015 IEEE International Conference on,
855 IEEE, 2015, pp. 1–8.

- [30] A. Kazemzadeh, S. Lee, S. Narayanan, Fuzzy logic models for the meaning of emotion words, *IEEE Computational Intelligence Magazine* 8 (2) (2013) 34–49.
- 860 [31] T. Kirkland, W. A. Cunningham, Mapping emotions through time: How affective trajectories inform the language of emotion, *Emotion* 12 (2) (2012) 268–82.
- [32] Z. Kowalczyk, M. Czubenko, Computational Approaches to Modeling Artificial Emotion – An Overview of the Proposed Solutions, *Frontiers in Robotics and AI* 3 (2016) 21.
- 865 [33] P. V. Krishna, S. Misra, D. Joshi, M. S. Obaidat, Learning Automata Based Sentiment Analysis for recommender system on cloud, in: 2013 International Conference on Computer, Information and Telecommunication Systems, CITS 2013, 2013.
- 870 [34] C. W.-k. Leung, S. C.-f. Chan, F.-l. Chung, Integrating Collaborative Filtering and Sentiment Analysis : A Rating Inference Approach, *ECAI 2006 Workshop on Recommender Systems* (2006) 62–66.
- [35] K. a. Lindquist, Emotions Emerge from More Basic Psychological Ingredients: A Modern Psychological Constructionist Model, *Emotion Review* 5 (4) (2013) 356–368.
- 875 [36] R. L. Mandryk, M. S. Atkins, A fuzzy physiological approach for continuously modeling emotion during interaction with play technologies, *International Journal of Human Computer Studies* 65 (4) (2007) 329–347.
- 880 [37] S. Marsella, J. Gratch, P. Petta, Computational models of emotion, *A Blueprint for Affective Computing-A sourcebook and manual* 11 (1) (2010) 21–46.
- [38] R. A. Mcfarland, Relationship of Skin Temperature Changes to the Emotions Accompanying Music, *Biofeedback and Self-Regulation* 10 (3) (1985) 255–267.

- 885 [39] F. Nasoz, C. L. Lisetti, A. V. Vasilakos, Affectively intelligent and adaptive car interfaces, *Information Sciences* 180 (20) (2010) 3817–3836.
- [40] A. Ortigosa, J. M. Martín, R. M. Carro, Sentiment analysis in Facebook and its application to e-learning, *Computers in Human Behavior* 31 (1) (2014) 527–541.
- 890 [41] A. Ortony, T. J. Turner, What's basic about basic emotions?, *Psychological review* 97 (3) (1990) 315–331.
- [42] B. Pang, L. Lee, Seeing stars: Exploiting class relationships for sentiment categorization with respect to rating scales, *Proceedings of the 43rd Annual Meeting on Association for Computational Linguistics* 3 (1) (2005) 115–124.
- 895 [43] B. Pang, L. Lee, Opinion Mining and Sentiment Analysis, *Foundations and Trends® in Information Retrieval* 2 (1-2) (2008) 91–231. doi:10.1561/1500000001n
- [44] R. W. Picard, *Affective Computing*, MIT press (321) (1995) 1–16.
- 900 [45] R. W. Picard, *Affective Computing*, vol. 73, MIT press Cambridge, 1997.
- [46] J. Preece, D. Maloney-Krichmar, Online communities: focusing on sociability and usability, *Handbook of human-computer interaction* (2003) 596–620.
- 905 [47] P. Rainville, A. Bechara, N. Naqvi, A. R. Damasio, Basic emotions are associated with distinct patterns of cardiorespiratory activity, *International Journal of Psychophysiology* 61 (1) (2006) 5–18.
- [48] F. Ren, From cloud computing to language engineering, affective computing and advanced intelligence, *International Journal of Advanced Intelligence* 2 (1) (2010) 1–14.
- 910 [49] J. A. Russell, A Circumplex Model of Affect, *Journal of Personality and Social Psychology* 39 (6) (1980) 1161–1178.

- [50] J. A. Russell, Core affect and the psychological construction of emotion., *Psychological review* 110 (1) (2003) 145–72.
- [51] J. L. Salmeron, Fuzzy cognitive maps for artificial emotions forecasting,
915 *Applied Soft Computing Journal* 12 (12) (2012) 3704–3710.
- [52] M. Soleymani, S. Asghari Esfeden, Y. Fu, M. Pantic, Analysis of EEG signals and facial expressions for continuous emotion detection, *IEEE Transactions on Affective Computing* 3045 (c) (2015) 1–1.
- [53] C. Tan, L. Lee, J. Tang, L. Jiang, M. Zhou, P. Li, User-level sentiment analysis incorporating social networks, *Proceedings of the 17th ACM SIGKDD international conference on Knowledge discovery and data mining - KDD '11* (2011) 1397.
920
- [54] J. L. Tsai, J. Y. Louie, E. E. Chen, Y. Uchida, Learning what feelings to desire: socialization of ideal affect through children's storybooks., *Personality and Social Psychology Bulletin* 33 (1) (2007) 17–30.
925
- [55] L. X. Wang, The WM Method Completed: A Flexible Fuzzy System Approach to Data Mining, *IEEE Transactions on Fuzzy Systems* 11 (6) (2003) 768–782.
- [56] D. Wu, Fuzzy sets and systems in building closed-loop affective computing systems for human-computer interaction: Advances and new research directions, *2012 IEEE International Conference on Fuzzy Systems* (2012) 1–8.
930
- [57] L. Zadeh, Fuzzy sets, *Information and Control* 8 (3) (1965) 338–353.
- [58] Z. Zeng, M. Pantic, G. I. Roisman, T. S. Huang, A survey of affect recognition methods: Audio, visual, and spontaneous expressions, *IEEE Transactions on Pattern Analysis and Machine Intelligence* 31 (1) (2009) 39–58.
935