

Journal Pre-proof

Introduction to Reversal Fuzzy Switch Graph

Suene Campos, Regivan Santiago, Manuel A. Martins and Daniel Figueiredo

PII: S0167-6423(22)00009-0
DOI: <https://doi.org/10.1016/j.scico.2022.102776>
Reference: SCICO 102776

To appear in: *Science of Computer Programming*

Received date: 30 April 2021
Revised date: 4 January 2022
Accepted date: 11 January 2022



Please cite this article as: S. Campos, R. Santiago, M.A. Martins et al., Introduction to Reversal Fuzzy Switch Graph, *Science of Computer Programming*, 102776, doi: <https://doi.org/10.1016/j.scico.2022.102776>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2022 Published by Elsevier.

Highlights

- Fuzzy logic and aggregation functions are used to specify reactive systems.
- Fuzzy Reactive Switch Graphs generalize the notion of fuzzy graphs.
- Bissimulation of reactive systems is threatened in this system.
- An example of a control system is provided for Fuzzy Reactive Switch Graphs.

Introduction to Reversal Fuzzy Switch Graph

Suene Campos^{a,b,*}, Regivan Santiago^{b,**}, Manuel A. Martins^c and Daniel Figueiredo^c

^aUniversidade Federal Rural do Semi-Árido, Centro de Ciências Exatas e Naturais, Mossoró, Brazil

^bUniversidade Federal do Rio Grande do Norte, Departamento de Informática e Matemática Aplicada, Natal, Brazil

^cUniversidade de Aveiro, CIDMA e Departamento de Matemática, Aveiro, Portugal

ARTICLE INFO

Keywords:

Reversal Fuzzy Switch Graphs
Reversal Fuzzy Reactive Graphs
Fuzzy Switch Graphs
Fuzzy Systems
Reactive Systems

ABSTRACT

Fuzzy Switch Graphs (*FSG*) generalize the notion of Fuzzy Graphs by adding high-order arrows and aggregation functions which update the fuzzy values of arrows whenever a zero-order arrow is crossed. In this paper, we propose a more general structure called Reversal Fuzzy Switch Graph (*RFSG*), which promotes other actions in addition to updating the fuzzy values of the arrows, like activation and deactivation of the arrows. *RFSGs* are able to model dynamical aspects of some systems which generally appear in engineering, computer science and some other fields. The paper also provides the relationship between *RFSGs* and fuzzy graphs, a logic to verify properties of the modelled system and closes with an application.

1. Introduction

Reactive graphs are structures whose the relations change when we move along the graph. This concept has been introduced by Dov Gabbay in 2004 (see [12],[14]) and generalizes the static notion of a graph by incorporating high-order edges (called high-order arrows or switches). Graphs with these characteristics are called *Switch Graphs*.

In [22], Santiago et al. introduce the notion of *Fuzzy Switches Graphs (FSGs)*. These graphs are able to model reactive systems endowed with fuzziness and extend the notion of fuzzy graphs, in the sense that crossing an edge (zero-order arrow) induces an update of the system using high-order arrows and aggregation functions. For systems which require different aggregations for updating different arrows, Santiago et al. [22] introduced the *Fuzzy Reactive Graphs (FRGs)*.

FSGs and *FRGs*, however, are not sufficient to model systems in which other edges of the system are activated or deactivated when one edge is crossing. To incorporate this, in [7] Campos, et al. propose the notion of *Reversal Fuzzy Switch Graphs (RFSGs)*. Also in [7], the Cartesian product of *RFSGs*, a logic to verify properties of such structures and an application were presented. This paper complements reference [7] expanding its main contributions, presents an important relation between the *RFSGs* and fuzzy graphs and incorporates the logic notion of simulation and bisimulation.

The paper is organized as follows: Section 2 presents some basic concepts. Section 3 presents the notion of *RFSGs*, how they can be used to model the reactivity of some fuzzy systems and presents some algebraic operations. Section 4 provides a connection between the *RFSGs* and fuzzy graphs. Section 5 presents a logic and introduce the simulation and bisimulation for *RFSGs*. Section 6 shows how *RFSGs* can be used to model a dynamic control system. Finally, section 7 provides some final remarks.

2. Preliminaries

In this section we recall some concepts and results found in the literature in order to make this paper self-contained. We assume that the reader has some basic knowledge in fuzzy set theory. In order to make it easier to read, we will identify the membership function with the fuzzy set.

Definition 2.1. A fuzzy set A , defined on a non-empty set X , is characterized by a **membership function** $\varphi_A : X \rightarrow [0, 1]$. The value $\varphi_A(x) \in [0, 1]$ measures the degree of membership of x in the set A [16] [19].

*Corresponding author

**Principal corresponding author

✉ suenecampos@ufersa.edu.br (S. Campos); regivan@dimap.ufrn.br (R. Santiago); martins@ua.pt (M.A. Martins); daniel.figueiredo@ua.pt (D. Figueiredo)

ORCID(s): 0000-0002-4991-9603 (R. Santiago); 0000-0002-5109-8066 (M.A. Martins)




Figure 1: Fuzzy graphs

Definition 2.2 (Fuzzy Graphs [16] [20]). A *fuzzy graph* is a structure $\langle V, R \rangle$, such that V is a non-empty set called *set of vertices* and R is a fuzzy set $R : V \times V \rightarrow [0, 1]$.

For simplicity, we assume the set of vertices is a crisp set, in contrast to what is defined as a fuzzy graph in [16]. Fig. 1(a) shows a fuzzy graph.

Dov Gabbay [4] provided graphs with high-order arrows in order to model reactive behaviors. This kind of graphs is defined as follows.

Definition 2.3 (Switch Graphs [4] [13]). A *switch graph* is a pair $\langle W, R \rangle$ s.t. W is a non-empty set (set of *worlds*) and $R \subseteq A(W)$ is a set of arrows, called *switches* or *high-order arrows*, where $A(W) = \bigcup_{i \in \mathbb{N}} A_i(W)$ with

$$\begin{cases} A_0(W) = W \times W \\ A_{i+1}(W) = A_0(W) \times A_i(W) \end{cases} \quad (1)$$

Fuzzy Switch Graphs were introduced by Santiago et al. in [22].

Definition 2.4 (Fuzzy Switch Graphs [22]). Let W be a non-empty finite set (set of *states* or *worlds*) and the family of sets $S = \bigcup_{n \in \mathbb{N}} S^n$ where $S^0 \neq \emptyset$ and

$$\begin{cases} S^0 \subseteq W \times W \\ S^{n+1} \subseteq S^0 \times S^n \end{cases} \quad (2)$$

A *fuzzy switch graph (FSG)* is a pair $\mathcal{M} = \langle W, \varphi : S \rightarrow [0, 1] \rangle$, where φ is a fuzzy set on S . The elements $a_i^0 \in S^0$ ($i \in \mathbb{N}$) are called *zero-order arrows*. The elements of S^{n+1} are called *high-order arrows*.

Example 2.1. Fig. 1 shows a fuzzy graph and a fuzzy switch graph.

Fuzzy Logic provides many proposals for logical connectives. In what follows we review the notions of t-norms, t-conorms, fuzzy implications and fuzzy negations. The first two cases are generalizations of the classic notion of disjunctions and conjunctions, respectively [15].

Definition 2.5 (t-norms and t-conorms). A *uninorm* is a bivariate function $U : [0, 1] \times [0, 1] \rightarrow [0, 1]$, that is isotonic, commutative, associative with a neutral element $e \in [0, 1]$. If $e = 1$, then U is called *t-norm* and if $e = 0$, then U is called *t-conorm*.

Example 2.2. The functions $T_G(x, y) = \min(x, y)$ and $T_L(x, y) = \max(x + y - 1, 0)$ (Łukasiewicz) are t-norms. The functions $S_G(x, y) = \max(x, y)$ and $S_L(x, y) = \min(x + y, 1)$ (Łukasiewicz) are t-conorms.

Notation 1: Let T be a t-norm, $f : [0, 1] \rightarrow [0, 1]$ and J_n a finite subset of $[0, 1]$ with n elements ($J_0 = \emptyset$). We define $T_{a \in J_n}$,

$$T_{a \in J_n} f(a) = \begin{cases} 1, & \text{case } n = 0; \\ f(a), & \text{case } n = 1; \\ T(f(x), T_{a \in J_m} f(a)), & \text{case } n > 1, x \in J_n \text{ and } J_m = J_n \setminus \{x\}. \end{cases} \quad (3)$$

Similarly, for S t-conorm, we define $S_{a \in J_n}$ s.t.

$$S_{a \in J_n} f(a) = \begin{cases} 0, & \text{case } n = 0; \\ f(a), & \text{case } n = 1; \\ S(f(x), S_{a \in J_m} f(a)), & \text{case } n > 1, x \in J_n \text{ and } J_m = J_n \setminus \{x\}. \end{cases} \quad (4)$$

Note that, since T and S are comutativy and associative, $T_{a \in J_m}$ and $S_{a \in J_m}$ are well defined. That is, it does not depend on the way we choose $x \in J_n$ to make $J_n = \{x\} \cup J_m$.

Example 2.3. Given the t-norm $T(x, y) = \min(x, y)$, the identity function $Id : [0, 1] \rightarrow [0, 1]$ and the set $J_3 = \{x_1, x_2, x_3\} \subset [0, 1]$, we have:

$$\begin{aligned} T_{a \in J_3} Id(a) &= \min\left(x_1, T_{a \in J_2} Id(a)\right) \\ &= \min\left(x_1, \min\left(x_2, T_{a \in J_1} Id(a)\right)\right) \\ &= \min\left(x_1, \min\left(x_2, Id(x_3)\right)\right) \\ &= \min\left(x_1, \min\left(x_2, x_3\right)\right). \end{aligned}$$

Definition 2.6 (Negations [3], [21]). A unary operation $N : [0, 1] \rightarrow [0, 1]$ is a **fuzzy negation** if $N(0) = 1$, $N(1) = 0$ and N is decreasing.

Example 2.4. Gödel Negation: $N_G : [0, 1] \rightarrow [0, 1]$ s.t. $N_G(0) = 1$ and $N_G(x) = 0$, whenever $x > 0$.

Definition 2.7 (Implications [3]). A bivariate function $I : [0, 1]^2 \rightarrow [0, 1]$ is a **fuzzy implication** if it is decreasing with respect to the first variable, increasing with respect to the second variable, $I(0, 0) = I(0, 1) = I(1, 1) = 1$ and $I(1, 0) = 0$ (boundary conditions).

Example 2.5. Gödel Implication: $I_G : [0, 1]^2 \rightarrow [0, 1]$ s.t. $I_G(x, y) = 1$, whenever $x \leq y$, and $I_G(x, y) = y$ otherwise.

Definition 2.8 (Bi-implications [6]). A bivariate function $B : [0, 1]^2 \rightarrow [0, 1]$ is a **fuzzy bi-implication** if it is commutative, $B(x, x) = 1$, $B(0, 1) = 0$ and $B(w, z) \leq B(x, y)$, whenever $w \leq x \leq y \leq z$.

Example 2.6. Gödel Bi-implication: $B_G(x, y) = T_G(I_G(x, y), I_G(y, x))$.

Definition 2.9 (Fuzzy Semantics [9]). A structure $\mathcal{F} = \{[0, 1], T, S, N, I, B, 0, 1\}$, s.t. T is a t-norm, S is a t-conorm, N is a fuzzy negation, I is a fuzzy implication and B is a fuzzy bi-implication, is called a **fuzzy semantics**.

Example 2.7. Gödel Semantic: $\mathcal{G} = \{[0, 1], T_M, S_M, N_G, I_G, B_G, 0, 1\}$.

Aggregation functions [18], [8], [1], [2], [10] are functions with special properties which generalize the means, like *arithmetic mean*, *weighted mean* and *geometric mean*.

Definition 2.10 (Aggregation Function [5]). An *aggregation function* is a n -ary function $A : [0, 1]^n \rightarrow [0, 1]$, with $A(0, 0, \dots, 0) = 0$, $A(1, 1, \dots, 1) = 1$ and, for all $\bar{x}, \bar{y} \in [0, 1]^n$, $\bar{x} \leq \bar{y}$ implies $A(\bar{x}) \leq A(\bar{y})$.

Example 2.8. $A_n(\bar{x}) = \frac{1}{n}(x_1 + \dots + x_n)$ (Arithmetic mean), $A_n(\bar{x}) = \sqrt[n]{x_1 \cdot \dots \cdot x_n}$ (Geometric mean), t -norms, t -conorms and projection functions, $\Pi_j : A_1 \times \dots \times A_j \times \dots \times A_n \rightarrow A_j$, s.t. $\Pi_j(x_1, \dots, x_j, \dots, x_n) = x_j$, are aggregation functions.

Definition 2.11 ([5]). For every $\bar{x} \in [0, 1]^n$, an aggregation function A is, *average* if $\min(\bar{x}) \leq A(\bar{x}) \leq \max(\bar{x})$, *conjunctive* if $A(\bar{x}) \leq \min(\bar{x})$ and *disjunctive* if $A(\bar{x}) \geq \max(\bar{x})$.

Example 2.9. t -norms are conjunctive aggregations, t -conorms are disjunctive and means (arithmetic, geometric, weighted) are average aggregations. For example, given $x, y \in [0, 1]$ we have:

$$xy \leq \min\{x, y\} \leq \frac{x+y}{2} \leq \max\{x, y\}.$$

Definition 2.12. An aggregation $A : [0, 1]^n \rightarrow [0, 1]$ is *shift-invariant* if, for all $\lambda \in [-1, 1]$ and for all $(x_1, \dots, x_n) \in [0, 1]^n$,

$$A(x_1 + \lambda, \dots, x_n + \lambda) = A(x_1, \dots, x_n) + \lambda$$

whenever $(x_1 + \lambda, \dots, x_n + \lambda) \in [0, 1]^n$ and $A(x_1, \dots, x_n) + \lambda \in [0, 1]$.

In [22], Santiago et al. extend the notion of *FSGs* for *Fuzzy Reactive Graphs*. In what follows, given a *FSG* $\mathcal{M} = \langle W, \varphi : S \rightarrow [0, 1] \rangle$, we define the set $S_{\rightarrow} = \{a_i^0 \in S^0; \llbracket a_i^0, a \rrbracket \in S, \text{ with } a \in S\}$.

Definition 2.13 (Fuzzy Reactive Graphs). Let $\mathcal{M} = \langle W, \varphi : S \rightarrow [0, 1] \rangle$ be a *FSG*, $A_{\mathcal{M}} = \{A_1, \dots, A_k : [0, 1]^3 \rightarrow [0, 1]\}$ a set of aggregation functions and a function $Ag_{\mathcal{M}} : S_{\rightarrow} \rightarrow A_{\mathcal{M}}$. The pair $\mathcal{M}_R = \langle \mathcal{M}, Ag_{\mathcal{M}} \rangle$ is called a *fuzzy reactive graph (FRG)*.

Notation 2: In order to make the presentation of the graphs and the movements on the graph more intuitive, we will establish: Arrows that are crossed over the graph will be drawn in red. High-order arrows that act on the graph configuration, after crossing the zero-order arrow, will be drawn in blue. The first arrow crossed will have a single point, the second arrow crossed will have a double point, the third arrow to be crossed will have a triple point and so on. If multiple movements are made repeatedly on the same arrow, the arrow pointer will show the order of the last movement. For example, if the movement is made three times on the same arrow, graphically, we will see only a red triple-headed arrow in the graph.

Example 2.10. Let \mathcal{M} be the *FSG* in Fig. 1(b). Consider $S^0 = \{a_1^0 = (u, v), a_2^0 = (v, v), a_3^0 = (v, w), a_4^0 = (v, z), a_5^0 = (w, u)\}$ and $A_{\mathcal{M}} = \{\text{arith}, \text{max}\}$. Defining the application $Ag_{\mathcal{M}} : S_{\rightarrow} \rightarrow A_{\mathcal{M}}$ s.t. $Ag(a_1^0) = Ag(a_2^0) = \text{arith}$ and $Ag(a_3^0) = Ag(a_4^0) = Ag(a_5^0) = \text{max}$, we have the *FRG* $\mathcal{M}_R = \langle \mathcal{M}, Ag \rangle$. Fig. 2(a) contains the reconfiguration of \mathcal{M}_R after crossing $a_1^0 = (u, v)$ and having applied $Ag(a_1^0) = \text{arith}$ to the fuzzy values: 0.2, 0.1, 0.7. We calculate $\text{arith}(0.2, 0.1, 0.7) = (0.2 + 0.1 + 0.7)/3 = 1/3$ and the arrow $\llbracket [vw], [wu] \rrbracket$ gets the new fuzzy value 1/3. Fig. 2(b) contains the reconfiguration of \mathcal{M}_R after crossing $a_3^0 = (v, w)$ and having applied $Ag(a_3^0) = \text{max}$ to the fuzzy values: 0.8, 0.7, 0.4. We calculate $\text{max}(0.8, 0.7, 0.4) = 0.8$ and the arrow $[wu]$ gets the new fuzzy value 0.8.

3. Reversal Fuzzy Switch Graph

In this section we introduce the notion of Reversal Fuzzy Switch Graph, a structure which generalizes the notion of Fuzzy Switch Graph introduced by Santiago et al. [22]. This new kind of graph has in its structure two new types of high order-arrows, called connecting arrows and disconnecting arrows. These arrows allow to model reactive systems in which the accessibility to the worlds may be activated or deactivated by the transitions.

In what follows W and V are non-empty finite sets.




Figure 2: Reconfigurations of \mathcal{M}_R .




Figure 3: Reversal fuzzy switch graph (RFSG).

Definition 3.1 (Reversal Fuzzy Switch Graphs [7]). Let W be a set whose elements are called *states* or *worlds*. Consider the following family of sets defined recursively,

$$\begin{cases} S^0 \subseteq W \times W \\ S^{n+1} \subseteq S^0 \times S^n \times \{\bullet, \circ\} \end{cases} \quad (5)$$

s.t. $S^0 \neq \emptyset$ and for any $n \geq 1$, $(a_i^0, a, \circ) \notin S^n$ or $(a_i^0, a, \bullet) \notin S^n$. Consider $S = \bigcup_{n \in \mathbb{N}} S^n$, a **reversal fuzzy switch graph (RFSG)** is a pair $M = \langle W, \mu : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ ¹. Arrows with \bullet in their third component are called **connecting arrows** and arrows with \circ in their third component are called **disconnecting arrows**. When the context is clear we denote a RFSG simply by $\langle W, \mu \rangle$.

Active arrows are drawn with a normal line whereas inactive arrows are drawn with a dashed line. Moreover, connecting (disconnecting) arrows change the targeted arrow state for active (inactive) and are drawn with a black (white) arrowhead.

For readability, we introduce some notation and nomenclatures:

- Arrows in S^n will be denoted by a_i^n , for $n \geq 0$ and $i \in \mathbb{N}$.
- In the following, we make an abuse of notation. When necessary and if the context is clear, we will denote in more detail the arrows in S^n in a more expanded way. For example, a_i^0 from x to y will be denoted by $[xy]$,

¹In this paper we assume that the membership function is valued in the complete lattice $[0, 1] \times \{\text{ON}, \text{OFF}\}$ using the product order where $\text{OFF} \leq \text{ON}$.

the disconnecting and connecting first-order arrows, from $[xy]$ to $[uv]$ will be denoted by $\llbracket [xy], [uv], \circ \rrbracket$ and $\llbracket [xy], [uv], \bullet \rrbracket$, respectively. When referring to any high-order arrow, we write $\sigma \in \{\circ, \bullet\}$ instead of \circ or \bullet . For example, any first-order arrow from $[uv]$ to $[xy]$ will be written $\llbracket [uv], [xy], \sigma \rrbracket$. Any second-order arrows from $[zw]$ to $\llbracket [xy], [uv], \sigma \rrbracket$ will be enoted by $\llbracket [zw], \llbracket [xy], [uv], \sigma \rrbracket, \sigma' \rrbracket$.

- When there is no need to specify the order of the arrow belonging to set S , we will denote $a \in S$.
- Given the projection functions $\Pi_1 : [0, 1] \times \{\text{ON}, \text{OFF}\} \rightarrow [0, 1]$ and $\Pi_2 : [0, 1] \times \{\text{ON}, \text{OFF}\} \rightarrow \{\text{ON}, \text{OFF}\}$, if $a \in S$ we write $\mu_1(a) = \Pi_1(\mu(a))$ and $\mu_2(a) = \Pi_2(\mu(a))$ to indicate the first and second components of $\mu(a)$.
- Let $R \subseteq S$, the set of active arrows in R is denoted by

$$R_\mu^* := \{a \in R; \mu_2(a) = \text{ON}\}$$

and the set of arrows in R which is the origin of a high-order arrow in S is denoted by

$$R_{\rightarrow} = \{a_i^0 \in R; \llbracket a_i^0, b, \sigma \rrbracket \in S \text{ with } b \in S \text{ and } \sigma \in \{\circ, \bullet\}\}.$$

In the following, we will consider the *RFSGs* $M = \langle W, \mu \rangle$ and $M' = \langle W, \mu' \rangle$.

Definition 3.2. M is a *subgraph* of M' if $\mu_1(a) \leq \mu'_1(a)$ and $\mu_2(a) = \mu'_2(a)$, for all $a \in S$. M is a *supergraph* of M' if $\mu_1(a) \geq \mu'_1(a)$ and $\mu_2(a) = \mu'_2(a)$, for all $a \in S$.

Definition 3.3. M' is a *translation* of M by $\lambda \in [-1, 1]$ if, for all $a \in S$ s.t. $\mu_1(a) > 0$, $\mu'_1(a) = \mu_1(a) + \lambda \in [0, 1]$ and $\mu'_2(a) = \mu_2(a)$.

3.1. Reactivity of RFSGs

Intuitively, a reactive graph is a graph that may change its configuration when a zero-order arrow is crossed. In order to model this global dependence in a *RFSG*, we consider the reactivity idea presented in [22] with the necessary adaptations: *Whenever a zero-order arrow is crossed, the fuzzy value and the arrow state (active or inactive) of its target arrows are updated.*

Definition 3.4. Given a *RFSG* $M = \langle W, \mu \rangle$ with aggregation function $A : [0, 1]^3 \rightarrow [0, 1]$, a *RFSG based on A after crossing an active zero-order arrow* a_i^0 , is the *RFSG* $M_{a_i^0}^A = \langle W, \mu_{a_i^0}^A : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ s.t.

$$\mu_{a_i^0}^A(a) = \begin{cases} \left(A\left(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, a, \bullet \rrbracket), \mu_1(a)\right), \text{ON} \right), & \text{if } \llbracket a_i^0, a, \bullet \rrbracket \in S_\mu^*; \\ \left(A\left(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, a, \circ \rrbracket), \mu_1(a)\right), \text{OFF} \right), & \text{if } \llbracket a_i^0, a, \circ \rrbracket \in S_\mu^*; \\ \mu(a), & \text{otherwise.} \end{cases} \quad (6)$$

The *RFSG* $M_{a_i^0}^A$ is called *reconfiguration of M, based on A, after crossing* a_i^0 .

Let us see how this definition works in Fig. 4 using the *arithmetic mean* as aggregation function after crossing a sequence of zero-order arrows in Fig. 3. After the arrow $a_1^0 = [xu]$ has been crossed, Fig. 4(a), the arrow $a_2^0 = [xy]$ is *updated* due to $a_1^1 = \llbracket [xu], [xy], \circ \rrbracket$ by the *arithmetic mean* between the fuzzy values $\mu_1(a_1^0)$, $\mu_1(a_2^0)$ and $\mu_1(a_1^1)$, and by replacing the marker ON to OFF (the arrow a_2^0 becomes inactive). In a second step and in the same manner, after the arrow $a_3^0 = [uy]$ has been crossed, the arrow $a_1^1 = \llbracket [xu], [xy], \circ \rrbracket$ has its fuzzy value updated and becomes inactive, however, the arrow $a_5^0 = [vy]$ has only its fuzzy value updated since it is an active arrow targeted by a connecting arrow (Fig. 4(b)).

Remark 3.1. The edges contained in S can receive a null fuzzy value. However, graphically, these arrows will be displayed only if there is the possibility of modifying this value by some high-order arrow (Fig. 5).

From the action of an aggregation, after a reconfiguration, the value of an arrow with a non-null fuzzy value can be modified until this value is zero.




Figure 4: Reactivity of *RFSG* after crossing zero-order arrows $[xu]$ and $[xu][uy]$.




Figure 5: *RFSG* with a null fuzzy value.

Proposition 3.1. If A is a conjunctive (disjunctive) aggregation and $(\mu_{a_i^0}^A)_2(b) = \mu_2(b)$ for all $b \in S$, then $M_{a_i^0}^A$ is a subgraph (supergraph) of M .

PROOF. Given $b \in S$ and denoting $(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, b, \sigma \rrbracket), \mu_1(b)) = \overline{\llbracket a_i^0, b, \sigma \rrbracket}$:

- Case $\llbracket a_i^0, b, \sigma \rrbracket \in S_\mu^*$:

$$(\mu_{a_i^0}^A)_1(b) = A(\overline{\llbracket a_i^0, b, \sigma \rrbracket}) \leq \min(\overline{\llbracket a_i^0, b, \sigma \rrbracket}) \leq \mu_1(b).$$

- Case $\llbracket a_i^0, b, \sigma \rrbracket \notin S_\mu^*$:

$$(\mu_{a_i^0}^A)_1(b) = \mu_1(b).$$

Then $M_{a_i^0}^A$ is subgraph of M . The dual statement follows straightforwardly.

Proposition 3.2. Let M' be a translation of M by $\lambda \in [-1, 1]$. If A is shift-invariant, then $M_{a_i^0}^{'A}$ is a translation of $M_{a_i^0}^A$ by λ .

PROOF. Let $b \in S$. Denoting $(\mu'_1(a_i^0), \mu'_1(\llbracket a_i^0, b, \sigma \rrbracket), \mu'_1(b)) = \overline{\llbracket a_i^0, b, \sigma \rrbracket}$ and suposing that $A(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, b, \sigma \rrbracket), \mu_1(b)) + \lambda \in [0, 1]$:

Table 1
Differences between fuzzy graphs

	zero-order arrows	high-order arrows	connection or disconnection high-order arrows	one aggregation associ- ated	more than one aggrega- tion associated
<i>FG</i>	✓				
<i>FSG</i>	✓	✓		✓	
<i>FRG</i>	✓	✓			✓
<i>RFSG</i>	✓		✓	✓	
<i>RFRG</i>	✓		✓		✓

- Case $\llbracket a_i^0, b, \sigma \rrbracket \in S_\mu^*$:

$$\begin{aligned}
 (\mu'_{a_i^0})_1(b) &= A(\overline{\llbracket a_i^0, b, \sigma \rrbracket}) \\
 &= A(\mu_1(a_i^0) + \lambda, \mu_1(\llbracket a_i^0, b, \sigma \rrbracket) + \lambda, \mu_1(b) + \lambda) \\
 &= A(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, b, \sigma \rrbracket), \mu_1(b)) + \lambda \\
 &= (\mu_{a_i^0}^A)_1(b) + \lambda
 \end{aligned}$$

- Case $\llbracket a_i^0, b, \sigma \rrbracket \notin S_\mu^*$:

$$(\mu'_{a_i^0})_1(b) = \mu'_1(b) = \mu_1(b) + \lambda = (\mu_{a_i^0}^A)_1(b) + \lambda.$$

By hypotheses, $\mu_2(b) = \mu'_2(b)$, then $(\mu'_{a_i^0})_2(b) = (\mu_{a_i^0}^A)_2(b)$.

Next, we will provide an extension for the notion of reactivity presented in [22]. Just as it is done for the case of *FRGs*, each active zero-order arrow triggers an aggregation function.

Definition 3.5 (Reversal Fuzzy Reactive Graphs [7]). Consider M a *RFSG*, $A = \{A_1, \dots, A_k : [0, 1]^3 \rightarrow [0, 1]\}$ a set of aggregation functions and a function $A_g : S_\rightarrow \rightarrow A$. The pair $M_R = \langle M, A_g \rangle$ is called **reversal fuzzy reactive graph (RFRG)**.

If $a_i^0 \in S_\mu^{0*}$, the **reconfiguration of M_R after crossing a_i^0** is the *RFRG* $M_R^{a_i^0} = \langle M^{a_i^0}, A_g \rangle$, where $M^{a_i^0} = \langle W, \mu_{a_i^0}^A \rangle$ is a *RFSG* s.t.

$$\mu_{a_i^0}^{A_g}(b) = \begin{cases} \left(A_g(a_i^0) \left(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, b, \bullet \rrbracket), \mu_1(b) \right), \text{ON} \right), & \text{if } \llbracket a_i^0, b, \bullet \rrbracket \in S_\mu^*; \\ \left(A_g(a_i^0) \left(\mu_1(a_i^0), \mu_1(\llbracket a_i^0, b, \circ \rrbracket), \mu_1(b) \right), \text{OFF} \right), & \text{if } \llbracket a_i^0, b, \circ \rrbracket \in S_\mu^*; \\ \mu(b), & \text{otherwise.} \end{cases} \quad (7)$$

Example 3.1. Let M be the *RFSG* at Fig. 3, $S^0 = \{[xy], [xu], [uy], [vy], [yv], [vu]\}$, $A = \{\text{arith}, \text{max}\}$, $A_g([xy]) = A_g([xu]) = A_g([yv]) = \text{arith}$ and $A_g([vy]) = A_g([uy]) = A_g([vu]) = \text{max}$. Fig. 6 contains $M_R^{[xu]}$ and $M_R^{[xu][uy]}$, respectively.

At this point, in order to clearly expose the differences between the different fuzzy graphs presented here, we present the table 3.1.




Figure 6: Reconfigurations of M_R .

3.2. Product of RFSGs

In the following, we will consider the RFSGs $M = \langle W, \mu : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ and $N = \langle V, \delta : T \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ with W and V disjoint set; and the set $W \star V = \bigcup_{n \in \mathbb{N}} (W \star V)^n$ s.t.,

$$\begin{cases} (W \star V)^0 \subseteq (W \times V) \times (W \times V) \\ (W \star V)^{n+1} \subseteq (W \star V)^0 \times (W \star V)^n \times \{\bullet, \circ\}. \end{cases}$$

Given $a_i^0 \in (W \star V)^0$, $a \in (W \star V)^n$ and $\sigma \in \{\circ, \bullet\}$, we will consider the subsets

- $(W \star V)_S^0 = \{[(w_i, v)(w_j, v)] \in (W \star V)^0 ; v \in V \text{ and } [w_i w_j] \in S^0\}$,
- $(W \star V)_T^0 = \{[(w, v_i)(w, v_j)] \in (W \star V)^0 ; w \in W \text{ and } [v_i v_j] \in T^0\}$,
- $(W \star V)_S^{n+1} = \{[a_i^0, a, \sigma] \in (W \star V)^{n+1} ; a_i^0 \in (W \star V)_S^0 \text{ and } a \in (W \star V)_S^n\}$,
- $(W \star V)_T^{n+1} = \{[a_i^0, a, \sigma] \in (W \star V)^{n+1} ; a_i^0 \in (W \star V)_T^0 \text{ and } a \in (W \star V)_T^n\}$,

and the application $\xi : (W \star V)_{S \cup T} = \bigcup_{n \in \mathbb{N}} [(W \star V)_S^n \cup (W \star V)_T^n] \rightarrow S \cup T$ s.t.

$$\xi(b) = \begin{cases} [w_i w_j] \in S^0, & \text{if } b = [(w_i, v)(w_j, v)] \in (W \star V)_S^0; \\ [v_i v_j] \in T^0, & \text{if } b = [(w, v_i)(w, v_j)] \in (W \star V)_T^0; \\ [\xi(a_i^0), \xi(a), \sigma] \in S^{n+1}, & \text{if } b = [a_i^0, a, \sigma] \in (W \star V)_S^{n+1}; \\ [\xi(a_i^0), \xi(a), \sigma] \in T^{n+1}, & \text{if } b = [a_i^0, a, \sigma] \in (W \star V)_T^{n+1}. \end{cases}$$

Definition 3.6 (Product of RFSGs). The Cartesian Product of the RFSGs M and N is the RFSG: $M \times N = \langle W \times V, \psi : (W \star V)_{S \cup T} \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ s.t.

$$\psi(b) = \begin{cases} \mu(\xi(b)), & \text{if } b \in (W \star V)_S \\ \delta(\xi(b)), & \text{if } b \in (W \star V)_T \end{cases} \quad (8)$$

Example 3.2. Consider M and N shown in Fig. 7. The product $M \times N$ can be observed in Fig. 8.

In order to define the product of RFRGs, we consider :

- The RFRGs $M_R = \langle M, Ag_M \rangle$ and $N_R = \langle N, Ag_N \rangle$;




Figure 7: RFSGs M and N .




Figure 8: Cartesian product $M \times N$.

- The functions $Ag_M : S_{\rightarrow} \rightarrow A_M$ and $Ag_N : T_{\rightarrow} \rightarrow A_N$;
- The sets of aggregations A_M and A_N ;

The aggregations $a_m \in A_M$ and $a_n \in A_N$ will be denoted by $(M, a_m) : [0, 1]^3 \rightarrow [0, 1]$ and $(N, a_n) : [0, 1]^3 \rightarrow [0, 1]$.

Definition 3.7 (Product of RFRGs). Consider the RFRGs M_R and N_R , the set $A_M \oplus A_N = \{(M, a_m) : a_m \in A_M\} \cup \{(N, a_n) : a_n \in A_N\}$ and the function $Ag_{M \times N} : [(W \star V)_S^0 \cup (W \star V)_T^0]_{\rightarrow} \rightarrow A_M \oplus A_N$ s.t.

$$Ag_{M \times N}(a_i^0) = \begin{cases} \left(N, Ag_N(\xi(a_i^0)) \right), & \text{if } a_i^0 \in (W \star V)_T^0 \\ \left(M, Ag_M(\xi(a_i^0)) \right), & \text{if } a_i^0 \in (W \star V)_S^0 \end{cases} \quad (9)$$

The structure $M_R \times N_R = \langle M \times N, Ag_{M \times N} \rangle$ is the **product of RFRGs M_R and N_R** .

The next proposition ensures that the updated product is obtained from the updated factors.

Proposition 3.3. Consider the RFRGs M_R, N_R , the product $M_R \times N_R$, $a_i^0 \in (W \star V)_S^0 \cup (W \star V)_T^0$ and $a \in (W \star V)_S \cup (W \star V)_T$ s.t. $(\psi_1(a_i^0), \psi_1(\llbracket a_i^0, a, \circ \rrbracket), \psi_1(a)) = \llbracket a_i^0, a, \circ \rrbracket$ and $(\psi_1(a_i^0), \psi_1(\llbracket a_i^0, a, \bullet \rrbracket), \psi_1(a)) = \llbracket a_i^0, a, \bullet \rrbracket$. Then,

$$\psi_{a_i^0}^{Ag_{M \times N}}(a) = \begin{cases} \delta(\xi(a)), & \text{if } C_1; \\ \mu(\xi(a)), & \text{if } C_2; \\ \left(Ag_N(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right), & \text{if } C_3; \\ \left(Ag_N(\xi(a))(\overline{\llbracket a_i^0, a, \bullet \rrbracket}), \text{ON} \right), & \text{if } C_4; \\ \left(Ag_M(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right), & \text{if } C_5; \\ \left(Ag_M(\xi(a))(\overline{\llbracket a_i^0, a, \bullet \rrbracket}), \text{ON} \right), & \text{if } C_6; \end{cases} \quad (10)$$

For:

- $C_1 : a \in (W \star V)_T$ and $\llbracket a_i^0, a, \sigma \rrbracket \notin [(W \star V)_S \cup (W \star V)_T]_\psi^*$;
- $C_2 : a \in (W \star V)_S$ and $\llbracket a_i^0, a, \sigma \rrbracket \notin [(W \star V)_S \cup (W \star V)_T]_\psi^*$;
- $C_3 : a_i^0 \in (W \star V)_T^0$ and $\llbracket a_i^0, a, \circ \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$;
- $C_4 : a_i^0 \in (W \star V)_T^0$ and $\llbracket a_i^0, a, \bullet \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$;
- $C_5 : a_i^0 \in (W \star V)_S^0$ and $\llbracket a_i^0, a, \circ \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$;
- $C_6 : a_i^0 \in (W \star V)_S^0$ and $\llbracket a_i^0, a, \bullet \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$.

PROOF. Indeed,

- Case $\llbracket a_i^0, a, \sigma \rrbracket \notin [(W \star V)_S \cup (W \star V)_T]_\psi^*$,

$$\text{Case } a \in (W \star V)_T: \psi_{a_i^0}^{Ag_{M \times N}}(a) \stackrel{\text{def}}{=} \psi(a) \stackrel{\text{def}}{=} \delta(\xi(a)).$$

$$\text{Case } a \in (W \star V)_S: \psi_{a_i^0}^{Ag_{M \times N}}(a) \stackrel{\text{def}}{=} \psi(a) \stackrel{\text{def}}{=} \mu(\xi(a)).$$

- Case $\llbracket a_i^0, a, \circ \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$,

$$\text{Case } a \in (W \star V)_T: \psi_{a_i^0}^{Ag_{M \times N}}(a) \stackrel{\text{def}}{=} \left(Ag_{M \times N}(a_i^0)(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right) \stackrel{\text{def}}{=} \left((N, Ag_N)(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right) \stackrel{\text{def}}{=} \left(Ag_N(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right).$$

$$\text{Case } a \in (W \star V)_S: \psi_{a_i^0}^{Ag_{M \times N}}(a) \stackrel{\text{def}}{=} \left(Ag_{M \times N}(a_i^0)(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right) \stackrel{\text{def}}{=} \left((M, Ag_M)(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right) \stackrel{\text{def}}{=} \left(Ag_M(\xi(a))(\overline{\llbracket a_i^0, a, \circ \rrbracket}), \text{OFF} \right).$$

- Case $\llbracket a_i^0, a, \bullet \rrbracket \in [(W \star V)_S \cup (W \star V)_T]_\psi^*$,

$$\text{Case } a \in (W \star V)_T: \psi_{a_i^0}^{Ag_{M \times N}}(a) \stackrel{\text{def}}{=} \left(Ag_{M \times N}(a_i^0)(\overline{\llbracket a_i^0, a, \bullet \rrbracket}), \text{ON} \right) \stackrel{\text{def}}{=} \left((N, Ag_N)(\xi(a))(\overline{\llbracket a_i^0, a, \bullet \rrbracket}), \text{ON} \right) \stackrel{\text{def}}{=} \left(Ag_N(\xi(a))(\overline{\llbracket a_i^0, a, \bullet \rrbracket}), \text{ON} \right).$$




Figure 9: RFSGs M and $M^A_{[xz]}$.

$$\text{Case } a \in (W \star V)_S: \psi^{Ag_{M \times N}}_{a_i^0}(a) \stackrel{\text{def}}{=} \left(Ag_{M \times N}(a_i^0)(\overline{[a_i^0, a, \bullet]}), \text{ON} \right) \stackrel{\text{def}}{=} \left((M, Ag_M)(\xi(a))(\overline{[a_i^0, a, \bullet]}), \text{ON} \right) \stackrel{\text{def}}{=} \left(Ag_M(\xi(a))(\overline{[a_i^0, a, \bullet]}), \text{ON} \right).$$

4. RFSGs and Fuzzy Graphs

In this section, given an RFSG $M = \langle W, \mu : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ with a ternary aggregation A , we will present the process of constructing a fuzzy graph (with no high-order arrow) from M based on A . In addition, we will relate the generated fuzzy graph to a finite set of arrows associated to zero-order arrows in M .

4.1. Induced Fuzzy Graphs from RFSGs

Consider a RFSG M and an aggregation function A .

Definition 4.1. Given a RFSG M with a ternary aggregation function A , let be the family of admissible fuzzy subsets of S , Ω , which is the least set s.t.,

$$\begin{cases} \mu \in \Omega \\ \bar{\mu}^A_{a_i^0} \in \Omega, \text{ whenever } \bar{\mu} \in \Omega \text{ and } a_i^0 \in S_{\bar{\mu}}^{0*} \end{cases}$$

Consider $\tilde{W} = \{(w, \mu) \in W \times \Omega\}$ and $\tilde{R} : \tilde{W} \times \tilde{W} \rightarrow [0, 1]$ s.t.

$$\tilde{R}((w, \mu), (w', \mu')) = \begin{cases} \mu_1[ww'], & \text{if } \mu' = \mu^A_{[ww']} \\ 0, & \text{otherwise.} \end{cases}$$

The fuzzy graph $\tilde{M} = \langle \tilde{W}, \tilde{R} \rangle$ is called the **fuzzy graph induced based on A** .

Arrows that have a zero fuzzy value are not represented in the induced graph since they represent paths over the RFSG that cannot be traversed. In the next examples, this situation will be exposed.

Example 4.1. Consider the RFSG M in Fig. 9(a). We have $W = \{x, y, z\}$ and considering the aggregation $A(x, y, z) = y$, we have $\Omega = \{\mu, \mu^A_{[xy]}\}$. Indeed, $\mu^A_{[xz]} = \mu$ and $\mu^A_{[xy][xz]} = \mu^A_{[xy][zy]} = \mu^A_{[xy][xy]} = \mu^A_{[xy]}$ (See Fig. 9(b) and Fig. 10).

Denote $\mu^A_{[xy]} = \bar{\mu}$ and define $\tilde{W} = \{(x, \mu), (y, \mu), (z, \mu), (x, \bar{\mu}), (y, \bar{\mu}), (z, \bar{\mu})\}$. The fuzzy graph induced based on A is presented in Fig. 11.

Example 4.2. Consider the same RFSG M in Fig.8(a) with the aggregation $A(x, y, z) = (x + y + z)/3$. In this case, we have $\Omega = \left\{ \mu, \mu^A_{[xy]}, \mu^A_{[xy][xy]}, \mu^A_{[xy][xy][xy]}, \dots, \mu^A_{[xy]^n}; n \in \mathbb{N} \right\}^2$ with $\mu^A_{[xz]} = \mu$ and $\mu^A_{[xy]^n[xz]} = \mu^A_{[xy]^n[zy]} = \mu^A_{[xy]^n}$ for $n \in \mathbb{N}$, as can be seen Fig. 9, Fig. 12 and Fig. 13.

Fig.14 shows the **fuzzy graph induced based on A** . We will denote $\bar{\mu} = \mu^A_{[xy]}$, $\bar{\bar{\mu}} = \mu^A_{[xy][xy]}$ and so on.

²If the arrow $[xy]$ is crossed n times, repeatedly, we denote $[xy]^n$




Figure 10: $M_{[xy]}^A$, $M_{[xy][xz]}^A$, $M_{[xy][zy]}^A$ and $M_{[xy][xy]}^A$




Figure 11: Fuzzy graph induced based on A .

From the examples above, we can see that the induced fuzzy graph remains finite for the second projection whereas becomes infinite for the arithmetic mean. This fact illustrates that, the aggregation properties influence the type of induced graph resulting and, for some cases, infinite fuzzy graphs can be represented by finite *RFSG*. The process of reducing infinite fuzzy graph to a finite reactive fuzzy graph (*RFSG* or *FSG*) is expected to be studied in future works.

4.2. Induced Fuzzy Graph Like a Generated Algebra

The next theorem presents the process of setting up an induced fuzzy graph from a finite set X . This process is important since it points to a recursive process for building fuzzy graphs (finite or infinite) from a finite set of arrows.

Theorem 4.1. Given a *RFSG* $M = \langle W, \mu \rangle$, a ternary aggregation A and the fuzzy induced graph based on A , $\tilde{M} = \langle \tilde{W}, \tilde{R} \rangle$. Consider the set $X \subseteq \tilde{W} \times \tilde{W} \times [0, 1]$ s.t.

$$X = \left\{ \left((w, \mu), (w', \mu), \tilde{R}((w, \mu), (w', \mu)) \right); [ww'] \in S^0 \right\}.$$

and the building rule $X_0 = X$ and




Figure 12: $M_{[xy]}^A$, $M_{[xy][xz]}^A$ and $M_{[xy][zy]}^A$




Figure 13: $M_{[xy][xy]}^A$, $M_{[xy][xy][xz]}^A$ and $M_{[xy][xy][zy]}^A$

$$X_{j+1} = X_j \cup \left\{ \left\{ \bigcup_{a \in S_{\rightarrow}} f_a(X_j) \right\} - \left\{ ((w, s), (w', s'), d) \in \left\{ \bigcup_{a \in S_{\rightarrow}} f_a(X_j) \right\} ; (s')_2[ww'] = \text{OFF} \right\} \right\}$$

for $f_a : \tilde{W} \times \tilde{W} \times [0, 1] \rightarrow \tilde{W} \times \tilde{W} \times [0, 1]$ with $a \in S_{\rightarrow}$ s.t.

$$f_a((w, \phi), (w', \phi'), d) = \begin{cases} ((w, \phi'), (w', \phi'_a), (\phi'_a)_1[ww']), & \text{if } \phi'_a \in \Omega \text{ and } [ww'] = a \\ ((w, \phi'_a), (w', \phi'_a), (\phi'_a)_1[ww']), & \text{if } \phi'_a \in \Omega \text{ and } [ww'] \neq a. \\ ((w, \phi), (w', \phi'), d), & \text{if } \phi'_a \notin \Omega. \end{cases}$$

Then $\tilde{M} = \langle X \rangle = \bigcup_{j \in \mathbb{N}} X_j$.

PROOF. Indeed,

i) $\langle X \rangle \subseteq \tilde{M}$: We prove this result by induction.

Note that, by definition, $X \in \tilde{M}$. Consider $f_\alpha \in \mathcal{F} = \{f_\alpha : \tilde{W} \times \tilde{W} \times [0, 1] \rightarrow \tilde{W} \times \tilde{W} \times [0, 1]; \alpha \in S_{\rightarrow}\}$ and $((w, s), (w', s'), \tilde{R}((w, s), (w', s')))) \in \tilde{M}$, then:

If $\alpha = [ww']$ and $s'_\alpha \in \Omega$:

$$\begin{aligned} f_\alpha((w, s), (w', s'), \tilde{R}((w, s), (w', s')))) &= ((w, s'), (w', s'_\alpha), (s'_\alpha)_1[ww']) \\ &= ((w, s'), (w', s'_\alpha), \tilde{R}((w, s'_\alpha), (w', s'_{\alpha[ww']}))) \in \tilde{M} \end{aligned}$$




Figure 14: \tilde{M}

If $\alpha \neq [ww']$ and $s'_\alpha \in \Omega$:

$$\begin{aligned} f_\alpha((w, s), (w', s'), \tilde{R}((w, s), (w', s'))) &= ((w, s'_\alpha), (w', s'_\alpha), (s'_\alpha)_1[ww']) \\ &= ((w, s'_\alpha), (w', s'_\alpha), \tilde{R}((w, s'_\alpha), (w', s'_\alpha[ww']))) \in \tilde{M} \end{aligned}$$

If $s'_\alpha \notin \Omega$:

$$f_\alpha((w, s), (w', s'), \tilde{R}((w, s), (w', s'))) = ((w, s), (w', s'), \tilde{R}((w, s), (w', s'))) \in \tilde{M}$$

Therefore, \tilde{M} is closed in relation to the functions in \mathcal{F} . Suposing $X_j \subseteq \tilde{M}$, for $j \in \mathbb{N}$. Then,

$$X_{j+1} = X_j \cup \left\{ \left\{ \bigcup_{a \in S_\rightarrow} f_a(X_j) \right\} - \left\{ ((w, s), (w', s'), d) \in \left\{ \bigcup_{a \in S_\rightarrow} f_a(X_j) \right\} ; (s')_2[ww'] = \text{OFF} \right\} \right\} \subseteq \tilde{M}. \text{ Therefore, } \langle X \rangle \subseteq \tilde{M}.$$

ii) $\tilde{M} \subseteq \langle X \rangle$:

Indeed, consider $\alpha, \beta \in S^*$ s.t. $\alpha \in S_\rightarrow$ and $((w, \mu_\alpha^A), (w', \mu_\beta^A), (\mu_\beta^A)_1[ww']) \in \tilde{M}$.

If $\mu_\beta^A = \mu_{\alpha[ww']}^A \neq \mu_\alpha^A$, there are $j \in \mathbb{N}$ and $((w, \mu), (w', \mu_\alpha^A), (\mu_\alpha^A)_1[ww']) \in X_{j-1}$ s.t.

$$\begin{aligned} f_\alpha((w, \mu), (w', \mu_\alpha^A), (\mu_\alpha^A)_1[ww']) &= ((w, \mu_\alpha^A), (w', \mu_{\alpha[ww']}^A), (\mu_{\alpha[ww']}^A)_1[ww']) \in X_j \\ &= ((w, \mu_\alpha^A), (w', \mu_\beta^A), (\mu_\beta^A)_1[ww']) \in X_j \end{aligned}$$

If $\mu_\beta^A = \mu_{\alpha[ww']}^A = \mu_\alpha^A$, there are $j \in \mathbb{N}$ and $\left((w, \mu_\alpha^A), (w', \mu_\alpha^A), (\mu_\alpha^A)_1[ww']\right) \in X_{j-1}$ s.t.

$$\begin{aligned} f_\alpha\left((w, \mu_\alpha^A), (w', \mu_\alpha^A), (\mu_\alpha^A)_1[ww']\right) &= \left((w, \mu_{\alpha[ww']}^A), (w', \mu_{\alpha[ww']}^A), (\mu_{\alpha[ww']}^A)_1[ww']\right) \in X_j \\ &= \left((w, \mu_\beta^A), (w', \mu_\beta^A), (\mu_\beta^A)_1[ww']\right) \in X_j \end{aligned}$$

Therefore, if $\left((w, \mu_\alpha^A), (w', \mu_\beta^A), (\mu_\beta^A)_1[ww']\right) \in \tilde{M}$, there is $j \in \mathbb{N}$ s.t. $\left((w, \mu_\alpha^A), (w', \mu_\beta^A), (\mu_\beta^A)_1[ww']\right) \in X_j \subseteq \langle X \rangle$.

Due the items (i) and (ii), $\tilde{M} = \langle X \rangle$.

In the following, we will present two examples of how a fuzzy induced graph (finite and infinite) can be written as algebra generated by a finite set of arrows.

Example 4.3. Given the RFSG in Fig.18(a) and its induced fuzzy graph in Fig.11 (Example 4.1). In this case, we have $S_{\rightarrow} = \{[xy]\}$ and

$$\begin{aligned} X &= \left\{ \left((x, \mu), (y, \mu), \tilde{R}((x, \mu), (y, \mu)) \right), \left((x, \mu), (z, \mu), \tilde{R}((x, \mu), (z, \mu)) \right), \left((z, \mu), (y, \mu), \tilde{R}((z, \mu), (y, \mu)) \right) \right\} \\ &= \left\{ \left((x, \mu), (y, \mu), 0 \right), \left((x, \mu), (z, \mu), 0.1 \right), \left((z, \mu), (y, \mu), 0 \right) \right\}. \end{aligned}$$

Let be

$$f_{[xy]}\left((w, \phi), (w', \phi'), d\right) = \begin{cases} \left((w, \phi'), (w', \phi'_{[xy]}^A), (\phi'_{[xy]}^A)_1[ww'] \right), & \text{if } \phi'_{[xy]}^A \in \Omega \text{ and } [ww'] = [xy] \\ \left((w, \phi'_{[xy]}^A), (w', \phi'_{[xy]}^A), (\phi'_{[xy]}^A)_1[ww'] \right), & \text{if } \phi'_{[xy]}^A \in \Omega \text{ and } [ww'] \neq [xy]. \\ \left((w, \phi), (w', \phi'), d \right), & \text{if } \phi'_{[xy]}^A \notin \Omega. \end{cases}$$

and $X_0 = X$, we calculate:

- $f_{[xy]}\left((x, \mu), (y, \mu), 0\right) = \left((x, \mu), (y, \mu_{[xy]}^A), 0.2\right)$ due $\mu_{[xy]}^A \in \Omega$ and $[xy] = [xy]$;
- $f_{[xy]}\left((x, \mu), (z, \mu), 0.1\right) = \left((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1\right)$ due $\mu_{[xy]}^A \in \Omega$ and $[xz] \neq [xy]$;
- $f_{[xy]}\left((z, \mu), (y, \mu), 0\right) = \left((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8\right)$ due $\mu_{[xy]}^A \in \Omega$ and $[zy] \neq [xy]$.

Observe that $f_{[xy]}(X_0) = \left\{ \left((x, \mu), (y, \mu_{[xy]}^A), 0.2 \right), \left((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1 \right), \left((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8 \right) \right\}$ and $\left\{ \left((w, s), (w', s'), d \right) \in f_{[xy]}(X_0); (s')_2[ww'] = \text{OFF} \right\} = \emptyset$. Then,

$$\begin{aligned} X_1 &= X_0 \cup f_{[xy]}(X_0) \\ &= \left\{ \left((x, \mu), (y, \mu), 0 \right), \left((x, \mu), (z, \mu), 0.1 \right), \left((z, \mu), (y, \mu), 0 \right), \right. \\ &\quad \left. \left((x, \mu), (y, \mu_{[xy]}^A), 0.2 \right), \left((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1 \right), \left((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8 \right) \right\} \end{aligned}$$

Fig.15(a) and Fig.15(b) show the sets X_0 and X_1 . Continuing the process, we will calculate X_2 showing the images of the arrows in $f_{[xy]}(X_0)$:

- $f_{[xy]}\left((x, \mu), (y, \mu_{[xy]}^A), 0.2\right) = \left((x, \mu_{[xy]}^A), (y, \mu_{[xy][xy]}^A), 0.2\right) = \left((x, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.2\right)$ due $\mu_{[xy][xy]}^A = \mu_{[xy]}^A \in \Omega$ and $[xy] = [xy]$;




Figure 15: Sets of arrows that make up the induced fuzzy graph \tilde{M}

- $f_{[xy]}((x, \mu), (z, \mu), 0.1) = ((x, \mu_{[xy][xy]}^A), (z, \mu_{[xy][xy]}^A), 0.1) = ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1)$ due $\mu_{[xy][xy]}^A = \mu_{[xy]}^A \in \Omega$ and $[xz] \neq [xy]$;
- $f_{[xy]}((z, \mu), (y, \mu), 0) = ((z, \mu_{[xy][xy]}^A), (y, \mu_{[xy][xy]}^A), 0.8) = ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8)$ due $\mu_{[xy][xy]}^A = \mu_{[xy]}^A \in \Omega$ and $[zy] \neq [xy]$.

Then, $f_{[xy]}(X_1) = f_{[xy]}(X_0) \cup \left\{ ((x, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.2), ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1), ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8) \right\}$ and $\left\{ ((w, s), (w', s'), d) \in f_{[xy]}(X_1); (s')_2[ww'] = \text{OFF} \right\} = \emptyset$.


Follow that,

$$\begin{aligned} X_2 &= X_1 \cup f_{[xy]}(X_1) \\ &= \left\{ ((x, \mu), (y, \mu), 0), ((x, \mu), (z, \mu), 0.1), ((z, \mu), (y, \mu), 0), \right. \\ &\quad \left. ((x, \mu), (y, \mu_{[xy]}^A), 0.2), ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1), ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.8), ((x, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.2) \right\} \end{aligned}$$

Due to the aggregation used, when crossing n times ($n \in \mathbb{N}$) the arrow $[xy]$, the update application $\mu_{[xy]^n}^A$ will be overlaid on the set Ω by the application $\mu_{[xy]}^A$. Thus, the sets $X_3, X_4, \dots, X_n = X_2$ and the induced fuzzy graph based on A from M will be generated, like an algebra, by the finite set X . Fig.11 shows the set X_2 .

Example 4.4. Given the RFSG M in Fig.16. The induced fuzzy graph based in product can be viewed in Fig.17.

Consider the base set $X = \left\{ ((x, \mu), (y, \mu), 0), ((x, \mu), (z, \mu), 0), ((z, \mu), (y, \mu), 0) \right\}$ and the set $S_{\rightarrow} = \left\{ [xy], [xz] \right\}$. We get $X_0 = X$ (See Fig.18 (a)) and calculating:



- $f_{[xy]}((x, \mu), (y, \mu), 0) = ((x, \mu), (y, \mu_{[xy]}^A), 0.2);$
- $f_{[xy]}((x, \mu), (z, \mu), 0) = ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1);$
- $f_{[xy]}((z, \mu), (y, \mu), 0) = ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.048);$

- $f_{[xz]}((x, \mu), (y, \mu), 0) = ((x, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.016);$
- $f_{[xz]}((x, \mu), (z, \mu), 0) = ((x, \mu), (z, \mu_{[xz]}^A), 0.1);$
- $f_{[xz]}((z, \mu), (y, \mu), 0) = ((z, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.3).$

We get $\{f_{[xy]}(X_0), f_{[xz]}(X_0)\} = \left\{((x, \mu), (y, \mu_{[xy]}^A), 0.2), ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1), ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.048), ((x, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.016), ((x, \mu), (z, \mu_{[xz]}^A), 0.1), ((z, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.3), \right\}$ and $\{(w, s), (w', s'), d) \in \{f_{[xy]}(X_0), f_{[xz]}(X_0)\}; (s')_2[ww'] = \text{OFF}\} = \left\{((x, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.016), ((z, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.3)\right\}$. Therefore, as can be seen in Fig.18 (b),

$$\begin{aligned} X_1 &= X_0 \cup \left\{ \{f_{[xy]}(X_0), f_{[xz]}(X_0)\} - \left\{((x, \mu_{[xz]}^A), (y, \mu_{[xz]}^A), 0.016)\right\} \right\} \\ &= X_0 \cup \left\{ ((x, \mu), (y, \mu_{[xy]}^A), 0.2), ((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1), ((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.048), \right. \\ &\quad \left. ((x, \mu), (z, \mu_{[xz]}^A), 0.1) \right\} \end{aligned}$$

To calculate X_2 , we have:

- $f_{[xy]}((x, \mu), (y, \mu_{[xy]}^A), 0.2) = ((x, \mu_{[xy]}^A), (y, \mu_{[xy][xy]}^A), 0.2);$
- $f_{[xy]}((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1) = ((x, \mu_{[xy][xy]}^A), (z, \mu_{[xy][xy]}^A), 0.1);$
- $f_{[xy]}((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.048) = ((z, \mu_{[xy][xy]}^A), (y, \mu_{[xy][xy]}^A), 0.00768);$
- $f_{[xy]}((x, \mu), (z, \mu_{[xz]}^A), 0.1) = ((x, \mu), (z, \mu_{[xz]}^A), 0.1)$ due $\mu_{[xz][xy]}^A \notin \Omega$.

and

- $f_{[xz]}((x, \mu), (y, \mu_{[xy]}^A), 0.2) = ((x, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.016);$
- $f_{[xz]}((x, \mu_{[xy]}^A), (z, \mu_{[xy]}^A), 0.1) = ((x, \mu_{[xy][xz]}^A), (z, \mu_{[xy][xz]}^A), 0.1);$
- $f_{[xz]}((z, \mu_{[xy]}^A), (y, \mu_{[xy]}^A), 0.048) = ((z, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.048);$
- $f_{[xz]}((x, \mu), (z, \mu_{[xz]}^A), 0.1) = ((x, \mu_{[xz][xz]}^A), (z, \mu_{[xz][xz]}^A), 0.1).$

We get $\{f_{[xy]}(X_1), f_{[xz]}(X_1)\} = \left\{((x, \mu_{[xy]}^A), (y, \mu_{[xy][xy]}^A), 0.2), ((x, \mu_{[xy][xy]}^A), (z, \mu_{[xy][xy]}^A), 0.1), ((z, \mu_{[xy][xy]}^A), (y, \mu_{[xy][xy]}^A), 0.00768), ((x, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.016), ((x, \mu_{[xy][xz]}^A), (z, \mu_{[xy][xz]}^A), 0.1), ((z, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.048), ((x, \mu_{[xz][xz]}^A), (z, \mu_{[xz][xz]}^A), 0.1)\right\}$ and $\{(w, s), (w', s'), d) \in \{f_{[xy]}(X_1), f_{[xz]}(X_1)\}; (s')_2[ww'] = \text{OFF}\} = \left\{((x, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.016)\right\}$.

Therefore, as can be seen in Fig.16,

$$\begin{aligned} X_2 &= X_1 \cup \left\{ ((x, \mu_{[xy]}^A), (y, \mu_{[xy][xy]}^A), 0.2), ((x, \mu_{[xy][xy]}^A), (z, \mu_{[xy][xy]}^A), 0.1), ((z, \mu_{[xy][xy]}^A), (y, \mu_{[xy][xy]}^A), 0.00768), \right. \\ &\quad \left. ((x, \mu_{[xy][xz]}^A), (z, \mu_{[xy][xz]}^A), 0.1), ((z, \mu_{[xy][xz]}^A), (y, \mu_{[xy][xz]}^A), 0.048), ((x, \mu_{[xz][xz]}^A), (z, \mu_{[xz][xz]}^A), 0.1) \right\}. \end{aligned}$$

The process goes on to determine $X_n, n \geq 3$. The graph \tilde{M} is built from these sets and is an infinite graph.




Figure 18: Sets of arrows that make up the induced fuzzy graph \tilde{M}

5. A Logic for $RFSGs$

In order to verify a system described by a $RFSG$, we provide a formal language and a fuzzy semantics. Also in this section, we will present the definition of simulation and bisimulation for $RFSGs$. In what follows, for any $w \in W$, we use the set $S^{0*}[w] = \{w' \in W; [ww'] \in S^0\}$.

5.1. Syntax and Semantics

In [7] was present a formal logic for $RFSGs$ which enables the verification of properties. This section expose this logic with more details and introduce new concepts.

Definition 5.1 (Syntax [7]). Consider *AtomProp* a set of symbols (called atomic propositions) and $p \in \text{AtomProp}$. The set of formulas is generated by the following grammar: $\varphi ::= p \mid \text{true} \mid \text{false} \mid (\neg\varphi) \mid (\varphi \wedge \varphi) \mid (\varphi \vee \varphi) \mid (\varphi \rightarrow \varphi) \mid (\varphi \leftrightarrow \varphi) \mid (S_{\text{Next}}(\varphi)) \mid (A_{\text{Next}}(\varphi))$.

Given the formulas φ and ψ , we classically interpret:

- $(\neg\varphi)$: φ is not true;
- $(\varphi \wedge \psi)$: φ and ψ are true;
- $(\varphi \vee \psi)$: φ or ψ is true;
- $(\varphi \rightarrow \psi)$: If φ is true, then ψ is true;
- $(\varphi \leftrightarrow \psi)$: φ is true if and only if ψ is true;
- $(S_{\text{Next}}(\varphi))$: φ is true in some next state;
- $(A_{\text{Next}}(\varphi))$: φ is true in all next states.

Table 2

Truth values of propositions on each state.

	x	y	u	v
H	0.2	0.8	0.3	0.01
L	0.1	0.9	0.15	0.2

A formula that only contains the operators \wedge, \vee and $S_{Next}(\varphi)$ is called **positive formula**.

Definition 5.2. A *model* [7] over the set *AtomProp* is a pair $\mathcal{M} = (M, V_M)$, s.t. $M = \langle W, \mu \rangle$ is a *RFSG* and $V_M : W \times \text{AtomProp} \rightarrow [0, 1]$ is a function called *fuzzy valuation*.

Definition 5.3. Given a model $\mathcal{M} = (M, V_M)$ and N a subgraph of M , the structure $\mathcal{N} = (N, V_N)$ is a *submodel* of \mathcal{M} whenever $V_N(w, p) \leq V_M(w, p)$ for all $w \in W$ and $p \in \text{AtomProp}$.

Definition 5.4 (Semantics [7]). Consider $\mathcal{M} = (M, V_M)$ a model, A the aggregation function associated with M , $\mathcal{F} = \langle [0, 1], T, S, N, I, B, 0, 1 \rangle$ a fuzzy semantics and $w \in W$ a state. The notation, $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket$ represents the *grade of uncertainty of a given formula φ , at state w , taking into account \mathcal{M}, \mathcal{F} and A* . The grade of uncertainty of $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket$ is defined in the following way:

- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A p \rrbracket = V_M(w, p)$, for $p \in \text{AtomProp}$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \text{true} \rrbracket = 1$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \text{false} \rrbracket = 0$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A (\varphi \wedge \psi) \rrbracket = \mathbf{T}(\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \psi \rrbracket)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A (\varphi \vee \psi) \rrbracket = \mathbf{S}(\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \psi \rrbracket)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A (\varphi \rightarrow \psi) \rrbracket = \mathbf{I}(\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \psi \rrbracket)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A (\varphi \leftrightarrow \psi) \rrbracket = \mathbf{B}(\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \psi \rrbracket)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \neg \varphi \rrbracket = \mathbf{N}(\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A \varphi \rrbracket)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A A_{Next}(\varphi) \rrbracket = \mathbf{T}_{w' \in S^{0*}[w]} \left(\mathbf{I} \left(\mu([ww']), \llbracket \mathcal{M}_{[ww']}, w' \models_{\mathcal{F}}^A \varphi \rrbracket \right) \right)$ since $\mathcal{M}_{[ww']}$ means $(M_{[ww']}, V_M)$.
- $\llbracket \mathcal{M}, w \models_{\mathcal{F}}^A S_{Next}(\varphi) \rrbracket = \mathbf{S}_{w' \in S^{0*}[w]} \left(\mathbf{T} \left(\mu([ww']), \llbracket \mathcal{M}_{[ww']}, w' \models_{\mathcal{F}}^A \varphi \rrbracket \right) \right)$.

The uncertainty degree that “ $S_{Next}(\varphi)$ ” is true at the state w is computed by using the uncertainty degree that φ is true at some state with active relationship to w . On the other hand, the uncertainty degree that “ $A_{Next}(\varphi)$ ” is true at state w is computed by using the uncertainty degree that φ is true at every state with active relationship to w . The expression: $\llbracket \mathcal{M}_{[ww']}, w' \models_{\mathcal{F}}^A \varphi \rrbracket$, in this case, represents the uncertainty degree of the statement: “ φ is true” at state w' after the active zero-order arrow $a_i^0 = [w, w']$ has been crossed and the *RFSG* M has been updated to $M_{a_i^0}^A$.

Remark 5.1. According to Notation 1, the application f in the definition of $A_{Next}(\varphi)$ is a fuzzy implication \mathbf{I} . Similarly, in the definition of $S_{Next}(\varphi)$, the application f is a t-norm \mathbf{T} .

Example 5.1. Consider Fig.1(b) and take the atomic propositions: High risk of contagion and Low risk of contagion, according to the Table 1.

What is the uncertainty degree at state x for the proposition: “In some next state we have a low risk of contagion with a next state which has a higher risk of contagion?” The assertion can be expressed as: $S_{Next}(L \wedge S_{Next}(H))$.

Assuming the arithmetic mean as the unique aggregation function, the Gödel Semantic \mathcal{F}_G and $\varphi = L \wedge S_{Next}(H)$,

$$\begin{aligned} \llbracket \mathcal{M}, x \models_{FG}^A S_{Next}(\varphi) \rrbracket &\stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(0.3, \llbracket \mathcal{M}_{[xu]}^A, u \models_{FG}^A \varphi \rrbracket), \mathbf{T}_M(0.4, \llbracket \mathcal{M}_{[xy]}^A, y \models_{FG}^A \varphi \rrbracket) \right) \\ &\stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(0.3, 0.15), \mathbf{T}_M(0.4, 0.01) \right) = 0.15 \end{aligned}$$

Since,

$$\begin{aligned} a) \llbracket \mathcal{M}_{[xu]}^A, u \models_{FG}^A \varphi \rrbracket &\stackrel{def}{=} \mathbf{T}_M \left(\llbracket \mathcal{M}_{[xu]}^A, u \models_{FG}^A S_{Next}(H) \rrbracket, \llbracket \mathcal{M}_{[xu]}^A, u \models_{FG}^A L \rrbracket \right) = \mathbf{T}_M(0.6, 0.15) = 0.15 \text{ due to} \\ \llbracket \mathcal{M}_{[xu]}^A, u \models_{FG}^A S_{Next}(H) \rrbracket &\stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(\mu_{[xu]}^A([uy]), \llbracket \mathcal{M}_{[xu][uy]}^A, y \models_{FG}^A H \rrbracket) \right) = \mathbf{S}_M \left(\mathbf{T}_M(0.6, 0.8) \right) = 0.6; \\ b) \llbracket \mathcal{M}_{[xy]}^A, y \models_{FG}^A \varphi \rrbracket &\stackrel{def}{=} \mathbf{T}_M \left(\llbracket \mathcal{M}_{[xy]}^A, y \models_{FG}^A S_{Next}(H) \rrbracket, \llbracket \mathcal{M}_{[xy]}^A, y \models_{FG}^A L \rrbracket \right) = \mathbf{T}_M(0.01, 0.9) = 0.01. \text{ due to} \\ \llbracket \mathcal{M}_{[xy]}^A, y \models_{FG}^A S_{Next}(H) \rrbracket &\stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(\mu_{[xy]}^A([yv]), \llbracket \mathcal{M}_{[xy][yv]}^A, v \models_{FG}^A H \rrbracket) \right) = \mathbf{S}_M \left(\mathbf{T}_M(0.02, 0.01) \right) = 0.01 \end{aligned}$$

In this case, in order to calculate the uncertainty degree at state v for the same proposition, we should note that the state v has only one next state y (the inactive arrow $[vu]$ is not considered). Therefore,

$$\llbracket \mathcal{M}, v \models_{FG}^A S_{Next}(\varphi) \rrbracket \stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(0.03, \llbracket \mathcal{M}_{[vy]}^A, y \models_{FG}^A \varphi \rrbracket) \right) = 0.01.$$

$$\begin{aligned} \text{since } \llbracket \mathcal{M}_{[vy]}^A, y \models_{FG}^A \varphi \rrbracket &\stackrel{def}{=} \mathbf{T}_M \left(\llbracket \mathcal{M}_{[vy]}^A, y \models_{FG}^A S_{Next}(H) \rrbracket, \llbracket \mathcal{M}_{[vy]}^A, y \models_{FG}^A L \rrbracket \right) = \mathbf{T}_M(0.01, 0.9) = 0.01 \text{ due to} \\ \llbracket \mathcal{M}_{[vy]}^A, y \models_{FG}^A S_{Next}(H) \rrbracket &\stackrel{def}{=} \mathbf{S}_M \left(\mathbf{T}_M(\mu_{[vy]}^A([yv]), \llbracket \mathcal{M}_{[vy][yv]}^A, v \models_{FG}^A H \rrbracket) \right) = \mathbf{S}_M \left(\mathbf{T}_M(0.02, 0.01) \right) = 0.01. \end{aligned}$$

Proposition 5.1. Consider $\mathcal{N} = (N, V_N)$ a submodel of $\mathcal{M} = (M, V_M)$, then

$$\llbracket \mathcal{N}, w \models_F^A \psi \rrbracket \leq \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket$$

for all positive formula ψ .

PROOF. We prove this result by induction over the structure of formulas.

- It holds for atomic propositions by definition and trivially for *true* and *false*.
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \vee \psi) \rrbracket = \mathbf{T}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) \geq \mathbf{T}(\llbracket \mathcal{N}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{N}, w \models_F^A \psi \rrbracket) = \llbracket \mathcal{N}, w \models_F^A (\varphi \vee \psi) \rrbracket.$
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \wedge \psi) \rrbracket = \mathbf{S}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) \geq \mathbf{S}(\llbracket \mathcal{N}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{N}, w \models_F^A \psi \rrbracket) = \llbracket \mathcal{N}, w \models_F^A (\varphi \wedge \psi) \rrbracket.$
- $\llbracket \mathcal{M}, w \models_F^A S_{Next}(\varphi) \rrbracket = \mathbf{S}_{w' \in S^{0*}[w]} \left(\mathbf{T} \left(\mu_{M_1}([ww']), \llbracket \mathcal{M}_{[ww']}^A, w' \models_F^A \varphi \rrbracket \right) \right) \geq \mathbf{S}_{w' \in S^{0*}[w]} \left(\mathbf{T} \left(\mu_{N_1}([ww']), \llbracket \mathcal{N}_{[ww']}^A, w' \models_F^A \varphi \rrbracket \right) \right) = \llbracket \mathcal{N}, w \models_F^A S_{Next}(\varphi) \rrbracket$

Definition 5.5. Given a RFSG $M = \langle W, \mu : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ with an aggregation A and a model $\mathcal{M} = (M, V_M)$, the structure

$$\tilde{\mathcal{M}} = (\langle \tilde{W}, \tilde{R} \rangle, \tilde{V} = V_{\langle \tilde{W}, \tilde{R} \rangle})$$

s.t.

$$\tilde{V} : \tilde{W} \times \text{AtomProp} \rightarrow [0, 1]$$

$$\tilde{V}((w, \mu), p) = V_M(w, p)$$

is called the **induced fuzzy model of M for A** .

Theorem 5.1. Given a RFSG $M = \langle W, \mu : S \rightarrow [0, 1] \times \{\text{ON}, \text{OFF}\} \rangle$ with an aggregation A and a model $\mathcal{M} = (M, V_M)$, then

$$\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket$$

PROOF. We prove this result by induction over the structure of formulas.

- It holds for atomic propositions by definition and trivially for *true* and *false*.
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \vee \psi) \rrbracket = \mathbf{T}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) = \mathbf{T}(\llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket, \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \psi \rrbracket) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F (\varphi \vee \psi) \rrbracket.$
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \wedge \psi) \rrbracket = \mathbf{S}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) = \mathbf{S}(\llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket, \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \psi \rrbracket) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F (\varphi \wedge \psi) \rrbracket.$
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \rightarrow \psi) \rrbracket = \mathbf{I}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) = \mathbf{I}(\llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket, \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \psi \rrbracket) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F (\varphi \rightarrow \psi) \rrbracket$
- $\llbracket \mathcal{M}, w \models_F^A (\varphi \leftrightarrow \psi) \rrbracket = \mathbf{B}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket, \llbracket \mathcal{M}, w \models_F^A \psi \rrbracket) = \mathbf{B}(\llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket, \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \psi \rrbracket) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F (\varphi \leftrightarrow \psi) \rrbracket$
- $\llbracket \mathcal{M}, w \models_F^A (\neg\varphi) \rrbracket = \mathbf{N}(\llbracket \mathcal{M}, w \models_F^A \varphi \rrbracket) = \mathbf{N}(\llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F \varphi \rrbracket) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F (\neg\varphi) \rrbracket$
- $\llbracket \mathcal{M}, w \models_F^A S_{Next}(\varphi) \rrbracket = \mathbf{S}_{w' \in S^{0*}[w]} \left(\mathbf{T} \left(\mu_1([ww']), \llbracket \mathcal{M}_{[ww']}, w' \models_F^A \varphi \rrbracket \right) \right) = \mathbf{S}_{w' \in S^{0*}[w]} \left(\mathbf{T} \left(\mu_1([ww']), \llbracket \tilde{\mathcal{M}}_{[ww']}, (w', \mu_{[ww']}) \models_F \varphi \rrbracket \right) \right) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F S_{Next}(\varphi) \rrbracket$
- $\llbracket \mathcal{M}, w \models_F^A A_{Next}(\varphi) \rrbracket = \mathbf{T}_{w' \in S^{0*}[w]} \left(\mathbf{I} \left(\mu_1([ww']), \llbracket \mathcal{M}_{[ww']}, w' \models_F^A \varphi \rrbracket \right) \right) = \mathbf{T}_{w' \in S^{0*}[w]} \left(\mathbf{I} \left(\mu_1([ww']), \llbracket \tilde{\mathcal{M}}_{[ww']}, (w', \mu_{[ww']}) \models_F \varphi \rrbracket \right) \right) = \llbracket \tilde{\mathcal{M}}, (w, \mu) \models_F A_{Next}(\varphi) \rrbracket.$

5.2. Simulation and Bisimulation

Based on the notion of bisimulation for FSGs present in [22], we introduce the notion of simulation and bisimulation for RFSGs.

Definition 5.6. [17] A **fuzzy model** over the set *AtomProp* is a pair $\mathcal{MF} = (\langle W, R \rangle, V_{\langle W, R \rangle})$ s.t. $\langle W, R \rangle$ is a fuzzy graph and $V_{\langle W, R \rangle} : W \times \text{AtomProp} \rightarrow [0, 1]$ is a fuzzy valuation function.

Consider \mathcal{MF} a fuzzy model, $F = \langle [0, 1], T, S, N, I, B, 0, 1 \rangle$ a fuzzy semantics and $w \in W$ a state. The notation, $\llbracket \mathcal{MF}, w \models_F \varphi \rrbracket$ represents the **grade of uncertainty of a given formula φ , at state w , taking into account \mathcal{MF} and F** . The grade of uncertainty of $\llbracket \mathcal{MF}, w \models_F \varphi \rrbracket$ is defined similarly in the way for a model.

Notation 3: Given a relation $E \subset W \times W'$ and $w \in W$, we define:

- a) $E[w] = \{w' \in W'; (w, w') \in E\};$
- b) $E^{-1}[w'] = \{w \in W; (w, w') \in E\}.$

Definition 5.7 (Simulation [17]). Let $\mathcal{MF} = (\langle W, R \rangle, V_{\langle W, R \rangle})$ and $\mathcal{MF}' = (\langle W', R' \rangle, V_{\langle W', R' \rangle})$ be two fuzzy models. A relation $E \subset W \times W'$ is said to be a **simulation** from \mathcal{MF} to \mathcal{MF}' if, for every $(w, w') \in E$:

1. $V_{\langle W, R \rangle}(w, p) \leq V_{\langle W', R' \rangle}(w', p)$, for all $p \in \text{AtomProp}$.
2. For all $u \in W$; $R(w, u) \leq \sup_{u' \in E[u]} R'(w', u')$.

Example 5.2. Consider the fuzzy models $(\mathcal{MF})_1 = (\langle W_1, R_1 \rangle, V_1 = V_{\langle W_1, R_1 \rangle})$ and $(\mathcal{MF})_2 = (\langle W_2, R_2 \rangle, V_2 = V_{\langle W_2, R_2 \rangle})$ in Fig.19 s.t. $W_1 = \{w_1, w_2\}$, $W_2 = \{w'_1, w'_2, w'_3, w'_4, w'_5\}$ and $E = \{(w_1, w'_1), (w_1, w'_5), (w_2, w'_2), (w_2, w'_3), (w_2, w'_4)\}$. For all $p \in \text{AtomProp}$, consider $V_1(w_1, p) \leq V_2(w'_1, p)$, $V_1(w_1, p) \leq V_2(w'_5, p)$, $V_1(w_2, p) \leq V_2(w'_2, p)$, $V_1(w_2, p) \leq V_2(w'_3, p)$, $V_1(w_2, p) \leq V_2(w'_4, p)$.

The relation $E \subset W_1 \times W_2$ is represented by the color of the nodes. If $(w, w') \in E$, then w and w' have the same color in the graph.

E is a simulation from $(\mathcal{MF})_1$ to $(\mathcal{MF})_2$. In fact, the condition 1 hold by assumption. To check the condition 2, we have to check for each pair in E .

Consider $w = w_1 \in W_1$. Therefore $u = w_2$ and $E[w_2] = \{w'_2, w'_3, w'_4\}$. We calculate,

- $R_1([w_1 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_1], R_2[w'_1 w'_5]\} = 0$,
- $R_1([w_1 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_1], R_2[w'_5 w'_5]\} = 0$,
- $R_1([w_1 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_2], R_2[w'_1 w'_3], R_2[w'_1 w'_4]\} = 0$,
- $R_1([w_1 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_2], R_2[w'_5 w'_3], R_2[w'_5 w'_4]\} = 0$.

Consider $w = w_2 \in W_1$. Therefore $u = w_1$ and $E[w_2] = \{w'_1, w'_5\}$. We calculate,

- $R_1([w_2 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_2 u'] = \sup \{R_2[w'_2 w'_2], \{R_2[w'_2 w'_3], R_2[w'_2 w'_4]\}\} = 0$,
- $R_1([w_2 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_3 u'] = \sup \{R_2[w'_3 w'_2], \{R_2[w'_3 w'_3], R_2[w'_3 w'_4]\}\} = 0$,
- $R_1([w_2 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_4 u'] = \sup \{R_2[w'_4 w'_2], \{R_2[w'_4 w'_3], R_2[w'_4 w'_4]\}\} = 0$,
- $R_1([w_2 w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_2 u'] = \sup \{R_2[w'_2 w'_1], R_2[w'_2 w'_5]\} = 0.6$,
- $R_1([w_2 w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_3 u'] = \sup \{R_2[w'_3 w'_1], R_2[w'_3 w'_5]\} = 0.8$,
- $R_1([w_2 w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_4 u'] = \sup \{R_2[w'_4 w'_1], R_2[w'_4 w'_5]\} = 0.7$.

$(\mathcal{MF})_2$ simulates $(\mathcal{MF})_1$.

Definition 5.8 (Bisimulation [17]). Let $\mathcal{MF} = (\langle W, R \rangle, V_{\langle W, R \rangle})$ and $\mathcal{MF}' = (\langle W', R' \rangle, V_{\langle W', R' \rangle})$ be two fuzzy models. A relation $E \subset W \times W'$ is said to be a **bisimulation** from \mathcal{MF} and \mathcal{MF}' if, for every $(w, w') \in E$:

1. $V_{\langle W, R \rangle}(w, p) = V_{\langle W', R' \rangle}(w', p)$, for all $p \in \text{AtomProp}$.
2. For all $u \in W$; $R(w, u) \leq \sup_{u' \in E[u]} R'(w', u')$.
3. For all $u' \in W'$; $R'(w', u') \leq \sup_{u \in E^{-1}[u']} R(w, u)$.

Example 5.3. Consider the fuzzy models $(\mathcal{MF})_1 = (\langle W_1, R_1 \rangle, V_1 = V_{\langle W_1, R_1 \rangle})$ and $(\mathcal{MF})_2 = (\langle W_2, R_2 \rangle, V_2 = V_{\langle W_2, R_2 \rangle})$ in Fig. 20 s.t. $W_1 = \{w_0, w_1, w_2\}$, $W_2 = \{w'_1, w'_2, w'_3, w'_4, w'_5\}$ and $E = \{(w_0, w'_1), (w_0, w'_5), (w_1, w'_1), (w_1, w'_5), (w_2, w'_2), (w_2, w'_3), (w_2, w'_4)\}$.

For all $p \in \text{AtomProp}$, consider $V_1(w_0, p) = V_2(w'_1, p)$; $V_1(w_0, p) = V_2(w'_5, p)$; $V_1(w_1, p) = V_2(w'_1, p)$; $V_1(w_1, p) = V_2(w'_5, p)$; $V_1(w_2, p) = V_2(w'_2, p)$; $V_1(w_2, p) = V_2(w'_3, p)$; $V_1(w_2, p) = V_2(w'_4, p)$.




Figure 19: $(\mathcal{MF})_2$ simulates $(\mathcal{MF})_1$.

As was done in the example 5.2, the relation $E \subset W_1 \times W_2$ is represented by the color of the nodes. If $(w, w') \in E$, then w and w' have the same color in the graph.

In fact, the condition 1 hold by assumption.

To check the condition 2, once $E[w_0] = E[w_1] = \{w'_1, w'_5\}$ and $E[w_2] = \{w'_2, w'_3, w'_4\}$:

- $R_1([w_0 w_0]) = 0 \leq \sup_{u' \in E[w_0]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_1], R_2[w'_1 w'_5]\} = 0,$
- $R_1([w_0 w_0]) = 0 \leq \sup_{u' \in E[w_0]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_1], R_2[w'_5 w'_5]\} = 0,$
- $R_1([w_0 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_1], R_2[w'_1 w'_5]\} = 0,$
- $R_1([w_0 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_1], R_2[w'_5 w'_5]\} = 0,$
- $R_1([w_0 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_2], R_2[w'_1 w'_3], R_2[w'_1 w'_4]\} = 0,$
- $R_1([w_0 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_2], R_2[w'_5 w'_3], R_2[w'_5 w'_4]\} = 0,$
- $R_1([w_1 w_0]) = 0 \leq \sup_{u' \in E[w_0]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_1], R_2[w'_1 w'_5]\} = 0,$
- $R_1([w_1 w_0]) = 0 \leq \sup_{u' \in E[w_0]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_1], R_2[w'_5 w'_5]\} = 0,$
- $R_1([w_1 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_1], R_2[w'_1 w'_5]\} = 0,$
- $R_1([w_1 w_1]) = 0 \leq \sup_{u' \in E[w_1]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_1], R_2[w'_5 w'_5]\} = 0,$
- $R_1([w_1 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_1 u'] = \sup \{R_2[w'_1 w'_2], R_2[w'_1 w'_3], R_2[w'_1 w'_4]\} = 0,$
- $R_1([w_1 w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_5 u'] = \sup \{R_2[w'_5 w'_2], R_2[w'_5 w'_3], R_2[w'_5 w'_4]\} = 0,$

- $R_1([w_2w_0]) = 0.8 \leq \sup_{u' \in E[w_0]} R_2[w'_2u'] = \sup \{R_2[w'_2w'_1], R_2[w'_2w'_5]\} = 0.8,$
- $R_1([w_2w_0]) = 0.8 \leq \sup_{u' \in E[w_0]} R_2[w'_3u'] = \sup \{R_2[w'_3w'_1], R_2[w'_3w'_5]\} = 0.8,$
- $R_1([w_2w_0]) = 0.8 \leq \sup_{u' \in E[w_0]} R_2[w'_4u'] = \sup \{R_2[w'_4w'_1], R_2[w'_4w'_5]\} = 0.8,$
- $R_1([w_2w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_4u'] = \sup \{R_2[w'_4w'_1], R_2[w'_4w'_5]\} = 0.8,$
- $R_1([w_2w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_2u'] = \sup \{R_2[w'_2w'_1], R_2[w'_2w'_5]\} = 0.8,$
- $R_1([w_2w_1]) = 0.5 \leq \sup_{u' \in E[w_1]} R_2[w'_3u'] = \sup \{R_2[w'_3w'_1], R_2[w'_3w'_5]\} = 0.8,$
- $R_1([w_2w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_2u'] = \sup \{R_2[w'_2w'_2], R_2[w'_2w'_3], R_2[w'_2w'_4]\} = 0,$
- $R_1([w_2w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_3u'] = \sup \{R_2[w'_3w'_2], R_2[w'_3w'_3], R_2[w'_3w'_4]\} = 0,$
- $R_1([w_2w_2]) = 0 \leq \sup_{u' \in E[w_2]} R_2[w'_4u'] = \sup \{R_2[w'_4w'_2], R_2[w'_4w'_3], R_2[w'_4w'_4]\} = 0.$

In order to check the condition 3, once $E^{-1}[w'_1] = E^{-1}[w'_5] = \{w_1, w_0\}$ and $E^{-1}[w'_2] = E^{-1}[w'_3] = E^{-1}[w'_4] = \{w_2\}$:

- $R_2([w'_1w'_1]) = 0 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_1u'] = \sup \{R_1[w_1w_1], R_1[w_1w_0]\} = 0,$
- $R_2([w'_1w'_1]) = 0 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_0u'] = \sup \{R_1[w_0w_1], R_1[w_0w_0]\} = 0,$
- $R_2([w'_1w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_0u'] = \sup \{R_1[w_0w_2]\} = 0,$
- $R_2([w'_1w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_1u'] = \sup \{R_1[w_1w_2]\} = 0,$
- $R_2([w'_1w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_0u'] = \sup \{R_1[w_0w_2]\} = 0,$
- $R_2([w'_1w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_1u'] = \sup \{R_1[w_1w_2]\} = 0,$
- $R_2([w'_1w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_0u'] = \sup \{R_1[w_0w_2]\} = 0,$
- $R_2([w'_1w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_1u'] = \sup \{R_1[w_1w_2]\} = 0,$
- $R_2([w'_1w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_1u'] = \sup \{R_1[w_1w_1], R_1[w_1w_0]\} = 0,$
- $R_2([w'_1w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_0u'] = \sup \{R_1[w_0w_1], R_1[w_0w_0]\} = 0,$
- $R_2([w'_2w'_1]) = 0.8 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_2u'] = \sup \{R_1[w_2w_1], R_1[w_2w_0]\} = 0.8,$

- $R_2([w'_2 w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_2 w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_2 w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_2 w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_2 u'] = \sup \{R_1[w_2 w_1], R_1[w_2 w_0]\} = 0.8,$
- $R_2([w'_3 w'_1]) = 0.8 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_2 u'] = \sup \{R_1[w_2 w_1], R_1[w_2 w_0]\} = 0.8,$
- $R_2([w'_3 w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_3 w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_3 w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_3 w'_5]) = 0.7 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_2 u'] = \sup \{R_1[w_2 w_1], R_1[w_2 w_0]\} = 0.8,$
- $R_2([w'_4 w'_1]) = 0.8 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_2 u'] = \sup \{R_1[w_2 w_1], R_1[w_2 w_0]\} = 0.8,$
- $R_2([w'_4 w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_4 w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_4 w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_2 u'] = \sup \{R_1[w_2 w_2]\} = 0,$
- $R_2([w'_4 w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_2 u'] = \sup \{R_1[w_2 w_1], R_1[w_2 w_0]\} = 0.8,$
- $R_2([w'_5 w'_1]) = 0 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_1 u'] = \sup \{R_1[w_1 w_1], R_1[w_1 w_0]\} = 0,$
- $R_2([w'_5 w'_1]) = 0 \leq \sup_{u' \in E^{-1}[w'_1]} R_1[w_0 u'] = \sup \{R_1[w_0 w_1], R_1[w_0 w_0]\} = 0,$
- $R_2([w'_5 w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_0 u'] = \sup \{R_1[w_0 w_2]\} = 0,$
- $R_2([w'_5 w'_2]) = 0 \leq \sup_{u' \in E^{-1}[w'_2]} R_1[w_1 u'] = \sup \{R_1[w_1 w_2]\} = 0,$
- $R_2([w'_5 w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_0 u'] = \sup \{R_1[w_0 w_2]\} = 0,$
- $R_2([w'_5 w'_3]) = 0 \leq \sup_{u' \in E^{-1}[w'_3]} R_1[w_1 u'] = \sup \{R_1[w_1 w_2]\} = 0,$




Figure 20: There is a bisimulate between $(\mathcal{MF})_1$ and $(\mathcal{MF})_2$.

- $R_2([w'_5 w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_0 u'] = \sup \{R_1[w_0 w_2]\} = 0,$
- $R_2([w'_5 w'_4]) = 0 \leq \sup_{u' \in E^{-1}[w'_4]} R_1[w_1 u'] = \sup \{R_1[w_1 w_2]\} = 0,$
- $R_2([w'_5 w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_1 u'] = \sup \{R_1[w_1 w_1], R_1[w_1 w_0]\} = 0,$
- $R_2([w'_5 w'_5]) = 0 \leq \sup_{u' \in E^{-1}[w'_5]} R_1[w_0 u'] = \sup \{R_1[w_0 w_1], R_1[w_0 w_0]\} = 0.$

There is a bisimulation between $(\mathcal{MF})_1$ and $(\mathcal{MF})_2$.

In order to define the bisimulation for *RFSGs*, we will present a sequence of results presented in [22].

Lema 5.1. [17] Given fuzzy models $\mathcal{MF} = (\langle W, R \rangle, V_{\langle W, R \rangle})$ and $\mathcal{MF}' = (\langle W', R' \rangle, V_{\langle W', R' \rangle})$ with the Gödel semantics and a bisimulation $E \subset W \times W'$ s.t. $(w, w') \in E$. Then

$$\llbracket \mathcal{MF}, w \models_{\mathcal{G}} \varphi \rrbracket = \llbracket \mathcal{MF}', w' \models_{\mathcal{G}} \varphi \rrbracket$$

for every formula.

Definition 5.9. Let us consider the models $\mathcal{M} = (M, V_M)$ and $\mathcal{M}' = (M', V_{M'})$ ($M = \langle W, \mu \rangle$ and $M' = \langle W', \mu' \rangle$ are *RFSGs*) and the relation $E \subset W \times W'$. Given the induced fuzzy models $\tilde{\mathcal{M}} = (\langle \tilde{W}, \tilde{R} \rangle, V_{\langle \tilde{W}, \tilde{R} \rangle})$ and $\tilde{\mathcal{M}}' = (\langle \tilde{W}', \tilde{R}' \rangle, V_{\langle \tilde{W}', \tilde{R}' \rangle})$, the relation $\tilde{E} \subset \tilde{W} \times \tilde{W}'$ is an **extension** of E if $((w, \mu), (w', \mu')) \in \tilde{E}$ whenever $(w, w') \in E$.

Definition 5.10. Given two *RFSGs* $M = \langle W, \mu \rangle$ and $M' = \langle W', \mu' \rangle$, a relation $E \subseteq W \times W'$ is a **bisimulation** between the models $\mathcal{M} = (M, V_M)$ and $\mathcal{M}' = (M', V_{M'})$, if there is an extension \tilde{E} which is a bisimulation between the induced fuzzy models $\tilde{\mathcal{M}}\mathcal{F}$ and $\tilde{\mathcal{M}}'\mathcal{F}'$.

Theorem 5.2. Given the *RFSGs* $M = \langle W, \mu \rangle$ and $M' = \langle W', \mu' \rangle$ with the aggregation A and a bisimulation $E \subset W \times W'$. If $(w, w') \in E$, considering the models $\mathcal{M} = (M, V_M)$, $\mathcal{M}' = (M', V_{M'})$ and the Gödel Semantic \mathcal{G} , then

$$\llbracket \mathcal{M}, w \models_{\mathcal{G}}^A \varphi \rrbracket = \llbracket \mathcal{M}', w' \models_{\mathcal{G}}^A \varphi \rrbracket$$

for every formula $\varphi \in \text{AtomProp}$.

PROOF. By definition 5.10, there is a bisimulation \tilde{E} between the induced fuzzy models $\tilde{\mathcal{M}}\mathcal{F} = (\langle \tilde{W}, R \rangle, V_{\langle \tilde{W}, R \rangle})$ and $\tilde{\mathcal{M}}'\mathcal{F}' = (\langle \tilde{W}', R' \rangle, V_{\langle \tilde{W}', R' \rangle})$. By the Lema 5.1 and the Theorem 5.1,

$$\llbracket \mathcal{M}, w \models_{\mathcal{G}}^A \varphi \rrbracket = \llbracket \tilde{\mathcal{M}}\mathcal{F}, (w, \mu) \models_{\mathcal{G}} \varphi \rrbracket = \llbracket \tilde{\mathcal{M}}'\mathcal{F}', (w', \mu') \models_{\mathcal{G}} \varphi \rrbracket = \llbracket \mathcal{M}', w' \models_{\mathcal{G}}^A \varphi \rrbracket$$




Figure 21: Model of tank control system.

6. Modeling a Tank Level Control System

In industrial processes that use tanks, the control of the fluid level is a common practice. Even with a relatively simple structure, logic controllers are often used. The study and the modeling of tank plants and logic controllers are important because they provide the understanding of the current scenario of the system, causing benefits such as: the increase of productivity and the prevention of accidents [11].

Fig.21 (a) shows a scheme where a tank control system is built with three signal transmitters $\{ST_1, ST_2, ST_3\}$, two pumps $\{P_1, P_2\}$ and a channel for fluid inlet called $START$. The dynamics of the system works as follows:

- **Fluid level rising:** At $START$ the fluid starts to be inserted into the tank while pumps P_1 and P_2 are on standby receiving a minimum electric current. When the fluid level triggers ST_2 , P_1 receives an increment of electric current and is activated. If the fluid level continues to rise and trigger ST_3 , the pump P_2 receives an increment of electric current and is also activated.
- **Fluid level decreasing:** When the fluid level is maximum, the pumps P_1 and P_2 are active. When the fluid level decreases, the ST_3 is triggered and P_2 goes to standby with a decrease in its electric current. If the fluid level continues to decrease, ST_2 is triggered and P_1 goes to standby with a decreasing in its electric current.

The signal transmitter receives the difference pressure of two points with different weights and converts it into a proportional electrical signal. This electric signal is sent to pumps [11].

Consider in Fig.21(b):

- The set of arrows S ;
- The set of worlds $W = \{ST_1, ST_2, ST_3, P_1, P_2, START\}$;
- The membership function $\mu : S \rightarrow [0, 1] \times \{ON, OFF\}$ which assign to each arrow in S , the electric signal generated when they are crossing;
- The function $A_g : S_{\rightarrow} \rightarrow A$, where $A = \{T_L, S_L\}$.

The $RFRG M_R = \langle M, A_g \rangle$ models the system of tank control above. These systems could also be model by using a FSG in which all arrows are active and all high-order arrows are connecting. However, in this case, there would be no possibility of working on deactivation of the pumps.

The reconfiguration of M_R , after crossing the arrows sequence $[ST_1 ST_2]$, $[ST_1 ST_2][ST_2 ST_3]$ and $[ST_1 ST_2][ST_2 ST_3][ST_3 ST_2]$, can be observed in Fig. 22. Assuming:




Figure 22: M_R configuration after: (a) $[ST_1 \ ST_2]$, (b) $[ST_1 \ ST_2][ST_2 \ ST_3]$ and (c) $[ST_1 \ ST_2][ST_2 \ ST_3][ST_3 \ ST_2]$.

- $\mu(a_i^0) = 1$, for all $a_i^0 \in S^0 - \{[ST_1 \ P_1], [ST_2 \ P_2]\}$;
- $A_g([ST_1 \ ST_2]) = A_g([ST_2 \ ST_3]) = S_L$;
- $A_g([ST_2 \ ST_1]) = A_g([ST_3 \ ST_2]) = T_L$.

The fuzzy value and the status of the arrow $[ST_1 \ P_1]$ after the arrow $[ST_1 \ ST_2]$ has been crossed is calculate in the follow way:

$$\begin{aligned}
 \mu_{[ST_1 \ ST_2]}^{A_g}([ST_1 \ P_1]) &= \left(S_L(1, 0.5, 0.5), \text{ON} \right) \\
 &= \left(S_L\left(1, S_L(0.5, 0.5)\right), \text{ON} \right) \\
 &= \left(S_L(1, 1), \text{ON} \right) \\
 &= \left(1, \text{ON} \right)
 \end{aligned}$$

Consider the propositions

$$p: "P_1 \text{ is active}" \text{ and } q: "P_2 \text{ is active}"$$

for the model $\mathcal{M}_R = \langle M_R, V \rangle$, with $V(ST_1, p) = 0.05$, $V(ST_2, p) = 0.08$, $V(ST_3, p) = 0.6$, $V(ST_1, q) = 0.01$, $V(ST_2, q) = 0.5$ and $V(ST_3, q) = 0.7$. Using the Gödel semantics, we are able to compute the grade of uncertainty of the formula $S_{Next}(p \wedge q)$ to the states ST_2 and ST_3 :

$$\begin{aligned}
 \llbracket \mathcal{M}_R, ST_2 \models_{F_G}^{A_g} S_{Next}(p \wedge q) \rrbracket &= \mathbf{S}_M \left(\mathbf{T}_M \left(1, \llbracket \mathcal{M}_R^{[ST_2 \ ST_1]}, ST_1 \models_{F_G}^{A_g} (p \wedge q) \rrbracket \right), \mathbf{T}_M \left(1, \llbracket \mathcal{M}_R^{[ST_2 \ ST_3]}, ST_3 \models_{F_G}^{A_g} (p \wedge q) \rrbracket \right) \right) = 0.6 \\
 \text{and } \llbracket \mathcal{M}_R, ST_3 \models_{F_G}^{A_g} S_{Next}(p \wedge q) \rrbracket &= \mathbf{S}_M \left(\mathbf{T}_M \left(1, \llbracket \mathcal{M}_R^{[ST_3 \ ST_2]}, ST_2 \models_{F_G}^{A_g} (p \wedge q) \rrbracket \right) \right) = 0.08.
 \end{aligned}$$

So, the degree of the sentence,

"There is a next state in which the pumps P1 and P2 are working"

at the state ST_2 is 0.6 and at the state ST_3 is 0.08.

7. Final Remarks

Reversal Fuzzy Switch Graphs (*RFSG*) are structures designed to model reactive systems which provide the activation and deactivation of resources. This paper presents, with more details, the *RFSGs* as well as the operations presented in [7].

The valuation of the membership function can occur on any lattice, however, depending on this choice, the resulting formal logic must be adjusted. For example, if we consider the lattice of intervals with the Kulish-Miranker order, considering correctness, then the modal logic associated with the graph will have a non-residual implication [23].

As a first new contribution in relation to [7], we present the concept of fuzzy induced graph from a *RFSG*. It is a connection between *RFSGs* and fuzzy graphs which allows a finite representation for infinite fuzzy graphs. The attribution of aggregations in this relationship, however, has not been explored and will be the subject of further studies. Still on this topic, it was presented a recursive method for constructing, from a finite base set, an induced graph. In future works, we intend to relate the base set of a induced fuzzy graph to this original *RFSG*.

Another new concept presented in this paper was the simulation and bisimulation of *RFSGs*. These notions, however, were established from the concept of model. Other types of logics and other notions of certainty that allow to define the bisimulation between *RFSGs* more directly will be subject of future works.

8. Acknowledgements

Santiago was supported by National Council for Scientific and Technological Development (CNPq) within the project 312053/2018-5, by Coordination for the Improvement of Higher Education Personnel (CAPES) within the project Capes-Print 88887.363001/2019-00.

Martins and Figueiredo were supported by ERDF, through the COMPETE 2020 Program, and by FCT, within the projects PTDC/CCI-COM/30947/2017, UIDB/04106/2020 and UIDP/04106/2020.

References

- [1] Baczyński, M., Bustince, H., Mesiar, R., 2017a. Aggregation functions: Theory and applications, part I. Fuzzy Sets Syst. 324, 1–2. URL: <https://doi.org/10.1016/j.fss.2017.05.012>, doi:10.1016/j.fss.2017.05.012.
- [2] Baczyński, M., Bustince, H., Mesiar, R., 2017b. Aggregation functions: Theory and applications, part II. Fuzzy Sets Syst. 325, 1–3. URL: <https://doi.org/10.1016/j.fss.2017.05.013>, doi:10.1016/j.fss.2017.05.013.
- [3] Baczyński, M., Jayaram, B., 2008. An Introduction to Fuzzy Implications. Springer Berlin Heidelberg, Berlin, Heidelberg. pp. 1–35. URL: https://doi.org/10.1007/978-3-540-69082-5_1, doi:10.1007/978-3-540-69082-5_1.
- [4] Barringer, H., Gabbay, D., Woods, J., 2005. Temporal Dynamics of Support and Attack Networks: From Argumentation to Zoology. Springer Berlin Heidelberg, Berlin, Heidelberg. pp. 59–98. URL: https://doi.org/10.1007/978-3-540-32254-2_5, doi:10.1007/978-3-540-32254-2_5.
- [5] Beliakov, G., Pradera, A., Calvo, T., 2007. Aggregation functions: A guide for practitioners. volume 221. Springer.
- [6] Callejas, C., Marcos, J., Bedregal, B., 2013. Actions of automorphisms on some classes of fuzzy bi-implications. Mathware Soft Comput. Mag 20, 94–97.
- [7] Campos, S., Santiago, R., Martins, A.M., Figueiredo, D., 2020. Reversal fuzzy switch graphs, in: Carvalho G., S.V. (Ed.), Formal Methods: Foundations and Applications, SBMF 2020. Lecture Notes in Computer Science, Springer International Publishing, Cham. pp. 137–154. doi:https://doi.org/10.1007/978-3-030-63882-5_9.
- [8] Costa, V.S., Farias, A.D.S., Bedregal, B., Santiago, R.H., de P. Canuto, A.M., 2018. Combining multiple algorithms in classifier ensembles using generalized mixture functions. Neurocomputing 313, 402–414. URL: <https://www.sciencedirect.com/science/article/pii/S0925231218307574>, doi:<https://doi.org/10.1016/j.neucom.2018.06.021>.
- [9] Cruz, A., Bedregal, B., Santiago, R., 2018. On the characterizations of fuzzy implications satisfying $i(x, i(y, z)) = i(i(x, y), i(x, z))$. International Journal of Approximate Reasoning 93, 261–276.
- [10] Farias, A.D.S., Santiago, R.H.N., Bedregal, B., 2016. Some properties of generalized mixture functions, in: 2016 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE), pp. 288–293. doi:10.1109/FUZZ-IEEE.2016.7737699.
- [11] Fox, R., McDonald, A., Pritchard, P., 2004. Introdução à Mecânica dos Fluidos. 6th edn, LTC, Rio de Janeiro.
- [12] Gabbay, D., 2004. Reactive kripke semantics and arc accessibility, in: Proceedings of CombLog.
- [13] Gabbay, D., Marcelino, S., 2012. Global view on reactivity: switch graphs and their logics. Annals of Mathematics and Artificial Intelligence 66, 131–162.
- [14] Gabbay, D.M., 2008. Introducing reactive kripke semantics and arc accessibility, in: Avron, A., Dershowitz, N., Rabinovich, A. (Eds.), Pillars of Computer Science, Essays Dedicated to Boris (Boaz) Trakhtenbrot on the Occasion of His 85th Birthday, Springer. pp. 292–341.
- [15] Klement, E., Mesiar, R., Pap, E., 2013. Triangular Norms. Springer.
- [16] Lee, K.H., 2004. First course on fuzzy theory and applications. volume 27. Springer Science & Business Media.
- [17] Manisha, J., Madeira, A., Martins, M., 2020. A fuzzy modal logic for fuzzy transition systems. Electronic Notes in Theoretical Computer Science 348, 85–103. URL: <https://www.sciencedirect.com/science/article/pii/S1571066120300062>, doi:<https://doi.org/10.1016/j.entcs.2020.08.002>.

//doi.org/10.1016/j.entcs.2020.02.006. 14th International Workshop on Logical and Semantic Frameworks, with Applications (LSFA 2019).

- [18] Mesiar, R., Kolesárová, A., Calvo, T., Komorníková, M., 2008. A Review of Aggregation Functions. Springer Berlin Heidelberg, Berlin, Heidelberg. pp. 121–144. URL: https://doi.org/10.1007/978-3-540-73723-0_7, doi:10.1007/978-3-540-73723-0_7.
- [19] Mordeson, J.N., Nair, P.S., 2012. Fuzzy graphs and fuzzy hypergraphs. volume 46. Physica.
- [20] Pal, M., Samanta, S., Ghorai, G., 2020. Modern trends in fuzzy graph theory. Springer.
- [21] Pinheiro, J., Bedregal, B., Santiago, R.H., Santos, H., 2018. A study of (t, n) -implications and its use to construct a new class of fuzzy subethood measure. International Journal of Approximate Reasoning 97, 1–16.
- [22] Santiago, R., Martins, A.M., Figueiredo, D., 2021. Introducing fuzzy reactive graphs: a simple application on biology. Soft Computing 25, 6759–6774. doi:10.1007/s00500-020-05353-1.
- [23] Santiago, R.H.N., Bedregal, B.R.C., Madeira, A., Martins, M.A., 2019. On interval dynamic logic: Introducing quasi-action lattices. Sci. Comput. Program. 175, 1–16.

Declaration of interests

☒ X The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

☐ The authors declare the following financial interests/personal relationships which may be considered as potential competing interests:

--