Agent-based Modeling and Simulation

*The OR Essentials series* Series editor: **Simon JE Taylor**, Brunel University, UK.

*The OR Essentials* series presents a unique cross-section of high quality research work fundamental to understanding contemporary issues and research across a range of Operational Research (OR) topics. It brings together some of the best research papers from the esteemed Operational Research Society and its associated journals, also published by Palgrave Macmillan.

OR deals with the use of advanced analytical methods to support better decision making. As a multidisciplinary field, it has strong links to management science, decision science, computer science and has practical applications in areas such as engineering, manufacturing, commerce, healthcare and defence.

OR has long-standing historical roots. However, as a modern discipline it arguably started during World War II when mathematical techniques were being developed to support the war effort. Now it is common place and a key discipline taught in universities across the world, at undergraduate and postgraduate levels. There are several international societies dedicated to the advancement of OR (e.g. the Operational Research Society and INFORMS – The Institute for Operations Research and the Management Sciences) and there are many high quality peer-review journals dedicated to the topic.

The OR Essentials books are a vital reference tool for students, academics, and industry practitioners, providing easy access to top research papers on the most cutting-edge topics within the field of Operational Research.

Titles include:

Simon JE Taylor (*editor*) AGENT-BASED MODELING AND SIMULATION

Forthcoming titles include:

Roger Forder (*editor*) OR, DEFENCE AND SECURITY

#### The OR Essentials series Series Standing Order ISBN 978-1-137-45360-0

You can receive future title in this series as they are published by placing a standing order. Please contact your bookseller or, in case of difficulty, write to us at the address below with your name and address, the title of the series and the ISBN quoted above.

Customer Services Department, Macmillan Distribution Ltd, Houndmills, Basingstoke, Hampshire RG21 6XS, England.

# Agent-based Modeling and Simulation

Edited by

Simon JE Taylor Brunel University, UK





Selection, introduction, and editorial matter © Simon JE Taylor 2014 Individual chapters © Operational Research Society 2014 Softcover reprint of the hardcover 1st edition 2014 978-1-137-45362-4

All rights reserved. No reproduction, copy or transmission of this publication may be made without written permission.

No portion of this publication may be reproduced, copied or transmitted save with written permission or in accordance with the provisions of the Copyright, Designs and Patents Act 1988, or under the terms of any licence permitting limited copying issued by the Copyright Licensing Agency, Saffron House, 6–10 Kirby Street, London EC1N 8TS.

Any person who does any unauthorized act in relation to this publication may be liable to criminal prosecution and civil claims for damages.

The authors have asserted their rights to be identified as the authors of this work in accordance with the Copyright, Designs and Patents Act 1988.

First published 2014 by PALGRAVE MACMILLAN

Palgrave Macmillan in the UK is an imprint of Macmillan Publishers Limited, registered in England, company number 785998, of Houndmills, Basingstoke, Hampshire RG21 6XS.

Palgrave Macmillan in the US is a division of St Martin's Press LLC, 175 Fifth Avenue, New York, NY10010.

Palgrave Macmillan is the global academic imprint of the above companies and has companies and representatives throughout the world.

 ${\sf Palgrave}^{\circledast}$  and Macmillan  $^{\circledast}$  are registered trademarks in the United States, the United Kingdom, Europe and other countries.

ISBN 978-1-349-49773-7 ISBN 978-1-137-45364-8 (eBook) DOI 10.1057/9781137453648

This book is printed on paper suitable for recycling and made from fully managed and sustained forest sources. Logging, pulping and manufacturing processes are expected to conform to the environmental regulations of the country of origin.

A catalogue record for this book is available from the British Library.

A catalog record for this book is available from the Library of Congress.

Typeset by MPS Limited, Chennai, India.

# Contents

List	of Figures and Tables	viii
1	Introducing agent-based modeling and simulation <i>Simon JE Taylor</i>	1
2	Tutorial on agent-based modeling and simulation <i>CM Macal and MJ North</i>	11
3	Some insights into the emergence of agent-based modeling <i>BL Heath and RR Hill</i>	32
4	An application of agent-based simulation to the management of hospital-acquired infection <i>Y Meng, R Davies, K Hardy and P Hawkey</i>	45
5	An agent-based simulation approach for the new product diffusion of a novel biomass fuel <i>M Günther, C Stummer, LM Wakolbinger and M Wildpaner</i>	61
6	Agent-based modeling and simulation of urban evacuation: relative effectiveness of simultaneous and staged evacuation strategies <i>X Chen and FB Zhan</i>	78
7	Towards the development of a simulator for investigating the impact of people management practices on retail performance <i>PO Siebers, U Aickelin, H Celia and CW Clegg</i>	97
8	A multi-agent simulation of the pharmaceutical supply chain <i>G Jetly, CL Rossetti and R Handfield</i>	133
9	Workflow scheduling using multi-agent systems in a dynamically changing environment <i>M Merdan, T Moser, W Sunindyo, S Biffl and P Vrba</i>	155
10	Credit risk: an agent-based model of post-credit decision actions and credit losses in banks <i>S Jonsson</i>	185
11	The development of new infantry tactics during the early eighteenth century: a computer simulation approach to modern military history <i>X Rubio-Campillo, JM Cela and FXH Cardona</i>	208
12	A generic testing framework for agent-based simulation models <i>Ö Gürcan, O Dikenelli and C Bernon</i>	231

vi Contents

13	Successful approaches for teaching agent-based simulation <i>CM Macal and MJ North</i>	271
14	Discrete-event simulation is alive and kicking! S Brailsford	291
Inde	ex	307

# List of Figures and Tables

# Figures

2.1	The structure of a typical agent-based model, as in Sugarscape (Epstein and Axtell, 1996)	14
2.2	A typical agent	16
2.3	Topologies for agent relationships and social interaction	19
2.4	A Repast Simphony agent behaviour flowchart	26
4.1	Structure of the agent-based simulation model	49
4.2	Results from a single run of the simulation applying the base case parameters	55
5.1	Overview of simulation entities	64
5.2	Timing of mass communication	71
5.3	Targeting experts	71
5.4	Geographically targeted activities	72
5.5	Pricing strategies	73
6.1	Simulated road networks used in the simulation and the division of the four zones in the affected area: (a) grid road network, (b) ring road network, (c) real road network. (Note: ellipse—hypothetical affected area, solid lines—road networks, dashed lines in (c)—zone divisions)	83
6.2	Examples of traffic loading positions: (a) grid road network, (b) ring road network	86
6.3	Fritzsche car-following diagram (After Fritzsche, 1994)	88
6.4	Performance of the evacuation strategies on the grid road network	91
6.5	Performance of the evacuation strategies on the ring road network	92
6.6	Performance of the evacuation strategies on the real road network	93
7.1	Conceptual model of the retail department simulation model	107
7.2	Conceptual model of our customer agents	108
7.3	Customer (left) and staff (top right) agent logic implementation in AnyLogic™	109
7.4	Diagrams for experiment 1	119

7.5	Results from experiment 2—Customer leaving state split	125
7.6	Results from experiment 2—Customer satisfaction (considering history, in percentage of total customers)	126
7.7	Results from experiment 2—Customer satisfaction (per visit, in percentage of total visits)	126
8.1	Interaction in pharmaceutical supply chain (arrows represent bids for the new product)	139
8.2	The product life cycle curve for different types of drugs	140
8.3	Simplified schematic of simulation flow in the model	142
8.4	Different classes and their interaction	147
8.5	Products launched by top-30 pharma companies (a) Simulation output for the games with K-S test statistic < critical value; (b) Results derived from the FDA Orange Book 1982–2006	149
8.6	Survivors from top-30 pharma companies (a) Simulation output for the games with K-S test statistic < critical value; (b) Results derived from Compustat data for the large pharma companies 1982–2006	150
8.7	(a) Simulation output for the games with K-S test statistic < critical value; (b) Median industry ROA from CBO report	151
9.1	Overview system architecture (Merdan <i>et al</i> , 2008)	162
9.2	Rescheduling the agenda of a failed machine	166
9.3	Screenshot of SAW simulation (Merdan <i>et al</i> , 2008)	172
9.4	Results of experiments without machine/conveyor failures	173
9.5	Results of experiments with redundant conveyors failing and machines failing for a short period of time	173
9.6	Results of experiments with redundant conveyors failing and machines failing for a long period of time	174
9.7	Results of experiments with non-redundant conveyors failing and machines failing for a short period of time	175
9.8	Results of experiments with non-redundant conveyors failing and machines failing for a long period of time	176
9.9	Comparison of CR-T	176
10.1	The formal structure of the Bank Model	188
10.2	Responses to questions about information sources used in their last credit-granting decision	191
10.3	Responses to questions about the most useful information sources used in their last credit-granting decision	191

10.4	Distribution of initial PD values	195
10.5	Expected credit loss (percentage) when the bankers have the option to terminate the contract with all firms in which the PPD exceeds the PPD limit of 0.10 (Option 3)	199
10.6	Expected credit loss (percentage) when the bankers have the option to halve exposure to firms in which the PPD exceeds the PPD limit of 0.10 (Option 2)	200
10.7	Expected credit loss (percentage) when the banker take no actions of firms in which the PPD exceeds the PPD limit of 0.10 (Option 1)	200
10.8	Simulation results from all three post-credit decision action options; mean of expected credit losses as a percentage of the total borrowing at different limits for PPD limits	201
10.9	Credit losses (percentage) of the Bank and other banks in the Swedish market (1998–2010)	203
11.1	Single Fire system. The figure portrays the deployment of a theoretical battalion in three ranks, and the arrow points towards the enemy. The number on the right is the order of fire (in this case, every soldier fires at the same time)	210
11.2	Fire by Ranks, following the legend of Figure 11.1 The number is the order of fire, and in this case the last rank fires first, followed by the middle rank and then the rank closest to the enemy	211
11.3	Platoon Fire. As stated before, the number shows the order of execution. The ranks are divided into four groups, depicted in the figure by different patterns. In theory, all the soldiers in a group should fire at the same time. As we can see, most soldiers in the first rank are left in reserve as part of the fourth group	211
11.4	This diagram portrays the Catalan system, as defined in Ferrer's drilling manual. The ranks are divided into 16 sections, paired from the flanks of the formation to the centre	212
11.5	Result of executing the ABM for 200 time steps (100s). After three volleys, the northern battle line begins to panic, breaking the formation in the zone that received maximum stress (in this case the centre). The agent's colour shows its level of stress (the lower values are white; the higher ones red)	219
11.6	Formation efficiency in relation to soldier performance. The entire set of results is portrayed using three axes: the <i>X</i> axis defines the accuracy of the Red side $(1-25\%)$ ; the <i>Z</i> axis defines the cohesion rating $(10-100\%)$ and the <i>Y</i> axis the number of	
	victories of the Red side over the Blue side	222

### x List of Figures and Tables

- 11.7 Box plots of soldiers remaining at the end of the simulation in relation to Red accuracy. The *X* axis shows the accuracy of the Red side, while the *Y* axis is defined as the number of soldiers who were not wounded and did not panic by the end of the simulation (Blue side in the top figure, Red side in the bottom figure). Each set of parameters was executed 10 times, and the boxes depict the standard deviation for these runs. The Blue side's accuracy was 5%, and the cohesion rating was fixed at 50% for both sides
- 11.8 Box plots of remaining soldiers at the end of the simulation in relation to the Red cohesion rating. The *X* axis shows the cohesion of the Red side, while the *Y* axis is defined as the number of soldiers who did not panic and were not wounded by the end of the simulation (Blue side in the top figure, Red side in the bottom). Each set of parameters was executed 10 times, and the boxes depict the standard deviation for these runs. The Blue side cohesion rating was 50%, and the accuracy was fixed at 5% for both sides
- 12.1 An illustrative example for a test scenario. As represented in the figure, the basic ingredients for test scenarios are: the tester agent, fake agents, the basic elements of agent-based simulation models (agents, simulated environment and simulation environments) and the data they use/produce. The *Tester Agent* is able to collect information from all these elements. A test scenario is executed by a scenario executor that is not shown in this figure
  240

## 12.2 The architectural UML model for the generic testing framework 242

- 12.3 The UML class model for the repast implementation of the generic testing framework
- 12.4 The UML class model for the MASON implementation of the generic testing framework. For model instrumentation, the Observer design pattern (Larman, 2004) is used. In this sense, all observable (testable) elements are registered to TesterAgent by MasonScenarioBuilder
- 12.5 Tonic firing of a neuron. During tonic firing, a neuron's membrane potential continuously rises to the firing threshold and makes the neuron fire spontaneous spikes. The time interval between consecutive spikes are called inter-spike intervals (ISI)
- 12.6 An example peristimulus frequencygram (PSF diagram) for the soleus muscle single motor unit pathway. The frequency values before the stimulation (time 0) show the normal behaviour of the motor unit. However, there are significant changes after the stimulation

224

223

245

249

250

246

251

256

259

12.7	An illustrative diagram for the 'tonic firing of a motoneuron'
	micro-level testing scenario. In this scenario, there is a
	motoneuron (MN) that fires constantly by using the reference
	data R. MN is connected to a fake neuron (FN) through a
	synaptic link. During the test, the Tester agent both monitors
	the firing behaviours of MN and FN. Then using the monitored
	data, the Tester agent checks if the firing behaviour of MN is
	acceptable according to R

12.8 An illustrative diagram that shows the creation of a new synapse by a second level neighbour for helping an inactive neuron. Initially three neuron agents are considered: Neuron-1 (N1), Neuron-2 (N2) and Neuron-3 (N3). Although the synapse between Neuron-1 and Neuron-2 is strong enough to activate (fire) Neuron-2, the synapse between Neuron-2 and Neuron-3 is not strong enough to activate Neuron-3. In this sense, the expected behaviour of this sub-society is to create a synapse between Neuron-1 and Neuron-3

12.9 An illustrative diagram for the 'self-organization of reflex pathways' *macro-level* testing scenario. Initially there are four agents: an Afferent-Neuron agent (AN), a Motoneuron agent (MN), a Muscle agent (MU) and a WiringViewer agent (WV). The Motoneuron agent uses the reference experimental data (R) to calibrate its tonic firing behaviour. The WiringViewer uses the same data to compare the simulated behaviour of the system to the real system

12.10 PSF-CUSUM diagrams for both reference and simulated data. The PSF-CUSUM of reference data (on the top) is calculated by using the soleus muscle single motor unit PSF values given in Figure 12.6. The PSF-CUSUM of simulated data (in the bottom) is calculated by using the motoneuron agent's latest discharge 262

14.1	Emergence	293
14.2	Evolution of a Schelling grid and the emergence of segregation	293
14.3	Activity diagram showing a disease process as a DES queuing	200
	network	- 298

## Tables

3.1	Cellular automata classifications	36
4.1	Equations for calculating rate of colonization of the susceptible	
	patients	54

<b>F</b> 1		(7
5.1	Purchasing scenarios	6/
6.1	The evacuation sequence of the 25 strategies	85
7.1	Sample frequency distribution values	110
7.2	Sample probabilities	111
7.3	Definitions for each type of customer	113
7.4	Descriptive statistics for experiment 1 (all to 2 d.p.)	118
7.5	Definition of customer type configurations	120
7.6	Descriptive statistics for ANOVA variables (all to 2 d.p.)	123
8.1	Different stages of drug development (time and the probability of success)	140
8.2	Rules for individual players and for their interaction	143
8.3	Number of simulations conforming to industry data at 5%	
	significance level	148
9.1	Failure classes	169
9.2	Average number of finished products for five work scheduling strategies and two failure handling strategies	178
9.3	Average number of finished products for five work scheduling strategies and two failure handling strategies (with five different failure classes) using 30 pallets	179
9.4	Correlation analysis for number of pallets, class of conveyor failure (CF) and class of machine failure (MF) to system effectiveness	180
10.1	Local banker attributes	189
10.2	Firm attributes	193
10.3	Bank Model attributes	195
10.4	The Bank Model event schedule	196
10.5	Attributes of the credit class	196
10.6	Transfer of results for the question regarding available post-credit decision actions to Model action	197
10.7	Mean and standard deviation of expected credit losses at various PPD limits	202
11.1	Maximum range of a fired musket ball	216
11.2	Pseudocode of stress evaluation	217
11.3	Pseudocode of musket impacts	218
11.4	Percentage of victory for different tactics, shown as Red side	0
1	success	225

11.5	Outcome of simulated engagements between Fire by Rank and Platoon systems	226
13.1	Outline for a daylong introductory course on agent-based modeling	282
13.2	Outline for a weeklong introductory course on agent-based modeling	283
13.3	Outline for a quarter or semester introductory course on agent-based modeling	284
13.4	Outline for a quarter or semester advanced course on agent-based modeling	285