

This is the author-created version of the following work:

Sinclair, Jacob, Suwanwiwat, Hemmaphan, and Lee, Ickjai (2023) *A hybrid data gathering and agent based cognitive architecture for realistic crowd simulations.* *Journal of Simulation*, 17 (2) pp. 121-148.

Access to this file is available from:

<https://researchonline.jcu.edu.au/68870/>

© Operational Research Society 2021. Accepted Version: © 2021. This manuscript version is made available under the CC-BY-NC-ND 4.0 license
<http://creativecommons.org/licenses/by-nc-nd/4.0/> CC BY-NC-ND

Please refer to the original source for the final version of this work:

<https://doi.org/10.1080/17477778.2021.1954487>

A Hybrid Data Gathering and Agent Based Cognitive Architecture for Realistic Crowd Simulations

Jacob Sinclair, Hemmaphan Suwanwiwat and Ickjai Lee

Discipline of Information Technology,
College of Science & Engineering
James Cook University, PO Box 6811, QLD4870, Australia

ARTICLE HISTORY

Compiled August 2, 2021

ABSTRACT

This paper proposes a realistic agent based framework for crowd simulations that can encompass the input phase, the simulation process phase, and the output evaluation phase. In order to achieve this gathering, the three types of real world data (physical, mental and visual) need to be considered. However, existing research has not used all three data types to develop an agent based framework since current data gathering methods are unable to collect all the three types. Instead randomly or manually generated input data is run within the cognitive architecture, showing only its applicability in certain domain areas. Some past studies have been conducted by incorporating mental data (personality and emotion) into cognitive frameworks, however, it is only through the low level parameters. This paper introduces a new hybrid data gathering approach using a combination of virtual reality and questionnaires to gather all three data types. The data collected is incorporated into the simulation model to provide realism and flexibility. The performance of the framework is evaluated and benchmarked to prove the robustness and effectiveness of our framework. Various types of settings (self-set parameters and random parameters) are simulated to demonstrate that the framework can produce real world like simulation.

KEYWORDS

Agent based simulation; Data gathering; Virtual reality; Questionnaire ; Cognitive Architecture

1. Introduction

Agent based simulation is the development of artificial objects (such as agents) that can reveal realistic behaviour of the real world (Davidsson, 2002; Kim, Guy, Manocha, & Lin, 2012; Railsback, Lytinen, & Jackson, 2006). Agent based simulation has contributed to the development and understanding of real world behaviours through simulating individual and social actions, and the interaction between autonomous agents (Lin & Manocha, 2010; Teahan, 2010). Researchers are given many advantages by implementing agent based simulations. First, the ability to display numerous realistic behaviours by running a large group of heterogeneous agents that can each provide their own unique characteristics and decision making (Matthews, Gilbert, Roach, Polhill, & Gotts, 2007). Second, the implementation of psychological aspects (personality

and emotion) into agent based simulation becomes feasible. This provides researchers with a means to influencing the agent's decision making, parameters and movement. It also allows real world data to be modelled into agent based simulations and to produce real-life events. Last, agent based simulation provides a means to help improve real world situations (Shendarkar, Vasudevan, Lee, Son, & Son, 2006). For instance, we can simulate real world traffic scenarios that will allow us to improve traffic conditions in built up areas.

Typical agent based simulation is composed of three key phases: input, cognitive architecture model, and output, where the input phase generates an input data for a cognitive architecture model to process whilst the output phase involves output generation, evaluation and validation. Even though there have been many agent based simulation approaches proposed in the field (Luo et al., 2008; Pan, Han, Dauber, & Law, 2007; Shendarkar et al., 2006), they share some common drawbacks. First, traditional approaches focus on the implementation, improvement and variations of the cognitive simulation model whilst relatively neglecting the input phase and the output phase (Keßel, Klüpfel, Wahle, & Schreckenber, n.d.; Schultz, Lehmann, & Fricke, 2007). Typically, the input data is randomly or manually generated to run a cognitive architecture model to demonstrate its applicability in a certain domain area. Second, some studies attempted to include richer input data such as psychological data (personality and emotion) in order to improve the overall performance, but the incorporation of the generated input data into the cognitive architecture model is implemented through low level parameters. These loosely coupled approaches are case specific but not general enough to be used for various simulations. To the best of authors' knowledge, there has been no agent architecture model proposed to tightly couple the collected mental (personality and emotion) and physical (speed and distance) into the cognitive architecture model for general purpose simulations. Third, due to the random generation of input data, it is practically infeasible to quantitatively measure the performance of simulation output. Fourth, no overall framework encompassing the three key phases has been proposed to produce realistic simulations.

In order to overcome the common drawbacks of traditional approaches, we propose a realistic agent based simulation framework that collects realistic data in the input phase, build a flexible agent based simulation architecture model based on fuzzy logic, probability, priority queue, memory structures to systematically manage mental (personality and emotion) and physical (speed and distance) data. We utilise a combination of Virtual Reality (VR) and Questionnaire (VR-Q) to collect realistic mental and physical data in order to improve the input phase. Note that we also collect visual data in order to observe objective individual behaviours from the third person point of view. These three types of data (mental, physical and visual) are used in the validation phase to quantitatively benchmark the performance of our proposed model against a model with random data generations.

The main contributions of this paper are as follows:

- introduce a new data generation approach that collects real world data using a combination of VR and questionnaire in order to capture realistic mental (personality and emotion), physical (speed and distance) and visual data (such as turns made and information centres visited);
- propose a flexible agent based simulation model that systematically incorporates the collected mental and physical data;
- evaluate, validate and benchmark the performance of our proposed model in order to prove the robustness and effectiveness of our framework;

- propose an overall agent based simulation framework for realistic crowd simulations encompassing the input phase, the agent architecture model phase, and the output validation phase.

2. Preliminaries and Related Work

The fundamental design for developing an agent based framework consists of three key phases: input, agent architecture model, and output. The input phase represents where the data is collected by using a data gathering method. The agent architecture model phase can be developed using the data collected in the input phase, and can also be processed using a cognitive architecture framework. The output phase provides data that is processed from the agent architecture model phase. This phase also involves the process of evaluating, validating and benchmarking of the agent architecture model. This section reviews past studies covering the overall development of agent based simulation.

2.1. Data Gathering

The main objective of data gathering is to collect data that can be used in the development and validation of simulation models. Collecting data for agent based models is very important as it provides the ability to develop realistic models by using real world data. There are many different data gathering methods that collect real world and have been used by researchers. This section focuses on reviewing some of the major approaches and a comparison can be found in Table 1 which displays all current data gathering approaches in regards to five important features and three data types. These five features are very important when considering collecting data for agent based simulations (Guy, Kim, Lin, & Manocha, 2011; Kinateder et al., 2014). These important features include cost effectiveness, time efficiency, reproducibility, ecological validity and experimental control. The three data types (physical, mental, visual) each represent important data that need to be collected in order to develop and validate agent based simulations (Andrade & Fisher, 2005; Pelechano, O’Brien, Silverman, & Badler, 2005). Physical data is the perception of the body movement through the scenes rather than to the mind. Mental data (psychological aspects) focuses on the mind such as emotion and personality. Visual data is the perception of an individual from an outsider’s perspective.

Table 1. Comparison of data gathering approaches.

	Video	RW Scenario	User studies	Questionnaires	VR	VR-Q
Cost effectiveness	Low	Low	Low	High	Medium-High	Medium-High
Time efficiency	Low	Low	Low	Medium-High	Medium-High	Medium-High
Reproducibility	Low	Low	Medium	High	High	High
Ecological validity	High	High	Medium	Low	Medium-High	Medium-High
Experimental control	Low	Low	Medium	High	High	High
Visual data	High	High	High	Low	High	High
Mental data	Low	Low	Low	High	Low	High
Physical data	High	High	Medium	Low	High	High

The video recording method provides researchers with a visual copy of real world events or situations that have already occurred. This method provides ecological validity due to being visual copies of real life events, which can help compare and validate agent based models. However, this method can only provide real world data and be-

haviours in the form of physical and visual data. For instance, Sakellariou et al. (2014) collected data using video recordings of pilgrim performing the ritual of Sa'yee. The data provided the researcher with visual data of characteristic behaviours of crowd and physical data in the form of real world parameters. Mental data cannot be gathered due to no interaction with the people within the videos.

Real world scenarios are locations and events that have happened in the real world that are used for research. Researchers model their simulation scenarios based on these events to prove that their project can simulate similar results. For instance, Shao & Terzopoulos (2006) demonstrated realistic human activity by having virtual agents walk around the reconstructed virtual original Pennsylvania train station. Real world scenarios have a low cost effectiveness and time efficiency as they can take a long time to run. Physical and visual data can be collected using this method, however most researchers focus on using this method as a means to modelling their scenarios.

Questionnaires are a research tool that contains a series of questions collecting data from participants. This method allows the researcher to have full control over it as they develop the questions and can limit the possible responses. Jia & Yun (2014) implemented a multiple choice questionnaire to test staff decision making under stress during a plant fire emergency. The data collected was then used to develop an agent's risk assessment, stress ability and decision making ability. Questionnaires cannot collect visual and physical data as participants are not asked to do anything except answer questions. This method is better at collecting mental data as it allows researchers to directly ask participants about their personality and emotions.

VR is a virtual world in which real people are able to move and interact. This data gathering method allows researchers to collect a person's movement, actions, behaviours, decisions and responses (Dickinson et al., 2019). Olivier, Bruneau, Cirio, & Pettré (2014) used VR to examine the behavioural training in VR and the training declarative knowledge about adequate behaviour. They also used VR in the evaluation framework to compare the trajectories performed within a virtual environment to referenced trajectories obtained for either motion capture or generated using a virtual models. VR cost effectiveness can vary depending on the equipment used. For example, virtual simulations can be run using a mobile phone and VR headset or by purchasing an entire VR system such as Oculus Rift (<https://www.oculus.com/>). VR provides researchers with the ability to gather the visual data through the participants and their own point of view. Physical data can be collected by recording their position using the VR device as a GPS tracker. Even though mental data cannot be collected using the VR method, it can be gathered by combining VR with other methods.

2.2. Cognitive Architecture

Cognitive Architectures (CA) are frameworks that have been designed to represent the process of the human mind. A cognitive architecture contains multiple components designed to work together to display realistic behaviours. These components can include a storage of information (such as memory) and the process of attaining and providing knowledge (Chong, Tan, & Ng, 2007). CA has been integrated into many different fields of research such as neurobiology, cognitive psychology, artificial intelligence and crowd simulations (Chong et al., 2007). There are many different types of cognitive architectures each with their own unique structure, strengths and weaknesses. The six most common cognitive architectures developed to date are Belief-Desire-Intention (BDI) (Rao & George, 1995), State Operator And Result (SOAR) (Laird, 2012), Adap-

tive Control of Thought-Rational (ACT-R) ("Weber, "2012"), Connectionist Learning with Adaptive Rule Induction ON line (CLARION) (Sun, 2006), ICARUS (Langley & Choi, 2006) and Subsumption (Brooks, 1986).

BDI architecture is one of the most used framework in creating intelligent autonomous agents in agent based simulations. The belief state runs how an agent perceives its surrounding environment through information including itself and other agents. The belief state updates itself based on the information gathered by the perception of the environment and the implementation of the intention state (Chong et al., 2007). The desire state represents the goals or objectives that a BDI agent aims to achieve. A BDI agent completes its desired goal by successfully performing the required action or description of the goal. The intention state are the actions that a BDI agent is obligated to perform in order to achieve its desires (Chong et al., 2007). The BDI framework provides agent based simulations with the ability to perceive agents decision making process in a more human-like manner (Trivedi & Rao, 2018). The BDI framework has been enhanced within agent based simulations by incorporating psychological aspects like personality and emotions into the BDI framework (Trivedi & Rao, 2018; Zoumpoulaki, Avradinis, & Vosinakis, 2010). Zoumpoulaki et al. (2010) implemented an emotional state into the agent's beliefs allowing them to affect the agents decision making process. They also implemented a personality module and emotion module that also affects the agent's decision making process within the BDI framework. Other studies have implemented the personality and emotions into their research in their own way. Vasudevan & Son (2011) implemented an emotion module into the BDI framework which affects the agent's beliefs and desires based on time pressure and the agent's confidence. However, these methods only allow the personality and emotions to either affect the framework in a single module or affect certain modules under a single circumstance. This can be considered unrealistic as psychological aspects affect characteristics that influence and produce behaviours, actions and decisions by evolving by biological and environmental factors.

SOAR is one of the first ever cognitive architectures designed for artificial intelligence. SOAR was designed to handle many difference routines from simple to complicated through the concept of learning from experience (Chong et al., 2007). It provides an agent based simulation with agents that can analyse and adapt to a continuously changing environment. This is completed through a unique decision making process that can solve problems by learning different aspects of an agent's task and adapting in order to complete them. Lhommet, Lourdeaux, & Barthès (2011) implements SOAR into the agents decision making process in order to simulate a crisis, which provides emerging crowd behaviours from the individual agent behaviours based on emotional contagion. Lhommet et al. (2011) enhances their SOAR architecture by adding an appraisal module which is designed to deal with the events of appraisal, social relationships and emotional contagion of the agents.

ACT-R uses empirical data that has been gathered from experiments in cognitive psychology and brain imaging to design and model human cognition (Chong et al., 2007). With a thorough understanding of human cognition, ACT-R provides researchers with a step by step simulation of human behaviours. ACT-R framework has been used in the prediction of activation patterned within the brain with the aid of functional Magnetic Resonance Imaging (fMRI) (Chong et al., 2007). Even though the ACT-R architecture has not been used in agent based simulations, it has provided inspiration to researcher's agent-based design by adapting some of its concepts. Münchow, Enekidze, Sarstedt, & Thiel-Clemen (2014) developed a WALK agent architecture based on the inspiration of the ACT-R architecture. The WALK

agent architecture incorporates a declarative memory for long term knowledge from the ACT-R architecture (Chong et al., 2007; Münchow et al., 2014).

CLARION focuses on analysing and learning by incorporating implicit and explicit memories. CLARION has been integrated for simulating jobs in cognitive psychology, social psychology and artificial intelligence applications. However CLARION has not been implemented into agent based simulations even though it can provide assistance into simulation psychological tendencies in artificial intelligence.

ICARUS was designed for physical and embodied agents. ICARUS achieves this by integrating perception and actions with cognition (Langley & Choi, 2006). ICARUS can also provide the ability to combine reactive execution with problem-solving, symbolic structures with numeric utilities, provides learning structures, and utilities in a cumulative method (Chong et al., 2007). This cognitive architecture has not yet been implemented into agent based simulations and this could be due to ICARUS being a large complex architecture.

Subsumption was designed to be used in behaviour based robotics, and has been seen as a new approach to artificial intelligence. Subsumption uses an incremental and bottom-up approach to achieve its goals and solve problems of extensibility (Chong et al., 2007). This approach has not been implemented into agent based simulations. This could be due to being designed for behaviour based robotics and not virtual agents.

Many different types of cognitive architectures have been developed over the last few years. But most have been developed for other purposes rather than agent based simulations. For this proposed study, an enhanced version of the BDI architecture will be implemented into the agents since it is the most widely used and popular cognitive architecture. In addition, the BDI Architecture was chosen due to its ability to analyse and plan in real time situations, allow agents to react to changes, and communicate within an environment at the same time as trying to achieve its goal. Although the BDI architecture does provide these capabilities, there are still some areas that can be implemented to improve the realism of the agents such as tight coupling and high level implementation.

2.3. Overall Agent Based Simulation Framework

Although there have been some approaches for data gathering and cognitive architecture models, current existing frameworks have either ignored the input phase or have used limited real word data or non-real world data. For example, Zoumpoulaki et al. (2010) developed a multi-agent simulation framework using BDI enhanced with personality and emotion implemented into low level parameters. However, this study fail to include a realistic data collection phase thus also fail to quantitatively evaluate and validate the proposed system.

Other studies have also implemented realistic agent based frameworks it different ways. One of the widely implemented models of realistic agent based simulation has been the focus of implementing psychological aspects into agent based frameworks (Guy et al., 2011). However, most studies have focused on implementing psychological aspects into low level areas of agent based models (Guy et al., 2011). Studies have incorporated psychological aspects into the high level area of agent based frameworks; however this is normally within a single area (Vasudevan & Son, 2011). By implementing psychological aspects to influence only a single module or area of the framework, we are limiting its influence over the framework and an unrealistic representation of the real world. Also majority of these studies have either not gathered

any psychological data from real world to represent real individual's behaviour or have just randomly generated the psychological data to implement into the framework.

There have also been realistic studies that have been conducted by combining neural networks and a data-driven approach towards agent-based simulations (Ma, Lee, & Yuen, 2016; Song, Han, Sun, & Zhang, 2018). For instance, Ma et al. (2016) proposed simulating pedestrians movement behaviours based on artificial neural network training. Data was gathered through video recordings and microscopic pedestrian movement behavior types were collected and placed into an artificial neural network. The data was used to train the neural network which would then be able to predict pedestrian movement within a simulated environment. Another example of this approach is (Song et al., 2018) which proposes a multi-scenario adaptive neural network that can model pedestrian behavior. A four layer network was implemented that could learn from multiple scenario data by normalization of the relative positions of the pedestrians. The data gathered for this to be achieved was gathered from recordings real world experiments. However these two studies focus only on gathering behavioural data and validating the real world applications of their research from a navigational level. They ignore the decision making factor that influences the reasoning behind and drives the navigation. These approaches also ignore the psychological factors that cause these participants to act the way that they do.

Some realistic studies have been conducted within agent-based simulations to improve the real world by using other forms of decision making methods in place of cognitive architectures (Castilla-Rodríguez, Arnay, Rodríguez, & Rodríguez, 2020; Collins & Frydenlund, 2018; Hesham & Wainer, 2021). For instance, Collins & Frydenlund (2018), investigate strategic group formation by implementing cooperative game theory into group decision making in agent-based models. Their focus was to improve the decision making of individuals within groups using game theory, as current methods ignore group dynamics and focus solely on individuality. They implement their approach into a simulation in which agents compete against their neighbours for resources. The agent-based simulation showed their approach could produce a real-world mob scenario due to the agents forming large groups. Their method also revealed the benefit of implementing hybrid systems in which a combination of modelling and simulation approaches with methods/techniques from other fields of research can help develop real-world scenarios. However, this study does not provide any real-world data prior to the implementation of the simulation for comparison or validation which presents this research as only real world in theory. Another example of this approach is Hesham & Wainer (2021) implementation of an advanced agent-based model using Centroidal particle dynamics (CPD) which provide short-range collision-avoidance models for pedestrians in dense crowds. The focus of their research was to prove their method could reproduce multiple key emergent dense crowd phenomena on a microscopic level. To prove this, the agent-based model was implemented with a hierarchy system of three inter-operating levels: a cognitive model (decision-making), a global pathfinding model, and the local dynamics model. The method was conducted using multiple real world traffic based scenarios such as vehicles driving through high density crowds under normal and emergency situations. Even though this study has shown they have considered real world scenarios by comparing their research to dense pedestrian activity at the Shibuya crossing in Tokyo, Japan, there is no detail of the cognitive model used. The cognitive model has not been provided to understand what type of decisions are being considered and how they can be considered realistic. Lastly, Castilla-Rodríguez et al. (2020) presented the combined implementation of two different models and simulation levels to analyse the impact of incorporating a new

technology within a real environment. The focus of their research was to study how a fleet of automated wheelchairs would affect the performance of a hospital for future improvements to productivity. The two different simulation levels used in this study were low and high-level simulations. The low-level simulation dealt with performance details (such as speed, sensors and trajectory) of the automated wheelchairs while the high-level focused on the consequences in the form of resource usage and quality of services for a hospital. The simulation was implemented within a real-world hospital scenario which showed automated wheelchairs have the potential to be faster than manually being moved by a person. However, the automated wheelchairs decision making is shown to be slower than a human being when dealing with unexpected obstacles. The study not only considers realistic scenarios, it also is considering implementation within the real world to improve hospitals. However, this is not consider 100% agent based modelling as there is no unique difference within the decision making made by the AI robots showing no individuality.

3. Realistic Cognitive Architecture Framework

Our proposed agent framework is a modified and refined version of BDI (Luo, Zhou, Cai, Low, & Lees, 2009), and it is depicted in Fig. 1. Details of each component are explained in subsequent subsections. The framework has four main parts: 1) main cognitive module composed of sensor system, attention filter, situation assessment, short term memory, action selection and action execution; 2) psychological aspects module including personality traits and emotional state; 3) knowledge/learning module dealing with experience system and learning strategies; and 4) storage module managing current strategy, long term memory and relevant experience. Details of each module is explained in subsequent subsections.

3.1. Sensor System

The framework starts with determining whether information from the world will affect or influence the agent. In order to achieve this, a Sensor System and an Attention Filter are implemented. The Sensor System gathers information from the virtual world by simulating real human sensors (for example sight, hearing, touch and memory), please see Fig. 2 for details. The Sensor System is represented using three different types of sensors. The first sensor is a visual sensor that allows the agent to see their surroundings within the environment. The second sensor is an audio sensor which allows the agent to hear sounds from nearby agents and the environment. The third sensor is a touch sensor which is only active if the agent collides with an object within the environment or with another agent. Each sensor has its own range and angle providing the agent with a sense of realism to their perception and hearing. These three sensors provide data from the environment (such as fellow agents, objects and sound) are collected and sent to the attention filter for processing. The information collected from the sensors is then filtered through the Attention Filter.

3.2. Attention Filter

Attention Filter is tasked with gathering all the data sent from the Sensor System and determines whether the agent does or does not notice it. The Attention Filter provides




Figure 1. Proposed cognitive architecture framework for agent based simulations.




Figure 2. An overall structure of Sensor System module.

a realistic approach to how real people tend to ignore or not process everything they see or hear (Broadbent, 1958; TREISMAN, 1964). The Attention Filter was developed based on visual (sensor data) and mental data (personality and emotions). The sensor data sent is filtered by cycling through each piece of data and calculating a probability factor. The probability of not being filtered out is determined based on the agent’s current goals, personality and emotional state. Figure 3 describes details of Attention Filter.

The probability is calculated in three modules. The first module determines the starting probability value by using the agent’s conscientiousness value. The conscientiousness value is one of the five personalities from the OCEAN personality model (Barrick & Mount, 1991). The conscientiousness can represent a person’s ability to pay attention to details. The second module determines whether the data probability value increases or decreases based on its importance to the agent. For example, if the agent’s sensor detects a fire the importance would be high while a piece of dirt on the floor would be given a low level of importance. This module primarily focuses on whether the data is related to agent’s goals, but is also able to be used to determine if it is important to their lives. The third module increases or decreases the probability value using the agent’s current emotional state. If any of the agent’s emotions is over




Figure 3. An overall flow of Attention Filter module.

their threshold the probability is altered based on whether it is a positive or negative emotion. Once all modules are completed a value is randomly generated and if the value is within the probability value range, the Attention Filter allows the data to pass through to the Situation Assessment module. If the value is not within range the data, then it is stopped and forgotten.

3.3. Situation Assessment

Situation Assessment focuses on determining what behaviour should be performed based on the each piece of data sent from the Attention Filter module (see Fig. 4). In order to accomplish this, we implement a Multilayered Fuzzy Logic System (MFS)




Figure 4. An overall flow of Situation Assessment module.

to provide the decision making process. A MFS is a system that runs multiple fuzzy systems one after another until it selects the best suited behaviour. Each fuzzy system contains its own set of fuzzy rules and parameters to make its decisions.

We run four fuzzy systems: Goal Orientated, Movement Based, Audio Based, and Object Based. First, Goal Orientated Fuzzy System (GOFS) focusing on behaviours related to the agent’s goal. The GOFS functions within the experiment by providing the agent with the ability to focus on and search for their goals. These behaviours are: Seek, Explore, and Ignore (will be further explained below in behaviour description). GOFS uses fuzzy rules to determine if the data sent is related to the agent’s goal and what behaviour is the best suited (see Equation 1). The data’s relation to the agent’s

goal is described using three fuzzy sets: High, Medium and Low (Bede, 2012). For a given set X of goal oriented behaviours and *data* denoted by d , the agent's behaviour is decided as:

$$GOFs\ Behaviour = \max(x_i, d), \forall x_i \in X, \quad (1)$$

where $\max(.,.)$ returns the maximum relatedness between the two.

Second, Movement Based Fuzzy System (MBFS), focuses on behaviours related to how an agent reacts to its current speed. The MBFS functions within the experiment by providing the agent with the ability to react to the current situation of the crowd and movements in front of them such as congestion agents based on their personality. These movement based behaviours are: Impatience, Wait and Ignore (will be further explained below in behaviour description). MBFS uses fuzzy rules to determine the behaviour the agent feels based on the movement speed and the agent's personality traits conscientiousness, extroversion and agreeableness. The movement speed is described using three fuzzy rules: Fast, Normal and Slow. The three personality traits of the agent are described using three fuzzy rules: High, Medium and Low. For a given set Y of movement based behaviours and *data* denoted by d , the agent's movement behaviour is decided as:

$$MBFS\ Behaviour = \max[\mu_{y_i}(d), \mu_{c_i}(C), \mu_{e_i}(E), \mu_{a_i}(A)], \quad (2)$$

$$\forall y_i \in Y, \forall c_i \in C, \forall e_i \in E, \forall a_i \in A,$$

where $\max[.,.]$ returns the maximum relatedness between two, μ_{y_i} is a function of $y_i \in Y$ that checks the equality of y_i , C is for conscientiousness, E is for extroversion whilst A is for agreeableness.

Third, Audio Based Fuzzy System (ABFS) focuses on behaviours related to data that has come from the Attention Filter that has audio. The ABFS functions within the experiment by providing the agent with the ability to react to sound from within its surrounding area based on their personality. These behaviours are: Panic, Communicate and Ignore. ABFS fuzzy rules are the behaviours of the agent based on the audio type and the agent's personality traits conscientiousness, extroversion and neuroticism. The audio type is described as using four fuzzy rules: Null, Talking, Scream and Others. The three personality traits of the agent are described using three fuzzy rules: High, Medium and Low. For a given set Y of audio based behaviours and *data* denoted by d , the agent's movement behaviour is decided as:

$$ABFS\ Behaviour = \max[\mu_{y_i}(d), \mu_{c_i}(C), \mu_{n_i}(N)], \quad (3)$$

$$\forall y_i \in Y, \forall c_i \in C, \forall n_i \in N,$$

where $\max[.,.]$ returns the maximum relatedness between two, μ_{y_i} is a function $y_i \in Y$ that checks the equality of y_i , C is for conscientiousness; and N is for Neuroticism.

Last, Object Based Fuzzy System (OBFS) is the last fuzzy system and focuses on the data on what type of object it is and what behaviour is suited to it. The OBFS functions within the experiment by providing the agent with the ability to focus on and react to other visual objects that are not goal related. OBFS behaviours are: Seek, Explore, and Ignore. OBFS fuzzy rules are the behaviours related to what type of object the data is, agent personality trait extroversion and the object's relation to the

agent’s goal. The type of object is described as four fuzzy rules: Null, Agent, Booth, and Audio. The agent personality is described using three fuzzy rules: High, Medium and Low. The object’s relation to the goal is described using three fuzzy rules: High, Medium and Low. For a given set Y of object based behaviours and $data$ denoted by d , the agent’s object behaviour is described as:

$$OBFS\ Behaviour = \max[\mu_{y_i}(d), \mu_{e_i}(E), \mu_{g_i}(G)], \quad (4)$$

$$\forall y_i \in Y, \forall e_i \in E, \forall g_i \in G,$$

where $\max[.,.]$ returns the maximum relatedness between two, μ_{y_i} is a function $y_i \in Y$ that checks the equality of y_i , E is for extraversion, whilst G is for the object Goal Relatedness.

Once all data is cycled through the Situation Assessment module, the behaviours selected and data related to each of the behaviours are transmitted to the Short Term Memory module. The Situation Assessment was developed using all three data types. Physical data were represented by the speed in which the agent was moving, mental data is represented using personality and emotions, and visual was represented by the data sent from the Attention Filter. The agent’s behaviours were selected based on visual data collected in the data gathering phase.

There are a total of seven behaviours used amongst the MFS and they are: Seek, Explore, Wait, Impatience, Panic, Communicate, and Ignore. They are explained as below:

- Seek: is the focus on finding the sensor data or goal;
- Explore: is the ability to look around the environment freely without any obligation;
- Wait: when the agent is unable to move fast enough around the environment due to congestion or other reasons they will choose to patiently wait;
- Impatience: if the agent is not moving fast enough due to congestion or other reasons they will choose to push through the congestion;
- Panic: depending on the situation the agent will panic based on the situation and the agent personality;
- Communicate: depending on the situation the agent will decide to talk to another agent to gather information or to share information;
- Ignore: forget the data sent from the Attention Filter.

Once all data is cycled through the Situation Assessment module, the behaviours selected and data related to each of the behaviours is sent to the Short Term Memory module. The situation assessment was developed using all three data types. Physical data was represented by the speed in which the agent was moving, mental data is represent using personality and emotions, and visual was represent by the data sent from the Attention Filter. The agent’s behaviours were selected based on visual data collected in the data gathering phase.

3.4. Short Term Memory

The Short Term Memory module is tasked with storing and organising all data sent from Situation Assessment, based on priority (see Fig. 5). This module represents short term memory as the data is only stored here for a limited time. Short term memory is the ability to hold a limited amount of information within the mind for a short period




Figure 5. An overall flow of Short Term Memory module.

of time. Short Term Memory is designed to store the visual data (Attention Filter data) and be influenced by the mental data (personality). Once the MFS has selected an appropriate behaviour, it is sent along with the data from the Attention Filter to the Short Term Memory. All the data sent is added to a priority list representing Short Term Memory. We focus on two key aspects of STM: they are limited capacity and limited time. According to Atkinson & Shiffrin (1971), people have the capacity to store up to seven items at a time on average. We represent this by giving the priority list a limited size which is calculated using two OCEAN personality factors from the agent: openness and conscientiousness (see Equation 5). If the priority list reaches to the full capacity, the first behaviour and sensor data in the list are removed making the room for more recent data.

$$Priority\ Capacity = 7 * ((O + C)/14), \quad (5)$$

where O stands for openness whilst C stands for conscientiousness.

According to Atkinson & Shiffrin (1971), STM is very fragile and can only last for a certain amount of time. They claim that the maximum time that information can be retained is between 15-30 seconds. Based on this, each piece of data in the priority list is given a time limit of 30 seconds. Once the time limit is up, the data is forgotten. However, Atkinson & Shiffrin (1971) also state the information can be retained over the 30 seconds mark within the STM if the information is repeated. This has also been implemented by resetting the timer back to 30 seconds every time the exact same data is sent from the Situation Assessment module to the Short Term Memory within the allocated time frame. In order to determine what data from the priority list should be past to the next section of the framework, a priority value of 1 is given to each line of data. The priority value can be increased in two ways: first if the data sent from the Situation Assessment is identical to the data currently within the priority list, the data priority value is increased by a value 1. A value of 0.5 is also given if the behaviour data sent by the sensor data is the same. The second way a priority value can increase is by being related to an agent’s goal. If any data within the priority list is similar to the agent’s goal, the data’s priority value is doubled. This is completed to ensure that the agent prioritises its goal over everything else, however this will not always happen. For instance, if data related to the agent’s goal has a value of 4 and

is then doubled to 8 it can still be overwritten by data not related to the agent’s goal that has a value higher than 8. Last, the Short Term Memory organises the priority list based on the priority values and sends the data with the highest priority value to the current strategy to be set as the main priority for the agent. The system then moves on to the next phase of the framework the Action Selection module.

3.5. Action Selection

The Action Selection module provides the agent with the ability to select the best action based on the behaviour and data sent from the Short Term Memory module (see Fig. 6). The Action Selection is influenced by visual data (behaviour) and mental




Figure 6. An overall flow of Action Selection module.

data (personality and emotion), while it also outputs physical data (action). The Action Selection starts by collecting the main priority data from current strategy, and then it checks to see if the agent already knows an action related to the data. This is implemented by using the data to search the Relevant Experience module. If an action is found, it is added to a list of possible actions it can use. The Action Selection then decides whether to learn a new action or use the action the agent already knows. This is decided by two factors: first is to check if the agent has no actions related to the data, and the second is based on the agent’s OCEAN personality factor, openness. The agent’s openness personality value is used as a probability value. A random value is generated and if the random value is within the probability range than the agent wants to learn a new action. Otherwise the agent will use the current action it has.

If the agent decides to learn a new action, it sends a request to the Experience System. The Action Selection will then receive a new action and check to see if it already exists in relevant experience. If the agent doesn’t know the new action then it is added to relevant experience and the main priority in current strategy. If the agent already knows the action, the action is only added to current strategy. If the agent decides not to learn a new action and rather to use actions it already knows, then it

is calculated using probability. Each action related to the data is given a probability value of 0. The action probability value is calculated based on the agent's experience with the action, the agent's personality, and emotional state. The agent's experience in an action increases the probability of being selected. While agent's personality can increase or decrease the probability, each action has its own personality requirements and is compared to the agent's personality to calculate a differential which is then used in the action probability. Just like Attention Filter the action's probability of success is influenced by the agent's current emotional state. If any of the agent's emotions is over their threshold, the action probability is either increased or decreased based on whether it is a positive or negative emotion. A random value is then generated and the action with the closest probability value is selected to be performed. The action is then added to the main priority in the Current Strategies module. The framework then moves on to the next module the Action Execution module.

3.6. Action Execution

The Action Execution module is responsible for accessing the agent's lower level processes (such as navigation and movement), and performing the selected action. This section also determines whether the action performed is successful by using probability. The probability factor is determined based on the agent's personality and current experience (from the Relevant Experience module) with the action. It also performs the selected action, and experience is given to the agent based on the action successfulness. The action execution focuses on influencing through agent's physical data (actions) and mental data (personality and emotion). There are six actions that the agent can perform as below:

- Wander: the agent moves around the environment going to random locations;
- Go to Target: the agent goes directly to a targeted location in current strategy;
- Seek Information: the agent will go to places where information can be gathered about the environment (such as maps and information centres);
- Wait: if the area the agent is in is congested and cannot move, the agent will stop and wait for a certain period of time before moving on;
- Push Through: if the area is highly congested, the agent will attempt to push through the crowd to get to its destination;
- Run Away: the agent will flee the area for safety.

Depending on the action being performed, the agent's personality can influence the success or how long the action is performed. For example, the amount of time an agent will stop and wait is determined based on the agent's agreeableness personality value. Agreeableness represents how kind and patient the agent will wait. Also depending on the action the agent's experience in that particular action can also determine their success in performing it. For example, the action Seek Information requires the agent to look at a map and find its goal, however if its experience is too low then it might not see its goal on the map. Some actions such as Wander are only successful if the agent's goal is found while it is wandering around. While some are always successful as it does not require experience (for example the action Wait). Once an action is completed, the action is given an increase to its experience based on whether it is successful or not. The agent's success with the action is also sent to the Emotional State to influence the agent's emotions. Once this is all completed, Action Execution sends a request to the agent's current strategy to move the main priority data and action to the agent's long term memory. This then allows the Short Term Memory to select a new main

priority to be sent to current strategy.

3.7. Storage

The Storage module consists of three parts: Relevant Experience, Current Strategy and Long Term Memory. Each part is explained as follows:

3.7.1. Relevant Experience

Relevant Experience stores all the actions that the agent has learnt and the amount of experience it has in performing them. Each action contains additional information that can be accessed by other modules in the framework when requested. The additional data are behaviours and personality traits that are related to each action, the agent's total experience in performing the particular action and the number of attempts and successes. Relevant Experience can also check to see if an action exists by either looking for an action with a similar name or by behaviour. Actions and information related to the action can be sent to Action Selection and Action Execution when requested. Lastly, values such as actions, experience, and successful attempts can be increased when results from Action Execution are received. Relevant Experience was influenced and designed using physical data (actions and experience), mental data (personality) and visual data (behaviours).

3.7.2. Current Strategy

Current Strategy is where all the current information that the agent is focused on is stored such as the agent's current behaviour, action, and sensor data. Current Strategy also stores and changes the agent's goals based on the current situation. Current Strategy was designed based on physical (action) and visual data (behaviours). The main purpose of Current Strategy is to receive agent's main priorities such as behaviour, action, and sensor data and store it. Current Strategy also sends this data when another module of the framework requests it. Lastly, this module stores the agent's goals and has the ability to send, remove, and update them when needed.

3.7.3. Long Term Memory

Long Term Memory (LTM) is where information and knowledge is held indefinitely. LTM is a large storage device that contains all the data from Current Strategy (behaviour, sensor, and action data) that has been completed. LTM is influenced by mental data (personality) and was designed to store physical (action) and visual data (sensor data and behaviours). LTM can be accessed by other areas of the framework however based on studies by Bahrick, Bahrick, & Wittlinger (1975), LTM can only be accessed 60% of the time.

3.8. Knowledge/Learning

This stage consists of Experience Systems and Learning Strategies modules.

3.8.1. Experience System

Experience System is the mediator between Action Selection and the external section of the framework Learning Strategies. This module is built based on all three data types; physical (actions), mental (personality), and visual (behaviours). The purpose of Experience System is to find the best new action from all data related to send to Action Selection. This is achieved by first receiving a request for a new action from Action Selection containing information such as current agent behaviour and sensor data. Experience System will then send all relevant information to Learning Strategies asking for all actions best suited for this situation.

The system then waits to see if more information is needed in the form of the agent's personality. Once Learning Strategies has sent the best possible actions back to Experience System, it is forwarded on to Action Selection for final decision making. If actions are sent back from Learning Strategies, then Experience System uses a probability based value to determine the best action. The probability starting value is calculated using the actions best suited personality and the agent's personality. A random value is then generated and the action with the closest probability is selected. By implementing a random probability system to learn new actions, we are giving the agent a chance to relearn actions they already know but do not use often or are not skilled at. If no actions are sent back from Learning Strategies, a null value is sent to Action Selection indicating that there is no new action available.

3.8.2. Learning Strategies

Learning Strategy stores all the possible actions that can be learnt by the agent, and the requirements related to those actions within the scenario. This section is an external section that cannot access information about the agent. It can only request or receive information from the agent through Experience System. Being that this module is built as an external system, it is not influenced by any data type. However, this module was implemented using the three data types: physical (actions), mental (personality), and visual (behaviours). This section works when a request for a list of actions is sent from Experience System. Learning Strategies is a system that contains a list of all possible actions that can be performed within a simulation. The Learning Strategies module scans through all actions and the data related to them, and finds all the best actions. Each action selected is stored in a separate list to be sent to Experience System. Actions have three parameters that are used to find the best actions: behaviour, sensor data and personality traits. These parameters are compared to the information sent from Experience System, and allow Learning Strategies to narrow down the best suited action.

3.9. Psychological Aspects

Psychological Aspects manages two sub-modules: Personal Trait and Emotion State.

3.9.1. Personal Trait

Personality Trait generates the agent's personality traits using the OCEAN model: Openness, Conscientiousness, Extroversion, Agreeableness, and Neuroticism. This module is designed to influence the low level and high level of the framework using the mental data collected. Each personality trait can be set manually or randomly generated between the range of 1.0 (representing a weak trait) and 7.0 (representing a strong

trait). Personality traits can also receive requests for a single trait or all traits, and send them to the requested destination. Personality Trait influences multiple sections of the framework such as Attention Filter, Situation Assessment, Short Term Memory, Action Selection, Action Execution, Experience System, and Emotional State.

3.9.2. Emotional State

Emotional State generates the agent’s emotions using the OCC model (Ortony, Clore and Collins) (Steunebrink, Dastani, & Meyer, 2009). The Emotional State module can send and receive information from Attention Filter, Action Selection, Action Execution, Relevant Experience, LTM, and Current Strategy. This is either to influence a section based on the agent’s current emotional values, or to increase the agent’s emotional values intensity based on a situation or outcome. Emotional State also maintains the agent’s emotional threshold, which can put more influence on decisions in other sections. Lastly, Emotional State maintains all 22 emotions from the OCC model by using an emotional decay to decrease the emotion’s intensity after an allotted time.

We increase the agent’s emotional state by combing the OCC model process with fuzzy logic. The OCC model is a popular method that provides a hierarchy that classifies 22 different emotion types (Admiration, Anger, Disappoint, Distress, Fear, Fears Confirmed, Gloating, Gratification, Gratitude, Happy For, Hate, Hope, Joy, Love, Pity, Pride, Relief, Remorse, Reproach, Resentment, Satisfaction, Shame) (Steunebrink et al., 2009). The OCC model hierarchy contains three branches: they are consequences of events (for instance Joy, Pity etc.), actions of agents (Pride, Reproach etc.), and aspects of objects (Love, Hate etc.). When the emotional state receives information, it is processed through all three OCC branches.

The information sent first goes through the branch, consequences of events. Consequences of events evaluate goal based emotions by whether the information is desirable or not. Consequences of events break down into 3 branches: well-being, prospect based, and fortune of others. The well-being branch determines how much the information sent influences the agent’s emotion, Joy or Distress. Using the table in (Steunebrink et al., 2009), we compute this using three fuzzy logic systems: desirability, expectation, and appraisal of well-being. Desirability fuzzy logic uses fuzzy rules to determine if the information sent is related to the agent’s goal, and whether it is *Desirable* or *Undesirable*. Expectation fuzzy logic determines whether the agent is *Pleased* or *Displeased* with the information related to their goals and the agent’s Neuroticism personality. Lastly, once the desirability and agent expectations of the information are determined, we then perform an appraisal of the agent’s well-being emotions (see Table 2).

Based on our results from the real world and VR tests, it is found that our positive emotions seem to be increasing at a higher rate than the negative emotions. Also past studies into implementing the OCC model show that emotions are calculated differently (El-Nasr, Yen, & Ioerger, 2000). We multiply the desirability by the agent’s expectations to determine the increase in intensity for the selected emotion.

The prospect based branch evaluates the agent’s emotions based on the current prospect of whether something will or will not occur. This section influences the emotions of Hope, Fear, Satisfaction, Fears-Confirmed, Relief, and Disappointment. At this point in time, the agent’s feeling about the information is just a prospect of it being pleased or displeased. The information now needs to be confirmed that it is what they want. To do this, the agent must be within a certain range of the information otherwise it is considered unconfirmed. Once within the range, the agent will confirm

Table 2. Emotion fuzzy rule set.

Emotion	Fuzzy Rule
Joy	IF (Desirability is Desirable) AND (Expectaion is Pleased) THEN Emotion is Joy
Distress	IF (Desirability is Undesirable) AND (Expectation is Displeased) THEN Emotion is Distress
Hope	IF (Desirability is Desirable) AND (Expectation is Pleased) THEN Emotion is Hope
Fear	IF (Desirability is Undesirable) AND (Expectation is Displeased) THEN Emotion is Fear
Satisfaction	IF (Desirability is Desirable) AND (Expectation is Pleased) AND (Confirmation is confirmed) THEN Emotion is Satisfaction
Fear-Confirmed	IF (Desirability is Undesirable) AND (Expectation is Displeased) AND (Confirmation is Confirmed) THEN Emotion is Fear-Confirmed
Disappointment	IF (Desirability is Desirable) AND (Expectation is Displeased) AND (Confirmation is Disconfirmed) THEN Emotion is Disappointment

the information has not changed by either Confirming the information is correct or Disconfirming it. If the event is out of range, the agent perceives it as unconfirmed. Only two emotions are able to be appraised by an unconfirmed event, and they are Hope and Fear. Hope and Fear are calculated as the same as Joy and Distress by multiplying the desirability by the agent’s expectations. However, there is a chance of the information being confirmed or disconfirmed, so the rate of these emotions being triggered is less than Joy and Distress. If the agent is within the range, it checks to see the information is still goal related. We use fuzzy logics to check if the information’s previous goal relation value matches the new one and if it does then it is confirmed otherwise it is disconfirmed. The agent then reevaluates its Expectations. After that we apprise one of four emotions (Satisfaction, Fears-Confirmed, Relief, and Disappointment) based on the outcome.

The fortune of other branch relates to how the agent feels about another agent successfully or failing to achieve its goal. We compute this using the three fuzzy logic systems: desirability, expectation and appraisal for others. We check the desirability of other agent achievement on whether the information that was sent was desirable or undesirable. The agent then determines whether it is pleased or displeased with the other agent’s desirability by running the expectation fuzzy logic that uses the information related to the other agent’s goals, and the agent’s Agreeableness personality. We appraise the results to one of four emotions: Happy-for, Resentment, Gloating or Pity (see Table 2). The chosen emotion intensity is then increased using the calculation in Table 3. Once an emotion has been intensified across all sub-branches within consequences of events the system moves on to the next main branch actions of the agent. This branch only runs if the information sent is related to an action being performed. Actions of agent appraise the agent’s actions, and how much influence the outcome affects the agent’s emotions.

First, we need to determine if the action was performed by the agent itself or the other agent. For either outcome, we determine the action’s praiseworthiness by whether the agent approves or disapproves the results of an action performed. We compute this using a fuzzy logic system that runs fuzzy rules: Neuroticism personality, action, and action outcome. Once the agent knows whether it approves or disapproves the results of the action, it then appraises the results to one of pride, shame, admiration, and approach. The selected emotion is then intensified using the calculations in Table 3. The last main branch, Aspect of object, is the attitude that the agent feels towards

an object. This attitude can either Like or Dislike. This is determined by the appealingness (goal related) of the object and familiarity (memory) of the object. Once the agent determines the attitude towards the object, the results are appraised to either Love or Hate based on the agent’s attitude, and the object’s appealingness. The emotion appraised is then increased in intensity seen in Table 3. Some of the main branches combine to form a group of compound emotions, namely emotions concerning consequences of events caused by actions of agents. There are a total of four compound emotions: Gratification, Remorse, Gratitude, and Anger. These emotions are calculated based on other emotions (see Table 3).

Table 3. Calculations for the increase of emotion intensity.

Emotion	Intensity Calculation
Joy	$((1 - \text{Desirability}) * \text{expectations}) / 2$
Distress	$(\text{Desirability} * \text{expectations})$
Hope	$((1 - \text{Desirability}) * \text{expectations}) / 2$
Fear	$(\text{Desirability} * \text{expectations})$
Satisfaction	$(\text{Hope} * (1 - \text{Desirability}))$
Fear-Confirmed	$(\text{Fear} * \text{Desirability})$
Disappointment	$(\text{Fear} * (1 - \text{Desirability}))$
Relief	$(\text{Hope} * \text{Desirability})$
Happy-For	$(\text{Hope} * (1 - \text{Desirability}))$
Resentment	$(\text{Fear} * \text{Desirability})$
Pity	$(\text{Fear} * (1 - \text{Desirability}))$
Gloating	$(\text{Hope} * \text{Desirability})$
Pride	+ Praiseworthiness
Shame	+ Praiseworthiness
Admiration	+ Praiseworthiness
Reproach	+ Praiseworthiness
Love	+ Attitude
Hate	+ Attitude
Gratification	$(\text{Admiration} + \text{Joy}) / 2$
Remorse	$(\text{Shame} + \text{Distress}) / 2$
Gratitude	$(\text{Pride} + \text{Joy}) / 2$
Anger	$(\text{Reproach} + \text{Distress}) / 2$

The implementation of emotional decay to decrease the agent’s emotional state. Emotional decay represents the decrease of emotion intensity with time. This is implemented using the equation for emotional decays (Durupinar, Gudukbay, Aman, & Badler, 2015), and run it every 20 seconds (see Equation. 6). Emotional thresholds are placed on each of the 22 emotions. Emotional thresholds are considered breaking points in which overpower our rational thoughts and significantly influences out decisions. This was implemented using the threshold equation (Durupinar et al., 2015) combined with the agent’s personality Neuroticism to determine its emotional threshold. When an emotional state exceeds its threshold, it then influences the agent’s decision making and empathy.

$$e_t = e_{t-1} - \beta e_{t-1}. \tag{6}$$

At each time step t , the value of an emotion e is decreased. β determines the speed of the emotional decay and how it is proportional to neuroticism.

Emotional empathy represents the cognitive and emotional reaction of an agent received from another. Based on past studies (Durupinar et al., 2015), empathy was implemented when an emotion intensity passes its threshold. Any agents within a certain distance from the emotional agent are then influenced with a dose of that emotion. A combination of personality and emotion is used to calculate the dose of empathy (Durupinar et al., 2015) (see Equation. 7) that will be spread to other agents.

$$\epsilon_j = 0.34\Psi_j^O + 0.17\Psi_j^C + 0.13\Psi_j^E + 0.3\Psi_j^A + 0.02\Psi_j^N. \quad (7)$$

Based on Durupinar et al. (2015) the correlation values empathy ϵ will take a value between 0 and 1 then compute it for the agent j .

3.10. Algorithm

An algorithmic procedure of the proposed cognitive architecture framework for agent based simulations is shown above. Please refer to details explained for each procedure in this section.

4. Experimental Setup

This section discusses the relation between the experiment setup (through the participants, virtual agents and scenario) and how we gather data in order to study agent behaviour.

4.1. Participants

In qualitative studies, it is said that the minimum sample size is 25-30 to reach saturation and redundancy, and studies suggest anywhere between 5 to 50 could be adequate (Crouch & McKenzie, 2006; Dworkin, 2012; Guest, Bunce, & Johnson, 2006). In our study, both VR-Q and real-world experiments were conducted with a total of 37 participants each and 74 in total for both. Both groups are randomly drawn and mutually exclusive. The margin of error for our study at 95% confidence (Lohr, 2019) is around 16%. There was no experience (for example experience in VR) or requirements needed to be selected to participate in the experiment. Instead, the participants were volunteers who wanted to be part of the experiment. The participants were all students and staff from James Cook University, Cairns Campus.

Out of the 37 participants from the VR-Q experiment, 28 (75.7%) were male and 9 (24.3%) were female. The age of VR-Q participants was between 17-55 years old with the average age of a participant being 27. While the 37 real-world participants were comprised of 27 (73%) males and 10 (27%) females. The age of the real-world participants was between 18-56 years old with the average age being 28.

Algorithm 1 Cognitive Architecture Framework for Agent based Simulations

Input: Sensor Data (SD), Behaviour List (BL), Current Action (CA), Current Behaviour (CB), and Current Sensor Data (CSD);

Output: Sensor Data (SD, SD_i), Behaviour List (BL, BL_i), Action (A), Current Action (CA), Current Behaviour (CB), Current Sensor Data (CSD), and Action Success (AS);

```
1: procedure SENSOR SYSTEM
2:   Collect  $SD$  from Agent sensors;
3:   if the number of  $SD > 0$  then
4:     Send  $SD$  to Attention Filter procedure;

5: procedure ATTENTION FILTER
6:   Receive  $SD$ ;
7:   Check LTM for Goal Related Memories ( $GM$ );
8:   if  $GM$  exists then
9:     Add  $GM$  to  $SD$ ;
10:  for each  $SD_i$  do
11:    Calculate the Probability ( $P$ ) of Agent notices  $SD_i$ ;
    ▷ Using Personality, Emotion and Goals (Current Strategy)
12:    Generate Random Value ( $Rand$ );
13:    if  $Rand < P$  then
14:      Keep  $SD_i$ ;
15:    else
16:      Remove  $SD_i$ ;
17:    Send  $SD$  to Emotional Start module;
    ▷ Emotional Start module sets  $SD$  to the agent's emotional intensity;
18:    Send  $SD$  to Situation Assessment procedure;

19: procedure SITUATION ASSESSMENT
20:   Receive  $SD$ ;
21:   for each  $SD_i$  do
22:     Compute  $B$  from  $SD_i$ ;
    ▷ Using Multilayered Fuzzy Logic, Agent Personality, and Goals (Current Strategy)
23:     Run Goal Fuzzy Logic Layer;
    ▷ Finds the best behaviour related to the agent's goals
24:     if  $B$  is found then
25:       Add  $B$  to  $BL$ ;
26:       Break;
27:     Run Movement Fuzzy Logic Layer;
    ▷ Finds best behaviour related to agent's movements
28:     if  $B$  is found then
29:       Add  $B$  to  $BL$ ;
30:       Break;
31:     Run Audio Fuzzy Logic Layer;
    ▷ Finds the best behaviour related what the agent hears
32:     if  $B$  is found then
33:       Add  $B$  to  $BL$ ;
34:       Break;
35:     Run Object Fuzzy Logic Layer;
    ▷ Finds the best behaviour related what the agent is seeing
36:     if  $B$  is found then
37:       Add  $B$  to  $BL$ ;
38:       Break;
39:   Send  $BL$  and  $SD$  to Short Term Memory procedure;
```

```

40: procedure SHORT TERM MEMORY
41:   Receive BL and SD;
42:   for each SDi do
43:     if SDi and BLi exist in Short Term Memory List (SML) then
44:       Increase priority of SMLi;
45:     else
46:       Add SDi and BLi to SML;
47:     Find highest priority in SML;
48:     Send highest priority SMLi (SDi, BLi)
       to Current Strategy module;
  ▷ Current Strategy module sets Di and BLi from SMi to CSD and CB;

49: procedure ACTION SELECTION
50:   Get CSD and CB from Current Strategy module;
51:   Get all known Actions (A) from Relevant Experience;
52:   for each Ai do
53:     if Ai is related to CSD and CB then
54:       Add Ai to Related Actions (RA);
55:   Check if Agent learns new action;
56:   if RA == 0 then
57:     Learn new A from Experience System;
58:   else
59:     Calculate probability of learning new action using
       Agent's Personality (O);
60:     Generate Rand;
61:     if Rand < P then
62:       Learn new A from Experience System;
63:     else
64:       Select an A from RA;
65:     Send A to Current Strategy module;
  ▷ Current Strategy sets A as current action
66:     Send A to Emotional Start module;
  ▷ Emotional Start module influences the agent's emotional intensity with A

67: procedure ACTION EXECUTION
68:   Get Current Action (CA) from Current Strategy;
69:   Perform CA;
70:     Compute CA Success Probability (ASP)
       using Action Experience (AE) and Personality;
71:   Generate Rand;
72:   if Rand < ASP then
73:     Perform Action Success (AS);
74:   else
75:     Fail to perform Action Success (AS);
76:   Once CA is performed
77:     Send AS to Emotional Start module;
78:     Send AS to Relevant Experience;
79:     Send CA, CSD, CB to Long Term Memory;
80:     Remove CA, CSD, CB from Current Strategy;

```

4.2. Virtual Agent

8 parameter setting variations of virtual agents were implemented for testing. The parameters implemented in both settings were speed which represents physical data, personality, and emotion modelling mental data (see Table 4). Visual data cannot be inputted into the parameters as this data type represents external data while the other two represent internal data.

Table 4. Parameter range.

Parameter	Minimum	Maximum
Speed	0.15m/s	0.49m/s
OCEAN Personalities	1	7
OCC Emotions	1	5

The first setting executed all self-set parameters that were collected from the VR-Q data gathering. The second setting executed random parameters ranging from the minimum and maximum values gathered from the VR-Q experiment. The other setting variations were similar to the first two settings with one parameter either changes to self-set or random.

Each setting was conducted with 37 agents individually to match the experiments conducted in the real-world scenario and VR-Q scenario. Each setting of 37 was run 3 times to ensure the legitimacy of the results. This resulted in 3 sample size settings of 37 for each test type.

4.3. Scenario

The scenario was designed to be simple but believable that motivates participants to encounter the design tasks we are evaluating (Da Silva, Martin, Maurer, & Silveira, 2011). The purpose of the simple scenario is due to the fact that our goal is not to influence or change the participant’s responses, but to show they will produce similar responses based on the situation. For instance, we want to see if the participant’s emotional response in the real-world scenario can produce similar results in the virtual world scenario.

The virtual agents and the participants for both the VR-Q, real world and simulation tests entered a virtual/real world designed university course expo. The expo consisted of 26 booths each containing different fields of study, 2 entrances/exits, 2 maps stations and an information centre (see Figure 7). Due to ethical standards footage showing the participants within the real world and virtual environments was excluded.

Because of low cost effectiveness and time efficiency of real-world scenarios, designing the real world environment identical to the virtual world is very different. However, the scale of both the virtual and real-world environments is identical allowing for no issues when gathering the physical data. Each scenario starts with the participant standing at the bottom left entrance of the course expo. Each participant is given 1 minute to wander freely around the environment, once the minute has passed they were asked to find 3 booths (archaeology, physics and education) one at a time. When the participant has completed finding all 3 booths they were asked to go to one of the 2 exits within the expo and leave. Once the participant reached the exit, the test was completed.

There were two reasons for having the participants wander around for the first minute of the test. The first reason was so they would get use to the equipment that




Figure 7. Experimental environments: (a) real world environment; (b) virtual world environment; (c) top-down virtual view of the real world environment; (d) top-down view of the virtual world environment.

was being used in both data gathering tests. By getting used to the equipment, the expectation was they would feel more comfortable and after a minute they would start reacting more like they would normally if this scenario was happening in real life. The second reason was for them to gain familiarity with the environment. By gaining familiarity with the environment, the expectation was that some of the participants would remember where the 3 booths are while others will not. This would subsequently produce a wider range of data for physical data (such as time and distance).

Each participant was asked to find the same three booths in both experiments. This was to prevent the data comparison of the two methods from being faulty or miss understood. Each of the 3 booths was chosen based on its position in the environment and its position from the previous booth. For instance, the first booth was Archaeology which was at the centre back of the environment, the second was Physics which was positioned at the front right side, and the last one was positioned in the middle left. Each booth was also positioned so that the participants could not see the next booth required without walking to them first.

There were two ways a participant could find each goal, firstly, by walking and looking around and secondly, by using either the maps or the information centre placed within the environment. These maps had detailed information of where each booth was and where the participant's current position was. The maps and information centre's main goal were to see if the participants would use them to find their goals. All decisions made by the participants were freely made with no influence by the

researcher. The participants had the freedom to choose their own paths, how they would reach the designated goal by either walking around or using a map and which exit they will go to. At the end of the experiment, each participant was asked to fill out a questionnaire asking questions about their personality and their emotional experience during the experiment. In the VR questionnaire, participants were asked additional questions for better understanding of how people feel and respond in VR. Participants were asked about their experience in VR prior to the experiment and after. They were also asked about how they felt and responded in a VR environment. This information was gathered as a means to explaining any significant differences found between the data collected in VR and the real world, but was not used in the research since no noticeable difference was found. To view the VR questionnaire and the Real world questionnaire see (Sinclair, 2020).

4.4. Data Types Collected

All data collected from the VR-Q and real-world experiments is used in the comparison to prove that VR-Q method can equally gather real-world data. The data collected within each data type were selected for comparison due to their ability in creating agent-based models.

4.4.1. Physical Data

Physical data was collected in the form of distance, time and speed by using the motion suit ability to record and transmit the participant's movements. The position of the participant was collected every one second to accurately calculate the distance. Distance is a solid measure to compare the two data gathering methods and the agent based model. This is because it allows us to determine whether the participants and virtual agents move the same number of spaces in a virtual environment to a real one. The total time it takes a participant to finish the entire scenario was collected throughout the experiment. In addition, speed was computed using the data collected from distance and time. As same as distance and time, speed allows us to compare whether the participants from the VR experiment move at the speed and the real-world participants. The virtual agents physical data was collected employing the same method that was used in collecting the distance, time and speed from the real world and VR-Q participants.

4.4.2. Mental Data

Mental data were collected through the questionnaire in both methods. The data collected were both the participant's personality and what his/her emotions were during the experiment. The agent's mental data were collected directly from its personality and emotion modules.

In order to gather and measure personality data from the questionnaire, the ten item personality measure (TIPI) method (Gosling, Rentfrow, & Swann, 2003) was used. TIPI is best used for researchers who have limited time to collect data and their primary topic of interest is not personality. It also provides a similar means of collecting personality data for researchers who are not experts in the psychological field. The TIPI method uses 10 traits (5 positive and 5 negative traits) each consisting of two descriptors in which the participants are asked to rate between 1 (disagree strongly) and 7 (agree strongly) using a 7-point Likert scale within a questionnaire.

Each of the 10 traits are then measured to one of the 5 personality traits within the OCEAN model.

Participants were also asked to rate their average emotional state based on their entire experience inside the environment. The emotions were gathered by asking the participants to rate between 1 (none) and 5 (extreme amount) their emotional intensity using a 5-point Likert scale from 40 different emotions. These 40 emotions represented 20 positive emotions and 20 negative emotions. Based on previous research (Robinson & Kirkeby, 2005) in emotions, these 40 emotions are clearly valenced in nature and can also be seen as easy terms for people to understand. These emotions are then mapped to the OCC model (Ortony, Clore, & Collins, 1988) which is then used to compare between the two data gathering methods.

4.4.3. *Visual Data*

Five types of visual data were collected using participant observation to examine the external behaviour of the participant. This means that all data collected in this section are based entirely on the researcher’s visual assessment of the participant and events occurring in the environment. First, recording how many left *vs.* right turns the participant made throughout the experiment. The purpose of this was to compare whether the VR-Q participant executes the same number of turns as the real-world participants. Second, both experiments presented the participants with two options when starting, and that was either to walk straight or turn left. This data was collected also to see if VR changes the participant’s movements. Third, the number of times a participant would use a map, or the information centre was collected. This data was collected to see if the participants would recognise that there was help set up in the environment to find the goals and see if the VR-Q experiment would produce similar results to the real-world experiment. Fourth, both experiments presented the participants two options at the end of the scenario to exit the environment. They were the exit the participants started the scenario, located in the South-west corner or the exit located in the North-east corner. This data was collected to see if the participants in the VR-Q method would behave and make the same decisions as the participants in the real-world method. Last, unique behaviours were collected from the researcher’s point of view. Unique behaviours are motions or actions participants, that stood out, but rarely happened between all the participants.

The agent’s visual data were collected similarly as the VR-Q and real-world methods. Using the positional data collected every one second from the physical data allowed the ability to visually assess the agent’s left and right turns for comparison. Running each simulation allowed the opportunity to manually record each unique behaviour observed, exit the agent used at the end and whether the agent would use the map or information centre to help them. However, due to developing realistic navigation was not within the scope of the project, gathering whether the agent started the scenario by walking straight or left was considered unimportant and was not collected.

5. Experimental Results

5.1. *Physical Data Analysis*

The results of the physical data are displayed in Figure 8. The total average distance travelled from the two data gathering methods reveals that the VR participants (74.11m) moved at a similar distance to the real-world participants (80.72m). This

shows that the VR-Q method can produce similar distances travelled with an 8.19% offset. Please note that this is within the margin of error for our study which is 16% as discussed in Section 4.1. It can be assumed that one of the reasons for this is because the VR environment was developed to the same measurements as the real-world environment. By doing this, it controls the participant’s movement to only the space within the environment. This will, in turn, cause the distance travelled between the two methods to be very similar. This also demonstrates the capability of our method to capture approximate real world travel distance for agent-based simulations.




Figure 8. Physical data comparison: (a) total distance (y -axis: meter); (b) total time (y -axis: second) (c) average speed (y -axis: m/s).

The average time taken to complete the task in the given scenario was nearly double. The VR-Q participants took on average 255 seconds to complete the scenario while the real-world participants on an average of 130.7 seconds. This difference in time could be caused by the VR-Q participants moving around the environment with a VR headset on. The VR-Q participants, not knowing where they are walking in the real world could have caused them to move slower than the real-world participants. This is consistent with previous studies (Interrante, Ries, & Anderson, 2006) that demonstrated distances appear to be compressed in VR environments thus it takes longer time to complete a distance-related task in VR environments. This is also validated by another previous study (Canessa., Casu., Solari., & Chessa., 2019) that demonstrates that time does display a significant distance when within a VR environment. Also, cybersickness and motion sickness could represent possible reasons for the inefficiency of task completion (LaViola, 2000).

Similar to the average time, the average speed (distance/time) taken by the VR-Q participants is nearly half of the real-world participants. Chi-square Goodness of Fit Test with the three physical data (distance, time and speed) under study indicates that the real world-data and the VR-Q data are significantly different where p -value with degree of freedom = 2, approximates to 0. Therefore, these average time and speed physical data measured by the VR-Q method could not be directly used as input for agent-based simulations but rather requires an adjustment factor to consider

this difference. An adjusted agent data value is computed as below:

$$AATV = UATV \times \frac{RWTV}{VRTV}, \quad (8)$$

where $AATV$ represents Adjusted Agent Time Value, $RWTV$ stands for Real World Time Value, $UATV$ for Unadjusted Agent Time Value, and $VRTV$ means VR Time Value. For instance, let us assume $RWTV$ is given 130.766 seconds and $VRTV$ is given 255.005 whilst $UATV$ is given 267.418. As we discussed above, there is a significant difference between $RWTV$ and $VRTV$. A ratio of these two is used as an adjustment factor to moderate the auto-generated agent value ($UATV$). This will reflect the difference in time completion between two spaces as evidenced in past studies (Canessa. et al., 2019; Interrante et al., 2006; LaViola, 2000). After the adjustment, $AATV$ becomes 137.131 which is relatively similar to $RWTV$ (130.766). Equation 8 mitigates the time difference and makes the physical data collected through the VR-Q method more realistic and usable for agent-based simulations. Another Chi-square Goodness of Fit Test was implemented for the physical data which included the adjustment factor into the VR-Q physical value. With the adjustment factor added to the physical data, the real-world data and the VR-Q data are now not that significantly different where p -value with degree of freedom = 2, approximates to 0.803.

5.2. Mental Data Analysis

The results of the data collected based on the overall average of all participants' personality are compared in Table 5. Using the questionnaire to ask the participants to rate their personality, we were able to map using the TIPI method to the OCEAN model. The results showed the VR-Q can provide similar results to the real world. The average personality offset found between the real-world participants, and the VR-Q participants was only 0.21.

Table 5. Average personality comparison (values between 1-7).

	Real World Participants	Virtual Reality Participants
Openness	5.76	5.53
Conscientiousness	4.73	5.07
Extraversion	3.93	4.11
Agreeableness	4.72	4.65
Neuroticism	4.85	5.09

Table 6. Average emotion comparison.

	Real World Participants	Virtual Reality Participants
Joy	3.18	3.07
Distress	1.23	1.50
Happy-For	3.08	2.94
Resentment	1.19	1.19
Gloating	2.82	2.57
Pity	1.19	1.35
Hope	3.37	3.16
Fear	1.31	1.57
Satisfaction	3.09	2.96
Fears-Confirmed	1.14	1.24
Relief	3.19	2.86
Disappointment	1.14	1.28
Pride	2.76	2.57
Shame	1.11	1.35
Admiration	3.01	2.91
Reproach	1.19	1.35
Gratification	2.92	2.78
Remorse	1.03	1.24
Gratitude	2.95	2.72
Anger	1.19	1.19
Love	2.93	2.83
Hate	1.20	1.30

The results of the data collected based on the overall average of all participants emotions are compared in Table 6. Using the questionnaire to ask the participants what their average emotions were from 40 different emotions, we were able to map these emotions, using the hybrid model, into the OCC model. Using the OCC emotions for each participant, an overall average of all 37 participants was calculated and compared. The results revealed the VR-Q method did produce similar emotions values to the real world. First, what can be seen is that both the real world and VR-Q participants experienced more positive emotions than negative emotions within the environment. Second, the results are so similar, the average offset between the real world and VR-Q emotion is less than 0.16. The statistical significance test results in p -value with degree of freedom = 4 for personality becomes 0.999 whilst p -value with degree of freedom = 21 for emotion becomes 1. This indicates that the VR-Q data is extremely similar to the real-world data. Therefore, mental data (personality and emotion) collected by the VR-Q method could be directly used for agent-based simulations to represent real-world data.

5.3. Visual Data Analysis

The results of the visual data collected from all participants are compared in Figure 9. During the real world experiment, only 8 participants looked for help, by using the maps or information centre, while the VR-Q experiment had 12 participants. It was also found that the VR-Q experiment showed that the participants would use the maps, 37.8% of the time, more than the information centre, which was 16.2% of the time. While the real-world experiment showed that they were equally used at 21.6% of

the time. Based on these results we can assume that the VR-Q participants required more assistance in finding the target goals. This is also due to the user experience with the digital interface. This is consistent with the study (Kuliga, Thrash, Dalton, & Hölscher, 2015) reporting the difference how users experience a real building and a high-fidelity model of the same building.

The data collected from the real world reveal that people tend to turn left more than right when walking. The participants from the real world would turn left an average of 6.67 times and an average of 6.29 times turning right during the experiment. Even though the VR-Q participants did not provide similar averages to the real world, it showed that even in a virtual world people would turn left (average of 7.35) more than right (average of 4.70). In the real world experiment, participants were given the option at the start to either turn left or walk straight when entering the environment. Note that, this is contextual, and depends on the experimental design. The data collected reveals that 86.5% of the participants would start by walking straight then turning left. In the VR-Q experiment, the participants were given the same option and it was found that 78.4% of participants would prefer to walk straight on. Based on these results, VR-Q does not change how people respond or react, which shows that real world data can come from VR-Q.

Towards the end of the experiment, participants were asked to pick one of the two exits and go to it. Based on the real world experiment, 59.5% of the participants chose to go back to the exit in which they started at, while 40.5% of the participants went to the furthest exit on the opposite side of the environment. While the VR-Q experiment showed different averages but similar results. A total of 83.8% of VR-Q participants would go to the same exit that they started at, while 16.2% would go to the exit on the other side of the environment. In both experiments, the participants who went to the furthest exit were asked why they chose to go to that exit instead of the closest one. The same response was given in both experiments; they believe that was what they were meant to do. Even though they were given the option to pick which exit, they thought that the furthest exit was the correct one. The data show most participants from both experiments would choose to go to the closest exit rather than the furthest. The statistical test shows that p -value becomes 0.108 when degree of freedom = 7. Thus we accept the null hypothesis stating there is no significant difference between the two groups. This again supports the VR-Q approach could provide real-world data for agent-based simulations.




Figure 9. Visual data comparison (y -axis: the number of occurrences): (a) visual data; (b) information centres and maps used.

During both experiments, it was revealed that no matter whether the participants were in VR or the real world, some of them would display the same unique behaviours. For instance, participants in both experiments, when asked to find one of the goals

they would stop and look around them before heading off. This behaviour tells us that the participants either believed that the goal was nearby or they just wanted to make sure it wasn't so they don't have to go back there. Another unique behaviour found in both experiments was the tendency of the participants back tracking. Back tracking is when somebody walks down a certain path and then decides to turn around and retrace his/her steps. There are two causes for this: one is due to him/her thinking he/she missed something. The other is he/she remembered where the goal was so he/she changed direction to get there. The last behaviour observed in both experiments was the participant's looking left and right while walking. Majority of the participants produced this behaviour as it can be considered a common behaviour.

5.4. Overall Data Analysis

To ensure that VR-Q method can produce real-world data a Chi-square Goodness of Fit Test was conducted. The statistical test combined all three types of data together to determine whether the VR-Q method can provide similar results to the real-world method. The results revealed there was no significant difference between the VR-Q and real-world methods with p -value=1 when degree of freedom = 37. This proves the VR-Q method can output data similar to the real world for the development and validation of agent-based crowd simulations.

6. Further Experimental Results with Various Agent Settings

This section reports data gathering results on three different types between different variations of the AI cognitive architecture and the VR-Q method. In this study, a t -test of equal variance is conducted to compare the difference between the AI parameter variations and the VR-Q data. A Chi-square Goodness of Fit Test is also used as a significance test to compare the different data sets.

6.1. Physical Data Analysis




Figure 10. t -test on physical data (Personality-Emotion-Speed; S: Self-set, R: Random): (a) Average total distance; (b) Average time; (c) Average speed.

A two sample equal variance t -test (McCarroll, 2017) on the physical data which includes distance, time and speed from both tests and compared them to the VR-Q physical data results (see Figure 10). The hypothesis is that the all set parameter setting agents (S-S-S) will produce closer results to the VR-Q setting than all other variations of the parameter settings. This is due to the fact that it is believed by setting the agents parameters using the individual VR-Q participants data, it will output similar results. It is also hypothesised that if the results are similar to the VR-Q data, then it proves the framework is capable of providing realistic data. All t -tests are conducted without the adjustment factor.

The distance results showed that the S-S-S (Self-set Personality - Self-set Emotion - Self-set Speed) parameter agents (Mean (m)=71.19; Standard Deviation (sd)=15.05) showed the least significant difference to the VR-Q participants (m =74.11; sd =15.53) with p -value = 0.155 with 95% confidence. This has proven the first hypothesis is true that all set parameter agents do provide similar results over the other variation parameter agents when compared to the VR-Q participants. Also based on the S-S-S parameter agent results, we can state that the second hypothesis is also valid. The next parameter variation is to show the least significant difference was the S-R-R parameter agents (m = 78.373; sd =19.85) with p -value = 0.118, closely followed by S-R-S (m =78.431; sd =17.82) with p -value = 0.095. The parameter variation with the most significant difference was the R-R-S parameter agents (m =92.691; sd =28.23) with p -value = 0.0001. All distance results related to other agent parameter variations can be seen in Figure 10 and Table 7.

What can also be seen is the order of which set parameter (derived from individual VR-Q data) has more influence over the agent’s decision making based on the distance results. The most influential parameter towards the agent’s distance is personality, second being emotion and lastly speed. This is showing that the mental data implemented from each VR-Q participant is influencing the agent’s actions and be-

Table 7. Two sample t -test of equal variance total average distance comparison with 95% confidence.

Parameter Setting	Mean	SD	p -value
VR-Q	74.113	15.53	N/A
S-S-S	71.189	15.05	0.155
S-S-R	79.430	20.31	0.073
S-R-S	78.431	17.82	0.095
R-S-S	85.586	27.42	0.008
S-R-R	78.373	19.85	0.118
R-S-R	85.336	24.55	0.005
R-R-S	92.691	28.23	0.0001
R-R-R	83.422	23.18	0.012

haviours to a significant extent.

The time results showed there was no significant difference, p -value = 0.168 with 95% confidence, between the set parameter agents ($m=267.4$; $sd=65.29$) and the VR-Q participants ($M=255$; $SD=74.08$). However, S-R-S produced a less significant difference ($m=260.2$; $sd=59.25$) when compared to the VR-Q participants with p -value = 0.331.

However, the first hypothesis still is proven to be true as it still provides similar results to the VR-Q participants over the other 6 parameter variations. Also, based on the S-S-S parameter agent results, we can state that the second hypothesis is also valid. The parameter variation with the most significant difference to the VR-Q data is R-S-R ($m=311.8$; $sd=103.42$) with p -value = 0.001. For all parameter variations total time results, see Figure 10 and Table 8. What was also be seen is the order of which each set parameter (derived from individual VR-Q data) has more influence over the time it takes for the agents to complete the scenario. The most influential parameter towards the agent’s time is speed and then split evenly is personality and emotion. This is showing that the physical data implemented from each VR-Q participant is influencing the agent’s ability to complete each action, which is decided by its cognitive architecture decision making modules.

Table 8. Two sample t -test of equal variance total average time comparison with 95% confidence.

Parameter Setting	Mean	SD	p -value
VR-Q	255.005	75.13	N/A
S-S-S	267.418	65.59	0.168
S-S-R	291.062	105.59	0.028
S-R-S	260.252	59.25	0.331
R-S-S	288.868	97.64	0.027
S-R-R	294.044	100.23	0.015
R-S-R	311.860	103.42	0.001
R-R-S	310.851	99.92	0.001
R-R-R	310.648	99.89	0.001

The speed results showed there was no significant difference across all parameter variations when compared to the VR-Q participants. However, S-R-S parameter agents ($m=0.301$; $sd=0,1$) did produce the least significant difference to the VR-Q participants ($m=0.291$; $sd=0.06$) with a p -value=0.428. Followed closely by R-R-S parameter agents ($m=0.298$; $sd=0.01$) with a p -value=0.423 and S-S-R parameter agents ($m=0.273$; $sd=0.09$) with a p -value=0.346. Even though S-S-S parameter agents

($M=0.266$; $SD=0.05$) with a p -value = 0.004 with 95% confidence produced the most significant difference to the VR-Q participants speed data, it is a very small difference. The range of both the VR-Q participants and the S-S-S parameter agents speed is shaped very similar (see Figure 8 and Table 9), showing the S-S-S parameter agents are able to maintain a similar designed pace. This small difference keeps our first hypothesis true that the set parameter agents do provide similar results to the VR-Q participants. Also based on all the parameter agent variations, it can also be stated that the second hypothesis is also valid.

Table 9. Two sample t -test of equal variance average speed comparison with 95% confidence.

Parameter Setting	Mean	SD	p -value
VR-Q	0.291	0.06	N/A
S-S-S	0.266	0.05	0.004
S-S-R	0.273	0.09	0.346
S-R-S	0.301	0.01	0.428
R-S-S	0.296	0.01	0.299
S-R-R	0.267	0.09	0.236
R-S-R	0.274	0.09	0.263
R-R-S	0.298	0.01	0.423
R-R-R	0.269	0.09	0.170

What was also seen was the order of which each set parameter (derived from individual VR-Q data) had more influence over the speed it takes for the agents to complete the scenario. The most influential parameter towards the agent’s speed was the speed parameter, second the agent’s emotions and lastly personality. This is showing that the physical data implemented from each VR-Q participant is influencing the agents ability to quickly complete the scenario. Also, based on the range from all the data collected for distance, time and speed using random parameter setting; it can be considered as a larger variety of real-world participants when being compared to S-S-S parameter agents. This is due to S-S-S parameter agents being based entirely on the VR-Q participants data. This means the proposed agent based cognitive architecture framework possesses the potential to produce and compare to a larger group of real-world people in the future.

A Chi-square Goodness of Fit Test using all three physical data (distance, time and speed) to provide further proof that the S-S-S parameter agent can produce real-world data over all other parameter variations. Before implementing the Chi-square Goodness of Fit Test, the physical data requires an adjustment factor in order to minimise the physical movement gap between the real world and the VR world caused by cybersickness, motion sickness or perception difference (Canessa. et al., 2019; Interrante et al., 2006; LaViola, 2000). Past studies (Canessa. et al., 2019; Interrante et al., 2006; LaViola, 2000) have proven there is a significant difference between real-world physical data and virtual world physical data. An adjustment factor provides a ratio between the real world and virtual world to moderate the auto-generated agent data and allows the data to be more realistic.

The statistical significance test resulted in the p -value with the degree of freedom = 2 for the physical data. The parameter variation that was the most significantly similar to the VR-Q participants was the S-R-S parameter agents with p -value of 0.848 and S-S-S parameter agents with p -value of 0.803. This indicates that the physical data collected by the S-S-S and S-R-S parameter agents is significantly similar to the real-

world data and can be used to represent real-world data. Whilst the other parameter variations agent such as R-R-R with p -value of 0.023 and R-R-S with p -value of 0.003 were all significantly different from the real world with 95% confidence.

6.2. Mental Data Analysis

The results of the mental data collected based on the overall average of all agents and VR-Q participants' personality are compared in Figure 11. The results showed that setting the parameters will produce better results to real world data over random parameters. However, what we can also assess from the random parameters alone is it produces a larger range of results that can be used to compare a larger sample size of real-world data.




Figure 11. A comparison of OCEAN personality (y -axis represents the average personality value across all agents).

The results of the data collected based on the overall average of both the agent's emotions and VR-Q participants are compared in Figure 10. Even though emotions that are influenced by other agents have been implemented, these emotions (Happy-for, Resentment, Gloating, Pity, Admiration, Reproach) are not tested. The reason for this is by replicating the same conditions from the VR-Q method; the participants were unable to interact or influence other agents. Therefore, we cannot compare these outcomes without further study into participants' interactions with others. The results reveal the S-S-S parameter agents can produce the most similar emotional results to the VR-Q participants amongst all parameter variations. While the R-R-R and R-R-S parameter agents produce more unpredictable results. What can also be revealed is that agents whose emotion parameter setting are set produce similar emotional results to the VR-Q participants; more so than agents with random emotion settings.

Lastly, it was revealed that all the parameter variations agents experienced more positive emotions than negative which coincides with the VR-Q participants results collected. This proves that real world emotional data can be outputted from the virtual agents as it has shown to produce similar emotional responses to the VR-Q participants.

A Chi-square Goodness of Fit Test was conducted for the mental data (personality and emotion). The statistical significance test in which the p -value with the degree of freedom = 21 for the emotions, revealed all parameter variations of the test showed significantly similar to the real-world data with p -value=1. However, the closest to

Table 10. A comparison of emotion data.

	VR-Q	S-S-S	S-S-R	S-R-S	R-S-S	S-R-R	R-S-R	R-R-S	R-R-R
Joy	3.07	3.07	2.91	3.00	2.61	2.97	2.70	2.55	2.65
Distress	1.50	1.50	1.46	1.67	1.45	1.73	1.43	1.56	1.61
Happy-For	2.94	1.20	1.19	1.21	1.19	1.19	1.18	1.17	1.18
Resentment	1.19	1.02	1.01	1.20	1.03	1.20	1.02	1.17	1.19
Gloating	2.57	1.16	1.15	1.21	1.14	1.21	1.14	1.18	1.16
Pity	1.35	1.04	1.05	1.19	1.04	1.20	1.04	1.20	1.16
Hope	3.16	2.60	2.46	2.51	2.27	2.48	2.34	2.15	2.27
Fear	1.57	1.38	1.36	1.54	1.33	1.52	1.33	1.46	1.49
Satisfaction	2.96	2.27	2.17	2.18	1.82	2.21	1.79	1.84	1.90
Fears-Confirmed	1.24	1.11	1.10	1.33	1.14	1.29	1.15	1.30	1.35
Relief	2.86	2.26	2.11	2.16	2.02	2.17	2.13	1.94	2.06
Disappointment	1.28	1.17	1.14	1.36	1.29	1.31	1.30	1.40	1.43
Pride	2.57	2.56	2.58	2.67	2.47	2.64	2.26	2.35	2.45
Shame	1.35	1.31	1.26	1.47	1.30	1.41	1.33	1.47	1.44
Admiration	2.91	1.19	1.19	1.21	1.19	1.18	1.17	1.17	1.17
Reproach	1.35	1.05	1.04	1.20	1.04	1.20	1.04	1.16	1.17
Gratification	2.78	2.13	2.03	2.09	1.90	2.07	1.94	1.87	1.92
Remorse	1.24	1.40	1.35	1.56	1.36	1.57	1.37	1.52	1.53
Gratitude	2.72	2.82	2.74	2.83	2.54	2.81	2.49	2.46	2.56
Anger	1.19	1.26	1.24	1.43	1.23	1.46	1.23	1.37	1.39
Love	2.83	2.67	2.50	2.54	2.35	2.59	2.45	2.25	2.44
Hate	1.30	1.14	1.15	1.32	1.14	1.30	1.15	1.31	1.32

agent parameter variation to the real world is the S-S-S parameter agents with the lowest x^2 -value=3.801. The furthest agent parameter variation when compared to the real world was R-R-S parameter agents with the highest x^2 -value=4.845. This indicates that the emotion data from all variations of set and random parameter agents are significantly similar to the real-world data with 99% confidence and can be used from crowd simulations to represent real-world data.

The personality statistical significance test in which the p -value with the degree of freedom = 4 for all set parameter variation agents setting becomes 1; whilst the random parameter variation agents setting becomes 0.9. These results show that set parameter variation agents will produce identical results to the real world through the framework. While the random parameter variation agents will produce similar results to the real world. Therefore, the mental data (personality and emotion) collected from the agents in all test types has shown this framework is capable of producing real-world data for agent-based crowd simulations.

6.3. Visual Data Analysis

The results from the visual data collected from the agents are compared in Figure 12. During the VR-Q experiment, only 12 participants looked for help by using the maps and information centre. It was also revealed that for each 37 samples looking for help that R-S-R parameter produced the same results with 12. S-S-S parameter agents, on the other hand produced similar results with an average of 11.66 agents and the same with S-S-R parameter agents producing an average of 12.66 agents looking for help. Some close results were produced by R-S-S with an average of 10.33 and S-R-S with an average of 10. While S-R-R parameter agent with an average of 9.67, R-R-R parameter agents with 9.33 and R-R-S parameter agents with an average of 8.66 produced the least similar results for looking for help when compared to the VR-Q participants.

However, when it came down to the overall percentage in which the agents would use the maps or information centre individually the results are different (see Figure 12). The VR-Q experiment showed the participants would use the maps 37.8% of the time and the information centre 16.2% of the time. The agent parameter variation with the most similar chance of using the maps was S-S-R with 39.6%. This was closely followed by R-S-R (45%), R-S-S (29.7%), R-R-R (28.8%), R-R-S (27%) and S-S-S (26.1%). While the agent parameter variation with the lowest similarity was S-R-S (20.7%) and S-R-R (17.1%). The agent parameter variation with the most similar chance of using the information centre was R-S-S with an identical 16.2%. This was closely followed by S-R-R (14.4%), R-R-S (14.4%), S-S-S (18.9%), R-R-R (12.6%) and S-R-S (20.7%). While the agent parameter variation with the lowest similarity was S-S-R (39.6%) and R-S-R (45%).




Figure 12. A comparison of visual data collected (x -axis represents the number of instances). (a) Left vs Right Turns; (b) Exits Used; (c) Average use of Maps and Information Centre.

The data collected in the input phase revealed that people tend to turn left more than right when walking. The VR-Q participants showed this with an average of 7.35 times for left turns and average of 4.70 times for right turns. Even though all set and random parameter variations of the virtual agents did not provide similar averages to the VR-Q participants; it did show that even they would turn left more than right on average (see Figure 12). What was also revealed was the S-S-S parameter agents displayed a similar average for right turns (average of 4.60 times) to the VR-Q participants. While R-R-S parameter agents showed a similar average for left turns (average of 6.73 times). These results provide validation that the agent based framework can produce similar behaviours to people in the real world.

During all agent's experiments, no matter whether the agent's parameters were set or random, some of them would display similar behaviours to the VR-Q participants. A behaviour shown in both the agent and VR-Q experiment was the tendency to back track. It was revealed that the agent tended to do this quite often.

Similar to the end of the VR-Q experiment, the agents were asked to find one of the two exits and go to exit. Based on the results from the VR-Q experiment, 83.8% of the participants would go to the same exit that they started with while 16.2% would go to the exit on the other side of the environment. It was also observed in both the agent

and VR-Q experiments were participants would look left and right while walking. In the VR-Q experiment, most participants produced this behaviour making it a common occurrence. This behaviour was given as an option to the agents to implement based on their personality and probability. It was found that the majority of the agents across all parameter variations would produce this behaviour.

It was revealed that all the parameter variation agents would produce different averages to the VR-Q data but similar results (see Figure 12). A total of 69.4% of S-S-S parameter agents would go to the same exit they started at while 30.6% would go to the other exit. While R-R-R parameter agents would go back to the exit, they started 76.6% of the time while 23.4% would go to the other exit. The closest variation to show similar results to the VR-Q participants were S-R-R parameter agents with 81.1% would go back to the same exit they started at and 18.9% would go to the other exit.

A Chi-square Goodness of Fit Test using all visual data collected to provide validation, the agent-based framework can output real world data by showing there is no significant difference. The statistical significance test shows us that majority of the agent parameter variations can produce similar results to the real world. Proving the hypothesis that this framework can produce real-world data in agent-based crowd simulations. For instance, the S-S-S parameter agents p -value becomes 0.868 with the degree of freedom = 5. The most similar parameter variation found to real-world data was S-R-S with p -value=0.972 and p -value=0.988.

6.4. Overall Data Analysis

To ensure the overall agent based cognitive architecture can produce real-world data within crowd simulation, a Chi-square Goodness of Fit Test was conducted. The statistical test combined all three types of data together to determine whether any of the agent parameter variation method can provide similar results to the real-world method by using the agent based cognitive architecture framework. The results revealed there is no significant difference between any of the agent parameter variations and the real world with half of them having a p -value=1 when degree of freedom = 35. This proves the framework is capable of outputting data similar to the real world for the development and validation of agent-based crowd simulations.

7. Conclusion

In this paper, we discussed that current data gathering methods do not collect all three data types (visual, mental, physical) for agent based simulations. We also discussed that because of this all three data types have not been implemented into developing and validation of agent based frameworks to produce real world data. We have addressed the first issue by using (Sinclair, Suwanwiwat, & lee, 2020) which combines the VR and questionnaire to form the hybrid data gathering method called VR-Q. The second issue has been addressed by using the data collected from the VR-Q method to develop an agent based framework using all three data types. We also used the VR-Q data to validate the output data from the framework to compare whether the framework can produce real world data.

We propose a flexible agent based simulation model that systematically incorporates three types of data in order to produce realistic crowd simulations. Extensive experimental results demonstrate that our proposed data gathering approach, VR-Q,

is able to generate realistic data capturing physical, mental and visual information. In addition, broad experimental results show superior performance of our proposed fuzzy-logic and probability based cognitive architecture with a case study. Statistical tests have been conducted to validate our framework.

To further prove that this framework has the potential to provide a more realistic data and be compared to the real world further testing can be conducted. Combinations between the set and random parameters (For example Set Personality, Random Emotion, Set Speed) can be conducted to further provide validation of the current results and the frameworks diversity. In the future research a case study can be conducted to validate the framework flexibility and adaptability to different scenarios and environments.

References

- Andrade, E. L., & Fisher, R. B. (2005). Simulation of crowd problems for computer vision. In *First international workshop on crowd simulation* (Vol. 3, pp. 71–80).
- Atkinson, R. C., & Shiffrin, R. M. (1971). The control of short-term memory. *Scientific American*, 225(2), 82-90.
- Bahrick, H. P., Bahrick, P. O., & Wittlinger, R. P. (1975). Fifty years of memory for names and faces: A cross-sectional approach. *Journal of experimental psychology: General*, 104(1), 54.
- Barrick, M. R., & Mount, M. K. (1991). The big five personality dimensions and job performance: A meta-analysis. *Personnel Psychology*, 44(1), 1-26.
- Bede, B. (2012). *Mathematics of fuzzy sets and fuzzy logic*. Springer Publishing Company, Incorporated.
- Broadbent, D. E. (1958). *Perception and communication*. Pergamon Press.
- Brooks, R. (1986). A robust layered control system for a mobile robot. *IEEE journal on robotics and automation*, 2(1), 14–23.
- Canessa, A., Casu, P., Solari, F., & Chessa, M. (2019). Comparing real walking in immersive virtual reality and in physical world using gait analysis. In *Proceedings of the 14th international joint conference on computer vision, imaging and computer graphics theory and applications - volume 2: Hucapp*, (p. 121-128). SciTePress.
- Castilla-Rodríguez, I., Arnay, R., Rodríguez, R., & Rodríguez, J. (2020). Two-level simulation approach to evaluate the performance of autonomous wheelchairs in a hospital. *SIMULATION*, 96(10), 781–789.
- Chong, H.-Q., Tan, A.-H., & Ng, G.-W. (2007, Aug 01). Integrated cognitive architectures: a survey. *Artificial Intelligence Review*, 28(2), 103–130.
- Collins, A. J., & Frydenlund, E. (2018). Strategic group formation in agent-based simulation. *Simulation*, 94(3), 179–193.
- Crouch, M., & McKenzie, H. (2006). The logic of small samples in interview-based qualitative research. *Social Science Information*, 45(4), 483-499.
- Da Silva, T., Martin, A., Maurer, F., & Silveira, M. (2011, 09). User-centered design and agile methods: A systematic review. In (p. 77 - 86).
- Davidsson, P. (2002). Agent Based Social Simulation: a Computer Science View. *Journal of Artificial Societies and Social Simulation*, 5(1), 1-7.
- Dickinson, P., Gerling, K., Hicks, K., Murray, J., Shearer, J., & Greenwood, J. (2019, Mar 01). Virtual reality crowd simulation: effects of agent density on user experience and behaviour. *Virtual Reality*, 23(1), 19–32.
- Durupinar, F., Gudukbay, U., Aman, A., & Badler, N. (2015, 11). Psychological parameters for crowd simulation: From audiences to mobs. *IEEE Transactions on Visualization and Computer Graphics*, 22.

- Dworkin, S. L. (2012, Dec 01). Sample size policy for qualitative studies using in-depth interviews. *Archives of Sexual Behavior*, 41(6), 1319–1320.
- El-Nasr, M. S., Yen, J., & Ioerger, T. R. (2000). FLAME—Fuzzy Logic Adaptive Model of Emotions. *Autonomous Agents and Multi-Agent Systems*, 3(3), 219–257.
- Gosling, S. D., Rentfrow, P. J., & Swann, W. B. (2003). A very brief measure of the big-five personality domains. *Journal of Research in Personality*, 37, 504–528.
- Guest, G., Bunce, A., & Johnson, L. (2006). How many interviews are enough?: An experiment with data saturation and variability. *Field Methods*, 18(1), 59–82.
- Guy, S. J., Kim, S., Lin, M. C., & Manocha, D. (2011). Simulating heterogeneous crowd behaviors using personality trait theory. In *Proceedings of the 2011 acm siggraph/eurographics symposium on computer animation* (pp. 43–52). New York, NY, USA: ACM.
- Hesham, O., & Wainer, G. (2021). Advanced models for centroidal particle dynamics: short-range collision avoidance in dense crowds. *SIMULATION*, 00375497211003126.
- Interrante, V., Ries, B., & Anderson, L. (2006, 01). Distance perception in immersive virtual environments, revisited. *Virtual Reality Conference, IEEE*, 0, 3–10.
- Jia, L., & Yun, C. (2014). Simulation on staffs evacuation behavior in plant fire emergencies. *Systems Research and Behavioral Science*, 31(4), 527–536.
- Keßel, A., Klüpfel, H., Wahle, J., & Schreckenberg, M. (n.d.). Microscopic simulation of pedestrian crowd motion. In M. Schreckenberg & S. D. Sarma (Eds.), *In pedestrian and evacuation dynamics* (pp. 193–202). Springer-Verlag.
- Kim, S., Guy, S. J., Manocha, D., & Lin, M. C. (2012). Interactive simulation of dynamic crowd behaviors using general adaptation syndrome theory. In *Proceedings of the acm siggraph symposium on interactive 3d graphics and games* (pp. 55–62). New York, NY, USA: ACM.
- Kinateder, M., Ronchi, E., Nilsson, D., Kobes, M., Müller, M., Pauli, P., & Mühlberger, A. (2014, Sep.). Virtual reality for fire evacuation research. In *2014 federated conference on computer science and information systems* (p. 313–321).
- Kuliga, S. F., Thrash, T., Dalton, R. C., & Hölscher, C. (2015). Virtual reality as an empirical research tool—exploring user experience in a real building and a corresponding virtual model. *Computers, environment and urban systems*, 54, 363–375.
- Laird, J. E. (2012). *The soar cognitive architecture*. The MIT Press.
- Langley, P., & Choi, D. (2006). A unified cognitive architecture for physical agents. In *Proceedings of the 21st national conference on artificial intelligence - volume 2* (pp. 1469–1474). AAAI Press.
- LaViola, J. J., Jr. (2000, January). A discussion of cybersickness in virtual environments. *SIGCHI Bull.*, 32(1), 47–56.
- Lhommet, M., Lourdeaux, D., & Barthès, J.-P. (2011). Never alone in the crowd: A microscopic crowd model based on emotional contagion. In *Proceedings of the 2011 ieee/wic/acm international conferences on web intelligence and intelligent agent technology - volume 02* (pp. 89–92). Washington, DC, USA: IEEE Computer Society.
- Lin, M. C., & Manocha, D. (2010, Sep 01). Virtual cityscapes: recent advances in crowd modeling and traffic simulation. *Frontiers of Computer Science in China*, 4(3), 405–416.
- Lohr, S. L. (2019). *Sampling: Design and analysis* (2nd ed.). Chapman and Hall/CRC.
- Luo, L., Zhou, S., Cai, W., Low, M. Y. H., & Lees, M. (2009). Toward a generic framework for modeling human behaviors in crowd simulation. In *Proceedings of the 2009 ieee/wic/acm international joint conference on web intelligence and intelligent agent technology - volume 02* (pp. 275–278). Washington, DC, USA: IEEE Computer Society.
- Luo, L., Zhou, S., Cai, W., Low, M. Y. H., Tian, F., Wang, Y., . . . Chen, D. (2008). Agent-based human behavior modeling for crowd simulation. *Computer Animation and Virtual Worlds*, 19(3–4), 271–281.
- Ma, Y., Lee, E. W. M., & Yuen, R. K. K. (2016). An artificial intelligence-based approach for simulating pedestrian movement. *IEEE Transactions on Intelligent Transportation Systems*, 17(11), 3159–3170.
- Matthews, R. B., Gilbert, N. G., Roach, A., Polhill, J. G., & Gotts, N. M. (2007). Agent-based land-use models: a review of applications. *Landscape Ecology*, 22(10), 1447–1459.

- McCarroll, D. (2017). *Simple statistical tests for geography*. Chapman and Hall/CRC Press.
- Münchow, S., Enukidze, I., Sarstedt, S., & Thiel-Clemen, T. (2014). Walk: A modular testbed for crowd evacuation simulation. In U. Weidmann, U. Kirsch, & M. Schreckenberg (Eds.), *Pedestrian and evacuation dynamics 2012* (pp. 1417–1424). Cham: Springer International Publishing.
- Olivier, A.-H., Bruneau, J., Cirio, G., & Pettré, J. (2014). A virtual reality platform to study crowd behaviors. *Transportation Research Procedia*, 2, 114 - 122. (The Conference on Pedestrian and Evacuation Dynamics 2014 (PED 2014), 22-24 October 2014, Delft, The Netherlands)
- Ortony, A., Clore, G. L., & Collins, A. (1988). *The Cognitive Structure of Emotions*. Cambridge, UK: Cambridge University Press.
- Pan, X., Han, C. S., Dauber, K., & Law, K. H. (2007). A multi-agent based framework for the simulation of human and social behaviors during emergency evacuations. *Ai & Society*, 22(2), 113–132.
- Pelechano, N., O’Brien, K., Silverman, B., & Badler, N. (2005, 11). Crowd simulation incorporating agent psychological models, roles and communication. *First International Workshop on Crowd Simulation*.
- Railsback, S. F., Lytinen, S. L., & Jackson, S. K. (2006). Agent-based simulation platforms: Review and development recommendations. *SIMULATION*, 82(9), 609-623.
- Rao, A. S., & George, M. P. (1995). Bdi agents: From theory to practice. In *Proceedings of the first international conference on multi-agent systems (icmas-95)* (p. 312-319).
- Robinson, M. D., & Kirkeby, B. S. (2005). Happiness as a belief system: Individual differences and priming in emotion judgments. *Personality and Social Psychology Bulletin*, 31(8), 1134-1144. (PMID: 16000273)
- Sakellariou, I., Kurdi, O., Gheorghe, M., Romano, D., Kefalas, P., Ipate, F., & Niculescu, I. (2014, Sep.). Crowd formal modelling and simulation: The sa’yee ritual. In *2014 14th uk workshop on computational intelligence (ukci)* (p. 1-8).
- Schultz, M., Lehmann, S., & Fricke, H. (2007). A discrete microscopic model for pedestrian dynamics to manage emergency situations in airport terminals. In N. Waldau, P. Gattermann, H. Knoflacher, & M. Schreckenberg (Eds.), *Pedestrian and evacuation dynamics 2005* (pp. 369–375). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Shao, W., & Terzopoulos, D. (2006). Populating reconstructed archaeological sites with autonomous virtual humans. In J. Gratch, M. Young, R. Aylett, D. Ballin, & P. Olivier (Eds.), *Intelligent virtual agents* (pp. 420–433). Berlin, Heidelberg: Springer Berlin Heidelberg.
- Shendarkar, A., Vasudevan, K., Lee, S., Son, Y.-J., & Son, Y.-J. (2006). Crowd simulation for emergency response using bdi agent based on virtual reality. In *Proceedings of the 38th conference on winter simulation* (pp. 545–553). Winter Simulation Conference.
- Sinclair, J. (2020). *A data-driven approach towards a realistic and generic crowd simulation framework* (Unpublished doctoral dissertation). James Cook University.
- Sinclair, J., Suwanwiwat, H., & lee, I. (2020). A virtual reality and questionnaire approach to gathering real world data for agent based crowd simulation models. *Simulation*. (submitted Dec. 2020)
- Song, X., Han, D., Sun, J., & Zhang, Z. (2018). A data-driven neural network approach to simulate pedestrian movement. *Physica A: Statistical Mechanics and its Applications*, 509, 827–844.
- Steunebrink, B., Dastani, M., & Meyer, J. (2009). The occ model revisited. *Emotion and Computing*. Paderborn, Germany.
- Sun, R. (2006). The CLARION Cognitive Architecture: Extending Cognitive Modeling to Social Simulation. In *Cognition and multi-agent interaction: From cognitive modeling to social simulation*. (pp. 79–99). Sun, Ron: Department of Cognitive Science, Rensselaer Polytechnic Institute, Troy, NY, 12180, rsun@rpi.edu: Cambridge University Press.
- Teahan, W. J. (2010). *Artificial intelligence: Agent behaviour*. William John Teahan & Ventus Publishing.
- TREISMAN, A. M. (1964, 01). SELECTIVE ATTENTION IN MAN. *British Medical Bulletin*,

- 20(1), 12-16.
- Trivedi, A., & Rao, S. (2018, 03). Agent-based modeling of emergency evacuations considering human panic behavior. *IEEE Transactions on Computational Social Systems*, 5, 277-.
- Vasudevan, K., & Son, Y.-J. (2011, November). Concurrent consideration of evacuation safety and productivity in manufacturing facility planning using multi-paradigm simulations. *Comput. Ind. Eng.*, 61(4), 1135–1148.
- ”Weber, G. (”2012”). *”act - adaptive control of thought”*. ”Boston, MA”: ”Springer US”.
- Zoumpoulaki, A., Avradinis, N., & Vosinakis, S. (2010). A multi-agent simulation framework for emergency evacuations incorporating personality and emotions. In *Proceedings of the 6th hellenic conference on artificial intelligence: Theories, models and applications* (pp. 423–428). Berlin, Heidelberg: Springer-Verlag.