

Lawrence Berkeley National Laboratory

Lawrence Berkeley National Laboratory

Title

BioPig A Hadoop-based Analytic Toolkit for Large Scale Sequence Data

Permalink

<https://escholarship.org/uc/item/16x6d94n>

Author

Wang, Kai

Publication Date

2012-03-20

BioPig // A Hadoop-based Analytic Toolkit for Large Scale Sequence Data

Kai Wang ¹, Henrik Nordberg ¹

¹ Department of Energy Joint Genome Institute // LBNL - Walnut Creek, CA

"To whom correspondence may be addressed. E-mail: kaiwang@lbl.gov


March 19, 2012

ACKNOWLEDGMENTS:

The work conducted by the US Department of Energy (DOE) Joint Genome Institute is supported by the Office of Science of the DOE under Contract Number DE-AC02-05CH11231. The views and opinions of the authors expressed herein do not necessarily state or reflect those of the United States Government, or any agency thereof, or the Regents of the University of California. We also wish to thank Karan Bhatia, Shane Cannon, Tatyana Smirnova, Aijazuddin Syed and Zhong Wang for their contributions.

DISCLAIMER:

This document was prepared as an account of work sponsored by the United States Government. While this document is believed to contain correct information, neither the United States Government nor any agency thereof, nor The Regents of the University of California, nor any of their employees, makes any warranty, express or implied, or assumes any legal responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by its trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof, or The Regents of the University of California. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof or The Regents of the University of California




Kai Wang and Henrik Nordberg, Joint Genome Institute, Berkeley Lab

Abstract

The recent revolution in sequencing technologies has led to the exponential growth of sequence data. As a result, most of the current bioinformatics tools become obsolete as they fail to scale with data. To tackle this “data deluge”, here we introduce the BioPig sequence analysis toolkit as one of the solutions that scale to data and computation. BioPig is built upon the Apache's Hadoop map-reduce system and the Pig data flow language. Its programmability greatly reduces development time for parallel bioinformatics applications. Testing linear algorithms implemented in BioPig with up to 500 Gb sequences demonstrates that it scales linearly with size of data. We also demonstrate that BioPig can be ported without modification on two independent pieces of Hadoop infrastructure, the Magellan system at NERSC, and the Amazon Elastic Compute Cloud. In summary, BioPig represents a novel program framework with the potential to greatly accelerate data-intensive bioinformatics analysis.

Motivation




Cost of sequencing is decreasing faster than the cost of storage. We need better algorithms and methods to handle TeraBases of data.

Easy to program


```
register ../lib/biopig-core-0.3.0-job.jar
A = load '$reads' using gov.jgi.meta.pig.storage.FastaStorage as
(id: chararray, d: int, seq: chararray);
B = foreach A generate id, FLATTEN(
gov.jgi.meta.pig.eval.KmerGenerator(seq, 30)) as
(kmer:bytearray);
C = group B by kmer;
D = foreach C generate group, COUNT(B);
E = group D by $1;
F = foreach E generate group, COUNT(D);
store F into '$output';
```

Listing 1: Just 8 lines for K-mer histogram calculation.

Data Size Programming Model Complexity Development Time Run-time



Designed to handle very large data



Comparison of memory use and run time of Serial, MPI, and BioPig versions of K-mer histogram code. BioPig is capable of handling 500GB of data.

Flexibility

```
#!/usr/bin/python
from org.apache.pig.scripting import *

PP = Pig.compile("""
register ../lib/biopig-core-0.3.0-job.jar;
-- load the target sequences
readindex = load '$indexFile' using PigStorage as
(seq: bytearray, kmer: bytearray);
-- now index the contigs
contig = load '$contigFile' using PigStorage as
(geneid: chararray, seq: chararray);
...
store notextended into 'output/data-$i';
""")

for i in range(50):
    stats = PP.bind().runSingle()
    contigFile = 'output/step-'+str(i)
```

Listing 2: Can use Python and JavaScript to take advantage of advanced control structures.

Figure 1. BioPig uses Apache Pig and Hadoop. BioPig runs on one machine, or a cluster of machines. It ports easily between different architectures, e.g., NERSC Magellan and Amazon EC2.

Conclusion

BioPig is designed for processing large datasets in bioinformatics applications. We found that BioPig is easy to use -- for the gene discovery pipeline, it requires 61 lines of BioPig script code. It is scalable -- it is able to process datasets as large as 500 Gb. It is portable -- it can be ported to Amazon EC2 easily. It may be somewhat slower than handcrafted MPI. We note that performance is not the only criterion by which to evaluate the various methods. Indeed, for some methods it is their feasibility that is of highest importance. Some methods simply break down when applied to large data. When dealing with huge data sets, there is no way around having enough resources. BioPig shifts the need from expensive resources such as large memory (≥ 1 TB RAM) machines and/or parallel programming expertise, to commodity hardware and/or the expertise to run in the Cloud. Publication pending.

Acknowledgements: Karan Bhatia, Shane Cannon, Tatyana Smirnova, Aijazuddin Syed, Zhong Wang