Disciplined Convex-Concave Programming

Xinyue Shen

Steven Diamond Yuantao Gu

Stephen Boyd

April 12, 2016

Abstract

In this paper we introduce disciplined convex-concave programming (DCCP), which combines the ideas of disciplined convex programming (DCP) with convex-concave programming (CCP). Convex-concave programming is an organized heuristic for solving nonconvex problems that involve objective and constraint functions that are a sum of a convex and a concave term. DCP is a structured way to define convex optimization problems, based on a family of basic convex and concave functions and a few rules for combining them. Problems expressed using DCP can be automatically converted to standard form and solved by a generic solver; widely used implementations include YALMIP, CVX, CVXPY, and Convex.jl. In this paper we propose a framework that combines the two ideas, and includes two improvements over previously published work on convex-concave programming, specifically the handling of domains of the functions, and the issue of nondifferentiability on the boundary of the domains. We describe a Python implementation called DCCP, which extends CVXPY, and give examples.

1 Disciplined convex-concave programming

1.1 Difference of convex programming

Difference of convex (DC) programming problems have the form

minimize
$$f_0(x) - g_0(x)$$

subject to $f_i(x) - g_i(x) \le 0$, $i = 1, \dots, m$, (1)

where $x \in \mathbf{R}^n$ is the optimization variable, and the functions $f_i : \mathbf{R}^n \to \mathbf{R}$ and $g_i : \mathbf{R}^n \to \mathbf{R}$ for $i = 0, \ldots, m$ are convex. The DC problem (1) can also include equality constraints of the form $p_i(x) = q_i(x)$, where p_i and q_i are convex; we simply express these as the pair of inequality constraints

$$p_i(x) - q_i(x) \le 0, \qquad q_i(x) - p_i(x) \le 0,$$

which have the difference of convex form in (1). When the functions g_i are all affine, the problem (1) is a convex optimization problem, and easily solved [BV04].

The broad class of DC functions includes all C^2 functions [Har59], so the DC problem (1) is very general. A special case is Boolean linear programs, which can represent many problems, such as the traveling salesman problem, that are widely believed to be hard to solve [Kar72]. DC programs arise in many applications in fields such as signal processing [LOX15], machine learning [ALNT08], computer vision [LZOX15], and statistics [THA⁺14].

DC problems can be solved globally by methods such as branch and bound [Agi66, LW66], which can be slow in practice. Good overviews of solving DC programs globally can be found in [HPT95, HT99] and the references therein. A locally optimal (approximate) solution can be found instead through the many techniques of general nonlinear optimization [NW06].

The convex-concave procedure (CCP) [YR03] is another heuristic algorithm for finding a local optimum of (1), which leverages our ability to efficiently solve convex optimization problems. In its basic form, it replaces concave terms with a convex upper bound, and then solves the resulting convex problem, which is a restriction of the original DC problem. Basic CCP can thus be viewed as an instance of majorization minimization (MM) algorithms [LHY00], in which a minimization problem is approximated by an easier to solve upper bound created around the current point (a step called majorization) and then minimized. Many MM extensions have been developed over the years and more can be found in [LR87, Lan04, MK07]. CCP can also be viewed as a version of DCA [TS86] which instead of explicitly stating the linearization, finds it by solving a dual problem. More information on DCA can be found at [An15] and the references therein.

A recent overview of CCP, with some extensions, can be found in [LB15], where the issue of infeasibility is handled (heuristically) by an increasing penalty on constraint violations. The method we present in this paper is an extension of the penalty CCP method introduced in [LB15], given as algorithm 1.1 below.

Algorithm 1.1 Penalty CCP.

```
given an initial point x_0, \tau_0 > 0, \tau_{\max} > 0, and \mu > 1.

k := 0.

repeat

1. Convexify. Form \hat{g}_i(x; x_k) = g_i(x_k) + \nabla g_i(x_k)^T (x - x_k) for i = 0, \dots, m.

2. Solve. Set the value of x_{k+1} to a solution of

minimize f_0(x) - \hat{g}_0(x; x_k) + \tau_k \sum_{i=1}^m s_i

subject to f_i(x) - \hat{g}_i(x; x_k) \leq s_i, \quad i = 1, \dots, m

s_i \geq 0, \quad i = 1, \dots, m.

3. Update \tau. \tau_{k+1} := \min(\mu \tau_k, \tau_{\max}).

4. Update iteration. k := k + 1.

until stopping criterion is satisfied.
```

See [LB15] for discussion of a few variations on the penalty CCP algorithm, such as not using slack variables for constraints that are convex, *i.e.*, the case when g_i is affine. Here it is assumed that g_i are differentiable, and have full domain (*i.e.*, \mathbf{R}^n). The first condition is not critical; we can replace $\nabla g_i(x_k)$ with a subgradient of g_i at x_k , if it is not differentiable. The linearization with a subgradient instead of the gradient is still a lower bound on g_i .

In some practical applications, the second assumption, that g_i have full domain, does not hold, in which case the penalty CCP algorithm can fail, by arriving at a point x_k not in the domain of g_i , so the convexification step fails. This is one of the issues we will address in this paper.

1.2 Disciplined convex programming

Disciplined convex programming (DCP) is a methodology introduced by Grant et al. [GBY06] that imposes a set of conventions that must be followed when constructing (or specifying or defining) convex programs. Conforming problems are called *disciplined convex programs*.

The conventions of DCP restrict the set of functions that can appear in a problem and the way functions can be composed. Every function in a disciplined convex program must come from a set of atomic functions with known curvature and graph implementation, or representation as partial optimization over a cone program [GB08, NN92]. Every composition of functions $f(g_1(x), \ldots, g_k(x))$, where $f : \mathbf{R}^p \to \mathbf{R} \to \mathbf{R}$ is convex and $g_1, \ldots, g_p : \mathbf{R}^n \to \mathbf{R}$, must satisfy the following composition rule, which ensures the composition is convex. Let $\tilde{f} : \mathbf{R}^p \to \mathbf{R} \to \mathbf{R} \cup \{\infty\}$ be the extended-value extension of f [BV04, Chap. 3]. One of the following conditions must hold for each $i = 1, \ldots, p$:

- g_i is convex and \tilde{f} is nondecreasing in argument *i* on the range of $(g_1(x), \ldots, g_p(x))$.
- g_i is concave and \tilde{f} is nonincreasing in argument *i* on the range of $(g_1(x), \ldots, g_p(x))$.
- g_i is affine.

The composition rule for concave functions is analogous. These rules allow us to certify the curvature (*i.e.*, convexity or concavity) of functions described as compositions using the basic atomic functions.

A DCP problem has the specific form

minimize/maximize
$$o(x)$$

subject to $l_i(x) \sim r_i(x), \quad i = 1, \dots, m,$ (2)

where o (the objective), l_i (lefthand sides), and r_i (righthand sides) are expressions (functions of the variable x) with curvature known from the DCP rules, and \sim denotes one of the relational operators =, \leq , or \geq . In DCP this problem must be convex, which imposes conditions on the curvature of the expressions, listed below.

- For a minimization problem, *o* must be convex; for a maximization problem, *o* must be concave.
- When the relational operator is =, l_i and r_i must both be affine.
- When the relational operator is \leq , l_i must be convex, and r_i must be concave.

• When the relational operator is \geq , l_i must be concave, and r_i must be convex.

Functions that are affine (*i.e.*, are both convex and concave) can match either curvature requirement; for example, we can minimize or maximize an affine expression.

A disciplined convex program can be transformed into an equivalent cone program by replacing each function with its graph implementation. The convex optimization modeling systems YALMIP [Lof04], CVX [CVX12], CVXPY [DB16], and Convex.jl [UMZ⁺14] use DCP to verify problem convexity and automatically convert convex programs into cone programs, which can then be solved using generic solvers.

1.3 Disciplined convex-concave programming

We refer to a problem as a disciplined convex-concave program if it has the form (2), with o, l_i , and r_i all having known DCP-verified curvature, but the DCP curvature conditions for the objective and constraints need not hold. Such problems include DCP as a special case, but it includes many other nonconvex problems as well. In a DCCP problem we can, for example, maximize a convex function, subject to nonaffine equality constraints, and nonconvex inequality constraints between convex and concave expressions.

The general DC program (1) and the DCCP standard form (2) are equivalent. To express (1) as (2), we express it as

minimize
$$f_0(x) - t$$

subject to $t = g_0(x)$
 $f_i(x) \le g_i(x), \quad i = 1, \dots, m,$

where x is the original optimization variable, and t is a new optimization variable. The objective here is convex, we have one (nonconvex) equality constraint, and the constraints are all nonconvex (except for some special cases when f_i or g_i is affine) It is straighforward to express the DCCP problem (2) in the form (1), by identifying the functions o_i , l_i , and r_i as $\pm f_i$ or $\pm g_i$ depending on their curvatures.

DCCP problems are an ideal standard form for DC programming because the linearized problem in algorithm 1.1 is a DCP program whenever the original problem is DCCP. The linearized problem can thus be automatically converted into a cone program and solved using generic solvers.

2 Domain and subdifferentiability

In this section we delve deeper into an issue that is 'assumed away' in the standard treatments and discussions of DC programming, specifically, how to handle the case when the functions g_i do not have full domain. (The functions f_i can have non-full domains, but this is handled automatically by the conversion into a cone program.) An example. Suppose the domain of g_i is \mathcal{D}_i , for i = 0, ..., m. If $\mathcal{D}_i \neq \mathbf{R}^n$, simply defining the linearization $\hat{g}_i(x; z)$ as the first order Taylor expansion of g_i at the point z can lead to failure. The following simple problem gives an example:

$$\begin{array}{ll}\text{minimize} & \sqrt{x}\\ \text{subject to} & x \ge -1, \end{array}$$

where $x \in \mathbf{R}$ is the optimization variable. The objective has domain \mathbf{R}_+ , and the solution is evidently $x^* = 0$. The linearized problem in the first iteration of CCP is

minimize
$$x_0 + \frac{1}{2\sqrt{x_0}}(x - x_0)$$

subject to $x \ge -1$,

which has solution $x_1 = -1$. The DCCP algorithm will fail in the first step of the next iteration, since the original objective function is not defined at $x_1 = -1$.

If we add the domain constraint directly into the linearized problem, we obtain $x_1 = 0$, but the first step of the next iteration also fails here, in a different way. While x_1 is in the domain of the objective function, the objective is not differentiable (or superdifferentiable) at x_1 , so the linearization does not exist. This phenomenon of non-subdifferentiability or non-superdifferentiability can only occur at a point on the boundary of the domain.

2.1 Linearization with domain

Suppose that the intersection of domains of all g_i in problem (1) is $\mathcal{D} = \bigcap_{i=0}^m \mathcal{D}_i$. The correct way to handle the domain is to define the linearization of g_i at point z to be

$$\hat{g}_i(x;z) = g_i(z) + \nabla g_i(z)^T (x-z) - \mathcal{I}_i(x), \qquad (3)$$

where the indicator function is

$$\mathcal{I}_i(x) = \begin{cases} 0 & x \in \mathcal{D}_i \\ \infty & x \notin \mathcal{D}_i, \end{cases}$$

so any feasible point for the linearized problem is in the domain \mathcal{D} .

Since g_i is convex, \mathcal{D}_i is a convex set and \mathcal{I}_i is a convex function. Therefore the 'linearization' (3) is a concave function; it follows that if we replace the standard linearization in algorithm 1.1 with the domain-restricted linearization (3), the linearized problem is still convex.

2.2 Domain in DCCP

Recall that we defined DCCP problems to ensure that the linearized problem in algorithm 1.1 is a DCP problem. It is not obvious that if we replace the standard linearization with equation (3) the linearized problem is still a DCP problem. In this section we prove that the linearized DCCP problem still satisfies the rules of DCP, or equivalently that each $\mathcal{I}_i(x)$ has a known graph implementation or satisfies the DCP composition rule.

If g_i is an atomic function, then we assume that

$$\mathcal{D}_i = \bigcap_{i=1}^p \{ x \mid A_i x + b_i \in \mathcal{K}_i \},\$$

for some cone constraints $\mathcal{K}_1, \ldots, \mathcal{K}_p$. The assumption is reasonable since g_i itself can be represented as partial optimization over a cone program. The graph implementation of $\mathcal{I}_i(x)$ is simply

minimize 0
subject to
$$A_i x + b_i \in \mathcal{K}_i, \quad i = 1, \dots, p.$$

The other possibility is that g_i is a composition of atomic functions. Since the original problem is DCCP, we may assume that $g_i(x) = f(h_1(x), \ldots, h_p(x))$ for some convex atomic function $f : \mathbf{R}^p \to \mathbf{R}$ and DCP compliant $h_1, \ldots, h_p : \mathbf{R}^n \to \mathbf{R}$ such that $f(h_1(x), \ldots, h_p(x))$ satisfies the DCP composition rule. Then we have

$$\mathcal{I}_i(x) = \mathcal{I}_f(h_1(x), \dots, h_p(x)) + \sum_{j=1}^p \mathcal{I}_{h_j}(x),$$

where \mathcal{I}_f is the indicator function for the domain of f and $\mathcal{I}_{h_1}, \ldots, \mathcal{I}_{h_p}$ are defined similarly.

Since f is convex, \mathcal{I}_f is convex. Moreover, $\mathcal{I}_f(h_1(x), \ldots, h_p(x))$ satisfies the DCP composition rule. To see why, observe that for $i = 1, \ldots, p$, if h_i is convex then by assumption the extended-value extension \tilde{f} is nondecreasing in argument i on the range of $(h_1(x), \ldots, h_p(x))$. It follows that \mathcal{I}_f is nondecreasing in argument i on the range of $(h_1(x), \ldots, h_p(x))$. Similarly, if h_i is concave then \mathcal{I}_f is nonincreasing in argument i on the range of $(h_1(x), \ldots, h_p(x))$.

An inductive argument shows that $\mathcal{I}_{h_1}, \ldots, \mathcal{I}_{h_p}$ are convex and satisfy the DCP rules. We conclude that \mathcal{I}_i satisfies the DCP composition rule.

2.3 Sub-differentiability on boundary

When $\mathcal{D} \neq \mathbf{R}^n$, a solution to the linearized problem \hat{x}_k at iteration k can be on the boundary of the closure of \mathcal{D} . It is possible (as our simple example above shows) that the convex function g_i is not subdifferentiable at \hat{x}_k , which means the linearization does not exist and the algorithm fails. This pathology can and does occur in practical problems.

In order to handle this, at each iteration, when the subgradient $\nabla g_i(\hat{x}_k)$ for any function g_i does not exist, we simply take a damped step,

$$x_k = \alpha \hat{x}_k + (1 - \alpha) x_{k-1},$$

where $0 < \alpha < 1$. If x_0 is in the interior of the domain, then x_k will be in the interior for all $k \ge 0$, and $\nabla g_i(x_k)$ will be guaranteed to exist. The algorithm can (and does, for our simple example) converge to a point on the boundary of the the domain, but each iterate is in the interior of the domain, which is enough to guarantee that the linearization exists.

3 Initialization

As a heuristic method, the result of algorithm 1.1 generally depends on the initialization, and the initial values of variables should be in the interior of the domain. In many applications there is a natural way to carry out this initialization; here we discuss a generic method (attempting) to do it. Note that in general the problem of finding $x_0 \in \mathcal{D}$ can be very hard, so we do not expect to have a generic method that always works.

One simple and effective method is to generate random points z_j for $j = 1, \ldots, k_{\text{ini}}$, with entries drawn from from i.i.d. standard Gaussian distributions. We then project these points onto \mathcal{D} , *i.e.*, solve the problems

minimize
$$||x - z_j||_2$$

subject to $x \in \mathcal{D}$,

for $j = 1, \ldots, k_{\text{ini}}$, denoting the solutions as x_{ini}^j . These points are on the boundary of \mathcal{D} when $z_j \notin \mathcal{D}$. We then take

$$x_0 = \frac{1}{k_{\text{ini}}} \sum_{j=1}^{k_{\text{ini}}} x_{\text{ini}}^j$$

Forming the average is a heuristic for finding x_0 in the interior of \mathcal{D} ; but it is still possible that x_0 is on the boundary, in which case it is an unacceptable starting point. As a generic practical method, however, this approach seems to work very well.

4 Implementation

The proposed methods described above have been implemented as the Python package DCCP, which extends the package CVXPY. New methods were added to CVXPY to return the domain of a DCP expression (as a list of constraints), and gradients (or subgradients or supergradients) were added to the atoms. The linearization, damping, and initialization are handled by the package DCCP. Users can form any DCCP problem of the form (2), with each expression composed of functions in the CVXPY library.

When the solve(method = 'dccp') method is called on a problem object, DCCP first verifies that the problem satisfies the DCCP rules. The package then splits each non-affine equality constraint $l_i = r_i$ into $l_i \leq r_i$ and $l_i \geq r_i$. The curvature of the objective and the left and righthand sides of each constraint is checked, and if needed, linearized. In the linearization the function value and gradient are CVXPYparameters, which are constants whose value can change without reconstructing the problem. For each constraint in which the left or righthand side is linearized, a slack variable is introduced, and added to the objective. For any expression that is linearized, the domain of the original expression is added into the constraints.

Algorithm 1.1 is next applied to the convexified problem. If a valid initial value of a variable is given by the user, it is used; otherwise the generic method described above is used. In each iteration the parameters in the linearizations (which are function and gradient

values) are updated based on the current value of the variables. If a gradient (or super- or subgradient) w.r.t. any variable does not exist, damping is applied to all the variables. The convexified problem at each iteration is solved using CVXPY.

Some useful functions and attributes in the DCCP package are below.

- Function is_dccp(problem) returns a boolean indicating if an optimization problem is DCCP.
- Attribute expression.gradient returns a dictionary of the gradients of a DCP expression w.r.t. its variables at the points specified by variable.value. (This attribute is also in the core CVXPY package.)
- Function linearize(expression) returns the linearization (3) of a DCP expression.
- Attribute expression.domain returns a list of constraints describing the domain of a DCP expression. (This attribute is also in the core CVXPY package.)
- Function convexify(constraint) returns the transformed constraint (without slack variables) satisfying DCP of a DCCP constraint.
- Method problem.solve(method = 'dccp') carries out the proposed penalty CCP algorithm, and returns the value of the transformed cost function, the value of the weight μ_k , and the maximum value of slack variables at each iteration k. An optional parameter is used to set the number of times to run CCP, using the randomized initialization.




Figure 1: Circle packing.

5 Examples

In this section we describe some simple examples, show how they can be expressed using DCCP, and give the results. In each case we run the default solve method, with no tuning or adjustment of algorithm parameters.

5.1 Circle packing

The aim is to arrange n circles in \mathbb{R}^2 with given radii r_i for i = 1, ..., n, so that they do not overlap and are contained in the smallest possible square [Spe13]. The optimization problem can be formulated as

minimize
$$\max_{i=1,\dots,n} (\|c_i\|_{\infty} + r_i)$$

subject to $\|c_i - c_j\|_2 \ge r_i + r_j, \quad 1 \le i < j \le n$

where the variables are the centers of the circles $c_i \in \mathbf{R}^2$, i = 1, ..., n, and r_i , i = 1, ..., n, are given data. If l is the value of the objective function, the circles are contained in the square $[-l, l] \times [-l, l]$.

This problem can be specified in DCCP (and solved, in the last line) as follows.

```
c = Variable(n,2)
constr = []
for i in range(n-1):
    for j in range(i+1,n):
        constr += [norm(c[i,:]-c[j,:]) >= r[i]+r[j]]
prob = Problem(Minimize(max_entries(row_norm(c,'inf')+r)), constr)
prob.solve(method = 'dccp')
```

The result obtained for an instance of the problem, with n = 14 circles, is shown in figure 1. The fraction of the square covered by circles is 0.73.




Figure 2: Boolean least squares.

5.2 Boolean least squares

A binary signal $s \in \{-1, 1\}^n$ is transmitted through a communication channel, and received as y = As + v, where $v \sim \mathcal{N}(0, \sigma^2 I)$ is a noise, and $A \in \mathbf{R}^{m \times n}$ is the channel matrix. The maximum likelihood estimate of s given y is a solution of

minimize
$$\|y - Ax\|_2$$

subject to $x_i^2 = 1, \quad i = 1, \dots, n,$

where x is the optimization variable [For72]. It is a boolean least squares problem if the objective function is squared.

The corresponding code for this problem is given below.

```
x = Variable(n)
prob = Problem(Minimize(norm(y-A*x,2)), [square(x) == 1])
result = prob.solve(method = 'dccp')
```

Note that the square function in the constraint is elementwise.

We consider some numerical examples with m = n = 100, with $A_{ij} \sim \mathcal{N}(0, 1)$ i.i.d., and s_i i.i.d. with probability 1/2 1 or -1. The signal to noise ratio level is n/σ^2 . In each of the 10 independent instances, A and s are generated, and n/σ^2 takes 8 values from 1 to 17. For each value of n/σ^2 , v is generated. The bit error rates averaged from 10 instances are shown in figure 2. Also shown are the same results obtained when the boolean least squares problem is solved globally (at considerably more effort) using MOSEK [ApS15]. We can see that the results, judged in terms of bit error rate, are very similar.




Figure 3: Path planning.

5.3 Path planning

The goal is to find the shortest path connecting points a and b in \mathbb{R}^d that avoids m circles, centered at p_j with radius r_j , $j = 1, \ldots, m$ [Lat91]. After discretizing the arc length parametrized path into points x_0, \ldots, x_n , the problem is posed as

minimize
$$L$$

subject to $x_0 = a, \quad x_n = b$
 $\|x_i - x_{i-1}\|_2 \le L/n, \quad i = 1, ..., n$
 $\|x_i - p_j\|_2 \ge r_j, \quad i = 1, ..., n, \quad j = 1, ..., m,$

where L and x_i are variables, and a, b, p_j , and r_j are given.

The code is given below.

```
x = Variable(d,n+1)
L = Variable()
cost = L
constr = [x[:,0] == a, x[:,n] == b]
for i in range(1,n+1):
    constr += [norm(x[:,i]-x[:,i-1],2) <= L/n]
    for j in range(m):
        constr += [norm(x[:,i]-center[:,j],2) >= r[j]]
prob = Problem(Minimize(cost), constr)
result = prob.solve(method = 'dccp')
```

An example with d = 2 and n = 50 is shown in figure 3.

5.4 Control with collision avoidance

We have n linear dynamic systems, given by

$$x_{t+1}^{i} = A^{i}x_{t}^{i} + B^{i}u_{t}^{i}, \quad y_{t}^{i} = C^{i}x_{t}^{i}, \quad i = 1, \dots, n,$$

where t = 0, 1, ... denotes (discrete) time, x_t^i are the states, and y_t^i are the outputs. At each time t for t = 0, ..., T the n outputs y_t^i are required to keep a distance of at least d_{\min} from each other [MWCD99]. The initial states x_0^i and ending states x_n^i are given by x_{\min}^i and x_{end}^i , and the inputs are limited by $||u_t^i||_{\infty} \leq f_{\max}$. We will minimize a sum of the ℓ_1 norms of the inputs, an approximation of fuel use. (Of course we can have any convex state and input constraints, and any convex objective.) This gives the problem

$$\begin{array}{ll} \text{minimize} & \sum_{i=1}^{n} \sum_{t=0}^{T-1} \|u_{t}^{i}\|_{1} \\ \text{subject to} & x_{0}^{i} = x_{\text{init}}^{i}, \quad x_{T}^{i} = x_{\text{end}}^{i}, \quad i = 1, \dots, n \\ & x_{t+1}^{i} = A^{i} x_{t}^{i} + B^{i} u_{t}^{i}, \quad t = 0, \dots, T-1, \quad i = 1, \dots, n \\ & \|y_{t}^{i} - y_{t}^{j}\|_{2} \ge d_{\min}, \quad t = 0, \dots, T, \quad 1 \le i < j \le n \\ & y_{t}^{i} = C^{i} x_{t}^{i}, \quad \|u_{t}^{i}\|_{\infty} \le f_{\max}, \quad t = 0, \dots, T-1, \quad i = 1, \dots, n, \end{array}$$

where x_t^i , y_t^i , and u_t^i are variables.

The code can be written as follows.

```
constr = []
cost = 0
for i in range(n):
    for t in range(T):
        u[i] += [Variable(d)]
        constr += [norm(u[i][-1],'inf') <= f_max]</pre>
        cost += norm(u[i][-1],1)
        y[i] += [Variable(d)]
        x[i] += [Variable(2*d)]
        constr += [y[i][-1] == C[i]*x[i][-1]]
for i in range(n):
    constr += [x[i][0] == x_ini[i]]
    constr += [x[i][-1] == x_end[i]]
    for t in range(T-1):
        constr += [x[i][t+1] == A[i]*x[i][t] + B[i]*u[i][t]]
for t in range(T):
    for i in range(n-1):
        for j in range(i+1,n):
            constr += [norm(y[i][t] - y[j][t], 2) >= d_min]
prob = Problem(Minimize(cost), constr)
prob.solve(method = 'dccp')
```




Figure 4: Optimal control with collision avoidance. *Left*: Output trajectory without collision avoidance. *Middle*: Output trajectory with collision avoidance. *Right*: Distance between outputs versus time.

We consider an instance with n = 2, with outputs (positions) $y_t^i \in \mathbf{R}^2$, $d_{\min} = 0.6$, $f_{\max} = 0.5$, T = 100. The linear dynamic system matrices are

$$A^{i} = \begin{bmatrix} 1 & 0 & 0.1 & 0 \\ 0 & 1 & 0 & 0.1 \\ 0 & 0 & 0.95 & 0 \\ 0 & 0 & 0 & 0.95 \end{bmatrix}, \quad B^{i} = \begin{bmatrix} 0 & 0 \\ 0 & 0 \\ 0.1 & 0 \\ 0 & 0.1 \end{bmatrix}, \quad C^{i} = \begin{bmatrix} 1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 \end{bmatrix}$$

The results are in figure 4, where the black arrows in the first two figures show initial and final states (position and velocity), and the black dashed line in the third figure shows d_{\min} .




Figure 5: Sparse recovery. Left: l_1 norm. Right: Sqrt of $\ell_{1/2}$ 'norm'.

5.5 Sparse recovery using $\ell_{1/2}$ 'norm'

The aim is to recover a sparse nonnegative signal $x_0 \in \mathbf{R}^n$ from a measurement vector $y = Ax_0$, where $A \in \mathbf{R}^{m \times n}$ (with m < n) is a known sensing matrix [CW08]. A common heuristic based on convex optimization is to minimize the ℓ_1 norm of x (which reduces here to the sum of entries of x) subject to $y = Ax_0$ (and here, $x \ge 0$). It has been proposed to minimize the sum of the squareroots of the entries of x, which since $x \ge 0$ is the same as minimizing the squareroot of the $\ell_{1/2}$ 'norm' (which is not convex, and therefore not a norm), to obtain better recovery. The optimization problem is

minimize
$$\sum_{i=1}^{n} \sqrt{x_i}$$

subject to $y = Ax$,

where x is the variable. (The constraint $x \ge 0$ is implicit, since this is the objective domain.) This is a nonconvex problem, directly in DCCP form.

The corresponding code is as follows.

```
x = Variable(n,1)
x.value = np.ones((n,1))
prob = Problem(Minimize(sum_entries(sqrt(x))), [A*x == y])
result = prob.solve(method = 'dccp')
```

In a numerical simulation, we take n = 100, $A_{ij} \sim \mathcal{N}(0, 1)$, the positions of the nonzero entries in x_0 are from uniform distribution, and the nonzero values are the absolute values of $\mathcal{N}(0, 100)$ random variables. To count the probability of recovery, 100 independent instances are tested, and a recovery is successful if the relative error $\|\hat{x} - x_0\|_2 / \|x_0\|_2$ is less than 0.01. In each instance, the cardinality takes 6 values from 30 to 50, according to which x_0 is generated, and A is generated for each m taking one of the 6 values from 50 to 80. The results in figure 5 verify that nonconvex recovery is more effective than convex recovery.




Figure 6: Phase retrieval.

5.6 Phase retrieval

Phase retrieval is the problem of recovering a signal $x_0 \in \mathbb{C}^n$ from the magnitudes of the complex inner products $x_0^*a_k$, for k = 1, ..., m, where $a_k \in \mathbb{C}^n$ are the given measurement vectors [CESV13]. The recovery problem can be expressed as

find
$$x$$

subject to $|x^*a_k| = y_k, \quad k = 1, \dots, m,$

where $x \in \mathbb{C}^n$ is the optimization variable, and a_k and $y_k \in \mathbb{R}_+$ are given. The lefthand side of the constraints are convex quadratic functions of the real and imaginary parts of the arguments, which are in turn linear functions of the variable x.

The following code segment specifies the problem. CVXPY (and therefore DCCP) does not yet support complex variables and constants, so we expand complex numbers into real and imaginary parts.

```
x = Variable(2,n)
z = []
constr = []
c = np.matrix([[0,1],[-1,0]])
for k in range(m):
    z.append(Variable(2))
    z[-1].value = np.random.rand(2,1)
    constr += [norm(z[-1]) == y[k]]
    constr += [z[-1] == x*Ar[k,:] + c*x*Ai[k,:]]
prob = Problem(Minimize(0), constr)
result = prob.solve(method = 'dccp')
```

We consider an instance with n = 128 and m = 3n. The real part and the imaginary part of each entry of x_0 and a_k are i.i.d. $\mathcal{N}(0, 1)$. The result in figure 6 shows that the phase is recovered (up to a global constant).

5.7 Magnitude filter design

A filter is characterized by its impulse response $\{h_k\}_{k=1}^n$. Its frequency response $H : [0, \pi] \to \mathbb{C}$ is defined as

$$H(\omega) = \sum_{k=1}^{n} h_k e^{-i\omega k},$$

where $i = \sqrt{-1}$. In magnitude filter design, the goal is to find impulse response coefficients that meet certain specifications on the magnitude of the frequency response [WBV99]. We will consider a typical lowpass filter design problem, which can be expressed as

minimize
$$U_{\text{stop}}$$

subject to $L_{\text{pass}} \leq |H(\pi l/N)| \leq U_{\text{pass}}, \quad l = 0, \dots, l_{\text{pass}} - 1$
 $|H(\pi l/N)| \leq U_{\text{pass}}, \quad l = l_{\text{pass}}, \dots, l_{\text{stop}} - 1$
 $|H(\pi l/N)| \leq U_{\text{stop}}, \quad l = l_{\text{stop}}, \dots, N,$

where $h \in \mathbf{R}^n$ and $U_{\text{stop}} \in \mathbf{R}$ are the optimization variables. The passband magnitude limits L_{pass} and U_{pass} are given.

The code can be written as follows.

```
omega = np.linspace(0,np.pi,N)
h = Variable(n)
U_stop = Variable()
constr = []
for l in range(len(omega)):
    if l < l_pass:
        constr += [norm(expo[1]*h,2) >= L_pass]
    if l < l_stop:
        constr += [norm(expo[1]*h,2) <= U_pass]
    else:
        constr += [norm(expo[1]*h,2) <= U_stop]
prob = Problem(Minimize(U_stop), constr)
result = prob.solve(method = 'dccp')
```

An instance of low pass filter design, with n = 10 and N = 100, is shown in figure 7.




Figure 7: Low pass filter design. The frequency response magnitude upper and lower limits are shown.




Figure 8: Sparse singular vectors.

5.8 Sparse singular vectors

The left singular vectors associated with the smallest and largest singular values of a matrix A (globally) minimize and maximize $||Ax||_2$ subject to $||x||_2 = 1$. Here we seek sparse vectors, with $||x||_2 = 1$, which make $||Ax||_2$ large or small [WTH09]. To induce sparsity in x, we limit the ℓ_1 -norm of x. (We could also limit a nonconvex sparsifier, as above in sparse recovery.) This leads to the problems

minimize/maximize
$$||Ax||_2$$

subject to $||x||_2 = 1, \quad ||x||_1 \le \mu,$

where $x \in \mathbf{R}^n$ is the variable and $\mu \ge 0$ controls the sparsification, to find x that is sparse, satisfies $||x||_2 = 1$, and makes $||Ax||_2$ small or large. We call such a vector, with some abuse of notation, a sparse singular vector. Since $||x||_2 = 1$, we know $1 \le ||x||_1 \le \sqrt{n}$, so the range of μ can be set as $[1, \sqrt{n}]$.

The code (for minimization) is the following.

We consider an instance for minimization with a random matrix $A \in \mathbf{R}^{100 \times 100}$ with i.i.d. entries $A_{ij} \sim \mathcal{N}(0, 1)$, with (positive) smallest singular value σ_{\min} . The parameter μ is swept from 1 to 10 with increment 0.2, and for each value of μ the result of solving the problem above is shown as a red dot in figure 8. The most left point in the figure corresponds to $\|x\|_1 \leq 1$, which gives cardinality 1. (In this instance it achieves the globally optimal value, which is the smallest of the norm of the columns of A.)

5.9 Gaussian covariance matrix estimation

Suppose $y_i \in \mathbf{R}^n$ for i = 1, ..., N are points drawn i.i.d from $\mathcal{N}(0, \Sigma)$. Our goal is to estimate the parameter Σ given these samples. The maximum likelihood problem of estimating Σ is convex in the inverse of Σ , but not Σ [BGdN06]. If there are no other constraints on Σ , the maximum likelihood estimate is $\hat{\Sigma} = \frac{1}{N} \sum_{i=1}^{N} y_i y_i^T$, the empirical covariance matrix. We consider here the case where the sign of the off-diagonal entries in Σ is known; that is, we know which entries of Σ are negative, which are zero, and which are positive. (So we know which components of y are uncorrelated, and which are negatively and positively correlated.)

The maximum likelihood problem is then

maximize
$$-\log \det(\Sigma) - \frac{1}{N} \sum_{i=1}^{N} y_i^T \Sigma^{-1} y_i$$

subject to $\Sigma_{\Omega_+} \ge 0$, $\Sigma_{\Omega_-} \le 0$, $\Sigma_{\Omega_0} = 0$,

where Σ is the variable, and the index sets Ω_+ , Ω_- , and Ω_0 are given. The objective is a difference of convex functions, so we transform the problem into the following DCCP problem with additional variable t,

maximize
$$-\log \det(\Sigma) - t$$

subject to $\frac{1}{N} \sum_{i=1}^{N} y_i^T \Sigma^{-1} y_i \leq t$
 $\Sigma_{\Omega_+} \geq 0, \quad \Sigma_{\Omega_-} \leq 0, \quad \Sigma_{\Omega_0} = 0.$

The code is as follows.

```
Sigma = Variable(n,n)
t = Variable()
cost = -log_det(Sigma) - t
trace_val = trace(sum([matrix_frac(y[:,i], Sigma)/N for i in range(N)]))
prob = Problem(Maximize(cost),
                          [trace_val <= t,
                          Sigma[pos] >= 0,
                          Sigma[neg] <= 0,
                          Sigma[zero] == 0])
prob.solve(method = 'dccp')</pre>
```

An example with n = 20 and N = 30 is in figure 9. Not surprisingly, knowledge of the signs of the entries of Σ allows us to obtain a much better estimate of the true covariance matrix.




Figure 9: Gaussian covariance matrix estimation.

Acknowledgments

This material is based upon work supported by the National Science Foundation Graduate Research Fellowship under Grant No. DGE-114747, by the DARPA X-DATA and SIMPLEX programs, and by the CSC State Scholarship Fund.

References

- [Agi66] N. Agin. Optimum seeking with branch and bound. *Management Science*, 13:176–185, 1966.
- [ALNT08] L. T. H. An, H. M. Le, V. V. Nguyen, and P. D. Tao. A DC programming approach for feature selection in support vector machines learning. Advances in Data Analysis and Classification, 2(3):259–278, 2008.
- [An15] L. T. H. An. DC programming and DCA: local and global approaches theory, algorithms and applications. http://lita.sciences.univ-metz.fr/~lethi/ DCA.html, 2015.
- [ApS15] MOSEK ApS. The MOSEK Python optimizer API manual. Version 7.1 (Revision 49)., 2015.
- [BGdN06] O. Banerjee, L. E. Ghaoui, A. d'Aspremont, and G. Natsoulis. Convex optimization techniques for fitting sparse gaussian graphical models. In *Proceedings* of the 23rd International Conference on Machine Learning, ICML '06, pages 89–96, 2006.
- [BV04] S. Boyd and L. Vandenberghe. *Convex Optimization*. Cambridge University Press, Cambridge, 2004.
- [CESV13] E. J. Candès, Y. C. Eldar, T. Strohmer, and V. Voroninski. Phase retrieval via matrix completion. *SIAM Journal on Imaging Sciences*, 6(1):199–225, 2013.
- [CVX12] CVX Research, Inc. CVX: Matlab software for disciplined convex programming, version 2.0. http://cvxr.com.cvx, August 2012.
- [CW08] E. J. Candès and M. B. Wakin. An introduction to compressive sampling. *IEEE Signal Processing Magazine*, 25(2):21–30, 2008.
- [DB16] S. Diamond and S. Boyd. CVXPY: A Python-embedded modeling language for convex optimization. *To appear, Journal of Machine Learning Research*, 2016.
- [For72] G. Forney. Maximum-likelihood sequence estimation of digital sequences in the presence of intersymbol interference. *IEEE Transactions on Information Theory*, 18(3):363–378, 1972.

[GB08]	M. Grant and S. Boyd. Graph implementation for nonsmooth convex programs. In V. Blondel, S. Boyd, and H. Kimura, editors, <i>Recent Advances in Learning and Control</i> , Lecture Notes in Control and Information Sciences. Springer-Verlag Limited, 2008. http://stanford.edu/~boyd/graph_dcp.html.
[GBY06]	M. Grant, S. Boyd, and Y. Ye. Disciplined convex programming. In L. Liberti and N. Maculan, editors, <i>Global Optimization: From Theory to Implementation</i> , Nonconvex Optimization and its Applications, pages 155–210. Springer, 2006.
[Har59]	P. Hartman. On functions representable as a difference of convex functions. Pacific Journal of Math, $9(3)$:707–713, 1959.
[HPT95]	R. Horst, P. M. Pardalos, and N. V. Thoai. <i>Introduction to Global Optimization</i> . Kluwer Academic Publishers, Dordrecht, Netherlands, 1995.
[HT99]	R. Horst and N. V. Thoai. DC programming: overview. Journal of Optimization Theory and Applications, 103(1):1–43, 1999.
[Kar72]	R. M. Karp. Reducibility among combinatorial problems. In R. E. Miller and J. W. Thatcher, editors, <i>Complexity of Computer Computation</i> , pages 85–104. Plenum, 1972.
[Lan04]	K. Lange. <i>Optimization</i> . Springer Texts in Statistics. Springer, New York, New York, 2004.
[Lat91]	J. C. Latombe. Robot Motion Planning. Kluwer Academic Publishers, 1991.
[LB15]	T. Lipp and S. Boyd. Variations and extension of the convex–concave procedure. <i>Optimization and Engineering</i> , pages 1–25, 2015.
[LHY00]	K. Lange, D. R. Hunter, and I. Yang. Optimization transfer using surrogate objective functions. <i>Journal of Computational and Graphical Statistics</i> , 9(1):1–20, 2000.
[Lof04]	J. Lofberg. YALMIP: A toolbox for modeling and optimization in MATLAB. In <i>Proceedings of the IEEE International Symposium on Computed Aided Control Systems Design</i> , pages 294–289, September 2004.
[LOX15]	Y. Lou, S. Osher, and J. Xin. Computational aspects of constrained L1-L2 minimization for compressive sensing, volume 359 of Advances in Intelligent Systems and Computing, pages 169–180. 2015.
[LR87]	R. J. A. Little and D. B. Rubin. <i>Statistical Analysis with Missing Data</i> . John Wiley & Sons, New York, New York, 1987.
[LW66]	E. L. Lawler and D. E. Wood. Branch-and-bound methods: a survey. <i>Operations Research</i> , 14:699–719, 1966.

- [LZOX15] Y. Lou, T. Zeng, S. Osher, and J. Xin. A weighted difference of anisotropic and isotropic total variation model for image processing. SIAM Journal on Imaging Sciences, 8(3):1798–1823, 2015.
- [MK07] G. McLachlan and T. Krishnan. *The EM algorithm and extensions*. John Wiley & Sons, 2007.
- [MWCD99] A. Miele, T. Wang, C. S. Chao, and J. B. Dabney. Optimal control of a ship for collision avoidance maneuvers. *Journal of Optimization Theory and Applications*, 103(3):495–519, 1999.
- [NN92] Y. Nesterov and A. Nemirovsky. Conic formulation of a convex programming problem and duality. *Optimization Methods and Software*, 1(2):95–115, 1992.
- [NW06] J. Nocedal and S. J. Wright. *Numerical Optimization*. Springer, 2006.
- [Spe13] E. Specht. Packomania. http://www.packomania.com/, October 2013.
- [THA⁺14] J. Thai, T. Hunter, A. K. Akametalu, C. J. Tomlin, and A. M. Bayen. Inverse covariance estimation from data with missing values using the concave-convex procedure. In *Decision and Control (CDC)*, 2014 IEEE 53rd Annual Conference on, pages 5736–5742. IEEE, 2014.
- [TS86] P. D. Tao and E. B. Souad. Algorithms for solving a class of nonconvex optimization problems. Methods of subgradients. In J.-B. Hiriart-Urruty, editor, FER-MAT Days 85: Mathematics for Optimization, pages 249–271. Elsevier Scince Publishers B. V., 1986.
- [UMZ⁺14] M. Udell, K. Mohan, D. Zeng, J. Hong, S. Diamond, and S. Boyd. Convex optimization in Julia. In Proceedings of the Workshop for High Performance Technical Computing in Dynamic Languages, pages 18–28, 2014.
- [WBV99] S. P. Wu, S. Boyd, and L. Vandenberghe. Applied and Computational Control, Signals, and Circuits: Volume 1, chapter FIR Filter Design via Spectral Factorization and Convex Optimization, pages 215–245. Birkhäuser Boston, 1999.
- [WTH09] D. M. Witten, R. Tibshirani, and T. Hastie. A penalized matrix decomposition, with applications to sparse principal components and canonical correlation analysis. *Biostatistics*, 2009.
- [YR03] A. L. Yuille and A. Rangarajan. The concave-convex procedure. *Neural Computation*, 15(4):915–936, 2003.