

Learning Personalized Models with Clustered System Identification

Leonardo F. Toso, Han Wang, and James Anderson*

Abstract

We address the problem of learning linear system models from observing multiple trajectories from different system dynamics. This framework encompasses a collaborative scenario where several systems seeking to estimate their dynamics are partitioned into clusters according to their system similarity. Thus, the systems within the same cluster can benefit from the observations made by the others. Considering this framework, we present an algorithm where each system alternately estimates its cluster identity and performs an estimation of its dynamics. This is then aggregated to update the model of each cluster. We show that under mild assumptions, our algorithm correctly estimates the cluster identities and achieves an approximate sample complexity that scales inversely with the number of systems in the cluster, thus facilitating a more efficient and personalized system identification process.

1 Introduction

System identification is the data-driven process of estimating a dynamic model of a system based on observations of the system trajectories. It plays a crucial role in aiding our understanding of complex systems and is a fundamental problem in numerous fields, including time-series analysis, control theory, robotics, and reinforcement learning (Åström and Eykhoff, 1971; Ljung, 1998). The effective utilization of available data is pivotal in obtaining an accurate model estimate with a measure of uncertainty quantification. Traditional system identification methods (Ljung, 1998) have focused on asymptotic analysis, which, although insightful, is restrictive when dealing with small to medium sized data sets. Motivated by this, and the fact that data generation is often costly and time consuming, modern approaches focus on developing sample complexity bounds (i.e., non-asymptotic convergence analysis).

Results on the estimation of both fully (Sarkar and Rakhlin, 2019; Dean et al., 2020; Simchowicz et al., 2018) and partially (Oymak and Ozay, 2019; Sun et al., 2020; Tu et al., 2017; Simchowicz et al., 2019; Zheng and Li, 2020) observed LTI systems have demonstrated that a more precise characterization of error bounds is essential for designing efficient and robust control systems (Dean et al., 2020; Tu et al., 2017; Zhou et al., 1996). These studies provide non-asymptotic bounds that are functions of the number of observed trajectories (see Table 1 of (Zheng and Li, 2020) for a summary of the bounds).

A recent body of work has begun to formalize methods for improving sample efficiency by considering data (or models generated from data) from multiple systems (Xin et al., 2022, 2023; Wang et al., 2023a; Chen et al., 2023; Zhang et al., 2022, 2023; Wang et al., 2023b). Leveraging data from similar systems provides a promising approach although clarifying the effect of the heterogeneity in the systems and their environments is crucial.

*This material is based upon work supported in part by DoE under grant DE-SC0022234 and NSF awards 2144634 & 2231350. The authors are with the Department of Electrical Engineering, Columbia University in the City of New York, New York, NY, 10027, USA. Email: {lt2879, hw2786, james.anderson}@columbia.edu.

The aforementioned work have demonstrated that the benefit of collaboration typically reduces the sample complexity by a factor of the number of collaborators, when compared to the single-agent setting where each system estimate its dynamics from its own observations.

However, the approaches discussed in (Xin et al., 2022, 2023; Wang et al., 2023a) compute a common estimation for all participants, thereby restricting the ability to obtain personalized estimations. Furthermore, the sample complexity bounds achieved in those studies are subject to an unavoidable heterogeneity bias that cannot be controlled by the number of trajectories or systems, thus leading to an estimation error that scales with the measure of heterogeneity among the considered systems. Specifically in (Xin et al., 2022, 2023; Wang et al., 2023a) the error of the system identification process is shown to be of order $\mathcal{O}(\frac{1}{\sqrt{N}} + \epsilon_{\text{het}})$ where ϵ_{het} characterizes the worst case heterogeneity and N is the number of trajectories across all systems.

Personalization in collaborative settings aims to provide tailored solutions (e.g. model estimates) to individual agents with distinct objectives, while enabling inter-agent collaboration (e.g. model sharing). This encompasses diverse topics such as representation learning (Zhang et al., 2023; Bengio et al., 2013; Finn et al., 2017; Collins et al., 2021) and clustering (Xu and Wunsch, 2005), both widely studied in machine learning and data analysis. The present work address the aforementioned challenges by leveraging clustering techniques to achieve personalized model estimations. The idea is simple: cluster systems into groups that have identical system dynamics, and then apply collaborative learning algorithms to the clusters in order to improve sample complexity (by reducing the heterogeneity induced error ϵ_{het}) and achieve personalization even for heterogeneous settings.

Recent work on clustered federated learning that includes (Ghosh et al., 2020), (Ghosh et al., 2022), (Sattler et al., 2020) have shown the potential of clustering techniques to collaboratively train models in heterogeneous settings with non-i.i.d. data. Building upon this success, this paper aims to apply clustering to the system identification problem, which poses unique challenges due to the dynamical nature of the system that results in non-i.i.d. data. This is in contrast to the linear regression and model training settings explored in the aforementioned work. Further details on these challenges are discussed later.

Specifically, we investigate the scenario where we have M dynamical systems, with each of them belonging to one of K different system types (which we refer to as a “cluster”). Which cluster a system belongs to is not initially disclosed. Our objective is to simultaneously identify the correct cluster identities for each of the M systems and obtain a system model by collaboratively learning with the systems in the same cluster. Our approach can lead to significant reductions in the amount of data required to accurately estimate the system models, as illustrated in the following theorem.

Theorem 1. *(main result, informal) Suppose the K system types are sufficiently different, and we observe the same number of trajectories from each system. Then, for a given cluster, with high probability, the estimation error between the learned and ground truth model is bounded by:*

$$\text{estimation error} \lesssim \frac{1}{\sqrt{\#\text{systems} \times \#\text{trajectories}}} + \text{misclass. rate} ,$$

with

$$\text{misclass. rate} \lesssim \exp(-\#\text{trajectories} \times \text{misclass. const.}).$$

where $\#\text{systems}$ denotes the number of systems in the cluster, and $\#\text{trajectories}$ represents the number of trajectories observed by each of them.

The first term captures the error in learning the system dynamics from systems’ observations within the same cluster. It shows what one would hope; as the number of systems and observations increase, the error decreases. However, this speedup does not come for free. The second term is the penalty paid for assigning

one of the M systems to one of the incorrect K clusters. One of the main results from our work is to show that *both terms* can be controlled by adjusting the number of observed trajectories. Moreover, the misclassification rate is dominated by the first term, thus leading to an approximate sample complexity that is scale inversely with the number of system within the cluster. This is in stark contrast to (Xin et al., 2022, 2023; Wang et al., 2023a) which is where the heterogeneity introduces a bias ϵ which is not a function of the number of systems or the volume of data at our disposal. Our work shows that by controlling both sources of error, our approach can accurately estimate the system dynamics with fewer samples, when compared to the single agent case, and provides better estimation in heterogeneous settings when compared to (Xin et al., 2022, 2023; Wang et al., 2023a).

Contributions: This is the first work to introduce clustering in order to provide sample complexity gains to the collaborative system identification problem. We derive an upper bound on the estimation error (Theorem 2) that decomposes into two terms (as shown above), where each term can be controlled by adjusting the number of observed trajectories. We offer theoretical guarantees on the probability of cluster identity misclassification (Lemma 1) and thus convergence (Corollary 1). We show that under a mild assumption on the number of observed trajectories, our approach correctly estimates the cluster identities, with high probability. Moreover, we show that our method achieves an improved convergence rate when compared to the single-agent system identification process. In contrast to the federated setting (Wang et al., 2023a; Chen et al., 2023) and that of (Xin et al., 2022, 2023), we are able to provide personalized models as opposed to a single generic model, thus expanding the use cases for collaborative system identification.

1.1 Notation

Given a matrix $G \in \mathbb{R}^{m \times n}$, the Frobenius norm of G is denoted by $\|G\|_F = \sqrt{\text{Tr}(GG^T)}$. $\|G\| = \sigma_{\max}(G)$, where $\sigma_{\max}(G)$ is the largest singular value of G . Consider a symmetric matrix Σ , $\lambda_{\min}(\Sigma)$ and $\lambda_{\max}(\Sigma)$ denote its minimum and maximum eigenvalues, respectively. For systems, we use superscript (i) to denote the system index and subscript t for time. For models, subscript denotes the cluster identity, and superscript (r) is the iteration counter.

2 Problem Formulation and Algorithm

Consider M linear time-invariant (LTI) systems

$$x_{t+1}^{(i)} = A^{(i)}x_t^{(i)} + B^{(i)}u_t^{(i)} + w_t^{(i)}, \quad t = 0, 1, \dots, T-1 \quad (1)$$

where $x_t^{(i)} \in \mathbb{R}^{n_x}$, $u_t^{(i)} \in \mathbb{R}^{n_u}$ and $w_t^{(i)} \in \mathbb{R}^{n_x}$ are the state, input, and process noise at time t , for system $i \in [M]$. We assume that $\{u_t^{(i)}\}_{t=1}^{T-1}, \{w_t^{(i)}\}_{t=1}^{T-1}$ are random vectors distributed according to $u_t^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, \sigma_{u,i}^2 I_{n_u})$ and $w_t^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, \sigma_{w,i}^2 I_{n_x})$. Furthermore, it is assumed that $x_0^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, \sigma_{x,i}^2 I_{n_x})$.

We consider the setting where we have access to M datasets corresponding to observed system trajectories. Each of the datasets is generated by one of K different systems. We consider the case where $K \ll M$. We will from now on refer to the K types of different systems as “clusters”, which we label as $\mathcal{C}_1, \dots, \mathcal{C}_K$. We denote (A_j, B_j) as the ground truth system matrices of cluster $j \in [K]$. That is, $A^{(i)} = A_j$, and $B^{(i)} = B_j$, for any $i \in \mathcal{C}_j$. Note that due to the noise in model (1), two datasets generated by cluster \mathcal{C}_j will be different.

The state-input pair of a single trajectory $\{x_t^{(i)}, u_t^{(i)}\}$ of system $i \in \mathcal{C}_j$ is referred to as *rollout*. We consider the setting where multiple rollouts of length T are collected and stored as $\{x_{l,t}^{(i)}, u_{l,t}^{(i)}\}_{t=0}^{T-1}$, for $l = 1, \dots, N_i$,

with l denoting the l -th rollout and t the t -th time-step of the corresponding rollout. Thus, for any system $i \in \mathcal{C}_j$ and cluster $j \in [K]$, the system dynamics is described by:

$$x_{l,t+1}^{(i)} = \Theta_j z_{l,t}^{(i)} + w_{l,t}^{(i)} \quad \forall 1 \leq l \leq N_i \text{ and } 0 \leq t \leq T-1, \quad (2)$$

where $z_{l,t}^{(i),\top} \triangleq [x_{l,t}^{(i),\top} \quad u_{l,t}^{(i),\top}] \in \mathbb{R}^{n_x+n_u}$ corresponds to the augmented state-input pair of system $i \in \mathcal{C}_j$ over rollout l at time t , and $\Theta_j \triangleq [A_j \quad B_j]$ denotes the concatenation of the ground truth system matrices A_j and B_j . The state update $x_{l,t+1}^{(i)}$ can be expanded recursively as follows:

$$x_{l,t}^{(i)} = G_t^{(i)} \begin{bmatrix} u_{l,0}^{(i)} \\ \vdots \\ u_{l,t-1}^{(i)} \end{bmatrix} + F_t^{(i)} \begin{bmatrix} w_{l,0}^{(i)} \\ \vdots \\ w_{l,t-1}^{(i)} \end{bmatrix} + A_j^t x_{l,0}^{(i)},$$

where, $G_t^{(i)} \triangleq [A_j^{t-1} B_j \quad A_j^{t-2} B_j \quad \dots \quad B_j]$ and $F_t \triangleq [A_j^{t-1} \quad A_j^{t-2} \quad \dots \quad I_{n_x}]$ for all $t \geq 1$.

The state-input pair $z_{l,t}^{(i)}$ is distributed according to a Gaussian distribution with zero mean and covariance matrix $\Sigma_t^{(i)}$, where,

$$\Sigma_0^{(i)} \triangleq \begin{bmatrix} \sigma_{x,i}^2 I_{n_x} & 0 \\ 0 & \sigma_{u,i}^2 I_{n_u} \end{bmatrix} \succ 0, \quad \text{for } t = 0,$$

and

$$\Sigma_t^{(i)} \triangleq \begin{bmatrix} \sigma_{u,i}^2 G_t^{(i)} G_t^{(i),\top} + \sigma_{w,i}^2 F_t^{(i)} F_t^{(i),\top} + \sigma_{x,i}^2 A_j^t (A_j^t)^\top & 0 \\ 0 & \sigma_{u,i}^2 I_{n_u} \end{bmatrix},$$

for all $t \geq 1$ and $i \in \mathcal{C}_j, \forall j \in [K]$, as detailed in (Wang et al., 2023a).

Next, we define the offline batch matrices for each system $i \in \mathcal{C}_j, \forall j \in [K]$. For a single rollout l , the data is concatenated according to $X_l^{(i)} = [x_{l,T}^{(i)} \quad \dots \quad x_{l,1}^{(i)}] \in \mathbb{R}^{n_x \times T}$, $Z_l^{(i)} = [z_{l,T-1}^{(i)} \quad \dots \quad z_{l,0}^{(i)}] \in \mathbb{R}^{(n_x+n_u) \times T}$, and $W_l^{(i)} = [w_{l,T-1}^{(i)} \quad \dots \quad w_{l,0}^{(i)}] \in \mathbb{R}^{n_x \times T}$. This is then further stacked to construct the batch matrices $X^{(i)} = [X_1^{(i)} \quad \dots \quad X_{N_i}^{(i)}] \in \mathbb{R}^{n_x \times N_i T}$, $Z^{(i)} = [Z_1^{(i)} \quad \dots \quad Z_{N_i}^{(i)}] \in \mathbb{R}^{(n_x+n_u) \times N_i T}$, and $W^{(i)} = [W_1^{(i)} \quad \dots \quad W_{N_i}^{(i)}] \in \mathbb{R}^{n_x \times N_i T}$. Therefore, for each system $i \in \mathcal{C}_j, \forall j \in [K]$, its state, input, noise, and model parameters are related according to

$$X^{(i)} = \Theta_j Z^{(i)} + W^{(i)}, \quad (3)$$

where each column of $Z^{(i)}$ and $W^{(i)}$ are sampled according to Gaussian distributions with zero means and covariance matrices $\Sigma_t^{(i)}, \sigma_{w,i}^2 I_{n_x}$, respectively. With that said, we are now able to introduce the clustered system identification problem.

Problem 1. We consider M dynamical systems as in (1) that are equipped with batch matrices $X^{(i)}, Z^{(i)}$, and $W^{(i)}$. Each system $i \in [M]$ is associated with its own cost function $C^{(i)}(\Theta) = \|X^{(i)} - \Theta Z^{(i)}\|_F^2$, and is unaware of its cluster identity. We aim to estimate the systems' cluster identities $\hat{\mathcal{C}}_1, \dots, \hat{\mathcal{C}}_K$ and use it to estimate a model $\hat{\Theta}_j = [\hat{A}_j \quad \hat{B}_j]$ which is close to the ground truth $\Theta_j, \forall j \in [K]$.

To obtain a faster and more accurate estimation, we frame the system identification problem in the setting where systems within the same cluster can leverage data from each other. Further in this paper, we provide theoretical guarantees to support these statements.

The problem described above can be framed into an alternating optimization problem, as the actual cluster identity of each system (i.e., $\mathcal{C}_1, \dots, \mathcal{C}_K$) is not disclosed to the systems in advance. Therefore, our objective is twofold: firstly, we aim to classify the correct cluster identities of the systems by employing the Mean Square Error (MSE) as the clustering criterion, with the resulting output being the cluster estimation (CE); secondly, we use that estimation to identify the model dynamics of each cluster with a model estimation (ME) step. Next, we introduce our clustered system identification algorithm to solve this problem.

Algorithm 1 Clustered System Identification

- 1: **Initialization:** number of clusters K , step-size η_j , and model initialization $\widehat{\Theta}_j^{(0)} \forall j \in [K]$,
 - 2: **for** each iteration $r = 0, 1, \dots, R - 1$ **do**
 - 3: The systems receive the models $\{\widehat{\Theta}_1^{(r)}, \dots, \widehat{\Theta}_K^{(r)}\}, \forall j \in [K]$,
 - 4: **Cluster estimation (CE):**
 - 5: **for** each system $i \in [M]$
 - 6: $\hat{j} = \operatorname{argmin}_{j \in [K]} \|X^{(i)} - \widehat{\Theta}_j^{(r)} Z^{(i)}\|_F^2$,
 - 7: define $e_i = \{e_{i,j}\}_{j=1}^K$ with $e_{i,j} = \mathbb{1}\{j = \hat{j}\}$,
 - 8: **end for**
 - 9: **Model estimation (ME):**
 - 10: $\widehat{\Theta}_j^{(r+1)} = \widehat{\Theta}_j^{(r)} + \frac{2\eta_j}{\sum_{i \in [M]} e_{i,j}} \sum_{i \in [M]} e_{i,j} (X^{(i)} - \widehat{\Theta}_j^{(r)} Z^{(i)}) Z^{(i)\top}$ for all $j \in [K]$
 - 11: **end for**
 - 12: **Return** $\widehat{\Theta}_j^{(R)}$ for all $j \in [K]$.
-

The initial step of Algorithm 1 involves the initialization of the number of clusters and the provision of an initial guess for the dynamics of each cluster. Subsequently, the algorithm iterates from line 2 to 11, during which each system estimates its corresponding cluster identity and stores this information in the form of a one-hot encoding vector denoted by e_i . The one-hot encoding vector comprises K elements, with one in the position of the estimated cluster identity and zero elsewhere. After the estimation of the cluster identity, the cluster model is updated by performing a single gradient descent iteration in line 10, with the gradient being the average of the gradients of each individual system's cost function that belongs to the cluster.

Remark 1. Note that Algorithm 1 is an alternating minimization algorithm, where it performs an iterative clustering step followed by a model estimation process. Prior to the start of collaboration, each system $i \in [M]$ collects data and stores it in batch matrices $X^{(i)}, Z^{(i)}$, and $W^{(i)}$. Moreover, it is worth noting that Algorithm 1 uses the same batch matrices for both cluster identity and model estimation.

The following definitions and assumptions are required in order to analyze Algorithm 1. Subsequently, we provide the intuition behind them.

Definition 1. The minimum and maximum separation between the clusters are defined as

$$\Delta_{\min} \triangleq \min_{j \neq j'} \|\Theta_j - \Theta_{j'}\| \quad \text{and} \quad \Delta_{\max} \triangleq \max_{j \neq j'} \|\Theta_j - \Theta_{j'}\|,$$

respectively.

We define $\rho^{(i)} \triangleq \frac{\Delta_{\min}^2}{\sigma_{w,i}^2}$ as the signal-to-noise ratio $\forall i \in [M]$.

Assumption 1. The initial model estimate $\widehat{\Theta}_j^{(0)}$ satisfy $\|\widehat{\Theta}_j^{(0)} - \Theta_j\| \leq (\frac{1}{2} - \alpha^{(0)}) \Delta_{\min}, \forall j \in [K]$, where $0 < \alpha^{(0)} < \frac{1}{2}$.

Assumption 2. For any fixed and small δ , the number of trajectories satisfies $N_i n_x \gtrsim \left(\frac{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}}{\alpha^{(0)} \rho^{(i)} \|\Sigma_t^{(i)}\|} \right)^2 \log\left(\frac{MT}{\delta}\right)$,

for all $i \in [M]$. We also assume that $\Delta_{\min} \gtrsim 1 + \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp\left(-c N_i n_x \left(\frac{\alpha^{(0)} \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2\right)$ for some constant c .

Assumption 1 implies that the initial guess for the model estimates is superior to a random initialization. This assumption is standard for alternating minimization algorithms, particularly for learning mixture models (Balakrishnan et al., 2017). The condition on the number of trajectories in Assumption 2 is a common requirement in the concentration bound analysis. This is used to guarantee that the cluster estimation procedure of Algorithm 1 correctly estimate the cluster identities, with high probability. Note that this is a mild assumption since for well-behaved systems where $\Sigma_t^{(i)}$ is well conditioned, $N_i n_x$ is typically in the same or superior to the order of $\log\left(\frac{MT}{\delta}\right)$. The condition on Δ_{\min} in Assumption 2 is to ensure that any two clusters are well-separated. This is a standard assumption in the literature of clustering (Dunn, 1974; Kumar and Kannan, 2010). Similar assumptions are exploited in (Ghosh et al., 2020) in the context of the linear regression problem.

3 Theoretical Guarantees

We begin our analysis by examining a single iteration of Algorithm 1. For simplicity, we omit the superscript r that denotes the iteration counter. Let us assume that we have the current estimated model $\hat{\Theta}_j$ for all clusters $j \in [K]$ at a given iteration, such that $\|\hat{\Theta}_j - \Theta_j\| \leq \left(\frac{1}{2} - \alpha\right) \Delta_{\min}$ for all $j \in [K]$, with $0 < \alpha < \frac{1}{2}$.

3.1 Probability of Cluster Identity Misclassification

Consider a system $i \in [M]$ within cluster \mathcal{C}_j . Let $\mathcal{M}_i^{j,j'}$ be the event in which system i is inaccurately classified as belonging to cluster $\mathcal{C}_{j'}$. The event when system i is *correctly* classified is denoted as $\mathcal{M}_i^{j,j}$. The following lemma provides an upper bound on the probability of misclassification.

Lemma 1. Suppose that $i \in \mathcal{C}_j$. There exist universal constants c_1 and c_2 , such that for any $j' \neq j$,

$$\mathbb{P}\left\{\mathcal{M}_i^{j,j'}\right\} \leq c_1 \sum_{t=0}^{T-1} \exp\left(-c_2 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}}\right)^2\right).$$

We prove Lemma 1 in Appendix 6.1. By combining Lemma 1 with the condition on $N_i n_x$ from Assumption 2, our algorithm can ensure that the probability of misclassifying system i to cluster $\mathcal{C}_{j'}$ is at most δ , where δ can be arbitrarily small. Moreover, it is noteworthy that if we assume the data $X^{(i)}$, $Z^{(i)}$, and $W^{(i)}$ to be i.i.d. with $T = 1$ and $n_x = 1$, and the columns of $Z^{(i)}$ to have an identity covariance matrix, we can recover the probability of misclassification in the linear regression problem, as discussed in (Ghosh et al., 2020).

3.2 Convergence Analysis

We now examine the convergence of Algorithm 1. The theorem below is a single-iteration convergence analysis of our algorithm. Here we assume that, at a given iteration, an estimation $\hat{\Theta}_j$ is obtained, which closely approximates the true model Θ_j , i.e., $\|\hat{\Theta}_j - \Theta_j\| \leq \left(\frac{1}{2} - \alpha\right) \Delta_{\min}$, $\forall j \in [K]$ and $0 < \alpha < \frac{1}{2}$. We demonstrate that $\hat{\Theta}_j$ converges to Θ_j up to a small bias.

Theorem 2. For any fixed $0 < \delta < 1$, with $N_i \geq \max \left\{ 8(n_x + n_u) + 16 \log \frac{2MT}{\delta}, (4n_x + 2n_u) \log \frac{MT}{\delta} \right\}$, $\forall i \in [M]$, and selected step-size $\eta_j = \frac{|C_j|}{\lambda_{\min} \left(\sum_{i \in C_j} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)}$, with probability at least $1 - 3\delta$, it holds that,

$$\|\hat{\Theta}_j^+ - \Theta_j\| \leq \frac{1}{2} \|\hat{\Theta}_j - \Theta_j\| + \bar{c}_0 \times \frac{1}{\sqrt{\sum_{i \in \hat{C}_j} N_i}} + \bar{c}_1 \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-\bar{c}_2 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right), \quad (4)$$

for all $j \in [K]$, where $\bar{c}_0, \bar{c}_1, \bar{c}_2 > 0$ are problem dependent constants.

The proof of Theorem 2 is detailed in Appendix 6.2. This theorem provides an upper bound for the estimation error per iteration of our algorithm. Specifically, this bound consists of three terms. The first term is a contraction term that decreases to zero as the number of iterations increases. The second term is a constant error that decreases as the total number of observed trajectories by the systems within the cluster increases. The final term is the misclassification rate, which decays exponentially with the number of observed trajectories.

Note that although our setting is different from (Ghosh et al., 2020), which leads to a different estimation error expression, our per-iteration estimation error is also composed of a contractive term added to a constant error that can be controlled by the amount of data (i.e., the number of observed trajectories). We proceed to show the convergence of our algorithm by demonstrating that $\alpha^{(r)}$ is non-decreasing throughout iterations and using Assumptions 1 and 2 to show that $\|\hat{\Theta}_j^{(r+1)} - \Theta_j\| \leq \|\hat{\Theta}_j^{(r)} - \Theta_j\|$ for all $r \in [R]$.

Therefore, equipped with the aforementioned result, the following corollary characterizes the convergence of Algorithm 1 by providing the number of iterations required to attain a certain small and near optimal error ϵ , i.e., $\|\hat{\Theta}_j^{(R)} - \Theta_j\| \leq \epsilon$, for all clusters $j \in [K]$.

Corollary 1. Frame the hypotheses of Theorem 2 and Assumptions 1 and 2. Select the step-size as $\eta_j = \frac{|C_j|}{\lambda_{\min} \left(\sum_{i \in C_j} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)}$ for all $j \in [K]$. Then, after $R \geq 2 + \log \left(\frac{\Delta_{\min}}{4\epsilon} \right)$ parallel iterations, we have $\|\hat{\Theta}_j^{(R)} - \Theta_j\| \leq \epsilon$, with

$$\epsilon = \tilde{c}_0 \times \frac{1}{\sqrt{\sum_{i \in C_j} N_i}} + \tilde{c}_1 \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-\tilde{c}_2 N_i n_x \left(\frac{\rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right), \quad (5)$$

for all $j \in [K]$, where $\tilde{c}_0, \tilde{c}_1, \tilde{c}_2 > 0$ are problem dependent constants.

The proof of Corollary 1 can be found in Appendix 6.3. Our proof builds upon similar arguments as in (Ghosh et al., 2020), which considers the linear regression setting. To establish the non-decreasing property of $\alpha^{(r)}$ for all $r \in [R]$ and a decrease in the additive error term over the iterations, we rely on Assumptions 1 and 2. Furthermore, we demonstrate that our algorithm achieves a sufficiently large value of $\alpha^{(r)} \geq \frac{1}{4}$ after only a small number of iterations $R \geq 2$. This indicates that after a suitable number of iterations, our Algorithm 1 produces an estimation error that scales down with the number of systems within the cluster, and is independent of the initial closeness parameter $\alpha^{(0)}$.

This corollary highlights the benefits of collaboration. It demonstrates that the estimation error scales inversely with the number of agents within a cluster, implying that as the number of systems in the cluster increases, this error decreases. This leads to a smaller error when compared to the single agent setting, where each system estimates its dynamics using *only* its own observations.

Importantly, the presented error bound differs from that of (Wang et al., 2023a). Here the misclassification rate exponentially decays with the number of observed trajectories, whereas the heterogeneity bias ϵ_{het} in

(Wang et al., 2023a) cannot be controlled by the number of trajectories. This indicates that under heterogeneous settings where the systems are significantly different, our clustering-based approach outperforms (Wang et al., 2023a) by providing better control over the sources of error. However, it is worth mentioning that when the systems are similar and personalization is not required, the approaches introduced in (Xin et al., 2022, 2023; Wang et al., 2023a) may be more favorable as their error bounds scale down with the total number of systems and do not necessitate a clustering step.

4 Numerical Results

The following simulations¹ illustrate the efficiency of Algorithm 1. Our analysis considers $M = 50$ systems, each described by an LTI model as in (1) where $K = 3$ clusters and the number of systems in each cluster is $|\mathcal{C}_1| = 10$, $|\mathcal{C}_2| = 24$, and $|\mathcal{C}_3| = 16$. The systems matrices for each cluster are described as follows:

$$A_1 = \begin{bmatrix} 0.5 & 0.3 & 0.1 \\ 0.0 & 0.2 & 0.0 \\ 0.1 & 0.0 & 0.3 \end{bmatrix}, \quad A_2 = \begin{bmatrix} -0.3 & 0.0 & 0.0 \\ 0.1 & 0.4 & 0.0 \\ 0.2 & 0.3 & 0.5 \end{bmatrix}, \quad A_3 = \begin{bmatrix} -0.1 & 0.1 & 0.1 \\ 0.1 & 0.15 & 0.1 \\ 0.1 & 0.0 & 0.2 \end{bmatrix},$$

$$B_1 = \begin{bmatrix} 1 & 0.5 \\ 0.1 & 1 \\ 0.75 & 1.5 \end{bmatrix}, \quad B_2 = \begin{bmatrix} 1 & 0.5 \\ 0.1 & 1 \\ 0.75 & 1.5 \end{bmatrix}, \quad B_3 = \begin{bmatrix} 0.8 & 0.1 \\ 0.1 & 1.5 \\ 0.4 & 0.8 \end{bmatrix},$$

where the initial state, input, and process noise standard deviations, for each cluster, are set to $\sigma_{x,i} = \sigma_{u,i} = \sigma_{w,i} = 0.11$, $\forall i \in \mathcal{C}_1$, $\sigma_{x,i} = \sigma_{u,i} = \sigma_{w,i} = 0.12$, $\forall i \in \mathcal{C}_2$, and $\sigma_{x,i} = \sigma_{u,i} = \sigma_{w,i} = 0.05$, $\forall i \in \mathcal{C}_3$. We consider the same number of trajectories $N_i = 100$ for all $i \in [M]$. Moreover, the trajectory length is set to $T = 50$. We use a fixed step-size $\eta_j = 10^{-3}$, $\forall j \in [3]$. For each iteration r , the estimation error $e_r^{(j)}$ is defined as the spectral norm distance between the estimated model $\hat{\Theta}_j^{(r)}$ and the ground truth model Θ_j , i.e., $e_r^{(j)} = \|\hat{\Theta}_j^{(r)} - \Theta_j\|$, for all clusters $j \in [K]$.

Figure 1 depicts the estimation error $e_r^{(j)}$ as a function of the number of iterations r for all the three considered clusters. The top plots compare the performance of Algorithm 1 with and without the clustering procedure (i.e., line 5 of Algorithm 1). These plots reveals that the estimation error decreases significantly when systems with the same model are clustered and cooperate to estimate their dynamics. Conversely, in the absence of clustering, the significant heterogeneity level across the systems leads to a poor common estimation, resulting in a large estimation error and unpersonalized solutions. This confirms our theoretical results, showing that the misclassification rate in (5) outperforms the heterogeneity constant of (Xin et al., 2022, 2023; Wang et al., 2023a), when dealing with heterogeneous settings.

The bottom plots of Figure 1 demonstrates the benefits of collaboration among systems to learn their dynamics. This shows that the estimation error is considerably reduced when multiple systems within the same cluster (i.e., $|\mathcal{C}_1| = 10$, $|\mathcal{C}_2| = 24$, and $|\mathcal{C}_3| = 16$) leverage the data from each other to identify their dynamics, compared to the case where a single system estimate its dynamics by using its own observations. This also confirms our theoretical results, where the statistical error in (5) scales down with the number of systems in the cluster, thus highlighting the benefit of collaboration in improving estimation accuracy in a multi-system setting.

¹Code can be downloaded from <https://github.com/jd-anderson/cluster-sysID>




Figure 1: Estimation error as a function of iteration count. The plot on the top considers Algorithm 1 with and without clustering, whereas the bottom plot consider the single and multiple agents settings.




Figure 2: Number of misclassification as a function of iteration count.

Figure 2 presents the misclassifications of Algorithm 1 as a function of iterations r . It depicts the number of systems whose cluster identity is incorrectly estimated. The figure illustrates the effect of the number of observed trajectories on the misclassification rate. As anticipated and consistent with our theoretical results, an increase in the number of trajectories leads to a considerable reduction in the number of iterations needed to correctly classify all the systems into their respective clusters.

5 Conclusions and Future Work

We presented an approach to address the system identification problem through the use of clustering. Our method involves partitioning different systems that observe multiple trajectories into disjoint clusters based on the similarity of their dynamics. This approach enjoys an improved convergence rate that scales inversely

with the number of systems in the cluster, along with an additive misclassification rate that has been shown to be negligible under mild assumptions. Our approach enables systems within the same cluster to learn their dynamics more efficiently. Future work will involve extending the proposed formulation to online system identification and proposing an adaptive clustering approach that eliminates the necessity for the warm initialization and well-separated clusters assumptions.

References

- K. J. Åström and P. Eykhoff. System identification—a survey. *Automatica*, 7(2):123–162, 1971.
- S. Balakrishnan, M. J. Wainwright, and B. Yu. Statistical guarantees for the EM algorithm: From population to sample-based analysis. *Ann. Statist.*, 45:77–120, 2017.
- Y. Bengio, A. Courville, and P. Vincent. Representation learning: A review and new perspectives. *IEEE transactions on pattern analysis and machine intelligence*, 35(8):1798–1828, 2013.
- S. Boucheron, G. Lugosi, and P. Massart. *Concentration inequalities: A nonasymptotic theory of independence*. Oxford university press, 2013.
- Y. Chen, A. M. Ospina, F. Pasqualetti, and E. Dall’Anese. Multi-Task System Identification of Similar Linear Time-Invariant Dynamical Systems. *arXiv preprint arXiv:2301.01430*, 2023.
- L. Collins, H. Hassani, A. Mokhtari, and S. Shakkottai. Exploiting shared representations for personalized federated learning. In *International Conference on Machine Learning*, pages 2089–2099. PMLR, 2021.
- S. Dean, H. Mania, N. Matni, B. Recht, and S. Tu. On the sample complexity of the linear quadratic regulator. *Foundations of Computational Mathematics*, 20(4):633–679, 2020.
- J. C. Dunn. Well-separated clusters and optimal fuzzy partitions. *Journal of cybernetics*, 4(1):95–104, 1974.
- C. Finn, P. Abbeel, and S. Levine. Model-agnostic meta-learning for fast adaptation of deep networks. In *International conference on machine learning*, pages 1126–1135. PMLR, 2017.
- A. Ghosh, J. Chung, D. Yin, and K. Ramchandran. An efficient framework for clustered federated learning. *Advances in Neural Information Processing Systems*, 33:19586–19597, 2020.
- A. Ghosh, A. Mazumdar, et al. An Improved Algorithm for Clustered Federated Learning. *arXiv preprint arXiv:2210.11538*, 2022.
- A. Kumar and R. Kannan. Clustering with spectral norm and the k-means algorithm. In *2010 IEEE 51st Annual Symposium on Foundations of Computer Science*, pages 299–308. IEEE, 2010.
- L. Ljung. System identification. In *Signal analysis and prediction*, pages 163–173. Springer, 1998.
- S. Oymak and N. Ozay. Non-asymptotic identification of LTI systems from a single trajectory. In *2019 American control conference (ACC)*, pages 5655–5661. IEEE, 2019.
- T. Sarkar and A. Rakhlin. Near optimal finite time identification of arbitrary linear dynamical systems. In *International Conference on Machine Learning*, pages 5610–5618. PMLR, 2019.
- F. Sattler, K.-R. Müller, and W. Samek. Clustered federated learning: Model-agnostic distributed multitask optimization under privacy constraints. *IEEE transactions on neural networks and learning systems*, 32(8): 3710–3722, 2020.

- M. Simchowitz, H. Mania, S. Tu, M. I. Jordan, and B. Recht. Learning without mixing: Towards a sharp analysis of linear system identification. In *Conference On Learning Theory*, pages 439–473. PMLR, 2018.
- M. Simchowitz, R. Boczar, and B. Recht. Learning linear dynamical systems with semi-parametric least squares. In *Conference on Learning Theory*, pages 2714–2802. PMLR, 2019.
- Y. Sun, S. Oymak, and M. Fazel. Finite sample system identification: Optimal rates and the role of regularization. In *Learning for Dynamics and Control*, pages 16–25. PMLR, 2020.
- S. Tu, R. Boczar, A. Packard, and B. Recht. Non-asymptotic analysis of robust control from coarse-grained identification. *arXiv preprint arXiv:1707.04791*, 2017.
- R. Vershynin. Introduction to the non-asymptotic analysis of random matrices. *arXiv preprint arXiv:1011.3027*, 2010.
- M. J. Wainwright. *High-dimensional statistics: A non-asymptotic viewpoint*, volume 48. Cambridge university press, 2019.
- H. Wang, L. F. Toso, and J. Anderson. Fedsysid: A federated approach to sample-efficient system identification. In *Learning for Dynamics and Control Conference*, pages 1308–1320. PMLR, 2023a.
- H. Wang, L. F. Toso, A. Mitra, and J. Anderson. Model-free Learning with Heterogeneous Dynamical Systems: A Federated LQR Approach. *arXiv preprint arXiv:2308.11743*, 2023b.
- L. Xin, L. Ye, G. Chiu, and S. Sundaram. Identifying the Dynamics of a System by Leveraging Data from Similar Systems. *arXiv preprint arXiv:2204.05446*, 2022.
- L. Xin, L. Ye, G. Chiu, and S. Sundaram. Learning Dynamical Systems by Leveraging Data from Similar Systems. *arXiv preprint arXiv:2302.04344*, 2023.
- R. Xu and D. Wunsch. Survey of clustering algorithms. *IEEE Transactions on neural networks*, 16(3):645–678, 2005.
- T. T. Zhang, K. Kang, B. D. Lee, C. Tomlin, S. Levine, S. Tu, and N. Matni. Multi-Task Imitation Learning for Linear Dynamical Systems. *arXiv preprint arXiv:2212.00186*, 2022.
- T. T. Zhang, L. F. Toso, J. Anderson, and N. Matni. Meta-Learning Operators to Optimality from Multi-Task Non-IID Data. *arXiv preprint arXiv:2308.04428*, 2023.
- Y. Zheng and N. Li. Non-asymptotic identification of linear dynamical systems using multiple trajectories. *IEEE Control Systems Letters*, 5(5):1693–1698, 2020.
- K. Zhou, J. Doyle, and K. Glover. *Robust and optimal control*. Prentice hall, 1996.

6 Appendix

6.1 Proof of Lemma 1

Without loss of generality, we can analyze only the first cluster $\mathcal{M}_i^{1,j}$ for some $j \neq 1$. By definition, we have

$$\mathcal{M}_i^{1,j} = \left\{ \|X^{(i)} - \widehat{\Theta}_j Z^{(i)}\|_F^2 \leq \|X^{(i)} - \widehat{\Theta}_1 Z^{(i)}\|_F^2 \right\}$$

where the batch matrices $X^{(i)}, Z^{(i)}$ and $W^{(i)}$ are related according to $X^{(i)} = \Theta_1 Z^{(i)} + W^{(i)}$. Note that $z_{l,t}^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, \Sigma_t^{(i)})$ and $w_{l,t}^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, \sigma_{w,i}^2 I_{n_x})$ are independent across trajectories (i.e., the columns of $Z^{(i)}$ and $W^{(i)}$ are independent). Thus, we can write

$$\begin{aligned} \mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} &= \mathbb{P} \left\{ \left\| (\Theta_1 - \widehat{\Theta}_1) Z^{(i)} + W^{(i)} \right\|_F^2 \geq \left\| (\Theta_1 - \widehat{\Theta}_j) Z^{(i)} + W^{(i)} \right\|_F^2 \right\} \\ &= \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} m_{l,t}^{(i),\top} m_{l,t}^{(i)} \geq \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} n_{l,t}^{(i),\top} n_{l,t}^{(i)} \right\}, \end{aligned}$$

where $m_{l,t}^{(i)} = (\Theta_1 - \widehat{\Theta}_1) z_{l,t}^{(i)} + w_{l,t}^{(i)} \sim \mathcal{N}(0, \bar{\Sigma}_t^{(i)})$, $n_{l,t}^{(i)} = (\Theta_1 - \widehat{\Theta}_j) z_{l,t}^{(i)} + w_{l,t}^{(i)} \sim \mathcal{N}(0, \tilde{\Sigma}_t^{(i)})$, with

$$\bar{\Sigma}_t^{(i)} = (\Theta_1 - \widehat{\Theta}_1) \Sigma_t^{(i)} (\Theta_1 - \widehat{\Theta}_1)^\top + \sigma_{w,i}^2 I_{n_x}, \quad \tilde{\Sigma}_t^{(i)} = (\Theta_1 - \widehat{\Theta}_j) \Sigma_t^{(i)} (\Theta_1 - \widehat{\Theta}_j)^\top + \sigma_{w,i}^2 I_{n_x}.$$

Therefore, we obtain

$$\mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} = \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} \geq \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} u_{l,t}^{(i),\top} \tilde{\Sigma}_t^{(i)} u_{l,t}^{(i)} \right\},$$

with $m_{l,t}^{(i)} = (\bar{\Sigma}_t^{(i)})^{\frac{1}{2}} v_{l,t}^{(i)}$ and $n_{l,t}^{(i)} = (\tilde{\Sigma}_t^{(i)})^{\frac{1}{2}} u_{l,t}^{(i)}$ for some standard normal random vectors $v_{l,t}^{(i)}, u_{l,t}^{(i)} \sim \mathcal{N}(0, I_{n_x})$. Then, the above expression can be rewritten as follows

$$\begin{aligned} \mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} &= \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} \geq \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} \|\tilde{\Sigma}_t^{(i)}\| u_{l,t}^{(i),\top} u_{l,t}^{(i)} \right\} \\ &= \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} \geq \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} c_t^{(i)} u_{l,t}^{(i),\top} u_{l,t}^{(i)} \right\} \end{aligned}$$

with $c_t^{(i)} = \|\Theta_1 - \widehat{\Theta}_j\|^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$, which implies

$$\begin{aligned} \mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} &= \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} \geq \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} c_t^{(i)} u_{l,t}^{(i),\top} u_{l,t}^{(i)} \right\} \\ &\leq \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} c_t^{(i)} u_{l,t}^{(i),\top} u_{l,t}^{(i)} \leq \bar{t} \right\} + \mathbb{P} \left\{ \sum_{t=0}^{T-1} \sum_{l=1}^{N_i} v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} > \bar{t} \right\}, \end{aligned}$$

for any $\bar{t} \geq 0$. Therefore, by using $v_{l,t}^{(i),\top} \bar{\Sigma}_t^{(i)} v_{l,t}^{(i)} \leq d_t^{(i)} v_{l,t}^{(i),\top} v_{l,t}^{(i)}$ with $d_t^{(i)} = \|\Theta_1 - \widehat{\Theta}_1\|^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$ we obtain

$$\mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} \leq \mathbb{P} \left\{ \sum_{t=0}^{T-1} c_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} + \mathbb{P} \left\{ \sum_{t=0}^{T-1} d_t^{(i)} V_t^{(i)} > \bar{t} \right\},$$

where $V_t^{(i)}$ are standard Chi-squared distributions with $N_i n_x$ degrees of freedom, for all $t \in \{0, 1, \dots, T-1\}$. Moreover, by using Definition 1 and Assumption 1,

$$\mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} \leq \mathbb{P} \left\{ \sum_{t=0}^{T-1} f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} + \mathbb{P} \left\{ \sum_{t=0}^{T-1} g_t^{(i)} V_t^{(i)} > \bar{t} \right\},$$

with $f_t^{(i)} = (\frac{1}{2} + \alpha)^2 \Delta_{\min}^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$ and $g_t^{(i)} = (\frac{1}{2} - \alpha)^2 \Delta_{\min}^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$, since $c_t^{(i)} = \|\Theta_1 - \hat{\Theta}_j\|^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x} \geq (\frac{1}{2} + \alpha)^2 \Delta_{\min}^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$, with $\|\Theta_j - \hat{\Theta}_1\| \geq \|\Theta_j - \Theta_1\| - \|\hat{\Theta}_j - \Theta_j\| = (\frac{1}{2} + \alpha) \Delta_{\min}$ and $d_t^{(i)} = \|\Theta_1 - \hat{\Theta}_1\|^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x} \leq (\frac{1}{2} - \alpha)^2 \Delta_{\min}^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x}$, where $\|\Theta_1 - \hat{\Theta}_1\| \leq (\frac{1}{2} - \alpha) \Delta_{\min}$ according to Assumption 1. Therefore, to characterize the above tail bounds, we can exploit well-established concentration inequalities as detailed in (Boucheron et al., 2013; Vershynin, 2010). To this end, we can use union bound to write

$$\mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} \leq \sum_{t=0}^{T-1} \mathbb{P} \left\{ f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} + \mathbb{P} \left\{ g_t^{(i)} V_t^{(i)} > \bar{t} \right\},$$

where $\mathbb{P} \left\{ f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\}$ can be rewritten as follows

$$\mathbb{P} \left\{ f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} = \mathbb{P} \left\{ V_t^{(i)} \leq \frac{4\bar{t}}{\sigma_{w,i}^2 \sqrt{n_x} \left((1 + 2\alpha)^2 \rho^{(i)} \frac{\|\Sigma_t^{(i)}\|}{\sqrt{n_x}} + 4 \right)} \right\},$$

thus, by choosing $\bar{t} = N_i n_x \left((\frac{1}{4} + \alpha^2) \Delta_{\min}^2 \|\Sigma_t^{(i)}\| + \sigma_{w,i}^2 \sqrt{n_x} \right)$ we obtain

$$\mathbb{P} \left\{ f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} = \mathbb{P} \left\{ \frac{V_t^{(i)}}{N_i n_x} - 1 \leq \frac{-4\alpha \|\Sigma_t^{(i)}\|}{(1 + 2\alpha)^2 \rho^{(i)} \|\Sigma_t^{(i)}\| + 4\sqrt{n_x}} \right\},$$

as per the concentration of standard Chi-squared distributions in (Wainwright, 2019), it is established that there exist universal constants c_1 and c_2 , such that

$$\mathbb{P} \left\{ f_t^{(i)} V_t^{(i)} \leq \bar{t} \right\} \leq c_1 \exp \left(-c_2 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right). \quad (6)$$

Similarly, $\mathbb{P} \left\{ g_t^{(i)} V_t^{(i)} > \bar{t} \right\}$ can be rewritten as follows

$$\mathbb{P} \left\{ g_t^{(i)} V_t^{(i)} > \bar{t} \right\} = \mathbb{P} \left\{ \frac{V_t^{(i)}}{N_i n_x} - 1 \leq \frac{4\alpha \|\Sigma_t^{(i)}\|}{(1 - 2\alpha)^2 \rho^{(i)} \|\Sigma_t^{(i)}\| + 4\sqrt{n_x}} \right\},$$

and by the concentration of Chi-squared distribution

$$\mathbb{P} \left\{ g_t^{(i)} V_t^{(i)} > \bar{t} \right\} \leq c_3 \exp \left(-c_4 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right), \quad (7)$$

where the proof is completed by combining (6) and (7) to obtain

$$\mathbb{P} \left\{ \mathcal{M}_i^{1,j} \right\} \leq c_1 \sum_{t=0}^{T-1} \exp \left(-c_2 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right).$$

6.2 Proof of Theorem 2

Without loss of generality, we analyze only the first cluster. Recall that the model is updated as follows:

$$\hat{\Theta}_1^+ = \frac{1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1} \tilde{\Theta}_i = \frac{1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1 \cap \mathcal{C}_1} \tilde{\Theta}_i + \frac{1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1} \tilde{\Theta}_i \quad (8)$$

with $\tilde{\Theta}_i = \hat{\Theta}_1 + 2\eta_1 (X^{(i)} - \hat{\Theta}_1 Z^{(i)}) Z^{(i), \top}$. Here $\hat{\mathcal{C}}_1 \cap \mathcal{C}_1$ corresponds to the set of systems correctly classified to the first cluster and $\hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1$ represents the set of systems that are misclassified to the first cluster, with $\overline{\mathcal{C}}_1$ denoting the complement of \mathcal{C}_1 . The above expression can be rewritten as follows

$$\hat{\Theta}_1^+ = \hat{\Theta}_1 + \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1 \cap \mathcal{C}_1} (X^{(i)} - \hat{\Theta}_1 Z^{(i)}) Z^{(i), \top} + \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1} (X^{(i)} - \hat{\Theta}_1 Z^{(i)}) Z^{(i), \top},$$

where $X^{(i)} = \Theta_1 Z^{(i)} + W^{(i)}$ for $i \in \hat{\mathcal{C}}_1 \cap \mathcal{C}_1$, and $X^{(i)} = \Theta_j Z^{(i)} + W^{(i)}$ for $i \in \hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1$, with $j \neq 1 \in [K]$. Therefore, by manipulating the above expression, we have

$$\begin{aligned} \hat{\Theta}_1^+ - \Theta_1 &= (\hat{\Theta}_1 - \Theta_1) \left(I - \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1} Z^{(i)} Z^{(i), \top} \right) + \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1} W^{(i)} Z^{(i), \top} \\ &\quad + (\Theta_j - \Theta_1) \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} |\hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1| \sum_{i \in \hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1} Z^{(i)} Z^{(i), \top}, \end{aligned}$$

and thus, we obtain

$$\|\hat{\Theta}_1^+ - \Theta_1\| \leq \|\mathcal{H}_1\| + \|\mathcal{H}_2\|,$$

with,

$$\|\mathcal{H}_1\| = \|\hat{\Theta}_1 - \Theta_1\| \left\| I - \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} Z Z^\top \right\| + \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} \sum_{i \in \hat{\mathcal{C}}_1} \|W Z^\top\|,$$

$$\|\mathcal{H}_2\| = \|\Theta_j - \Theta_1\| \frac{2\eta_1}{|\hat{\mathcal{C}}_1|} |\hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1| \|\bar{Z} \bar{Z}^\top\|.$$

We now concatenate the batch matrices $Z^{(i)}, W^{(i)}$ of the systems classified to the first cluster in $Z \in \mathbb{R}^{(n_x+n_u) \times N_i T |\hat{\mathcal{C}}_1|}$ and $W \in \mathbb{R}^{n_u \times N_i T |\hat{\mathcal{C}}_1|}$, and similarly the batch matrices $Z^{(i)}$ of the systems incorrectly classified to the first cluster are concatenated in $\bar{Z} \in \mathbb{R}^{(n_x+n_u) \times N_i T |\hat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1|}$. We proceed with our analysis by controlling both terms separately. To upper bound the first term, we introduce the following propositions.

Proposition 1. (Wang et al., 2023a, Proposition 8) For any fixed $0 < \delta < 1$, let $N_i \geq (4n_x + 2n_u) \log \frac{T|\hat{\mathcal{C}}_1|}{\delta}$. It holds, with probability at least $1 - \delta$, that

$$\left\| W Z^\top \right\| \leq 4\sigma_{w,i} \sqrt{N_i (2n_x + n_u) \log \frac{9|\hat{\mathcal{C}}_1|T}{\delta} \sum_{t=0}^{T-1} \left\| (\Sigma_t^{(i)})^{\frac{1}{2}} \right\|}. \quad (9)$$

Proposition 2. (Adapted from (Wang et al., 2023a, Proposition 6)) For any fixed $0 < \delta < 1$, let $N_i \geq 8(n_x + n_u) + 16 \log \frac{2|\widehat{\mathcal{C}}_1|T}{\delta}$. It holds, with probability at least $1 - \delta$, that

$$ZZ^\top \succeq \frac{1}{4} \sum_{i \in \widehat{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)}, \quad (10)$$

$$\|\bar{Z}\bar{Z}^\top\| \leq \frac{9}{4} \sum_{i \in \widehat{\mathcal{C}}_1 \cap \bar{\mathcal{C}}_1} \sum_{t=0}^{T-1} N_i \|\Sigma_t^{(i)}\|. \quad (11)$$

Proof. Expression (10) follows direct from Proposition 6 in (Wang et al., 2023a). For expression (11), we can first write

$$\begin{aligned} \|\bar{Z}\bar{Z}^\top\| &= \left\| \sum_{i \in \widehat{\mathcal{C}}_1 \cap \bar{\mathcal{C}}_1} \sum_{l=1}^{N_i} \sum_{t=0}^{T-1} z_{l,t}^{(i)} z_{l,t}^{(i)\top} \right\| \\ &\leq \sum_{i \in \widehat{\mathcal{C}}_1 \cap \bar{\mathcal{C}}_1} \left\| \sum_{l=1}^{N_i} \sum_{t=0}^{T-1} z_{l,t}^{(i)} z_{l,t}^{(i)\top} \right\| \end{aligned}$$

where $\chi_{l,t}^{(i)} = (\Sigma_t^{(i)})^{-\frac{1}{2}} z_{l,t}^{(i)}$ for any fixed l, t , and i , where $\chi_{l,t}^{(i)} \stackrel{\text{i.i.d.}}{\sim} \mathcal{N}(0, I_{n_x+n_u})$, for all $l \in \{1, 2, \dots, N_i\}$, we obtain

$$\|\bar{Z}\bar{Z}^\top\| \leq \sum_{i \in \widehat{\mathcal{C}}_1 \cap \bar{\mathcal{C}}_1} \sum_{t=0}^{T-1} \|\Sigma_t^{(i)}\| \left\| \sum_{l=1}^{N_i} \chi_{l,t}^{(i)} \chi_{l,t}^{(i)\top} \right\|,$$

thus, by using Proposition 6 of (Wang et al., 2023a), with probability $1 - \frac{\delta}{T}$, we have

$$\left\| \sum_{l=1}^{N_i} \chi_{l,t}^{(i)} \chi_{l,t}^{(i)\top} \right\| \leq \frac{9N_i}{4},$$

which implies

$$\|\bar{Z}\bar{Z}^\top\| \leq \frac{9}{4} \sum_{i \in \widehat{\mathcal{C}}_1 \cap \bar{\mathcal{C}}_1} \sum_{t=0}^{T-1} N_i \|\Sigma_t^{(i)}\|.$$

□

Therefore, with probability $1 - 2\delta$, we have

$$\begin{aligned} \|\mathcal{H}_1\| &\leq \|\widehat{\Theta}_1 - \Theta_1\| \left\| I - \frac{\eta_1}{2|\widehat{\mathcal{C}}_1|} \sum_{i \in \widehat{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right\| + \frac{2\eta_1}{|\widehat{\mathcal{C}}_1|} \sum_{i \in \widehat{\mathcal{C}}_1} \|WZ^\top\|, \\ &= \|\widehat{\Theta}_1 - \Theta_1\| \left(1 - \frac{\eta_1}{2|\widehat{\mathcal{C}}_1|} \lambda_{\min} \left(\sum_{i \in \widehat{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right) \right) + \frac{2\eta_1}{|\widehat{\mathcal{C}}_1|} \sum_{i \in \widehat{\mathcal{C}}_1} \|WZ^\top\|. \end{aligned}$$

Hence, by selecting $\eta_1 = \frac{|\widehat{\mathcal{C}}_1|}{\lambda_{\min}(\sum_{i \in \widehat{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)})}$, we obtain

$$\begin{aligned}
\|\mathcal{H}_1\| &\leq \frac{1}{2} \|\widehat{\Theta}_1 - \Theta_1\| + \frac{8 \sum_{i \in \widehat{\mathcal{C}}_1} \sigma_{w,i} \sqrt{N_i (2n_x + n_u) \log \frac{9|\widehat{\mathcal{C}}_1|T}{\delta}} \sum_{t=0}^{T-1} \left\| (\Sigma_t^{(i)})^{\frac{1}{2}} \right\|}{\lambda_{\min} \left(N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)} \\
&\leq \frac{1}{2} \|\widehat{\Theta}_1 - \Theta_1\| + \frac{8 \sqrt{(2n_x + n_u) \log \frac{9|\widehat{\mathcal{C}}_1|T}{\delta}} \sqrt{\sum_{i \in \mathcal{S}_1} \sigma_{w,i}^2 \left(\sum_{t=0}^{T-1} \left\| (\Sigma_t^{(i)})^{\frac{1}{2}} \right\| \right)^2}}{\sqrt{\sum_{i \in \widehat{\mathcal{C}}_1} N_i} \times \min_{i \in \widehat{\mathcal{C}}_1} \lambda_{\min} \left(\sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)} \\
&= \frac{1}{2} \|\widehat{\Theta}_1 - \Theta_1\| + \bar{c}_0 \times \frac{1}{\sqrt{\sum_{i \in \widehat{\mathcal{C}}_1} N_i}}, \tag{12}
\end{aligned}$$

with $N_i \geq \max\{8(n_x + n_u) + 16 \log \frac{2|\widehat{\mathcal{C}}_1|T}{\delta}, (4n_x + 2n_u) \log \frac{|\widehat{\mathcal{C}}_1|T}{\delta}\}$, for all $i \in \widehat{\mathcal{C}}_1$. To control the second term $\|\mathcal{H}_2\|$, we first use the Definition 1 to write

$$\|\mathcal{H}_2\| \leq \Delta_{\max} |\widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1| \frac{9 \sum_{i \in \widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \|\Sigma_t^{(i)}\|}{2 \lambda_{\min} \left(\sum_{i \in \widehat{\mathcal{C}}_1} N_i \sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)},$$

which implies

$$\|\mathcal{H}_2\| \leq c_5 \Delta_{\max} |\widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1|,$$

by using Jensen and Cauchy-Schwartz inequalities in the denominator and numerator, respectively, where we define $c_5 = \frac{9 \sum_{i \in \widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1} \sum_{t=0}^{T-1} \|\Sigma_t^{(i)}\|}{2 \min_{i \in \widehat{\mathcal{C}}_1} \left(\sum_{t=0}^{T-1} \Sigma_t^{(i)} \right)}$. Therefore, we proceed with our analysis to control $|\widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1|$. To do so, we use Lemma 1 and obtain

$$\mathbb{E} \left[|\widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1| \right] \leq c_6 \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-c_7 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right),$$

which yields

$$\begin{aligned}
&\mathbb{P} \left\{ |\widehat{\mathcal{C}}_1 \cap \overline{\mathcal{C}}_1| \leq c_6 \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-\frac{c_7}{2} N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right) \right\} \\
&\geq 1 - \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-\frac{c_7}{2} N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right) \geq 1 - \delta,
\end{aligned}$$

by using Markov's inequality and Assumption 2 with $N_i n_x \geq c \left(\frac{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}}{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|} \right)^2 \log \left(\frac{MT}{\delta} \right)$, for some large enough constant c such that $\frac{1}{c} < c_7$, with $0 < \delta < 1$ for all $i \in [M]$. Thus, we obtain

$$\|\mathcal{H}_2\| \leq \bar{c}_1 \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp \left(-\bar{c}_2 N_i n_x \left(\frac{\alpha \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}} \right)^2 \right), \tag{13}$$

with probability at least $1 - \delta$. The proof is completed by combining (12) and (13).

6.3 Proof of Corollary 1

We first recall that at iteration r we possess an estimation for the model such that $\|\widehat{\Theta}_j^{(r)} - \Theta_j\| \leq (\frac{1}{2} - \alpha^{(r)})\Delta_{\min}$, for all $j \in [K]$ with $\alpha^{(r)} \in \mathbb{R}$. Moreover, according to Theorem 2, we have

$$\begin{aligned} \|\widehat{\Theta}_j^{(r+1)} - \Theta_j\| &\leq \frac{1}{2}\|\widehat{\Theta}_j^{(r)} - \Theta_j\| + \bar{c}_0 \times \frac{1}{\sqrt{\sum_{i \in \widehat{\mathcal{C}}_j^{(r)}} N_i}} \\ &\quad + \bar{c}_1 \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp\left(-\bar{c}_2 N_i n_x \left(\frac{\alpha^{(r)} \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}}\right)^2\right), \end{aligned}$$

where by using Assumption 2 and $0 < \alpha^{(0)} < \frac{1}{2}$ we can guarantee that $\|\widehat{\Theta}_j^{(r+1)} - \Theta_j\| \leq \|\widehat{\Theta}_j^{(r)} - \Theta_j\|$ for any $r \in [R]$. This implies that $\alpha^{(r+1)} \geq \alpha^{(r)}$, for any $r \in [R]$. First, we aim to show that after a small number of iterations, we obtain a sufficiently large value of $\alpha^{(r)} \geq \frac{1}{4}$. To do so, let

$$\epsilon_r := \bar{c}_0 \times \frac{1}{\sqrt{\sum_{i \in \widehat{\mathcal{C}}_j^{(r)}} N_i}} + \bar{c}_1 \Delta_{\max} \sum_{i \in [M]} \sum_{t=0}^{T-1} \exp\left(-\bar{c}_2 N_i n_x \left(\frac{\alpha^{(r)} \rho^{(i)} \|\Sigma_t^{(i)}\|}{\rho^{(i)} \|\Sigma_t^{(i)}\| + \sqrt{n_x}}\right)^2\right), \quad (14)$$

be the error at iteration r , and note that $\epsilon_{r+1} \leq \epsilon_r$ for any $r \in [R]$ since $\alpha^{(r+1)} \geq \alpha^{(r)}$. Then, after R' iterations of Algorithm 1, we obtain

$$\|\widehat{\Theta}_j^{(R')} - \Theta_j\| \leq (1 - \mu_j)^{R'} \left(\frac{1}{2} - \alpha^{(0)}\right) \Delta_{\min} + 2\epsilon_0$$

for $R' \geq 2$. Therefore, we need to guarantee that after $R' \geq 2$ parallel iterations, the right hand side of the above expression is upper bounded by $\frac{1}{4}\Delta_{\min}$. For the first term, since $0 < \alpha^{(0)} < \frac{1}{2}$, it suffices to show that $(\frac{1}{2})^{R'} \leq \frac{1}{4}$, which is satisfied for any $R' \geq 2$. On the other hand, $2\epsilon_0 \leq \frac{1}{8}\Delta_{\min}$ follows directly from the minimum separation condition of Assumption 2. Therefore, we have $\|\widehat{\Theta}_j^{(R')} - \Theta_j\| \leq \frac{1}{4}\Delta_{\min}$, for any $r \geq R'$. Then, after $R'' \geq R'$, we have

$$\|\widehat{\Theta}_j^{(R'')} - \Theta_j\| \leq \left(\frac{1}{2}\right)^{R''} \frac{\Delta_{\min}}{4} + 2\epsilon_0$$

which implies $\|\widehat{\Theta}_j^{(R)} - \Theta_j\| \leq \epsilon$ after $R = R' + R'' \geq 2 + \log(\frac{\Delta_{\min}}{4\epsilon})$, with ϵ as defined in (5).