ViBE: Dressing for Diverse Body Shapes

Wei-Lin Hsiao^{1,2} Kristen Grauman^{1,2}

¹The University of Texas at Austin ² Facebook AI Research

Abstract

Body shape plays an important role in determining what garments will best suit a given person, yet today's clothing recommendation methods take a "one shape fits all" approach. These body-agnostic vision methods and datasets are a barrier to inclusion, ill-equipped to provide good suggestions for diverse body shapes. We introduce ViBE, a VIsual Body-aware Embedding that captures clothing's affinity with different body shapes. Given an image of a person, the proposed embedding identifies garments that will flatter her specific body shape. We show how to learn the embedding from an online catalog displaying fashion models of various shapes and sizes wearing the products, and we devise a method to explain the algorithm's suggestions for well-fitting garments. We apply our approach to a dataset of diverse subjects, and demonstrate its strong advantages over status quo body-agnostic recommendation, both according to automated metrics and human opinion.

1. Introduction

Research in computer vision is poised to transform the world of consumer fashion. Exciting recent advances can link street photos to catalogs [47,54], recommend garments to complete a look [25,33,34,40,73,76], discover styles and trends [3,32,57], and search based on subtle visual properties [22, 46]. All such directions promise to augment and accelerate the clothing shopping experience, providing consumers with personalized recommendations and putting a content-based index of products at their fingertips.

However, when it comes to body shape, state-of-the-art recommendation methods falsely assume a "one shape fits all" approach. Despite the fact that the same garment will flatter different bodies differently, existing methods *neglect* the significance of an individual's body shape when estimating the relevance of a given garment or outfit. This limitation stems from two key factors. First, current large-scale datasets are heavily biased to a narrow set of body shapes¹—typically thin and tall, owing to the fashionista or celebrity photos from which they are drawn [26, 51, 55, 66,



Figure 1: Trained largely from images of slender fashionistas and celebrities (bottom row), existing methods ignore body shape's effect on clothing recommendation and exclude much of the spectrum of real body shapes. Our proposed embedding considers diverse body shapes (top row) and learns which garments flatter which across the spectrum of the real population. Histogram plots the distribution of the second principal component of SMPL [56] (known to capture weight [31, 69]) for the dataset we collected (orange) and DeepFashion [55] (purple).

84] (see Fig. 1). This restricts everything learned downstream, including the extent of bodies considered for virtual try-on [26, 63, 79]. Second, prior methods to gauge clothing compatibility often learn from co-purchase patterns [25, 76, 77] or occasion-based rules [40, 53], divorced from any statistics on body shape.

Body-agnostic vision methods and datasets are thus a barrier to diversity and inclusion. Meanwhile, aspects of fit and cut are paramount to what continues to separate the shopping experience in the physical world from that of the virtual (online) world. It is well-known that a majority of today's online shopping returns stem from problems with fit [61], and being unable to imagine how a garment would complement one's body can prevent a shopper from making the purchase altogether.

To overcome this barrier, we propose ViBE, a VIsual Body-aware Embedding that captures clothing's affinity with different body shapes. The learned embedding maps a given body shape and its most complementary garments close together. To train the model, we explore a novel source of Web photo data containing fashion models of di-

¹not to mention skin tone, age, gender, and other demographic factors

verse body shapes. Each model appears in only a subset of all catalog items, and these pairings serve as implicit positive examples for body-garment compatibility.

Having learned these compatibilities, our approach can retrieve body-aware garment recommendations for a new body shape—a task we show is handled poorly by existing body-agnostic models, and is simply impossible for traditional recommendation systems facing a cold start. Furthermore, we show how to visualize what the embedding has learned, by highlighting what properties (sleeve length, fabric, cut, etc.) or localized regions (*e.g.*, neck, waist, straps areas) in a garment are most suitable for a given body shape.

We demonstrate our approach on a new body-diverse dataset spanning thousands of garments. With both quantitative metrics and human subject evaluations, we show the clear advantage of modeling body shape's interaction with clothing to provide accurate recommendations.

2. Related Work

Fashion styles and compatibility Early work on computer vision for fashion addresses recognition problems, like matching items seen on the street to a catalog [47,54], searching for products [22,46,86], or parsing an outfit into garments [17,51,83,87]. Beyond recognition, recent work explores models for *compatibility* that score garments for their mutual affinity [24,33,34,36,73,76,77]. Styles—metapatterns in what people wear—can be learned from images, often with visual attributes [**?**,3,32,43,57], and Web photos with timestamps and social media "likes" can help model the relative popularity of trends [50, 74]. Unlike our approach, none of the above models account for the influence of body shape on garment compatibility or style.

Fashion image datasets Celebrities [30, 51], fashionista social media influencers [43, 52, 74, 83, 84], and catalog models [18, 26, 55, 66] are all natural sources of data for computer vision datasets studying fashion. However, these sources inject bias into the body shapes (and other demographics) represented, which can be useful for some applications but limiting for others. Some recent dataset efforts leverage social media and photo sharing platforms like Instagram and Flickr which may access a more inclusive sample of people [42, 57], but their results do not address body shape. We explore a new rich online catalog dataset comprised of models of diverse body shape.

Virtual try on and clothing retargeting Virtual try-on entails visualizing a source garment on a target human subject, as if the person were actually wearing it. Current methods estimate garment draping on a 3D body scan [20,48,62,68], retarget styles for people in 2D images or video [4,5,7,85], or render a virtual try-on with sophisticated image generation methods [23, 26, 63, 79]. While existing methods display a garment on a person, they do not infer whether the garment flatters the body or not. Furthermore, in practice, vision-based results are limited to a narrow set of body shapes (typically tall and thin as in Fig. 1) due to the implicit bias of existing datasets discussed above.

Body and garment shape estimation Estimating people and clothing's 3D geometry from 2D RGB images has a long history in graphics, broadly categorizable into body only [8, 38, 89], garment only [11, 37, 82, 88], joint [49, 59, 67], and simultaneous but separate estimations [4, 5, 7, 85]. In this work, we integrate two body-based models to estimate a user's body shape from images. However, different from any of the above, our approach goes beyond estimating body shape to learn the affinity between human body shape and well-fitting garments.

Sizing clothing While most prior work recommends clothing based on an individual's purchase history [28,35,39,77] or inferred style model [33, 40, 53], limited prior work explores product *size recommendation* [14, 21, 41, 58, 72]. Given a product and the purchase history of a user, these methods predict whether a given size will be too large, small, or just right. Rather than predict which size of a given garment is appropriate, our goal is to infer which garments will flatter the body shape of a given user. Moreover, unlike our approach, existing methods do not consider the visual content of the garments or person [14, 21, 58, 72]. While SizeNet [41] uses product images, the task is to predict whether the product will have fit issues in general, unconditioned on any person's body.

Clothing preference based on body shape To our knowledge, the only prior work that considers body shape's connection to clothing is the "Fashion Takes Shape" project, which studies the correlation between a subject's weight and clothing categories typically worn (e.g., curvier people are more likely to wear jeans than shorts) [69], and the recommendation system of [30] that discovers which styles are dominant for which celebrity body types given their known body measurements. In contrast to either of these methods, our approach suggests specific garments conditioned on an individual's body shape. Furthermore, whereas [69] is about observing in hindsight what a collection of people wore, our approach actively makes recommendations for novel bodies and garments. Unlike [30], our method handles data beyond high-fashion celebrities and uses the inferred body shape of a person as input.

3. Approach

While the reasons for selecting clothes are complex [80], *fit* in a garment is an important factor that contributes to the confidence and comfort of the wearer. Specifically, a garment that fits a wearer well *flatters* the wearer's body. Fit is a frequent reason for whether to make an apparel purchase [6]. Searching for the right fit is time-consuming:



Figure 2: Example categories of body shapes, with styling tips and recommended dresses for each, according to fashion blogs [1,2].

women may try on as many as 20 pairs of jeans before they find a pair that fits [64].

The 'Female Figure Identification Technique (FFIT) System' classifies the female body into 9 shapes hourglass, rectangle, triangle, spoon, etc.—using the proportional relationships of dimensions for bust, waist, high hip, and hips [13]. No matter which body type a woman belongs to, researchers find that women participants tend to select clothes to create an hourglass look for themselves [19]. Clothing is used strategically to manage bodily appearance, so that perceived "problem areas/flaws" can be covered up, and assets are accentuated [16,19]. Fig. 2 shows examples from fashion blogs with different styling tips and recommended dresses for different body shapes.

Our goal is to discover such strategies, by learning a body-aware embedding that recommends clothing that complements a specific body and vice versa. We first introduce a dataset and supervision paradigm that allow for learning such an embedding (Sec. 3.1, Sec. 3.2). Then we present our model (Sec. 3.3) and the representation we use for clothing and body shape (Sec. 3.4). Finally, beyond recommending garments, we show how to visualize the *strategies* learned by our model (Sec. 3.5).

3.1. A Body-Diverse Dataset

An ideal dataset for learning body-garment compatibility should meet the following properties: (1) clothed people with diverse body shapes; (2) full body photos so the body shapes can be estimated; (3) some sort of rating of whether the garment flatters the person to serve as supervision. Datasets with 3D scans of people in clothing [4, 5, 7, 65] meet (1) and (2), but are rather small and



Figure 3: Example page from the website where we collected our dataset. It provides the image of the model wearing the catalog item, the clean catalog photo of the garment on its own, the model's body measurements, and the item's attribute description. Each item is worn by models of multiple body shapes.

have limited clothing styles. Datasets of celebrities [30,51], fashionistas [43,74,84], and catalog models [26,55,66] satisfy (2) and (3), but they lack body shape diversity. Datasets from social media platforms [42, 57] include more diverse body shapes (1), but are usually cluttered and show only the upper body, preventing body shape estimation.

To overcome the above limitations, we collect a dataset from an online shopping website called Birdsnest.² Birdsnest provides a wide range of sizes (8 to 18 in Australian measurements) in most styles. Fig. 3 shows an example catalog page. It contains the front and back views of the garment, the image of the fashion model wearing the item, her body measurements, and an attribute-like textual descriptions of the item. Most importantly, each item is worn by a variety of models of different body shapes. We collect two categories of items, 958 dresses and 999 tops, spanning 68 fashion models in total. While our approach is not specific to women, since the site has only women's clothing, our current study is focused accordingly. This data provides us with properties (1) and (2). We next explain how we obtain positive and negative examples from it, property (3).

3.2. Implicit Rating from Catalog Fashion Models

Fashion models wearing a specific catalog item can safely be assumed to have body shapes that are flattered by that garment. Thus, the catalog offers implicit positive body-garment pairings. How do we get negatives? An intuitive way would be to assume that all unobserved bodygarment pairings from the dataset are negatives. However,

²https://www.birdsnest.com.au/



Figure 4: Columns show bodies sampled from the five discovered body types for dresses (see Supp. for tops). Each type roughly maps to 1) average, 2) curvy, 3) slender, 4) tall and curvy, 5) petite.

about 50% of the dresses are worn by only 1 or 2 distinct bodies (3% of the models), suggesting that many positive pairings are not observed.

Instead, we propose to propagate missing positives between similar body shapes. Our assumption is that if two body shapes are very similar, clothing that flatters one will likely flatter the other. To this end, we use k-means [78] clustering (on features defined in Sec. 3.4) to quantize the body shapes in our dataset into five types. Fig. 4 shows bodies sampled from each cluster. We propagate positive clothing pairs from each model observed wearing a garment to all other bodies of her type. Since most of the garments are worn by multiple models, and thus possibly multiple types, we define negative clothing for a type by pairing bodies in that type with clothing *never* worn by any body in that type.

With this label propagation, most dresses are worn by 2 distinct body *types*, which is about 40% of the bodies in the dataset, largely decreasing the probability of missing true positives. To validate our label propagation procedure with ground truth, we conduct a user study explicitly asking human judges on Mechanical Turk whether each pair of bodies in the same cluster could wear similar clothing, and whether pairs in different clusters could. Their answers agreed with the propagated labels 81% and 63% of the time for the two respective cases (see Supp. for details).

3.3. Training a Visual Body-Aware Embedding

Now having the dataset with all the desired properties, we introduce our VIsual Body-aware Embedding, ViBE, that captures clothing's affinity with body shapes. In an ideal embedding, nearest neighbors are always relevant instances, while irrelevant instances are separated by a large margin. This goal is achieved by correctly ranking all triplets, where each triplet consists of an anchor z_a , a positive z_p that is relevant to z_a , and a negative z_n that is not relevant to z_a . The embedding should rank the positive closer to the anchor than the negative, $D(z_a, z_p) < D(z_a, z_n)$ (with D(., .) denoting Euclidean distance). Amargin-based loss [81] optimizes for this ranking:

$$\mathcal{L}(z_a, z_p, z_n) := (D(z_a, z_p) - \alpha_p)_+ + (\alpha_n - D(z_a, z_n))_+$$

where α_p , α_n is the margin for positive and negative pairs respectively, and the subscript + denotes $\max(0, \cdot)$. We constrain the embedding to live on the *d*-dimensional hypersphere for training stability, following [70].

In our joint embedding ViBE, we have two kinds of triplets, one between bodies and clothing, and one between bodies and bodies. So our final loss combines two instances of the margin-based loss:

$$\mathcal{L} = \mathcal{L}_{body,cloth} + \mathcal{L}_{body,body}.$$
 (1)

Let f_{cloth} , f_{body} be the respective functions that map instances of clothing x_g and body shape x_b to points in ViBE. For the triplet in our body-clothing loss $\mathcal{L}_{body,cloth}$, z_a is a mapped body instance $f_{body}(x_b^{\ a})$, z_p is a compatible clothing item $f_{cloth}(x_g^{\ p})$, and z_n is an incompatible clothing item $f_{cloth}(x_g^{\ n})$. This loss aims to map body shapes near their compatible clothing items.

We introduce the body-body loss $\mathcal{L}_{body,body}$ to facilitate training stability. Recall that each garment could be compatible with multiple bodies. By simply pulling these shared clothing items closer to all their compatible bodies, all clothing worn on those bodies would also become close to each other, making the embedding at risk of model collapse (see Fig. 5a, blue plot). Hence, we introduce an additional constraint on triplets of bodies: z_a is again a mapped body instance $f_{body}(x_b^{a})$, z_p is now a body $f_{body}(x_b^{p})$ that belongs to the same type (*i.e.*, cluster) as x_b^a , and z_n is a body $f_{body}(x_b^n)$ from a different type. This body-body loss $\mathcal{L}_{body,body}$ explicitly distinguishes similar bodies from dissimilar ones. Fig. 5a plots the distribution of pairwise clothing distances with and without this additional constraint, showing that this second loss effectively alleviates the model collapse issue.

We stress that the quantization for body types (Sec. 3.2) is solely for propagating labels to form the training triplets. When learning and applying the embedding itself, we operate in a continuous space for the body representation. That is, a new image is mapped to *individualized* recommendations potentially unique to that image, *not* a batch of recommendations common to all bodies within a type.

3.4. Clothing and Body Shape Features

Having defined the embedding's objective, now we describe the input features x_b and x_g for bodies and garments.

For clothing, we have the front and back view images of the catalog item (without a body) and its textual description.



Figure 5: Left (a): Distribution of pairwise distances between clothing items with (red) and without (blue) the proposed bodybody triplet loss. Without it, clothing embeddings are very concentrated and have close to 0 distance, causing instability in training. Right (b): Human body shape estimation stages.

We use a ResNet-50 [27] pretrained on ImageNet [12] to extract visual features from the catalog images, which captures the overall color, pattern, and silhouette of the clothing. We mine the top frequent words in all descriptions for all catalog entries to build a vocabulary of attributes, and obtain an array of binary attributes for each garment, which captures localized and subtle properties such as specific necklines, sleeve cuts, and fabric.

For body shape, we have images of the fashion models and their measurements for height, bust, waist, and hips, the so called *vital statistics*. We concatenate the vital statistics in a 4D array and standardize them. However, the girths and lengths of limbs, the shoulder width, and many other characteristics of the body shape are not captured by the vital statistics, but are visible in the fashion models' images. Thus, we estimate a 3D human body model from each image to capture these fine-grained shape cues.

To obtain 3D shape estimates, we devise a hybrid approach built from two existing methods, outlined in Fig. 5b. Following the basic strategy of HMD [89], we estimate an initial 3D mesh, and then stage-wise update the 3D mesh by projecting it back to 2D and deforming it to fit the silhouette of the human in the RGB image. However, the initial 3D mesh that HMD is built on, *i.e.*, HMR [38], only supports gender-neutral body shapes. Hence we use SM-PLify [8], which does support female bodies, to create the initial mesh.³ We then deform the mesh with HMD.

Finally, rather than return the mesh itself—whose highdimensionality presents an obstacle for data efficient embedding learning— we optimize for a compact set of body shape model parameters that best fits the mesh. In particular, we fit SMPL [56] to the mesh and use its first 10 principal components as our final 3D body representation. These



Figure 6: Overview of our visual body-aware embedding (ViBE). We use mined attributes with CNN features for clothing, and estimated SMPL [56] parameters and vital statistics for body shape (Sec. 3.4). Following learned projections, they are mapped into the joint embedding that measures body-clothing affinities (Sec. 3.3).

dimensions roughly capture weight, waist height, masculine/feminine characteristics, etc. [31, 75]. When multiple images (up to 6) for a fashion model are available, we process all of them, and take the median per dimension.

In summary, for clothing, we accompany mined attributes (64 and 100 attributes for dresses and tops respectively) with CNN features (2048-D); for body shape, we accompany estimated 3D parameters (10-D) with vital statistics (4-D). Each is first reduced into a lower dimensional space with learned projection functions (h_{attr} , h_{cnn} , h_{smpl} , h_{meas}). Then the reduced attribute and CNN features are concatenated as the representation x_g for clothing, and the reduced SMPL and vital features are concatenated as the representation x_b for body shape. Both are forwarded into the joint embedding (defined in Sec. 3.3) by f_{cloth} and f_{body} to measure their affinity. Fig. 6 overviews the entire procedure. See Supp. for architecture details.

3.5. Recommendations and Explanation

After learning our embedding, we make clothing recommendations for a new person by retrieving the garments closest to her body shape in this space. In addition, we propose an automatic approach to convey the underlying strategy learned by our model. The output should be general enough for users to apply to future clothing selections, in the spirit of the expert advice as shown in Fig. 2—e.g., the styling tip for *apple* body shape is to wear A-line dresses but potentially even more tailored to the individual body.

To achieve this, we visualize the embedding's learned decision with separate classifiers (cf. Fig. 10). We first map a subject's body shape into the learned embedding, and take

³We apply OpenPose [9] to the RGB images to obtain the 2D joint positions required by SMPLify. We could not directly use the SMPLify estimated bodies because only their pose is accurate but not their shape.

		Dresses				Tops					
	type	1	2	3	4	5	1	2	3	4	5
Train	body	18	7	11	4	6	19	4	8	15	6
	clothing	587	481	301	165	167	498	202	481	493	232
Test	body	5	2	3	2	2	5	2	3	4	2
	clothing	149	126	76	42	34	115	54	115	129	58

Table 1: Dataset statistics: number of garments and fashion models for each clustered type.

the closest and furthest 400 clothing items as the most and least suitable garments for this subject. We then train binary classifiers to predict whether a clothing item is suitable for this subject. By training a linear classifier over the attribute features of the clothing, the high and low weights reveal the most and least suitable attributes for this subject. By training a classifier over the CNN features of the clothing, we can apply CNN visualization techniques [15,60,71] (we use [60]) to localize important regions (as heatmaps) that activate the positive or negative prediction.

4. Experiments

We now evaluate our body-aware embedding with both quantitative evaluation and user studies.

Experiment setup. Using the process described in Sec. 3.1 and Sec. 3.2, we collect two sets of data, one for dresses and one for tops, and train separately on each for all models. To propagate positive labels, we cluster the body shapes to k = 5 types. We find the cluster corresponding to an *average* body type is the largest, while *tall and curvy* is the smallest. To prevent the largest cluster's bodies from dominating the evaluation, we randomly hold out 20%, or at least two bodies, for each cluster to comprise the test set. For clothing, we randomly hold out 20% of positive clothing for each cluster. Tab. 1 summarizes the dataset breakdown.

Baselines. Since no prior work tackles this problem, we develop baselines based on problems most related to ours: user-item recommendation and garment compatibility modeling. Suggesting clothing to flatter a body shape can be treated as a recommendation problem, where people are users and clothing are items. We compare with two standard recommendation methods: (1) body-AGNOSTIC-CF: a vanilla collaborative filtering (CF) model that uses neither users' nor items' content; and (2) body-AWARE-CF: a hybrid CF model that uses the body features and clothing visual features as content ("side information" [10]). Both use a popular matrix completion [45] algorithm [29]. In addition, we compare to a (3) body-AGNOSTIC-EMBEDDING that uses the exact same features and models as our body-AWARE-EMBEDDING (ViBE), but—as done implicitly by current methods-is only trained on bodies of the same type, limiting body shape diversity.⁴ It uses all bodies and clothing in the largest cluster (average body type), since



Figure 7: Recommendation accuracy measured by AUC over all person-garment pairs. Our body-aware embedding (ViBE) performs best on all test scenarios by a clear margin.

results for the baseline were best on this type. This baseline resembles current embeddings for garment compatibility [28, 76, 77], by changing garment type to body shape.

Implementation. All dimensionality reduction functions h_{attr} , h_{cnn} , h_{smpl} , h_{meas} are 2-layer MLPs, and the embedding functions f_{cloth} and f_{body} are single fully connected layers. We train the body-aware (agnostic) embeddings with Adam-optimizer [44], learning rate 0.003 (0.05), weight decay 0.01, decay the learning rate by 0.3 at epoch 100 (70) and 130 (100), and train until epoch 180 (130). See Supp. for more architecture and training details. We use the best models in quantitative evaluation for each method to run the human evaluation.

4.1. Quantitative evaluation

We compare the methods on three different recommendation cases: i) person ("user") seen but garment ("item") unseen during training, ii) garment seen but person unseen, iii) neither person nor garment seen. These scenarios capture realistic use cases, where the system must make recommendations for new bodies and/or garments. We exhaust all pairings of test bodies and clothing, and report the mean AUC with standard deviation across 10 runs.

Fig. 7a and Fig. 7b show the results. Our model outperforms all methods by a clear margin. AGNOSTIC-CF performs the worst, as all three test cases involve cold-start problems, and it can only rely on the learned bias terms. Including the person's body shape and clothing's features in the CF method (AWARE-CF) significantly boosts its performance, demonstrating the importance of this content for clothing recommendation. In general, the embedding-based

⁴The proposed body-body triplet loss is not valid for this baseline.



Figure 8: Accuracy trends as test garments are increasingly bodyspecific. We plot AUC from all clothing (100%) then gradually exclude body-versatile ones, until only the most body-specific (25%) are left. ViBE offers even greater improvement when clothing is body-specific (*least* body-versatile), showing recommendations for those garments only succeed if the body is taken into account.



Figure 9: Example recommendations for 2 subjects by all methods. Subjects' images and their estimated body shapes are shown on the top of the tables. Each row gives one method's most and least recommended dresses. See text for discussion.

methods perform better than the CF-based methods. This suggests that clothing-body affinity is modeled better by ranking than classification; an embedding can maintain the individual idiosyncrasies of the body shapes and garments.

All methods perform better on dresses than tops. This may be due to the fact that dresses cover a larger portion of the body, and thus could be inherently more selective about which bodies are suitable. In general, the more selective or *body-specific* a garment is, the more value a body-aware recommendation system can offer; the more *body-versatile* a garment is, the less impact an intelligent recommendation can have. To quantify this trend, we evaluate the embeddings' accuracy for scenario (iii) as a function of the test garments' *versatility*, as quantified by the number of distinct body types (clusters) that wear the garment. Fig. 8 shows the results. As we focus on the body-specific garments (right hand side of plots) our body-aware embedding's gain

	Agnostic- CF	Aware-CF	Agnostic- embed	ViBE
AUC	0.51	0.52	0.55	0.58

Table 2: Recommendation AUC on unseen people paired with garments sampled from the entire dataset, where ground-truth labels are provided by human judges. Consistent with Fig. 7a, the proposed model outperforms all the baselines.

over the body-agnostic baseline increases.

4.2. Example recommendations and explanations

Fig. 9 shows example recommendations for all methods on two heldout subjects: each row is a method, with most and least recommended garments. Being agnostic to body shape, AGNOSTIC-CF and AGNOSTIC-EMBEDDING make near identical recommendations for subjects with different body shapes: top recommended dresses are mostly bodyversatile (captured as *popularity* by the bias term in CF based methods), while least recommended are either bodyspecific or less interesting, solid shift dresses. ViBE recommends knee-length, extended sleeves, or wrap dresses for curvy subjects, which flow naturally on her body, and recommends shorter dresses that fit or flare for the slender subjects, which could show off her legs.

Fig. 10 shows example explanations (cf. Sec. 3.5) for ViBE's recommendations. For a petite subject, the most suitable attributes are waistbands and empire styles that create taller looks, and embroidery and ruffles that increase volume. For a curvier subject, the most suitable attributes are extended or 3/4 sleeves that cover the arms, v-necklines that create an extended slimmer appearance, and wrap or side-splits that define waists while revealing curves around upper-legs. The heatmaps showing important regions for why a dress is suitable for the subject closely correspond to these attributes. We also take the top 10 suitable dresses and their heatmaps to generate a weighted average dress to represent the *gestalt* shape of suitable dresses for this person.

4.3. Human judged ground truth evaluation

Having quantified results against the catalog ground truth, next we solicit human opinions. We recruit 329 subjects on Mechanical Turk to judge which dresses better flatter the body shape of the test subjects. See Supp. for all user study interfaces. We first ask subjects to judge each dress as either *body-specific* or *body-versatile*. Then we randomly sample 10 to 25 pairs of clothing items that are the same type (*i.e.*, both body-specific or -versatile) for each of 14 test bodies, and for each one we ask 7 subjects to rank which dress is more suitable for the given body. We discard responses with low consensus (*i.e.*, difference of votes is less than 2), which yields 306 total pairs.

Tab. 2 shows the results for all methods. The overall trend is consistent with the automatic evaluation in Fig-



Figure 10: Example recommendations and explanations from our model: for each subject (row), we show the predicted most (left) and least (right) suitable attributes (text at the bottom) and garments, along with the garments' explanation localization maps. The "suitable silhouette" image represents the *gestalt* of the recommendation. The localization maps show where our method sees (un)suitable visual details, which agree with our method's predictions for (un)recommended attributes.



Figure 11: Examples of our model's more/less recommended dresses for users (body types selected by users; numbers shown under are AUC for each), along with the reasons why users preferred a dress or not. Our model's explanation roughly corresponds to users' reasoning: user 2 prefers a clear waistline to hide the belly, while user 1 tends to draw attention away from the chest.

ure 7a. As tops are in general less body-specific than dresses, human judges seldom reach consensus for tops, thus we did not include a human annotated benchmark for it. See Supp. for examples of Turkers' explanations for their selections. We share the collected ground truth to allow benchmarking future methods.⁵

Next we perform a second user study in which women judge which garments would best flatter their *own* body shape, since arguably each person knows her own body best. We first ask subjects to select the body shape among 15 candidates (adopted from BodyTalk [75]) that best resembles themselves, and then select which dresses they prefer to wear. We use the selected dresses as positive, unselected as negative, and evaluate our model's performance by ranking AUC. In total, 4 volunteers participated, each answered 7 to 18 different pairs of dresses, summing up to 61 pairs of dresses. Our body-aware embedding⁶ achieves a mean AUC of 0.611 across all subjects, compared to 0.585 by the body-agnostic embedding (the best competing baseline).

Fig. 11 shows our method's recommendations for cases where subjects explained the garments they preferred (or not) for their own body shape. We see that our model's visual explanation roughly corresponds to subjects' own reasoning (*e.g.*, (de)emphasizing specific areas).

5. Conclusion

We explored clothing recommendations that complement an individual's body shape. We identified a novel source of Web photo data containing fashion models of diverse body shapes, and developed a body-aware embedding to capture clothing's affinity with different bodies. Through quantitative measurements and human judgments, we verified our model's effectiveness over body-agnostic models, the status quo in the literature. In future work, we plan to incorporate our body-aware embedding to address fashion styling and compatibility tasks.

Acknowledgements: We thank our human subjects: Angel, Chelsea, Cindy, Layla, MongChi, Ping, Yenyen, and our anonymous friends and volunteers from Facebook. We also thank the authors of [75] for kindly sharing their collected SMPL parameters with us. UT Austin is supported in part by NSF IIS-1514118.

⁵http://vision.cs.utexas.edu/projects/VIBE

⁶Since we do not have these subjects' vital statistics, we train another version of our model that uses only SMPL and CNN features.

References

- [1] https://chic-by-choice.com/en/what-to-wear/best-dressesfor-your-body-type-45. 3
- [2] https://www.topweddingsites.com/wedding-blog/weddingattire/how-to-guide-finding-the-perfect-gown-for-yourbody-type. 3
- [3] Z. Al-Halah, R. Stiefelhagen, and K. Grauman. Fashion forward: Forecasting visual style in fashion. In *ICCV*, 2017. 1, 2
- [4] Thiemo Alldieck, Marcus Magnor, Bharat Lal Bhatnagar, Christian Theobalt, and Gerard Pons-Moll. Learning to reconstruct people in clothing from a single rgb camera. In *CVPR*, 2019. 2, 3
- [5] Thiemo Alldieck, Marcus Magnor, Weipeng Xu, Christian Theobalt, and Gerard Pons-Moll. Video based reconstruction of 3d people models. In *CVPR*, 2018. 2, 3
- [6] Kurt Salmon Associates. Annual consumer outlook survey. presented at a meeting of the American Apparel and Footwear Association Apparel Research Committee, 2000. 2
- [7] Bharat Lal Bhatnagar, Garvita Tiwari, Christian Theobalt, and Gerard Pons-Moll. Multi-garment net: Learning to dress 3d people from images. In *ICCV*, 2019. 2, 3
- [8] Federica Bogo, Angjoo Kanazawa, Christoph Lassner, Peter Gehler, Javier Romero, and Michael J. Black. Keep it SMPL: Automatic estimation of 3D human pose and shape from a single image. In ECCV, 2016. 2, 5
- [9] Zhe Cao, Tomas Simon, Shih-En Wei, and Yaser Sheikh. Realtime multi-person 2d pose estimation using part affinity fields. In CVPR, 2017. 5
- [10] Tianqi Chen, Weinan Zhang, Qiuxia Lu, Kailong Chen, Zhao Zheng, and Yong Yu. Svdfeature: a toolkit for feature-based collaborative filtering. *JMLR*, 2012. 6
- [11] R Daněřek, Endri Dibra, Cengiz Öztireli, Remo Ziegler, and Markus Gross. Deepgarment: 3d garment shape estimation from a single image. In *Computer Graphics Forum*, 2017. 2
- [12] J. Deng, W. Dong, R. Socher, L.-J. Li, K. Li, and L. Fei-Fei. Imagenet: A Large-Scale Hierarchical Image Database. In *CVPR*, 2009. 4
- [13] Priya Devarajan and Cynthia L Istook. Validation of female figure identification technique (ffit) for apparel software. *Journal of Textile and Apparel, Technology and Management*, 2004. 3
- [14] Kallirroi Dogani, Matteo Tomassetti, Sofie De Cnudde, Sal Vargas, and Ben Chamberlain. Learning embeddings for product size recommendations. In SIGIR Workshop on ECOM, 2018. 2
- [15] Ruth C Fong and Andrea Vedaldi. Interpretable explanations of black boxes by meaningful perturbation. In *ICCV*, 2017.6
- [16] Hannah Frith and Kate Gleeson. Dressing the body: The role of clothing in sustaining body pride and managing body distress. *Qualitative Research in Psychology*, 2008. 3
- [17] Cheng-Yang Fu, Tamara L. Berg, and Alexander C. Berg. Imp: Instance mask projection for high accuracy semantic segmentation of things. In *ICCV*, 2019. 2

- [18] Yuying Ge, Ruimao Zhang, Lingyun Wu, Xiaogang Wang, Xiaoou Tang, and Ping Luo. A versatile benchmark for detection, pose estimation, segmentation and re-identification of clothing images. *CVPR*, 2019. 2
- [19] Sarah Grogan, Simeon Gill, Kathryn Brownbridge, Sarah Kilgariff, and Amanda Whalley. Dress fit and body image: A thematic analysis of women's accounts during and after trying on dresses. *Body Image*, 2013. 3
- [20] Peng Guan, Loretta Reiss, David A Hirshberg, Alexander Weiss, and Michael J Black. Drape: Dressing any person. *TOG*, 2012. 2
- [21] Romain Guigourès, Yuen King Ho, Evgenii Koriagin, Abdul-Saboor Sheikh, Urs Bergmann, and Reza Shirvany. A hierarchical bayesian model for size recommendation in fashion. In *RecSys*, 2018. 2
- [22] X. Guo, H. Wu, Y. Cheng, S. Rennie, and R. Feris. Dialogbased interactive image retrieval. In *NIPS*, 2018. 1, 2
- [23] Xintong Han, Xiaojun Hu, Weilin Huang, and Matthew R. Scott. Clothflow: A flow-based model for clothed person generation. In *ICCV*, 2019. 2
- [24] Xintong Han, Zuxuan Wu, Weilin Huang, Matthew R Scott, and Larry S Davis. Compatible and diverse fashion image inpainting. *ICCV*, 2019. 2
- [25] Xintong Han, Zuxuan Wu, Yu-Gang Jiang, and Larry S. Davis. Learning fashion compatibility with bidirectional lstms. In ACM MM, 2017. 1
- [26] Xintong Han, Zuxuan Wu, Zhe Wu, Ruichi Yu, and Larry S Davis. Viton: An image-based virtual try-on network. In *CVPR*, 2018. 1, 2, 3
- [27] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In CVPR, 2016. 4
- [28] R. He, C. Packer, and J. McAuley. Learning compatibility across categories for heterogeneous item recommendation. In *ICDM*, 2016. 2, 6
- [29] Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. Neural collaborative filtering. In WWW, 2017. 6
- [30] Shintami Chusnul Hidayati, Cheng-Chun Hsu, Yu-Ting Chang, Kai-Lung Hua, Jianlong Fu, and Wen-Huang Cheng. What dress fits me best?: Fashion recommendation on the clothing style for personal body shape. In ACM MM, 2018. 2, 3
- [31] Matthew Q Hill, Stephan Streuber, Carina A Hahn, Michael J Black, and Alice J OToole. Creating body shapes from verbal descriptions by linking similarity spaces. *Psychological science*, 2016. 1, 5
- [32] Wei-Lin Hsiao and Kristen Grauman. Learning the latent "look": Unsupervised discovery of a style-coherent embedding from fashion images. In *ICCV*, 2017. 1, 2
- [33] Wei-Lin Hsiao and Kristen Grauman. Creating capsule wardrobes from fashion images. In *CVPR*, 2018. 1, 2
- [34] Wei-Lin Hsiao, Isay Katsman, Chao-Yuan Wu, Devi Parikh, and Kristen Grauman. Fashion++: Minimal edits for outfit improvement. In *ICCV*, 2019. 1, 2
- [35] Yang Hu, Xi Yi, and Larry S. Davis. Collaborative fashion recommendation: A functional tensor factorization approach. In ACM MM, 2015. 2

- [36] C. Huynh, A. Ciptadi, A. Tyagi, and A. Agrawal. Craft: Complementary recommendation by adversarial feature transform. In ECCV Workshop on Computer Vision For Fashion, Art and Design, 2018. 2
- [37] Moon-Hwan Jeong, Dong-Hoon Han, and Hyeong-Seok Ko. Garment capture from a photograph. *Computer Animation* and Virtual Worlds, 2015. 2
- [38] Angjoo Kanazawa, Michael J. Black, David W. Jacobs, and Jitendra Malik. End-to-end recovery of human shape and pose. In *CVPR*, 2018. 2, 5
- [39] Wang-Cheng Kang, Chen Fang, Zhaowen Wang, and Julian McAuley. Visually-aware fashion recommendation and design with generative image models. In *ICDM*, 2017. 2
- [40] Wang-Cheng Kang, Eric Kim, Jure Leskovec, Charles Rosenberg, and Julian McAuley. Complete the look: Scenebased complementary product recommendation. In *CVPR*, 2019. 1, 2
- [41] Nour Karessli, Romain Guigourès, and Reza Shirvany. Sizenet: Weakly supervised learning of visual size and fit in fashion images. In CVPR Workshop on FFSS-USAD, 2019. 2
- [42] Hirokatsu Kataoka, Yutaka Satoh, Kaori Abe, Munetaka Minoguchi, and Akio Nakamura. Ten-million-order human database for world-wide fashion culture analysis. In CVPR Workshop on FFSS-USAD, 2019. 2, 3
- [43] M. Hadi Kiapour, K. Yamaguchi, A. Berg, and T. Berg. Hipster wars: Discovering elements of fashion styles. In ECCV, 2014. 2, 3
- [44] Diederik P Kingma and Jimmy Ba. Adam: A method for stochastic optimization. In *ICLR*, 2015. 6
- [45] Yehuda Koren, Robert Bell, and Chris Volinsky. Matrix factorization techniques for recommender systems. *Computer*, 2009. 6
- [46] A. Kovashka, D. Parikh, and K. Grauman. WhittleSearch: Interactive image search with relative attribute feedback. *IJCV*, 2015. 1, 2
- [47] Zhanghui Kuang, Yiming Gao, Guanbin Li, Ping Luo, Yimin Chen, Liang Lin, and Wayne Zhang. Fashion retrieval via graph reasoning networks on a similarity pyramid. *ICCV*, 2019. 1, 2
- [48] Zorah Lahner, Daniel Cremers, and Tony Tung. Deepwrinkles: Accurate and realistic clothing modeling. In ECCV, 2018. 2
- [49] Verica Lazova, Eldar Insafutdinov, and Gerard Pons-Moll. 360-degree textures of people in clothing from a single image. arXiv preprint arXiv:1908.07117, 2019. 2
- [50] Yuncheng Li, Liangliang Cao, Jiang Zhu, and Jiebo Luo. Mining fashion outfit composition using an end-to-end deep learning approach on set data. *Transactions on Multimedia*, 2017. 2
- [51] Xiaodan Liang, Si Liu, Xiaohui Shen, Jianchao Yang, Luoqi Liu, Jian Dong, Liang Lin, and Shuicheng Yan. Deep human parsing with active template regression. *TPAMI*, 2015. 1, 2, 3
- [52] Si Liu, Jiashi Feng, Csaba Domokos, Hui Xu, Junshi Huang, Zhenzhen Hu, and Shuicheng Yan. Fashion parsing with weak color-category labels. *Transactions on Multimedia*, 2013. 2

- [53] S. Liu, J. Feng, Z. Song, T. Zheng, H. Lu, C. Xu, and S. Yan. Hi, magic closet, tell me what to wear! In ACM MM, 2012. 1, 2
- [54] Si Liu, Zheng Song, Guangcan Liu, Changsheng Xu, Hanqing Lu, and Shuicheng Yan. Street-to-shop: Cross-scenario clothing retrieval via parts alignment and auxiliary set. In *CVPR*, 2012. 1, 2
- [55] Ziwei Liu, Ping Luo, Shi Qiu, Xiaogang Wang, and Xiaoou Tang. Deepfashion: Powering robust clothes recognition and retrieval with rich annotations. In *CVPR*, 2016. 1, 2, 3
- [56] Matthew Loper, Naureen Mahmood, Javier Romero, Gerard Pons-Moll, and Michael J Black. Smpl: A skinned multiperson linear model. *TOG*, 2015. 1, 5
- [57] Utkarsh Mall, Kevin Matzen, Bharath Hariharan, Noah Snavely, and Kavita Bala. GeoStyle: Discovering fashion trends and events. In *ICCV*, 2019. 1, 2, 3
- [58] Rishabh Misra, Mengting Wan, and Julian McAuley. Decomposing fit semantics for product size recommendation in metric spaces. In *RecSys*, 2018. 2
- [59] Ryota Natsume, Shunsuke Saito, Zeng Huang, Weikai Chen, Chongyang Ma, Hao Li, and Shigeo Morishima. Siclope: Silhouette-based clothed people. In CVPR, 2019. 2
- [60] Vitali Petsiuk, Abir Das, and Kate Saenko. Rise: Randomized input sampling for explanation of black-box models. In *BMVC*, 2018. 6
- [61] Gina Pisut and Lenda Jo Connell. Fit preferences of female consumers in the usa. *Journal of Fashion Marketing and Management: An International Journal*, 2007. 1
- [62] Gerard Pons-Moll, Sergi Pujades, Sonny Hu, and Michael Black. Clothcap: Seamless 4d clothing capture and retargeting. *TOG*, 2017. 2
- [63] Amit Raj, Patsorn Sangkloy, Huiwen Chang, James Hays, Duygu Ceylan, and Jingwan Lu. Swapnet: Image based garment transfer. In ECCV, 2018. 1, 2
- [64] Consumer Reports. Why don't these pants fit?, 1996. 3
- [65] Kathleen M Robinette, Hans Daanen, and Eric Paquet. The caesar project: a 3-d surface anthropometry survey. In *The International Conference on 3-D Digital Imaging and Modeling.* IEEE, 1999. 3
- [66] Negar Rostamzadeh, Seyedarian Hosseini, Thomas Boquet, Wojciech Stokowiec, Ying Zhang, Christian Jauvin, and Chris Pal. Fashion-gen: The generative fashion dataset and challenge. arXiv preprint arXiv:1806.08317, 2018. 1, 2, 3
- [67] Shunsuke Saito, Zeng Huang, Ryota Natsume, Shigeo Morishima, Angjoo Kanazawa, and Hao Li. Pifu: Pixel-aligned implicit function for high-resolution clothed human digitization. In *ICCV*, 2019. 2
- [68] Igor Santesteban, Miguel A Otaduy, and Dan Casas. Learning-based animation of clothing for virtual try-on. In *Computer Graphics Forum*, 2019. 2
- [69] Hosnieh Sattar, Gerard Pons-Moll, and Mario Fritz. Fashion is taking shape: Understanding clothing preference based on body shape from online sources. In WACV, 2019. 1, 2
- [70] Florian Schroff, Dmitry Kalenichenko, and James Philbin. Facenet: A unified embedding for face recognition and clustering. In CVPR, 2015. 4

- [71] Ramprasaath R Selvaraju, Michael Cogswell, Abhishek Das, Ramakrishna Vedantam, Devi Parikh, and Dhruv Batra. Grad-cam: Visual explanations from deep networks via gradient-based localization. In CVPR, 2017. 6
- [72] Abdul-Saboor Sheikh, Romain Guigourès, Evgenii Koriagin, Yuen King Ho, Reza Shirvany, Roland Vollgraf, and Urs Bergmann. A deep learning system for predicting size and fit in fashion e-commerce. In *RecSys*, 2019. 2
- [73] Yong-Siang Shih, Kai-Yueh Chang, Hsuan-Tien Lin, and Min Sun. Compatibility family learning for item recommendation and generation. In AAAI, 2018. 1, 2
- [74] Edgar Simo-Serra, Sanja Fidler, Francesc Moreno-Noguer, and Raquel Urtasun. Neuroaesthetics in Fashion: Modeling the Perception of Fashionability. In *CVPR*, 2015. 2, 3
- [75] Stephan Streuber, M Alejandra Quiros-Ramirez, Matthew Q Hill, Carina A Hahn, Silvia Zuffi, Alice O'Toole, and Michael J Black. Body talk: crowdshaping realistic 3d avatars with words. *TOG*, 2016. 5, 8
- [76] Mariya I. Vasileva, Bryan A. Plummer, Krishna Dusad, Shreya Rajpal, Ranjitha Kumar, and David Forsyth. Learning type-aware embeddings for fashion compatibility. In *ECCV*, 2018. 1, 2, 6
- [77] Andreas Veit, Balazs Kovacs, Sean Bell, Julian McAuley, Kavita Bala, and Serge Belongie. Learning visual clothing style with heterogeneous dyadic co-occurrences. In *ICCV*, 2015. 1, 2, 6
- [78] K. Wagstaff, C. Cardie, S. Rogers, and S. Schroedl. Constrained K-means Clustering with Background Knowledge. In *ICML*, 2001. 4, 12
- [79] Bochao Wang, Huabin Zheng, Xiaodan Liang, Yimin Chen, Liang Lin, and Meng Yang. Toward characteristicpreserving image-based virtual try-on network. In *ECCV*, 2018. 1, 2
- [80] A. Williams. Fit of clothing related to body-image, body built and selected clothing attitudes. In *Unpublished doctoral dissertation*, 1974. 2
- [81] Chao-Yuan Wu, R Manmatha, Alexander J Smola, and Philipp Krahenbuhl. Sampling matters in deep embedding learning. In *ICCV*, 2017. 4
- [82] Yi Xu, Shanglin Yang, Wei Sun, Li Tan, Kefeng Li, and Hui Zhou. 3d virtual garment modeling from rgb images. arXiv preprint arXiv:1908.00114, 2019. 2
- [83] Kota Yamaguchi, M Hadi Kiapour, and Tamara L Berg. Paper doll parsing: Retrieving similar styles to parse clothing items. In *ICCV*, 2013. 2
- [84] Kota Yamaguchi, Hadi Kiapour, Luis Ortiz, and Tamara Berg. Parsing clothing in fashion photographs. In CVPR, 2012. 1, 2, 3
- [85] Shan Yang, Zherong Pan, Tanya Amert, Ke Wang, Licheng Yu, Tamara Berg, and Ming C. Lin. Physics-inspired garment recovery from a single-view image. *TOG*, 2018. 2
- [86] B. Zhao, J. Feng, X. Wu, and S. Yan. Memory-augmented attribute manipulation networks for interactive fashion search. In *CVPR*, 2017. 2
- [87] Shuai Zheng, Fan Yang, M Hadi Kiapour, and Robinson Piramuthu. Modanet: A large-scale street fashion dataset with polygon annotations. In ACM MM, 2018. 2

- [88] Bin Zhou, Xiaowu Chen, Qiang Fu, Kan Guo, and Ping Tan. Garment modeling from a single image. In *Computer graphics forum*, 2013. 2
- [89] Hao Zhu, Xinxin Zuo, Sen Wang, Xun Cao, and Ruigang Yang. Detailed human shape estimation from a single image by hierarchical mesh deformation. In *CVPR*, 2019. 2, 5



Figure 12: **Tops dataset**: columns show bodies sampled from the five discovered body types. Each type roughly maps to 1) average, 2) curvy, 3) tall, 4) slender, 5) curvy and tall.

Supplementary Material

This supplementary file consists of:

- Sampled bodies from clustered types for tops dataset
- Details for user study on validating propagation of positive clothing-body-pairs
- Proposed ViBE's architecture details
- Implementation details for collaborative-filtering (CF) baselines
- Qualitative examples for tops recommendation
- All user study interfaces
- Examples of body-versatile and body-specific dresses judged by Turkers
- Example explanations for Turkers' dress selections

I. Clustered Body Types for Tops Data

We use k-means [78] clustering (on features defined in main paper Sec.3.4) to quantize the body shapes in our dataset into five types. We do this separately for tops and dresses datasets. Fig. 12 shows bodies sampled from each cluster for the tops dataset, and the result for dresses are in the main paper in Fig. 4.

II. User Study to Validate Label Propagation

In this Birdsnest dataset we collected, positive bodyclothing pairs are directly obtained from the website, where fashion models wear a specific catalog item. Negative pairs



Figure 13: **Dress dataset**: comparison of number of distinct models vs body types wearing the same dress. Left: initially, over 50% of the dresses are worn by fewer than 3% of the models, indicating a false negative problem. Right: using our discovered body types, most dresses are worn by 2 distinct body types (40% of the models).

are all the unobserved body-clothing pairings. Taking the dress dataset we collected as an example, we plot the histogram of the number of distinct models wearing the same dress in Fig. 13a. A high portion of false negatives can be observed . After propagating positive clothing pairs within each clustered type, the new histogram with the number of distinct body *types* wearing the same dress is in Fig. 13b. We see most dresses are worn by at least 2 distinct body types, which corresponds to at least 40% individual models being paired with each dress.

To validate whether pairing bodies with clothing worn by different body types gives us true negatives, and whether propagating positive clothing pairs within similar body types gives us true positives, we randomly sample ~ 1000 body-body pairs where each are from a different clustered type (*negatives*), and sample 50% of the body-body pairs within each clustered type (positives), and explicitly ask human judges on Amazon Mechanical Turk whether subject A and B have similar body shapes such that the same item of clothing will look similar on them. The instruction interface is in Fig. 18 and the question interface is in Fig. 19. Each body-body pair is answered by 7 Turkers, and we use majority vote as the final consensus. In total, 81% of the positive body-body pairs are judged as similar enough that the same clothing will look similar on them. When we break down the result by cluster types in Tab. 3, we can see that the larger clusters tend to have more similar bodies. On the other hand, 63% of the negative body-body pairs are judged as not similar enough to look similar in the same clothing, making them true negatives.

III. Architecture Definition for ViBE

The architectures of our embedding model are defined as follows: Let fck denote a fully connected layer with k filters, using ReLU as activation function. h_{attr} is an MLP defined as fcn, fc32, fc8; h_{cnn} is defined as fcn, fc256,

Cluster type	1	2	3	4	5
Number of bodies	23	9	14	6	8
Agreement (%)	98	45	82	29	58

Table 3: **Dress dataset**: body-body similarity within the same type, as judged by humans.

fc8; h_{meas} is defined as fcn, fc4, fc4; h_{smpl} is defined as fcn, fc8, fc4. n is the original features' dimensions, with n = 64 and 100 for dresses' and tops' attributes, n = 2048 for CNN feature, n = 4 for measurement of vital statistics, and n = 10 for SMPL parameters. f_{cloth} is defined as fc8, fc4; f_{body} is defined as fc16, fc4.

IV. Implementation Details for CF-based Baseline

The collaborative filtering (CF) based baselines consist of a global bias term $b_g \in \mathbb{R}$, an embedding vector $x_u \in \mathbb{R}^d$ and a corresponding bias term $b_u \in \mathbb{R}$ for each user u, and an embedding vector $y_i \in \mathbb{R}^d$ and a corresponding bias term $b_i \in \mathbb{R}$ for each item i. The interaction between user u and item i is denoted as:

$$p_{ui} = \begin{cases} 1, & \text{if } u \text{ observed with } i \\ 0, & \text{otherwise.} \end{cases}$$
(2)

The goal of the embedding vectors and bias terms is to factor users' preference, meaning

$$\hat{p}_{ui} = x_u^T y_i + \sum_{*=u,i,g} b_*.$$
(3)

The model is optimized by minimizing the binary cross entropy loss of the interaction:

$$\min_{x_*, y_*} \sum_{u, i} p_{ui} \log(\hat{p_{ui}}) + (1 - p_{ui}) \log(1 - \hat{p_{ui}}).$$
(4)

For body-AWARE-CF, we augment the users' and items' embeddings with body and clothing features, $v_u, v_i \in \mathbb{R}^n$: $x_{u'} = [x_u, v_u], y_i' = [y_i, v_i]$. These augmented embeddings of users and items, together with the bias terms, produce the final prediction $\hat{p_{ui}}$. We found using d = 20 and n = 5 to be optimal for this baseline. We train it with SGD with a learning rate of 0.0001 and weight decay 0.0001, decay it by 0.1 at the last 20 epoch and the last 10 epoch, and train until epoch 60 and 80 for the body-agnostic and body-aware CF variants, respectively.

V. Qualitative Figures for Tops

We show qualitative recommendation examples on unseen people (heldout users) for dresses in Fig. 9 in the main paper, and for tops in Fig. 14 here. Each row is a method,



Figure 14: **Tops dataset**: example recommendations for two subjects by all methods. Subjects' images and their estimated body shapes are shown on the top of the tables. Each row gives one method's most and least recommended tops. Discussion in Sec. V.

and we show its most and least recommended garments for that person. As the tops are less body-specific (in this dataset), either body-AGNOSTIC-CF, AGNOSTIC-EMBED or AWARE-CF fails to recommend garments adapting to subjects with very different body shapes, and most/least recommended garments are almost the same for the two subjects. ViBE recommends cardigans and sweaters with longer hems for the average body shape user, which could create a slimming and extending effect, and it recommends sleeveless, ruched tops for the slender user that shows off her slim arms while balancing the volume to her torso.

VI. User Study Interfaces

In total, we have 4 user studies. Aside from the selfevaluation, each question in a user study is answered by 7 Turkers in order to robustly report results according to their consensus.

Body-similarity user study. This study is to decide whether two subjects (in the same cluster) have similar body shapes such that the same piece of clothing will look similar on them. The instructions for this user study are in Fig. 18, and the question interface is in Fig. 19. This user study validates our positive pairing propagation (see results in Sec. 3.2 in the main paper and Sec. II in this supplementary file).

Dress type user study. This study is to decide whether a dress is body-versatile or body-specific. The instructions for this user study are in Fig. 20, and the question interface is in Fig. 21. We show the most body-versatile and body-specific dresses as rated by the Turkers in Fig. 15. Dresses rated as most body-versatile are mostly solid, loose, shift dresses, and those rated as most body-specific are mostly



(b) Body-specific

Figure 15: Dress data: top 10 body-specific and -versatile dresses voted by human annotators.

sleeveless, tight or wrapped dresses with special neckline designs. This is because dresses that cover up most body parts would not accentuate any specific areas, which "play it safe" and are suitable for most body shapes. Dresses that expose specific areas may flatter some body shapes but not others. In total, 65% of the dresses are annotated as more body-versatile than body-specific. This user study is for better analyzing garments in our dataset, as a body-aware clothing recommendation system offers more impact when garments are body-specific. (See results in Sec. 4.1 in the main paper.)

Complementary subject-dress user study. This study is to decide which dress complements a subject's body shape better. The instructions for this user study are in Fig. 22, and the question is in Fig. 23. This user study is for creating a human-annotated benchmark for clothing recommendation based on users' body shapes. (See results in Sec. 4.3 of the main paper.)

Self evaluation. This study is to collect user feedback on which dress complements one's own body shape better. The instructions for this user study are the same as the complementary subject-dress user study above. The interface for users to select the body shape that best resembles them is in Fig. 24, and the question is in Fig. 25. We ask participants to select a 3D body shape directly, as opposed to providing their own photos, for the sake of privacy. This user study is for more accurate clothing recommendation evaluation, as each person knows her own body best. (See results in Sec. 4.3 of the main paper.)

VII. Explanations for Turkers' Dress Selections

In our complementary subject-dress user study, we ask Turkers to select which dress complements a given subject's body shape better, and to briefly explain reasons for their selections, in terms of the fit and shape of the dresses and the subject (see Sec. 4.3 in the main paper). The provided explanations are utilized as a criterion for evaluating whether the Turker has domain knowledge for answering this task; we do not adopt responses from those that fail this criterion.



Dress A just looks like there will be too much fabric on the hips and will make the model look very heavy on the bottom when she is not. The waist of Dress B is not terribly nipped in but will still look better than dress A

The model looks like a block without waist or bust definition. The stripes and baggy hip look of A would only make her look at 10 lbs heavier. The long sleeves and bust definition of B will give the model a slimming effect. The color of B is also more flattering to rectangular torso shape. B is also more feminine with the flouncy sleeves and floral pattern. T feminine touches add to the slimming effect. The

Horizontal stripes are not flattering to many body types. Dress A would look great with the subject's thin body type and toned legs.



The shape and dark color (of dress A) would look better on a bigger woman.

Dress A is fitted in the waistline, which would complement a curvier figure.

Dress A seems to be a bit more larger than dress B to fit her large hips. (c) Subject 3

The model's body silhouette fits best with a waisted dress (A) that values the body.

(d) Subject 4

Figure 16: Dress data: examples of Turkers' explanations for their selections for four subjects. Two more examples are in Fig. 17.

Example explanations for adopted responses on 6 different subjects are shown in Fig. 16 and Fig. 17. The reason for why a dress is preferred (or not) are usually similar across multiple Turkers, validating that their selections are not arbitrary nor based on personal style preferences. We believe that including these explanations in our benchmark further enriches its usage. For example, one could utilize it to develop models that provide natural-language-explanations in clothing recommendation.



The overlapping cloth (of dress A) will cover waist better

The model's body silhouette fits best with a looser dress (A) that masks body imperfections.

(Dress A) better for her big build

(Dress) A looks more slimming on an ample body. It will flow over her curves better and not draw too much attention to a large bust.

Dress A is better for this subject, because this subject have large hips and bust

The drop waist (of dress A) would be flattering to the fuller figure subject. The shoulder peek a boo of dress B is not ideal for this body type

(b) Subject 2



B is too baggy, would make her look huge

Dress B may be too large for the subject while

it will most likely fit, Dress A would fit without any issues.

(Dress A) would allow for her to show off her arms.

Dress A draws the eyes towards the waist and hugs the subject. Dress A is better here

Tighter dress (A) better for skinnier build.

Subject Preferred



в

Not preferred



Subject

Stripes (on dress A) compliment the shape of the subject, accentuating the hips and bust.

The subject would look better in Dress A with it's tied in waist and flared bottom providing more shape to the subjects body compared to Dress B which with it's baggy nature and long sleeves would billow out on the subjects narrow frame making her appear to weigh more than she actually does.

This one (*i.e.*, dress A) is cinched at the waist that would accentuate her curves. The other looks too much like a house dress and is too shapeless for her figure.

Although dress A has horizontal stripes, it would be flattering to the subject because she is thin and youthful.

(a) Subject 5

Figure 17: Dress data: examples of Turkers' explanations for their

Preferred Not preferred





The left *(i.e., dress A)* would be better because it would help to cover her dress.

She is fuller-figured so the v neck and the style of the dress (A) will look better on her than horizontal stripes.

I think the first dress (A) would fit a full figured hour glass better

The adjustable waistband of Dress A would work well with a curvier figure.

(b) Subject 6

selections for two more subjects. See text for discussion.

Instructions

Task: Tell us whether subject A and B have similar enough body shapes that when they wear the same clothing, it would look similar on them.

Examples of pairs of subjects that have very similar body shapes:



Examples of pairs of subjects that **don't have similar** shapes, so even when wearing the same piece of clothing, it looks different on them:



Note: Please try to focus on how the **fit and shape** of the dress would look on the subject. Ignore other factors like:

- Ignore your personal body shape preference.
- · Ignore subject's hair color, hairstyle, skin tone etc.
- · Ignore subject's age, or other inferred personalities (extrovert vs introvert).
- · Ignore the colors of dresses she is wearing in the examples.

Figure 18: **Body similarity** user study: instructions for judging whether two subjects have similar body shapes such that the same piece of clothing will look similar on them.



Figure 19: **Body similarity** user study: question to Turkers for judging whether two subjects have similar body shapes such that the same piece of clothing will look similar on them.

Instructions

Task: Tell us whether the shown dress would look good on a limited number or almost all body shapes.

Term definition:

- · Body-versatile: the dress would look good on most body shapes.
- Body-specific: the dress would only look good on a limited number of body shapes.

We will show an image of a dress in each question, and ask whether you think the dress is more bodyversatile or body-specific.

Here are examples of common (female) body shapes and dress silhouettes. Fitting different dress silhouettes on different body shapes (de)emphasize each body part in unique ways. Some dresses look good on most body shapes (**body-versatile**), while others look best on only a restricted, small portion of body shapes (**body-specific**).



Approval criterion:

The approval criterion of this task is based on the **overall correctness** of your answer. Although this task could be somewhat subjective, for some instances there are still clearly correct answers, as the following examples:



Figure 20: Dress type user study: instructions for deciding whether a dress is body-versatile or body-specific.



Figure 21: Dress type user study: question for deciding whether a dress is body-versatile or body-specific.

Instructions

Task: Tell us whether dress A or dress B would look better on the subject, in terms of complementing her body shape.

We will show images of each subject in two or three different outfits, as below left.



Note: Please try to focus on whether the **fit and shape** of the dress would accentuate the subject's good features. Ignore other factors like:

- Ignore your personal style preference.
- Ignore subject's hair color, hairstyle, skin tone etc.
- · Ignore subject's age, or other inferred personalities (extrovert vs introvert).
- · Ignore the colors of dresses she is wearing in the examples.

Here are examples of common (female) body shapes and dress silhouettes. Fitting different dress silhouettes on different body shapes (de)emphasize each body part in unique ways. Some dresses look good on most body shapes (**body-versatile**), while others look best on only a restricted, small portion of body shapes (**body-specific**).



When making these decisions, a good explanation for your choice, using the above example, could be like: Dress A is better for this subject, because the subject seems to have hips that are larger than bust, and dress B deemphasizes the shoulders while dress A accentuates them. To create a well proportioned look, dress B seems better.

Figure 22: Complementary subject-dress user study: instructions for deciding which dress complements a subject's body shape better.



Figure 23: Complementary subject-dress user study: question for deciding which dress complements a subject's body shape better.

Volunteer for self evaluation: select the body that best matches you

Aside from asking you which dress fits the subject better, we will optionally be asking which dress you think fits you better; as such, we would like to ask you to select which shape you think most closely resembles your body, to accompany the answers you will be providing as reference.

Our experimental project is about learning a computational model that is more aware of diverse 3D shapes of humans and thus recommends better fitting clothes. Your input could help us understand how well our system generalizes to new photos and new people. Plus, we expect you are the best judge of what would look best on you.

Note: we will use the shape selected and the selected preferred dresses in our result analysis, but we will NOT connect your personal information to this data nor share that connection.

Start:

Bodies come in all shapes and sizes, and so while we have attempted to make this a broad set of options, we realize there will be no perfect match for anyone. Please select the one you believe comes closest.



None of the above

(Please only select this if you find all the shapes above are very far from your own; otherwise, please select the one you think is reasonably close).

Body images borrowed from "Body Talk: Crowdshaping Realistic 3D Avatars with Words".

Submit

Figure 24: Self evaluation: interface for selecting the body shape that best resembles one's self.

Which dress complements *your* body shape better? If possible, focus more on <u>fit</u> and <u>shape</u>.





Your confidence in the above answer:

 very confident (clearly better)

 somewhat confident (slightly better) not confident
 (similarly good/bad)





Figure 25: Self evaluation: question for deciding which dress complements one's own body better.