

SG-VAD: STOCHASTIC GATES BASED SPEECH ACTIVITY DETECTION

Jonathan Svirsky, Ofir Lindenbaum

Faculty of Engineering, Bar-Ilan University, Ramat-Gan, 5290002, Israel
 {svirskj, ofir.lindenbaum}@biu.ac.il

ABSTRACT

We propose a novel voice activity detection (VAD) model in a low-resource environment. Our key idea is to model VAD as a denoising task, and construct a network that is designed to identify nuisance features for a speech classification task. We train the model to simultaneously identify irrelevant features while predicting the type of speech event. Our model contains only 7.8K parameters, outperforms the previously proposed methods on the AVA-Speech evaluation set, and provides comparative results on the HAVIC dataset. We present its architecture, experimental results, and ablation study on the model’s components. We publish the code and the models here <https://www.github.com/jsvir/vad>.

Index Terms— Voice Activity Detection, Feature Selection, Speech Recognition

1. INTRODUCTION

Speech activity detection (or Voice Activity Detection - VAD) is crucial in the voice processing pipeline. VAD generally serves as a filtering submodule for the downstream tasks, which are typically much more computationally expensive. A good VAD model should have a small number of parameters and lead to high detection accuracy. It is well-known that there is a trade-off between both of the desired qualities when using deep learning models for VAD. Recently proposed architectures for VAD [1, 2] presented a breakthrough by improving both the accuracy and reducing the model’s size. Kopukli et al. [1] proposed to use sinc function-based convolution and frequency shift modules to reduce the model size while preserving high accuracy in voice detection. Jia et al. [2] exploit 1D time-channel separable convolutions to treat the size-accuracy trade-off. Most of the recent works on VAD operate on single frame-level chunks and require postprocessing to aggregate several frame-level predictions into a single output [1, 2, 3, 4, 5, 6, 7, 8, 9]. Inspired by [10, 11, 12] where a segment-level model is also suggested, we proposed a VAD model for segment-level voice detection, hence, a broader input context is provided but not necessarily required. Such a setup removes the need for postprocessing which is required in frame-level VAD models. We propose a novel model and training regime that reduces the number of

parameters of the model and improves the model’s accuracy compared with leading baselines.

Intuitively, our framework relies on modeling the VAD problem as a denoising task, where the model classifies between speech and noise. The signal could be represented as a union of disjoint speech events $x = \bigcup s_\ell$ where $s_\ell \in \{\text{noise}, \text{speech}\}$ at time frame i . We have no assumptions on the duration of a single frame. Thus, we can use a short or long segment to represent the signal in the Fourier domain. Feature selection aims at attenuating noisy or nuisance features that are useless for the main prediction task. VAD model could be trained as a feature selection model that disregards all time frames associated with noise or non-speech. We propose a novel method that exploits the feature selection paradigm to train a VAD model. Specifically, we apply the Locally Stochastic Gates (LSTG) mechanism, recently proposed for feature selection [13, 14].

VAD model is assumed as Neural Network that predicts the *gates* on the input signal to produce a sparse output for the downstream model. This NN-based gating model is trained with Gaussian-based relaxation of Bernoulli variables, termed Stochastic Gates (STG) [15], which relies on the reparameterization trick [16, 17] to reduce the variance of the gradient estimates. Since the gates are learned as a function of input samples, we denote them as *local* [14] in contrast to the global setup [13]. By applying LSTG method, we select the most informative features in spectrum representation in both time and frequency dimensions; then, we aggregate the selection results to produce voice activity estimation for an input audio segment.

Specifically, this paper makes the following contributions:

1. We propose a novel SG-VAD model based on 1D time-channel separable convolutions and the Locally Stochastic Gates mechanism that predicts labels for multiple frames in the audio signal.
2. SG-VAD achieves state-of-the-art performance on the AVA-speech [18] and HAVIC datasets [19] with minimal training setup.
3. SG-VAD has 11x fewer parameters than MarbleNet model [18], and its size is very close to ResectNet model [1], which makes it applicable to run on edge devices.




Fig. 1. Training flow of the proposed framework. An auxiliary classifier is used to train the main module SG-VAD. SG-VAD is a dynamic feature selection model that gates uninformative features for the auxiliary classifier. Both models are trained simultaneously by minimizing classification error while selecting a few features.

2. METHOD DESCRIPTION

In the following subsections, we detail the training and inference steps of our method and the two main components of our neural network.

2.1. Method overview

To describe our method, we distinguish between training and inference.

Training During the training, which is illustrated in Figure 1, we train two neural networks in an end-to-end fashion: the first one is the main model SG-VAD which serves as a feature selector model, and the second is an auxiliary module which is trained as a multi-label classifier. To train these modules, we minimize the sum of two loss terms: L_{sg} and L_{ce} , which are described in the following sections in more detail. SG-VAD produces the same size output z as its input x , a tensor of binary labels. Then the input x is multiplied in an element-wise way by z to produce x_{gated} . The classifier, in turn, outputs prediction \hat{y} , which is trained to agree with the target class of x .

Inference At inference, only the model SG-VAD is used. For the given input tensor, the model outputs the same size tensor with gates on features. The gates are then used to estimate a voice activity label. In the following section, we explain how is it done.

2.2. Stochastic Gates Based VAD (SG-VAD)

The main module, SG-VAD, is based on 1D time-channel separable convolutions and inspired by the MarbleNet model [2]. We present its architecture in Figure 2. It includes a 1D time-channel separable convolution layer followed by batch normalization and Tanh activation. Next, two residual layers with the same architecture but different kernel widths are applied. An additional single 1×1 convolution layer is applied before the final Stochastic Gates thresholding layer. During the training, the model accepts extracted features from the audio segment with channel size 32 and variable time dimension and outputs the gated version of the features where nuisance




Fig. 2. A diagram of the SG-VAD model. MFCC features are forwarded through residual 1D time-channel separable convolutions with batch normalization and a tanh activation. Hard thresholding is applied to produce binary features z , which are aggregated into an output voice activity prediction score \hat{y}_{vad} .

features are replaced with zero values. Assuming that the output of the 1×1 convolution layer is μ_i , the model is trained with the loss term $L_{sg}(z_i) = ||z_i||_0$ where z_i is denoted as input gates and is defined by the hard thresholding function (1):

$$z_i = \max(0, \min(1, 0.5 + \mu_i + \epsilon_i)), \quad (1)$$

where ϵ_i is drawn from $N(0, \sigma^2)$ and $\sigma = 0.5$ is fixed throughout training. To encourage the model to attenuate the background noises, we calculate and optimize L_{sg} only for samples labeled as *background*. In addition, to provide a gated input to the downstream classifier during the training, x_i is multiplied in an element-wise fashion by z_i to produce the sparse version of x_i which is $x_{gated} = x_i \odot z_i$.

During inference, the VAD label \hat{y}_{vad} for an input x_i with T time frames is estimated by formula (2), where $z_i^j \in \{0, 1\}$:

$$\hat{y}_{vad}(x) = \frac{1}{T} \sum_{i=1}^T \sum_{j=1}^{32} z_i^j \quad (2)$$

2.3. Auxiliary Classifier

The second component of our model is a Convnet-based classifier. Specifically, we use MarbleNet3x1x64 [2] with three blocks without repetitions and a channel size of 64 in each block. The module is trained as a multi-class classifier with a cross-entropy loss L_{ce} function on gated inputs x_{gated} produced by the SG-VAD module. The target labels include different speech event classes and a single class for background noise or non-speech events.

$$L(x_i) = \begin{cases} L_{sg}(x_i) + L_{ce}(x_i), & \text{if } y_i = 0 \\ L_{ce}(x_i), & \text{otherwise} \end{cases} \quad (3)$$

We train both modules end-to-end to minimize the loss in (3). To discriminate between multiple classes, we propagate the gradients from the cross-entropy loss back to SG-VAD. This way, the SG-VAD model can distinguish between noise and speech more precisely. In addition, the predictions of SG-VAD become more accurate since the STGs attenuate the noise during the training process of the downstream classifier. In section 3.3, we show that although the model is trained with minimal training setup compared with previous works, it still outperforms both MarbleNet [2] and ResectNet [1] models on AVA-Speech [18] evaluation dataset.

3. EXPERIMENTS

3.1. Training methodology

We train our model on a smaller dataset compared to most existing baselines. This can allow us to highlight to algorithmic advantages of our framework. We use Speech Google Commands V2 dataset (GSCV2) [20]. The data has 35 classes of speech events and is extended by an additional *background* class. Following [2], we include 35 background categories of noises, in total about 2,100 variable-length audio segments, such as "motorcycle", "Bus" and "Static" from [21] (FS2K). The samples were obtained using the scripts provided by NeMo [22]. We split the segments to the maximal length of 0.63 seconds and added them as an additional category to the Speech Google Commands V2 dataset. We split the dataset into train/validation parts and chose the best model based on minimal validation accuracy. Although the dataset includes about 23 hours of clean speech events which is $\times 20$ less than 500 hours in Interspeech 2020 DNSChallenge dataset [23] used for ResectNet [1] training, the model still produces comparable results on the HAVIC evaluation dataset and outperforms all previous methods on AVA-Speech test.

The audio segments are processed by extracting 32 Mel-frequency cepstral coefficients (MFCC) features. The input was augmented with time shift perturbations in the range of $T = [-5; 5]$ ms and white noise of magnitude $[-90; -46]$ dB with a probability of 80%. Additionally, SpecAugment [24] was applied with 2 continuous time masks of size $[0; 25]$ time

steps, and 2 continuous frequency masks of size $[0; 15]$ frequency bands. SpecCutout [25] was also used with five rectangular masks in the time, and frequency dimensions as in [2]. The model was trained with the SGD optimizer with momentum = 0.9 and weight decay = $1e - 3$. We utilized the Warmup-Hold-Decay learning rate schedule [26] with a warm-up ratio of 5%, a hold ratio of 45%, and a polynomial (2nd order) decay for the remaining 50% of the schedule. A maximum learning rate of $1e - 2$ and a minimum learning rate of $1e - 4$ were used. We trained all models for 150 epochs on a single NVIDIA GeForce GTX 1080 Ti with a batch size of 128. The model was implemented and trained with NeMo [22].

3.2. Evaluation Method

The performance of SG-VAD was evaluated on the AVA speech [18] and the HAVIC [19] datasets. AVA speech contains manually annotated 15-minute-long clips from 160 YouTube videos. We use the same subset of 122 out of 160 videos as authors in [2], in total 30 hours of playback time. The HAVIC dataset contains 72h of audio collected from YouTube videos with manually annotated speech, music, noise, and singing segments. We used all speech-related segments as a target. Since our model is intended to predict speech/non-speech for the full audio segment and not only for a single frame, we are not required to apply any post-processing procedure and the predictions produced for full audio segments of a clip accordingly to the timing provided in the evaluation set for each segment. An exception is made for too-long chunks that are split into shorter, up to 100 seconds segments. To obtain results for the MarbleNet model on the HAVIC dataset, we follow the postprocessing and inference description in [2]. To evaluate performance, we used the Area Under Curve (AUC) of the Receiver Operating Characteristic (ROC), denoted as AUC-ROC, which is a calibration-free measure of detection performance.

3.3. Results

In table 1, we provide our evaluation results. We distinguish between models by the train datasets used to train them: Kopuklu et al., and Broaun et al. train their models on DNS [23] dataset. Rho et al. presented the best results on the Common Voice [27] subset with about 200 hours of speech and Audioset subset with noise events [28, 29]. Kim et al. exploits TIMIT dataset [30] augmented with noises.

3.4. Ablation Study

We provide an ablation study on our model's architectural and loss components. In the first setting (SG-VAD-R), we use only the SG-VAD module and train it as a regression model with mean squared error loss measured between the model output and target label. We intentionally do not add

Model	Params	Training Dataset	AUC-ROC	
			AVA	HAVIC
ResectNet 0.5x [1]	4.5k	DNS	88.6	83.5
ResectNet 1.0x [1]	11.1k		90.0	84.9
Braun et al. [4]	1773k		92.4	86.8
NAS-VAD [3]	151k	CV, AS	90.5	-
ADA-VAD [7]	-	TIMIT	85.3	-
MarbleNet [2]	88k	GSCV2,FS2K	85.8	80.4
SG-VAD (ours)	7.8k		94.3	83.3

Table 1. Our model significantly outperforms all recently proposed models on AVA corpus. Furthermore, our model trained on a smaller dataset outperforms ResectNet on AVA and produces comparable results on HAVIC dataset

an extra output layer with Softmax normalization to follow the inference setup of SG-VAD. The prediction is based on the summing of learned gates for each time frame. We add the auxiliary classifier (AC) in the second ablation version, but the training is done without L_{sg} loss term. The third setup includes the L_{sg} term but without supervision on the SG-VAD module: instead of using L in (3) we minimize the sum $L_{sg}(x_i) + L_{ce}(x_i)$ for all $x_i \in X$. Finally, our full model result appears in the last row. From the ablation results in Table 2 we can observe the indispensability of all model parts. Once we add the second classifier module without considering all proposed loss terms (SG-VAD + AC), the model performance degrades even lower than a deep regression model (SG-VAD-R). In addition, SG-VAD supervision based on the target labels encourages the model to learn to close as many as possible gates for background noises where $y_i = 0$, than one without this supervision (SG-VAD+AC+ L_{sg}).

An additional observation from the ablation study is that all models achieve nearly the same validation accuracy, about 98%. However, the performance on real test sets varies. This observation shows how the proposed method generalizes to unseen domains.

Configuration	Train Params	AUC-ROC	
		AVA	HAVIC
SG-VAD-R	7.8K	87.9	74.9
SG-VAD + AC	80.4K	62.7	58.8
SG-VAD + AC + L_{sg}	80.4K	93.2	80.8
Proposed Full	80.4K	94.3	83.3

Table 2. Ablation study results. During inference, each ablation setup’s voice activity detection model has 7.8k learned parameters. The second column indicates the number of training parameters. The proposed model, with all of its components, achieves the highest AUC results.

4. CONCLUSIONS

This work proposes a novel SG-VAD model for voice activity detection. Our model comprises two networks, the first acts as a dynamic feature selection model trained to select

features that contain the speech signal. The second network is a convolution-based classifier that predicts the speech label for each segment. Both networks are trained simultaneously to minimize the sum of two loss terms. We use the feature selection module as our voice activity detector. Our method achieves state-of-the-art results on the AVA-speech evaluation dataset while reducing the size of the prediction network. We further evaluate the importance of our model’s components through a series of ablation studies.

5. REFERENCES

- [1] Okan Köpüklü and Maja Taseska, “Resectnet: An efficient architecture for voice activity detection on mobile devices,” *Proc. Interspeech 2022*, pp. 5363–5367, 2022.
- [2] Fei Jia, Somshubra Majumdar, and Boris Ginsburg, “Marblenet: Deep 1d time-channel separable convolutional neural network for voice activity detection,” in *ICASSP 2021-2021 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, 2021, pp. 6818–6822.
- [3] Daniel Rho, Jinhyeok Park, and Jong Hwan Ko, “Nasvad: Neural architecture search for voice activity detection,” *arXiv preprint arXiv:2201.09032*, 2022.
- [4] Sebastian Braun and Ivan Tashev, “On training targets for noise-robust voice activity detection,” in *2021 29th European Signal Processing Conference (EUSIPCO)*. IEEE, 2021, pp. 421–425.
- [5] Xuenan Xu, Heinrich Dinkel, Mengyue Wu, and Kai Yu, “A lightweight framework for online voice activity detection in the wild.,” in *Interspeech*, 2021, pp. 371–375.
- [6] Yan Xiong, Visar Berisha, and Chaitali Chakrabarti, “Computationally-efficient voice activity detection based on deep neural networks,” in *2021 IEEE Workshop on Signal Processing Systems (SiPS)*. IEEE, 2021, pp. 64–69.
- [7] Taesoo Kim, Jiho Chang, and Jong Hwan Ko, “Ada-vad: Unpaired adversarial domain adaptation for noise-robust voice activity detection,” in *ICASSP 2022-2022 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, 2022, pp. 7327–7331.
- [8] Tianjiao Xu, Hui Zhang, and Xueliang Zhang, “Polishing the classical likelihood ratio test by supervised learning for voice activity detection.,” in *INTERSPEECH*, 2020, pp. 3675–3679.
- [9] Naoki Makishima, Mana Ihori, Tomohiro Tanaka, Akihiko Takashima, Shota Orihashi, and Ryo Masumura, “Enrollment-less training for personalized voice activity detection,” *arXiv preprint arXiv:2106.12132*, 2021.

- [10] Yefei Chen, Heinrich Dinkel, Mengyue Wu, and Kai Yu, "Voice activity detection in the wild via weakly supervised sound event detection.," in *INTERSPEECH*, 2020, pp. 3665–3669.
- [11] Joohyung Lee, Youngmoon Jung, and Hoirin Kim, "Dual attention in time and frequency domain for voice activity detection," *arXiv preprint arXiv:2003.12266*, 2020.
- [12] Shu Li, Ye Li, Tao Feng, Jinze Shi, and Peng Zhang, "Voice activity detection using a local-global attention model," *Applied Acoustics*, vol. 195, pp. 108802, 2022.
- [13] Ofir Lindenbaum, Uri Shaham, Erez Peterfreund, Jonathan Svirsky, Nicolas Casey, and Yuval Kluger, "Differentiable unsupervised feature selection based on a gated laplacian," *Advances in Neural Information Processing Systems*, vol. 34, pp. 1530–1542, 2021.
- [14] Junchen Yang, Ofir Lindenbaum, and Yuval Kluger, "Locally sparse neural networks for tabular biomedical data," in *International Conference on Machine Learning*. PMLR, 2022, pp. 25123–25153.
- [15] Yutaro Yamada, Ofir Lindenbaum, Sahand Negahban, and Yuval Kluger, "Feature selection using stochastic gates," in *International Conference on Machine Learning*. PMLR, 2020, pp. 10648–10659.
- [16] Andrew Miller, Nick Foti, Alexander D'Amour, and Ryan P Adams, "Reducing reparameterization gradient variance," *Advances in Neural Information Processing Systems*, vol. 30, 2017.
- [17] Mikhail Figurnov, Shakir Mohamed, and Andriy Mnih, "Implicit reparameterization gradients," *Advances in neural information processing systems*, vol. 31, 2018.
- [18] Sourish Chaudhuri, Joseph Roth, Daniel PW Ellis, Andrew Gallagher, Liat Kaver, Radhika Marvin, Caroline Pantofaru, Nathan Reale, Loretta Guarino Reid, Kevin Wilson, et al., "Ava-speech: A densely labeled dataset of speech activity in movies," *arXiv preprint arXiv:1808.00606*, 2018.
- [19] Stephanie Strassel, Amanda Morris, Jonathan G Fiscus, Christopher Caruso, Haejoong Lee, Paul Over, James Fiumara, Barbara Shaw, Brian Antonishek, and Martial Michel, "Creating havic: Heterogeneous audio visual internet collection," in *Proceedings of the Eighth International Conference on Language Resources and Evaluation (LREC'12)*, 2012, pp. 2573–2577.
- [20] Pete Warden, "Speech commands: A dataset for limited-vocabulary speech recognition," *arXiv preprint arXiv:1804.03209*, 2018.
- [21] Frederic Font, Gerard Roma, and Xavier Serra, "Freesound technical demo," in *Proceedings of the 21st ACM international conference on Multimedia*, 2013, pp. 411–412.
- [22] Oleksii Kuchaiev, Jason Li, Huyen Nguyen, Oleksii Hrinchuk, Ryan Leary, Boris Ginsburg, Samuel Krizan, Stanislav Beliaev, Vitaly Lavrukhin, Jack Cook, et al., "Nemo: a toolkit for building ai applications using neural modules," *arXiv preprint arXiv:1909.09577*, 2019.
- [23] Chandan KA Reddy, Vishak Gopal, Ross Cutler, Ebrahim Beyrami, Roger Cheng, Harishchandra Dubey, Sergiy Matushevych, Robert Aichner, Ashkan Aazami, Sebastian Braun, et al., "The interspeech 2020 deep noise suppression challenge: Datasets, subjective testing framework, and challenge results," *arXiv preprint arXiv:2005.13981*, 2020.
- [24] Daniel S Park, William Chan, Yu Zhang, Chung-Cheng Chiu, Barret Zoph, Ekin D Cubuk, and Quoc V Le, "SpecAugment: A simple data augmentation method for automatic speech recognition," *arXiv preprint arXiv:1904.08779*, 2019.
- [25] Terrance DeVries and Graham W Taylor, "Improved regularization of convolutional neural networks with cutout," *arXiv preprint arXiv:1708.04552*, 2017.
- [26] Tong He, Zhi Zhang, Hang Zhang, Zhongyue Zhang, Junyuan Xie, and Mu Li, "Bag of tricks for image classification with convolutional neural networks," in *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, 2019, pp. 558–567.
- [27] Rosana Ardila, Megan Branson, Kelly Davis, Michael Henretty, Michael Kohler, Josh Meyer, Reuben Morais, Lindsay Saunders, Francis M Tyers, and Gregor Weber, "Common voice: A massively-multilingual speech corpus," *arXiv preprint arXiv:1912.06670*, 2019.
- [28] Chandan KA Reddy, Harishchandra Dubey, Kazuhito Koishida, Arun Nair, Vishak Gopal, Ross Cutler, Sebastian Braun, Hannes Gamper, Robert Aichner, and Sriram Srinivasan, "Interspeech 2021 deep noise suppression challenge," *arXiv preprint arXiv:2101.01902*, 2021.
- [29] Jort F Gemmeke, Daniel PW Ellis, Dylan Freedman, Aren Jansen, Wade Lawrence, R Channing Moore, Manoj Plakal, and Marvin Ritter, "Audio set: An ontology and human-labeled dataset for audio events," in *2017 IEEE international conference on acoustics, speech and signal processing (ICASSP)*. IEEE, 2017, pp. 776–780.
- [30] Victor Zue, Stephanie Seneff, and James Glass, "Speech database development at mit: Timit and beyond," *Speech communication*, vol. 9, no. 4, pp. 351–356, 1990.