Weakly Mutually Uncorrelated Codes

S. M. Hossein Tabatabaei Yazdi^{*}, Han Mao Kiah[†] and Olgica Milenkovic^{*}

*ECE Department, University of Illinois, Urbana-Champaign

[†]SPMS, Nanyang Technological University, Singapore

Abstract—We introduce the notion of weakly mutually uncorrelated (WMU) sequences, motivated by applications in DNA-based storage systems and synchronization protocols. WMU sequences are characterized by the property that no sufficiently long suffix of one sequence is the prefix of the same or another sequence. In addition, WMU sequences used in DNA-based storage systems are required to have balanced compositions of symbols and to be at large 🗢 mutual Hamming distance from each other. We present a number of constructions for balanced, error-correcting WMU codes using

900 mutual Hamming distance from each other. We present a number of constructions for balanced, error-correcting WMU codes using Dyck paths, Knuth's balancing principle, prefix synchronized and cyclic codes.
1. INTRODUCTION
Mutually uncorrelated (MU) codes are a class of block codes in which no proper prefix of one codeword is a proper suffix of the same or another codeword. MU codes were extensively studied in the coding theory and combinatorics literature under a variety of names. Levenshtein introduced the codes in 1964 under the name 'strongly regular codes' [1], and suggested that the codes be used for synchronization. Inspired by applications of distributed sequences in frame synchronization as described by van Wijngaarden and Willink in [2], Bajić and Stojanović [3] rediscovered mutually uncorrelated codes, and studied them under the name of 'cross-bifix-free' codes. Constructions and bounds on the size of MU codes were also reported in a number of recent contributions [4], [5]. In particular, Blackburn [5] analyzed these sequences under the name of 'non-overlapping codes', and provided a simple construction for a class of MU codes with optimal cardinality. MU codes have also found applications in DNA storage [6], [7]: In this setting, Yazdi *et al.* [8] developed a new, random-access and rewritable DNA-based storage architecture based on DNA sequences endowed with mutually uncorrelated address strings that allow selective access to encoded DNA blocks. The addressing scheme based on MU codes was augmented by specialized DNA codes in [9]. Here, we generalize the family of MU codes by introducing weakly mutually uncorrelated (WMU) codes. WMU codes are block codes in which no "long" prefixes of one codeword are weakly mutually uncorrelated (WMU) codes. WMU codes are block codes in which no "long" prefixes of one codeword are suffixes of the same or other codewords. WMU codes differ from MU codes in so far that they allow short prefixes of codewords to also appear as suffixes of codewords. This relaxation of prefix-suffix constraints was motivated in [8] for the purpose of improving code rates while allowing for increased precision DNA fragment assembly and selective addressing. For more

We are concerned with determining bounds on the size of WMU codes and efficient WMU code constructions. We consider both binary and quaternary WMU codes, the later class adapted for encoding over the four letters DNA alphabet $\{A, T, C, G\}$. Our contributions include bounds on the largest size of WMU codes, construction of WMU codes that achieve the derived upper bound as well as results on three important constrained versions of WMU codes: balanced WMU codes, error-correcting WMU

details regarding the utility of WMU codes in DNA storage, the

interested readers are referred to the overview paper [10].

codes and balanced, error-correcting WMU codes. A binary string is called balanced if half of its symbols are zero. On the other hand, a DNA string is termed balance if it has a 50% GC content, representing the percentage of symbols that are either G or C. Balanced DNA strands are more stable than DNA strands with lower or higher GC content and they have lower sequencing errorrates. At the same time, WMU codes at large Hamming distance limit the probability of erroneous codeword selection.

The paper is organized as follows. In Section 2 we review MU and introduce WMU codes, and derive bounds on the maximum size of the latter family of codes. In addition, we outline a construction that meets the upper bound. In Section 3 we describe constructions for error-correcting WMU codes, while in Section 4 we discuss balanced WMU codes. Our main results are presented in Section 5, where we first propose to use cyclic codes to devise an efficient construction of WMU codes that are both balanced and have error correcting capabilities. We then proceed to improve the cyclic code construction in terms of coding rate through decoupled constrained and error-correcting coding for binary strings. In this setting, we use Knuth's balancing technique [11] and DC-balanced codes [12].

2. MU AND WMU CODES: DEFINITIONS, BOUNDS AND **CONSTRUCTIONS**

Throughout the paper we use the following notation: \mathbb{F}_q denotes a finite field of order $q \ge 2$. If not stated otherwise, we tacitly assume that q = 2, and that the corresponding field equals $\mathbb{F}_2 = \{0, 1\}$. We let $\mathbf{a} = (a_1, \dots, a_n) \in \mathbb{F}_q^n$ stand for a word of length n over \mathbb{F}_q , and $\mathbf{a}_i^j = (a_i, \ldots, a_j), 1 \le i \le j \le n$, stand for a substring of a starting at position i and ending at position j. Moreover, for two arbitrary words $\mathbf{a} \in \mathbb{F}_q^n, \mathbf{b} \in \mathbb{F}_q^m$ we use **ab** to denote a word of length n + m generated by appending **b** to the right-hand side of a.

A. MU Codes

We say that $\mathbf{a} = (a_1, \ldots, a_n) \in \mathbb{F}_q^n$ is self uncorrelated if no proper prefix of a matches its suffix, i.e., $(a_1, \ldots, a_i) \neq i$ (a_{n-i+1},\ldots,a_n) , for all $1 \leq i < n$. One can extend this definition to mutually uncorrelated sequences as follows: two not necessarily distinct words $\mathbf{a}, \mathbf{b} \in \mathbb{F}_q^n$ are mutually uncorrelated if no proper prefix of a appears as a suffix of b and vice versa. Furthermore, we say that $\mathcal{C} \subseteq \mathbb{F}_q^n$ is a mutually uncorrelated (MU) code if any two not necessarily distinct elements in C are mutually uncorrelated.

The maximum cardinality of MU codes was determined up to a constant factor by Blackburn [5, Theorem 8]. For completeness, we state this result below.

Theorem 1. Let $A_{MU}(n,q)$ denote the maximum size of MU codes over \mathbb{F}_q^n , for $n \ge 1$ and $q \ge 2$. Then there exist constants $0 < C_1 < C_2$ such that

$$C_1 \frac{q^n}{n} \le A_{MU}(n,q) \le C_2 \frac{q^n}{n}.$$

To motivate our WMU code design methods, we next briefly outline two known and one new construction of MU codes.

Construction 1. (Prefix-Balanced MU Codes) Bilotta *et al.* [4] described a simple construction for MU codes based on well known combinatorial objects termed *Dyck words*. A Dyck word is a binary string composed of n zeros and n ones such that no prefix of the word has more zeros than ones. By definition, a Dyck word necessarily starts with a one and ends with a zero. Consider a set \mathcal{D} of Dyck words of length 2n and define the following set of words of length 2n + 1,

$$\mathcal{C}_D \triangleq \{1\mathbf{a} : \mathbf{a} \in \mathcal{D}\}.$$

Bilotta *et al.* proved that C_D is a MU code. An important observation is that MU codes constructed using Dyck words are inherently balanced or near-balanced. To more rigorously describe this property of Dyck words, recall that a Dyck word has *height* at most D if for any prefix of the word, the difference between the number of ones and the number of zeros is at most D. Hence, the disbalance of any prefix of a Dyck word is at most D, and the disbalance of an MU codeword in C_D is one. Let Dyck(n, D) denote the number of Dyck words of length 2nand height at most D. For fixed values of D, de Bruijn *et al.* [13] proved that

$$\operatorname{Dyck}(n,D) \sim \frac{4^n}{D+1} \tan^2\left(\frac{\pi}{D+1}\right) \cos^{2n}\left(\frac{\pi}{D+1}\right).$$
(1)

Here, $f(n) \sim g(n)$ denotes $\lim_{m\to\infty} f(n)/g(n) = 1$. Hence, Billota's construction produces balanced MU codes. In addition, the construction ensures that every prefix of a codeword is balanced as well. By mapping 0 and 1 to {A, T} and {C, G}, respectively, we obtain a DNA MU code.

Construction 2. (General MU Codes, Levenshtein [1] and Gilbert [14]). Let $\ell, n, 1 \leq \ell \leq n-1$, be two integers and let $\mathcal{C} \subseteq \mathbb{F}_q^n$ be the set of all words $\mathbf{a} = (a_1, \ldots, a_n)$ such that

- (i) $(a_1, \ldots, a_\ell) = (0, \ldots, 0)$
- (ii) $a_{\ell+1}, a_n \neq 0$
- (iii) The sequence $(a_{\ell+2}, \ldots, a_{n-1})$ does not contain ℓ consecutive zeros as a subword.

Then, C is an MU code. Blackburn [5, Lemma 3] showed that for $\ell = \log_q 2n$ this construction is optimal. His proof relied on the observation that the number of strings $(a_{\ell+2}, \ldots, a_{n-1})$ that do not contain ℓ consecutive zeros as a subword exceeds $\frac{(q-1)^2(2q-1)}{4nq^4}q^n$, thereby establishing the lower bound of Theorem 1. It is straightforward to modify the second proposed code construction so as to incorporate error-correcting properties in the underlying MU code. We outline our new code modification below.

Construction 3. (Error-Correcting MU Codes) Fix t and ℓ to be positive integers and consider a binary $[n_H, s, d]$ code C of length $n_H = t(\ell - 1)$, dimension s and Hamming distance d. For each codeword $\mathbf{b} \in C$, we map \mathbf{b} to a word of length $n = (t+1)\ell + 1$ given by

$$\mathbf{a} = 0^{\ell} 1 \mathbf{b}_1^{\ell-1} 1 \mathbf{b}_\ell^{2(\ell-1)} 1 \cdots \mathbf{b}_{(t-1)(\ell-1)+1}^{t(\ell-1)} 1.$$

Furthermore, we define $\mathcal{C}_{\mathrm{parse}} \triangleq \{ \mathbf{a} : \mathbf{b} \in \mathcal{C} \}.$

It is easy to verify that $|C_{parse}| = |C_H|$, and that the code C_{parse} has the same minimum Hamming distance as C_H , i.e.,

 $d(\mathcal{C}_{parse}) = d(\mathcal{C}_H)$. As n_H was chosen so that $\mathcal{C}_{parse} \subseteq \{0, 1\}^n$. In addition, the parsing code \mathcal{C}_{parse} is an MU code, since it satisfies all the constraints required by Construction 2. To determine the largest asymptotic size of a parsing code, we briefly recall the Gilbery-Varshamov bound.

Theorem 2. (Asymptotic Gilbert-Varshamov bound [15], [16]) For any two positive integers n and $d \leq \frac{n}{2}$, there exists a block code $C \subseteq \{0,1\}^n$ of minimum Hamming distance d with normalized rate

$$R(\mathcal{C}) \ge 1 - h\left(\frac{d}{n}\right) - o(1),$$

where $h(\cdot)$ is an entropy function, i.e., $h(x) = x \log_2 \frac{1}{x} + (1 - x) \log_2 \frac{1}{1-x}$, for $0 \le x \le 1$.

Corollary 1. For a fixed value of n, n_H is maximized in the aforementioned construction by choosing $\ell^* = \sqrt{n-2}$; in this case, $n_H^* = (\sqrt{n-2}-1)^2 = n - 2\sqrt{n-2} - 1$. By applying the GV result from Theorem 2 and choosing C_H to be an $[n_H^*, s, d]$ block code, with $d \leq \frac{n_H^*}{2}$ and $s = n_H^* (1 - h(\frac{d}{n_H^*}))$, we obtain an error-correcting MU code C_{parse} with parameters [n, s, d].

B. WMU Codes: Definitions, Bounds and Constructions

The notion of mutual uncorrelatedness may be relaxed by requiring that only sufficiently long prefixes of one sequence do not match sufficiently long suffixes of other sequences. We next formally introduce codes with such defining properties.

Definition 1. Let $C \subseteq \mathbb{F}_q^n$ and $1 \leq k \leq n$. We say that C is a *k*-weakly mutually uncorrelated (*k*-WMU) code if no proper prefix of length ℓ , for all $\ell \geq k$, of a codeword in C appears as a suffix of another codeword, including itself.

Theorem 3. Let $A_{WMU}(n, q, k)$ denote the maximum size of a k-WMU code over \mathbb{F}_q^n , for $n \ge 1$ and $q \ge 2$. Then, there exist constants $0 < C_3 < C_4$ such that

$$C_3 \frac{q^n}{n-k+1} \le A_{WMU}(n,q,k) \le C_4 \frac{q^n}{n-k+1}$$

Proof: To prove the upper bound, we use an approach first suggested by Blackburn in [5, Theorem 1]. Assume that $C \subseteq \mathbb{F}_q^n$ is a k-WMU code. Let L = (n + 1) (n - k + 1) - 1, and consider the set X of pairs (\mathbf{a}, i) where $\mathbf{a} \in \mathbb{F}_q^L$, $i \in \{1, \ldots, L\}$, and where the cyclic subword of \mathbf{a} of length n starting at position i belongs to C. Note that our choice of the parameter L is governed by the overlap length k.

Note that $|X| = L |\mathcal{C}| q^{L-n}$, since there are L possibilities for the index i, $|\mathcal{C}|$ possibilities for the word starting at position i of \mathbf{a} , and q^{L-n} choices for the remaining $L - n \ge 0$ symbols in \mathbf{a} . Moreover, if $(\mathbf{a}, i) \in X$, then $(\mathbf{a}, j) \notin X$ for $j \in \{i \pm 1, \dots, i \pm n - k\}_{\text{mod } L}$ due to the weak mutual uncorrelatedness property. Hence, for a fixed word $\mathbf{a} \in \mathbb{F}_q^L$, there are at most $\left\lfloor \frac{L}{n-k+1} \right\rfloor$ different pairs $(\mathbf{a}, i_1), \dots, \left(\mathbf{a}, i_{\lfloor \frac{L}{n-k+1} \rfloor}\right) \in X$. This implies that $|X| \le \left\lfloor \frac{L}{n-k+1} \right\rfloor q^L$. Combining the two derived constraints on the size of X, we obtain

$$|X| = L |\mathcal{C}| q^{L-n} \le \left\lfloor \frac{L}{n-k+1} \right\rfloor q^L.$$

Therefore, $|\mathcal{C}| \leq \frac{q^n}{n-k+1}$.

To prove the lower bound, we introduce a simple WMU code construction, outlined in Construction 4.

Construction 4. Let k, n be two integers such that $1 \le k \le n$. A k-WMU code $\mathcal{C} \in \mathbb{F}_q^n$ may be generated through a concatenation $\mathcal{C} = \{ \mathbf{ab} \mid \mathbf{a} \in \mathcal{C}', \mathbf{b} \in \mathcal{C}'' \}$, where $\mathcal{C}' \subseteq \mathbb{F}_q^{k-1}$ is unconstrained, and $\mathcal{C}'' \subseteq \mathbb{F}_q^{n-k+1}$ is an MU code. It is easy to verify that \mathcal{C} is an k-WMU code with $|\mathcal{C}'| |\mathcal{C}''|$ codewords.

Let $\mathcal{C}' = \mathbb{F}_q^{k-1}$ and let $\mathcal{C}'' \subseteq \mathbb{F}_q^{n-k+1}$ be the largest MU code of size $A_{MU}(n-k+1,q)$. Then, $|\mathcal{C}| = q^{k-1} A_{MU}(n-k+1,q)$. The claimed lower bound now follows from the lower bound of Theorem 1, establishing that $|\mathcal{C}| \geq C_1 \frac{q^n}{n-k+1}$

3. Error-Correcting WMU Codes

We now turn our attention to WMU code design problems of interest in DNA-based storage. The collection of results in this section pertains to WMU code constructions with error-correcting functionalities.

Let us start by introducing a mapping Ψ that allows the DNA code design problem to be reduced to a binary code construction. For any two binary strings $\mathbf{a} = (a_1, \ldots, a_s)$, $\mathbf{b} = (b_1, \ldots, b_s) \in \{0,1\}^s$, $\Psi(\mathbf{a}, \mathbf{b}) : \{0,1\}^s \times \{0,1\}^s \to \{A, \mathsf{T}, \mathsf{C}, \mathsf{G}\}^s$ is an encoding function that maps the pair \mathbf{a}, \mathbf{b} to a DNA string $\mathbf{c} = (c_1, \ldots, c_s) \in \{\mathsf{A}, \mathsf{T}, \mathsf{C}, \mathsf{G}\}^s$, according to the following rules:

for
$$1 \le i \le s$$
, $\mathbf{c}_i = \begin{cases} \mathbf{A} & \text{if } (\mathbf{a}_i, \mathbf{b}_i) = (0, 0) \\ \mathbf{C} & \text{if } (\mathbf{a}_i, \mathbf{b}_i) = (0, 1) \\ \mathbf{T} & \text{if } (\mathbf{a}_i, \mathbf{b}_i) = (1, 0) \\ \mathbf{G} & \text{if } (\mathbf{a}_i, \mathbf{b}_i) = (1, 1) \end{cases}$ (2)

Clearly, Ψ is a bijection and $\Psi(\mathbf{a}, \mathbf{b})\Psi(\mathbf{c}, \mathbf{d}) = \Psi(\mathbf{ac}, \mathbf{bd})$. The next lemma lists a number of useful properties of Ψ .

Lemma 1. Suppose that $C_1, C_2 \subseteq \{0, 1\}^s$ are two binary block code of length *s*. Encode each pair $(\mathbf{a}, \mathbf{b}) \in C_1 \times C_2$ using the DNA block code $C_3 = \{\Psi(\mathbf{a}, \mathbf{b}) \mid \mathbf{a} \in C_1, \mathbf{b} \in C_2\}$. Then:

- (i) C_3 is balanced if C_2 is balanced.
- (ii) C_3 is a k-WMU code if either C_1 or C_2 is a k-WMU code.
- (iii) If d_1 and d_2 are the minimum Hamming distances of C_1 and C_2 , respectively, then the minimum Hamming distance of C_3 is at least min (d_1, d_2) .

Proof:

- (i) Any c ∈ C₃ may be written as c = Ψ (a, b), where a ∈ C₁, b ∈ C₂. According to (2), the number of G, C symbols in c equals the number of ones in b. Since b is balanced, exactly half of the symbols in c are Gs and Cs. This implies that C₃ has a 50% GC content.
- (ii) We prove the result by contradiction. Suppose that C₃ is not a k-WMU code while C₁ is a k-WMU code. Then, there exist c, c' ∈ C₃ such that a proper prefix of length at least k of c appears as a suffix of c'. Alternatively, there exist nonempty strings p, c₀, c'₀ such that c = pc₀, c' = c'₀p and the length of p is at least k. Next, we use the fact Ψ is a bijection and find binary strings a, b, a₀, b₀ such that

$$\mathbf{p} = \Psi \left(\mathbf{a}, \mathbf{b} \right), \mathbf{c}_0 = \Psi \left(\mathbf{a}_0, \mathbf{b}_0 \right), \mathbf{c}'_0 = \Psi \left(\mathbf{a}'_0, \mathbf{b}'_0 \right).$$

Therefore,

$$\begin{aligned} \mathbf{c} &= \mathbf{p}\mathbf{c}_0 = \Psi\left(\mathbf{a}, \mathbf{b}\right) \Psi\left(\mathbf{a}_0, \mathbf{b}_0\right) = \Psi\left(\mathbf{a}\mathbf{a}_0, \mathbf{b}\mathbf{b}_0\right), \\ \mathbf{c}' &= \mathbf{c}'_0 \mathbf{p} = \Psi\left(\mathbf{a}'_0, \mathbf{b}'_0\right) \Psi\left(\mathbf{a}, \mathbf{b}\right) = \Psi\left(\mathbf{a}'_0 \mathbf{a}, \mathbf{b}'_0 \mathbf{b}\right), \end{aligned}$$

where $\mathbf{aa}_0, \mathbf{a}'_0 \mathbf{a} \in C_1$. This implies that the string \mathbf{a} of length at least k appears both as a proper prefix and suffix of two not necessarily distinct elements of C_1 . This contradicts the assumption that C_1 is a k-WMU code. It is easy to verify that the same argument may be used for the case that C_2 is a k-WMU code.

(iii) For any two distinct words $\mathbf{c}, \mathbf{c}' \in C_3$ there exist $\mathbf{a}, \mathbf{a}' \in C_1, \mathbf{b}, \mathbf{b}' \in C_2$ such that $\mathbf{c} = \Psi(\mathbf{a}, \mathbf{b}), \mathbf{c}' = \Psi(\mathbf{a}', \mathbf{b}')$. The Hamming distance between \mathbf{c}, \mathbf{c}' equals

$$\sum_{1 \le i \le s} \mathbb{1} \left(\mathbf{c}_i \neq \mathbf{c}'_i \right) = \sum_{1 \le i \le s} \mathbb{1} \left(\mathbf{a}_i \neq \mathbf{a}'_i \lor \mathbf{b}_i \neq \mathbf{b}'_i \right)$$
$$\geq \begin{cases} d_1 & \text{if } \mathbf{a} \neq \mathbf{a}' \\ d_2 & \text{if } \mathbf{b} \neq \mathbf{b}' \end{cases} \ge \min\left(d_1, d_2 \right).$$

This proves the claimed result.

Construction 5. (Decoupled Binary Code Construction) For given integers n and $k \le n$, let m = n - k + 1. As before, let a, b and c denote the binary component words used in the encoding. We construct $C \in \{A, T, C, G\}^n$ according to the following steps:

- (i) Encode a using a binary block code C₁ ⊆ {0,1}^{k-1} of length k − 1, and minimum Hamming distance d. Let Φ₁ denote the encoding function, so that Φ₁ (a) ∈ C₁.
- (ii) Invoke Construction 3 with n = m to arrive at a binary MU code C₂ ⊆ {0,1}^m of length m, and minimum Hamming distance d. Encode b using C₂. Let Φ₂ denote the encoding function, so that Φ₂ (b) ∈ C₂.
- (iii) Encode c using a binary block code $C_3 \subseteq \{0,1\}^n$ of length n and minimum Hamming distance d. Let Φ_3 denote the encoding function, so that $\Phi_3(\mathbf{c}) \in C_3$.

The output of the encoder performing the three outlined steps equals $\Psi (\Phi_1 (\mathbf{a}) \Phi_2 (\mathbf{b}), \Phi_3 (\mathbf{c}))$.

Next, we argue that C is a WMU code with guaranteed minimum Hamming distance properties.

Lemma 2. Let $C \in \{A, T, C, G\}^n$ denote the code generated by Construction 5. Then:

(i) C is k-WMU code.

(ii) The minimum Hamming distance of C is at least d.

Example 1. In Construction 5, let C_1 and C_3 be $[k-1, s_1, d]$ and $[n, s_3, d]$ block codes, respectively, where $s_1 = (k-1)(1 - h(\frac{d}{k-1})), s_3 = n(1-h(\frac{d}{n}))$ and $d \le \frac{k-1}{2}$ satisfy the Gilbert-Varshamov bound of Theorem 2. Construct an $[m, s_2, d]$ block code C_2 by using Corollary 1, with $m = n - k + 1, m_H^* = m - 2\sqrt{m-2} - 1, s_2 = m_H^* (1-h(\frac{d}{m_H^*}))$ and $d \le \frac{m_H^*}{2}$. For this choice of component codes, the cardinality of C equals

$$\begin{aligned} |\mathcal{C}| = & 2^{s_1 + s_2 + s_3} = 2^{(k-1)\left(1 - h\left(\frac{d}{k-1}\right)\right) + m_H^* \left(1 - h\left(\frac{d}{m_H^*}\right)\right) + n\left(1 - h\left(\frac{d}{n}\right)\right)} \\ = & \frac{4^{n - \sqrt{n-k-1} - \frac{1}{2}}}{2^{(k-1)h\left(\frac{d}{k-1}\right) + m_H^* h\left(\frac{d}{m_H^*}\right) + nh\left(\frac{d}{n}\right)}} \end{aligned}$$

4. BALANCED WMU CODES

We begin this section by reviewing a simple method for constructing balanced binary words, introduced by Knuth [11] in 1986. In this scheme, an *n*-bit binary string (a_1, \ldots, a_n) is sent to an encoder that inverts the first *b* bits of the data word $((a_1, \ldots, a_n) + 1^{b}0^{n-b})$. The value of *b* is chosen so that the encoded word has an equal number of zeros and ones. Knuth proved that it is always possible to find an index b that ensures a balanced output. The index b is represented by a balanced binary word (b_1, \ldots, b_p) of length p. To create the final codeword, the encoder prepends (b_1, \ldots, b_p) to $(a_1, \ldots, a_n) + 1^{b}0^{n-b}$. The receiver can easily decode the message by first extracting the index b from the first p bits and then inverting the first b bits of the length-n sequence.

Let A(n, d, w) denote the maximum cardinality of a binary constant weight-w code of length n and even minimum Hamming distance d. Knuth [11] proved that

$$A\left(n,2,\frac{n}{2}\right) = \binom{n}{\frac{n}{2}} \approx \frac{2^{n+1}}{\sqrt{2\pi}n^{\frac{1}{2}}}$$

which is a simple consequence of Stirling's approximation formula $n! \approx \sqrt{2\pi n n^n e^{-n}}$. Furthermore, Graham *et al.* [17] derived several bounds for the more general function A(n, d, w). An updated list on the exact values and bounds on A(n, d, w)may be found at http://codes.se/bounds/. In our future analysis, we use the well known Johnson [18] bound.

Theorem 4. (Johnson Bound) For $n \to \infty$, one has

$$\frac{2^{n+1}}{\sqrt{2\,\pi\,n^{\frac{d-1}{2}}}} \le A\left(n,d,\frac{n}{2}\right) \le \frac{2^{\frac{n+1}{2}}e^{\frac{n}{2}}}{\sqrt{2\,\pi\,n^{\frac{d-1}{2}}}}$$

Construction 6. (Balanced WMU Codes) For given integers n and $k \leq n$, let m = n - k + 1. As before, let a and b denote the binary words used in the quaternary mapping described before. Construct a code $C \in \{A, T, C, G\}^n$ as follows:

- (i) Encode a using a k-WMU code C₁ ⊆ {0,1}ⁿ of length n.
 For example, one may use Construction 4 to generate C₁.
 Let Φ₁ denote the encoding function, so that Φ₁ (a) ∈ C₁.
- (ii) Encode **b** using a balanced code $C_2 \subseteq \{0,1\}^n$ of length n and size $A(n,2,\frac{n}{2})$. Let Φ_2 denote the encoding function, so that $\Phi_2(\mathbf{c}) \in C_2$.

The output of the encoder is $\Psi (\Phi_1 (\mathbf{a}), \Phi_2 (\mathbf{b}))$.

Lemma 3. Let $C \in {A, T, C, G}^n$ denote the code generated by Construction 6. Then,

- (i) C is a k-WMU code.
- (ii) C is balanced.

We discuss next the cardinality of the code C generated by Construction 6. According to Theorem 3, one has $|C_1| = C_3 \frac{2^n}{n-k+1}$ for some constant $C_3 > 0$. The result is constructive. In addition, $|C_2| \approx \frac{2^{n+1}}{\sqrt{2\pi n^{\frac{1}{2}}}}$. Hence, the size of C is bounded from below by:

$$C_3 \frac{4^{n+1}}{\sqrt{2\,\pi}\,(n-k+1)\,n^{\frac{1}{2}}}.$$

Next, we slightly modify the aforementioned construction and combine it with the Prefix-Balanced Construction 1 to obtain a near-balanced k-WMU code $C \in \{A, T, C, G\}^n$ with parameter D. For this purpose, we generate C according to the Balanced WMU Construction 6. We set $C_2 = \{0, 1\}^n$ and construct C_1 by concatenating $C'_1 \subseteq \{0, 1\}^{k-1}$ and $C''_1 \subseteq \{0, 1\}^{n-k+1}$. Here, C'_1 is balanced and C''_1 is a near-balanced WMU code with parameter D. It is easy to verify that C is a near-balanced k-WMU DNA

code with parameter D and cardinality

$$\begin{aligned} |\mathcal{C}| = |\mathcal{C}_1'| \, |\mathcal{C}_1''| \, |\mathcal{C}_2| &= A(k-1,2,\frac{k-1}{2}) \, \text{Dyck}(\frac{n-k}{2},D) \, 2^n \\ \sim & \frac{4^n \, \tan^2\left(\frac{\pi}{D+1}\right) \, \cos^{n-k}\left(\frac{\pi}{D+1}\right)}{\sqrt{2 \, \pi} \, (D+1) \, (k-1)^{\frac{1}{2}}}. \end{aligned}$$

5. BALANCED AND ERROR-CORRECTING WMU CODES

In what follows, we describe the main results of this paper, pertaining to constructions of balanced, error-correcting WMUs. The first construction is conceptually simple and it lends itself to efficient encoding and decoding procedures. The second construction outperforms the first construction in terms of codebook size, and it utilizes the binary encoding functions described in the previous sections.

A. A Construction Based on Cyclic Codes

The next construction uses ideas similar to Tavares' synchronization technique [19]. We start with a simple lemma and a short justification for that.

Lemma 4. Let C be a cyclic code of dimension k. Then the run of zeros in any nonzero codeword is at most k - 1.

Proof: Assume that there exists a non-zero codeword c(x), represented in polynomial form, with a run of zeroes of length k. Since the code is cyclic, one may write c(x) = a(x)g(x), where a(x) is the information sequence corresponding to c(x) and g(x) is the generator polynomial. Without loss of generality, one may assume that the zeros run appears in positions $0, \ldots, k-1$, so that $\sum_{i+j=s} a_i g_j = 0$, for $s \in \{0, \ldots, k-1\}$. The solution of the previous system of equations is $a_0 = a_1 = \ldots = a_{k-1} = 0$, contradicting the assumption that c(x) is non-zero.

Construction 7. Let C be an [n, k - 1, d] cyclic code and let $\mathbf{e} = (1, 0, \dots, 0)$. Then $C + \mathbf{e}$ is a k-WMU code with distance d.

Proof: Suppose that on the contrary the code is C is not WMU. Then there exists a proper prefix \mathbf{p} of length at least k such that both \mathbf{pa} and \mathbf{bp} belong to $C + \mathbf{e}$. In other words, $(\mathbf{pa}) - \mathbf{e}$ and $(\mathbf{bp}) - \mathbf{e}$ belong to C. Consequently, $(\mathbf{pb}) - \mathbf{e}'$ belongs to C, where \mathbf{e}' is a cyclic shift of \mathbf{e} . Hence, by linearity of C, $\mathbf{z} \triangleq \mathbf{0}(\mathbf{a} - \mathbf{b}) + \mathbf{e}' - \mathbf{e}$ belongs to C. Now, observe that the first coordinate of \mathbf{z} is one, and hence nonzero. But \mathbf{z} has a run of zeros of length at least k - 1, which is a contradiction. Therefore, $C + \mathbf{e}$ is indeed a k-weakly mutually uncorrelated code. Since $C + \mathbf{e}$ is a coset of C, the minimum Hamming distance property follows immediately.

To use the above construction to obtain balanced DNA codewords, we map the elements in \mathbb{F}_4 to {A, T, C, G} via

$$0 \mapsto \mathbf{A}, \ 1 \mapsto \mathbf{C}, \ \omega \mapsto \mathbf{T}, \ \omega + 1 \mapsto \mathbf{G}$$

Let a be a word of length n. Then it is straightforward to see that the word (a, a+1) has balanced GC content. This leads to the simple construction described next.

Corollary 2. Let C be an [n, k - 1, d] cyclic code over \mathbb{F}_4 that contains the all ones vector **1**. Then

$$\{(\mathbf{c}+\mathbf{e},\mathbf{c}+\mathbf{1}+\mathbf{e}):\mathbf{c}\in\mathcal{C}\}$$

is a GC balanced, k-WMU code with minimum Hamming distance 2d.

Table I SUMMARY OF THE PROPOSED CONSTRUCTIONS FOR q = 4.

Code	k-WMU	k-WMU + Error-Correcting	k-WMU + Balanced	k-WMU + Error-Correcting + Balanced
Rate	$C_1 \xrightarrow{4^n}$	$4^{n-\sqrt{n-k-1}-\frac{1}{2}}$	$C_{2} = 4^{n+1}$	$4^{n-\sqrt{n-k-1}}$
Kate	$C_1 \frac{1}{n-k+1}$	$\frac{(k-1)h(\frac{d}{k-1}) + m_H^* h(\frac{d}{m_H^*}) + nh(\frac{d}{n})}{2}$	$\sqrt{2\pi} (n-k+1) n^{\frac{1}{2}}$	$\sqrt{2\pi} \frac{(k-1) h(\frac{d}{k-1}) + m_H^* h(\frac{d}{m_H^*})}{n^{\frac{d-1}{2}}}$
Construction	Construction 4	Construction 5	Construction 6	Construction 8
Note	$C_1 = \frac{3}{2^6}$	$m_H^* = n - k - 2\sqrt{n - k - 1}$	$C_3 = \frac{3}{2^6}$	$m_H^* = n - k - 2\sqrt{n - k - 1}$

B. The Decoupled Binary Code Construction

The next construction is a combination of the binary code Constructions in 5 and 6.

Construction 8. For given integers n and $k \le n$, let m = n - k + 1 and let **a**, **b** and **c** be the binary component words. Next, construct $C \in \{A, T, C, G\}^n$ by applying the following steps:

- (i) Encode a using a binary block code C₁ ⊆ {0,1}^{k-1} of length k − 1, and minimum Hamming distance d. Let Φ₁ denote the encoding function, so that Φ₁ (a) ∈ C₁.
- (ii) Invoke Construction 3 with n = m to generate an MU code C₂ ⊆ {0,1}^m of length m and minimum Hamming distance d. Encode b using C₂. Let Φ₂ denote the encoding function, so that Φ₂ (b) ∈ C₂.
- (iii) Generate a codeword c from a balanced code C_3 of length n, minimum Hamming distance d and of size $A\left(n, d, \frac{n}{2}\right)$. Let Φ_3 denote the underlying encoding function, so that Φ_3 (c) $\in C_3$.

The output of the encoder is $\Psi (\Phi_1 (\mathbf{a}) \Phi_2 (\mathbf{b}), \Phi_3 (\mathbf{c}))$.

The following result is a consequence of Lemmas 3, 2.

Lemma 5. Let $C \in \{A, T, C, G\}^n$ denote the code generated by Construction 8. Then,

- (i) C is a k-WMU code.
- (ii) C is balanced.
- (iii) The minimum Hamming distance of C is at least d.

Example 2. Construct C_1 and C_2 according to Example 1. The size of the code C equals

$$\begin{aligned} |\mathcal{C}| &= |\mathcal{C}_1| \, |\mathcal{C}_2| \, |\mathcal{C}_3| = 2^{s_1 + s_2} \, A(n, d, \frac{n}{2}) \\ &= 2^{(k-1) \, (1-h(\frac{d}{k-1})) + m_H^* \, (1-h(\frac{d}{m_H^*}))} \, A(n, d, \frac{n}{2}) \\ &\geq \frac{4^{n-\sqrt{n-k-1}}}{\sqrt{2 \, \pi \, 2^{(k-1) \, h(\frac{d}{k-1}) + m_H^* \, h(\frac{d}{m_H^*})} \, n^{\frac{d-1}{2}}}. \end{aligned}$$

The last inequality follows from the lower bound of Theorem 4.

C. Concatenated Construction

For a given integer $s \ge 1$, suppose that C_0 is a balanced error correcting k-WMU code over \mathbb{F}_q^s with minimum Hamming distance d. The code C_0 may be obtained by using one of the two methods described in this section. Our goal is to obtain a larger family of balanced error-correcting k-WMU codes $C \subseteq \mathbb{F}_q^n$ by concatenating words in C_0 , where $n = s m, m \ge 1$.

Construction 9. Select subsets $C_1, \ldots, C_m \subseteq C_0$ such that

$$C_1 \cap C_m = \emptyset$$

and $(C_1 \cap C_{m-1} = \emptyset)$ or $(C_2 \cap C_m = \emptyset)$
:
and $(C_1 \cap C_2 = \emptyset)$ or ... or $(C_{m-1} \cap C_m = \emptyset)$

Let $C = {\mathbf{a}_1 \dots \mathbf{a}_m \mid \mathbf{a}_i \in C_i \text{ for } 1 \leq i \leq m}$. We claim that C is a balanced error-correcting k-WMU code over \mathbb{F}_q^n .

To clarify the result, notice that each element in C is created by concatenating m strings, where each string belongs to $C_0 \subseteq \mathbb{F}_q^s$. In addition, the words in C inherit the distance and balanced properties of C_0 . Therefore, C is balanced and has minimum Hamming distance at least d.

Next, for any pair of not necessarily distinct $\mathbf{a}, \mathbf{b} \in C$ and for $k \leq l < n$, we show that \mathbf{a}_1^l and \mathbf{b}_{n-l+1}^n cannot be identical. This establishes that the constructed concatenated code is WMU. Let l = is + j, where $i = \lfloor \frac{l}{s} \rfloor$ and $0 \leq j < s$. We consider three different scenarios for the index j:

- j = 0; In this case, $1 \le i < m$. Therefore, $(C_1 \cap C_{m-i+1} = \emptyset)$ or ... or $(C_i \cap C_1 = \emptyset)$ implies that $\mathbf{a}_1^l \ne \mathbf{b}_{n-l+1}^n$.
- 0 < j < k; Again, one can verify that 1 ≤ i < m. It is easy to show that a^{l-j}_{l-s+1} is a suffix of length s j of a word in C₀ and b^{n-j}_{n-s+1} is a prefix of length s j of an element in C₀. Since k < s j < s, one has a^{l-j}_{l-s+1} ≠ b^{n-j}_{n-s+1}. Hence, a^l_l ≠ bⁿ_{n-l+1}.
- a^l₁ ≠ bⁿ_{n-l+1}.
 k ≤ j < s; In this case, a^l_{l-j+1} is a proper prefix of length j of a word in C₀, and bⁿ_{n-j+1} is a proper suffix of length j of an element in C₀. Since k ≤ j < s, one has a^l_{l-j+1} ≠ bⁿ_{n-j+1} and a^l₁ ≠ bⁿ_{n-l+1}.

We summarize the results of our constructions of WMU codes in Table I.

REFERENCES

- V. Levenshtein, "Decoding automata, invariant with respect to the initial state," *Problemy Kibernet*, vol. 12, pp. 125–136, 1964.
- [2] A. J. De Lind Van Wijngaarden and T. J. Willink, "Frame synchronization using distributed sequences," *Communications, IEEE Transactions on*, vol. 48, no. 12, pp. 2127–2138, 2000.
- [3] D. Bajić and J. Štojanović, "Distributed sequences and search process," in Communications, 2004 IEEE International Conference on, vol. 1. IEEE, 2004, pp. 514–518.
- [4] S. Bilotta, E. Pergola, and R. Pinzani, "A new approach to cross-bifix-free sets," *IEEE Transactions on Information Theory*, vol. 6, no. 58, pp. 4058– 4063, 2012.
- [5] S. R. Blackburn, "Non-overlapping codes," arXiv preprint arXiv:1303.1026, 2013.
- [6] G. M. Church, Y. Gao, and S. Kosuri, "Next-generation digital information storage in dna," *Science*, vol. 337, no. 6102, pp. 1628–1628, 2012.
- [7] N. Goldman, P. Bertone, S. Chen, C. Dessimoz, E. M. LeProust, B. Sipos, and E. Birney, "Towards practical, high-capacity, low-maintenance information storage in synthesized dna," *Nature*, 2013.
- [8] S. Yazdi, Y. Yuan, J. Ma, H. Zhao, and O. Milenkovic, "A rewritable, random-access dna-based storage system," *Scientific Reports*, vol. 5, no. 14138, 2015.
- [9] H. M. Kiah, G. J. Puleo, and O. Milenkovic, "Codes for dna sequence profiles," arXiv preprint arXiv:1502.00517, 2015.
- [10] S. Yazdi, H. M. Kiah, E. R. Garcia, J. Ma, H. Zhao, and O. Milenkovic, "Dna-based storage: Trends and methods," *Molecular, Biological, and Multi-Scale Communications, IEEE Transactions on*, to appear.
- [11] D. E. Knuth, "Efficient balanced codes," Information Theory, IEEE Transactions on, vol. 32, no. 1, pp. 51–53, 1986.
- [12] K. A. S. Immink, *Codes for mass data storage systems*. Shannon Foundation Publisher, 2004.
- [13] N. de Bruijn, D. Knuth, and S. Rice, "The average height of planted plane trees," *Graph Theory and Computing/Ed. RC Read*, p. 15, 1972.
- [14] E. Gilbert, "Synchronization of binary messages," *Information Theory, IRE Transactions on*, vol. 6, no. 4, pp. 470–477, 1960.

- [15] E. N. Gilbert, "A comparison of signalling alphabets," Bell System Technical Journal, vol. 31, no. 3, pp. 504–522, 1952.
- [16] R. Varshamov, "Estimate of the number of signals in error correcting codes," in Dokl. Akad. Nauk SSSR, vol. 117, no. 5, 1957, pp. 739–741.
- [17] R. L. Graham and N. Sloane, "Lower bounds for constant weight codes," *Information Theory, IEEE Transactions on*, vol. 26, no. 1, pp. 37–43, 1980.
 [18] S. M. Johnson, "A new upper bound for error-correcting codes," *Information*
- *Theory, IRE Transactions on*, vol. 8, no. 3, pp. 203–207, 1962. [19] S. Tavares, "A study of synchronization techniques for binary cyclic codes,"
- Ph.D. dissertation, Thesis (Ph. D.)–McGill University, 1968.