Estimating Train Delays in a Large Rail Network Using a Zero Shot Markov Model

Ramashish Gaurav Nutanix Technologies India Pvt Ltd Email: ramashish.gaurav@nutanix.com Biplav Srivastava
IBM T J Watson Research Center, USA
Email: biplavs@us.ibm.com

Abstract—India runs the fourth largest railway transport network size carrying over 8 billion passengers per year. However, the travel experience of passengers is frequently marked by delays, i.e., late arrival of trains at stations, causing inconvenience. In a first, we study the systemic delays in train arrivals using norder Markov frameworks and experiment with two regression-based models. Using train running-status data collected for two years, we report on an efficient algorithm for estimating delays at railway stations with near accurate results. This work can help railways to manage their resources, while also helping passengers and businesses served by them to efficiently plan their activities.

I. Introduction

Trains have been a prominent mode of long-distance travel for decades, especially in the countries with a significant land area and large population. India, with a population of 1.324 billion people in 2016, has a railway system of network route length of 66,687 kilometers, with 11,122 locomotives, 7,216 stations, that served 8.107 billion ridership in 2016 [7]. The Indian railway system is fourth largest in the world in terms of network size. However its trains are plagued with endemic delays that can be credited to (a) obsolete technology, e.g., dated rail engines, (b) size, e.g., large network structure and high railway traffic, (c) weather, e.g., fog in winter months in north India and rains during summer monsoons countrywide.

In this paper, we take the initial steps in understanding and predicting train delays. Specifically, we focus on the delays of trains, totaling 135, which pass through the busy Mughalsarai station (Station Code: MGS), over a two year period. We build an N-Order Markov Late Minutes Prediction Framework (N-OMLMPF) which, as we show, predicts near accurate late minutes at the stations the trains travel to. To the best of our knowledge, this is the first effort to predict train delays for Indian rail network. The closest prior work is by Ghosh et al. [4] [5] who study the structure and evolution of Indian Railway network, however, they do not estimate delays. Our analysis is complementary and agrees with the characteristics of the busiest train stations that they find. We now define the problem, outline contributions, and present our approach.

Problem Statement: Given a train and its route information, predict the delay in minutes at an in-line station during its journey on a valid date.

A. Contributions

Our main contributions are that we:

- as a first, present the dataset of 135 Indian trains' running status information (which captures delays along stations), collected for two years. We plan to make it public.
- build a scalable, train-agnostic, and Zero-Shot competent framework for predicting train arrival delays, learning from a fixed set of trains and transferring the knowledge to an unknown set of trains.
- study delays using n-order Markov Process Regression models and do Akaike Information Criterion (AIC) and Schwartz Bayesian Information Criterion (BIC) analysis to find the correct order of the Markov Process. Most of the 135 trains follow 1-order Markovian Process.
- discuss how the train-agnostic framework can leverage different types of trained models and be deployed in real time to predict the late minutes at an in-line station.

The rest of paper is arranged as follows. We first discuss the data about train operation and its analysis in Section II and then present the proposed model in Section III. Next, in section IV, we outline the experiments conducted with two different regression models: Random Forest Regression and Ridge Regression and give an exhaustive analysis of our results. Finally, we conclude with pointers for future research.

II. DATA PREPROCESSING AND ANALYSIS

This section gives details of train information we collected for a span of two years from site [10]. Table I gives the statistics.

A. Data Collection and Segregation

We considered 135 trains that pass through Mughalsarai Station (MGS), one of top busiest stations in India. For them, we collected train running status information (*Train Data*) over the period of March 2016 to February 2018. A train's *Train Data* consists of multiple instances of journeys, where each journey has the same set of in-line stations that the train plies through. Table II has important fields of interest in *Train Data*.

TABLE I
DATA STATISTICS FOR 135 TRAINS COMPLETE DATA

Total number of trains considered	135
Total number of unique stations covered	819
Maximum number of journeys made by a train	334
Average number of journeys made by a train	48
Maximum number of stations in a train's route	129
Average number of stations in a train's route	30




Fig. 1. Segregation of Complete Data of 135 Trains for Experimentation. The complete data is divided into two sets: 52 *Known Trains* and 83 *Unknown Trains*. *Known Trains* data is further subdivided into 52 Trains Training & Cross-validation Data (52TrnsTrCv) and 52 Trains Test Data (52TrnsTe) with different time periods. The *Unknown Trains* data (83TrnsTe) is kept intact to assess knowledge transfer from *Known Trains* to *Unknown Trains*.

Due to the infrequent running of trains, the amount of data collected for each of the trains greatly varied. Using the file size as criterion, we selected Train Data of 52 frequent trains (henceforth mentioned as Known Trains), out of 135, as training data. The data of remaining 83 trains (henceforth mentioned as Unknown Trains) were used for testing and evaluating the transfer of knowledge through trained models. Figure 1 pictorially illustrates the actual segregation of collected Train Data from March 2016 to February 2018 for 135 trains. One may recall that in traditional machine learning, the training and test data are drawn from the same set (or class). In contrast, we train our models on a seen set of *Known Trains* and test it on an unseen set of *Unknown Trains*, thus employing zero data of *Unknown Trains* for training, hence the term Zero-Shot. This problem setting is similar to Zero Shot Learning [8] where training and test set classes' data are disjoint. Figure 2 shows a train journey and related notations used in this paper.

B. Data Preparation

We define a *data-frame* as a collection of multiple rows with fixed number of columns. For our experiments we prepared two types of data-frames, with one type being a data-frame Table III for each station (henceforth mentioned as *Known Stations*, totaling 621 out of 819) falling in the journey route of *Known Trains* by extracting required information from *Train Data* Table II of respective trains (in whose route the station fell) to train the models. Another type consisted of only one data-frame Table IV capturing certain information of all 819 stations; irrespective of whether they are in-line to *Known Trains* or *Unknown Trains*. We divided the journey data in

TABLE II DESCRIPTION OF $\mathit{Train\ Data}$ COLLECTED FOR EACH TRAIN

Field Name	Description
$actarr_date$	Actual arrival date of train at a station e.g. 19 Sep 2016
$station_code$	Station code name (acronym) for a station e.g. MGS
latemin	Late minutes (arrival delay) at station e.g. 107
distance	Distance of a station from the source in kilometers e.g. 204
month	Jan, Feb, Mar extracted from $actarr_date$
weekday	Mon, Tue, Wed extracted from $actarr_date$

52TrnsTrCv Data in ratio 4 to 1 to train and cross-validate the models and prepared data-frame (Table III) for the chosen 80% journey data. However we did not prepare any data-frames (Table III) for rest 20% of 52TrnsTrCv Data, 52TrnsTe Data and 83TrnsTe Data, thereby leaving them in their native format of Train Data Table II.

C. Data Analysis

Here we analyze the most important factors which drive our learning and prediction algorithm. As observed in Figures 3, 4, and 5, the spikes in each month signify that mean late minutes at a station varies monthly (the colored dots are the individual late minutes during the month). This premise was verified with similar graphs obtained for other trains and their in-line stations. In Figures 6, 7, and 8, the dots represent the mean of late minutes at each in-line station during a train's journey in a particular month. In Figure 6 we can see that the mean late minutes increase during journey up-till station BBS and later it decreases. We observed similar graphs for other trains and found that partial sequences of consecutive in-line stations characterize the delays during a train's journey.

III. PROPOSED MODEL

In this section, we explain our proposed regression-based N-OMLMPF algorithm and its components. Regression is the task of analyzing the effects of independent variables (in a multi-variate data) on a dependent continuous variable and predicting it. In our setting, the independent variables are the ones mentioned in Table III and the dependent continuous variable to be predicted is the target late minutes ($\mathbf{Stn_0_late_minutes}$). Our regression experiments with low RMSE and significant accuracy under 95% Confidence Interval back our hypothesis to cast it as a Regression based problem. We used Random Forest Regressors (RFRs) and Ridge Regressors (RRs) as two types of individual regression models in N-OMLMPF to learn, predict, evaluate, and compare results.

For real-time deployment and scalability, we avoided building train-specific models. Hence we looked for entities which would help us to frame a train-agnostic algorithm as well as enable knowledge transfer from *Known Trains* to *Unknown Trains*. A train's route is composed and characterized by the *Stations* in-line in its journey. Significant delays along a route which has more number of busy stations can be expected compared to the ones having lesser number of busy stations.

Through the analysis of multiple figures similar to the ones mentioned in subsection II-C we observed the following *details* about the delay at in-line stations during a journey:

- It highly depends on the months during which the journey is made. One can observe the variations during summer (Jun in Fig.3) and winter months (Dec in Fig.3).
- Partial routes of consecutive *Stations* can be identified during journey which either increase or decrease the delay at next stations (CNB → MGS → BBS in Fig.6).
- Stations with a high traffic and degree strength tend to be the bottleneck in a journey, thus increasing the overall lateness (MGS-a busy station in Fig.6, Fig.7, and Fig.8).




Fig. 2. Train Route of Train 12439. The above figure shows the route of train 12439 which starts at the station RNC and ends at the station NDLS. For current station MGS, 4 previous stations are considered; whose information we can use for preparing a 4-prev-stn data-frame (Table III). Stn_i notation for i^{th} previous station is used throughout this paper.

TABLE III DESCRIPTION OF TRAINING DATA PREPARED FROM $\mathit{Train\ Data}$ TABLE II


train_type	zone	is_superfast	month	weekday
Is it Special, Express or Other?	What zone does the train belong to?	Is it super fast?	Month in which the journey is made	Weekday on which the journey is made
Obtained from [2] through tr	ain number (e.g. 13050 t	for Train 13050)	Obtained from actarr_date	te (Table II)

	Stn ₁ _code	•••	Stn _n _code	late_mins_Stn ₁	•••	late_mins_Stnn	db_Stn ₀ _Stn ₁		db_Stn _{n-1} _Stn _n
ſ	Station Code		Station Code	Late Minutes		Late Minutes	Distance between		Distance between
	of Stn_1		of Stn_n	at Stn_1		at Stn_n	Stn_0 and Stn_1		Stn_{n-1} and Stn_n
Ì	Obtained f	rom station_co	de (Table II)	Obtained from	n late	min (Table II)	Obtained fron	n dist	ance (Table II)

Stn ₁ _dfs	•••	Stn _n _dfs	tfc_of_Stn1		tfc_of_Stnn	deg_of_Stn1		deg_of_Stnn
Stn_1 distance		Stn_n distance	Traffic Strength		Traffic Strength	Degree Strength		Degree Strength
from source station	•••	from source station	of Stn_1	•••	of Stn_n	of Stn_1		of Stn_n
Obtained	from distance	(Table II)		Obt	ained from Open G	overnment Data (OG	D) [4]	

Stn ₀ _dfs	Stn ₀ _tfc	Stn ₀ _deg	Stn ₀ _late_minutes
Stn_0 distance from source station	Stn_0 traffic strength	Stn_0 degree strength	Current Station's target late minutes to be predicted
Obtained from distance (Table II)	Obtained fro	om OGD [4]	Obtained from <i>latemin</i> (Table II)

The bold font texts are the columns in our prepared data-frame for each Known Station. We assert that Stn_0 _late_minutes depends on the values mentioned in other columns. $tfc_0f_Stn_i$ and $deg_0f_Stn_i$ are the total number of trains passing through Stn_i and total number of direct connections of Stn_i to other stations respectively. Such a data-frame is called n-prev-stn data-frame of a target station (Stn_0) for which it is prepared, where n depends on the number of previous stations (a partial sequence of consecutive stations) considered.



800 - Saluri Apr May Jun Jul Aug Sep Oct Nov Dec Jan Feb

Train 12802 BBU

Fig. 3. Monthly variation of late minutes at station CNB for Train 12307

Above points suggest that multiple deciding factors (e.g. the month of travel, the sequence of stations during a journey etc.) determine the late minutes at a station considered. Since we sought to use *Stations* to frame a train-agnostic late minutes prediction algorithm and for knowledge transfer, we prepare a data-frame Table III for each of the *Known Stations* capturing the *details* mentioned. Later, we train *n*-Order Markov Process Regression models for each *Known Station*; described next.

A. n-Order Markov Process Regression (n-OMPR) Models

The Markov Process asserts that the outcome at a current state depends only on the outcome of the immediately previous

Fig. 4. Monthly variation of late minutes at station BBU for Train 12802

state. However if the current state's outcome depends on n previous states, we call it an n-Order Markov Process. Here we assert that the late minutes at a current target station depends on the details of its n-previous stations (henceforth mentioned as n-prev-stns). This notion is effectively captured in data-frame Table III where we capture general features of a train, day and month of a journey and the characteristics of the n-prev-stns along with that of the current target station. The idea is to learn n-OMPR models (Random Forest Regressors and Ridge Regressors) for each of the Known Stations using Algorithm 1 and later use those trained models to frame a train-agnostic late minutes prediction algorithm (N-




Fig. 5. Monthly variation of late minutes at station KGP for Train 12816




Fig. 6. Mean late minutes during Train 12282's journey in June 2017

OMLMPF Algorithm 2). Regression models are trained on each of the *Known Stations*' corresponding *n-prev-stn* data-frame Table III with the values of *n* depending on the number of stations previous to it, subject to its positions during the journeys of multiple trains. This design will be clarified in section III-C. We used python sklearn.ensemble library [9] and sklearn.linear_model library [9] for learning Random Forest Regressor and Ridge Regressor models respectively.

B. k-Nearest Neighbor (k-NN) Search

Unknown Stations (USs) are the ones which, along with the Known Stations (KSs), build the journey route of Unknown

TABLE IV
DESCRIPTION OF Station Features

station	latitude	longitude	stn_tfc	stn_deg
Stn	Latitude	Longitude	Traffic Strength of station	Degree Strength of station
Obtained from station_code		ned from Maps APIs	Obtained from	OGD [3]

The bold font texts are the columns in our prepared data-frame for collectively all 819 stations of *Known Trains* and *Unknown Trains*. **station** is used as a *key* to obtain rest 4 features on which k-NN is run. This data-frame helps to determine the semantically nearest station to a given station.




Fig. 7. Mean late minutes during Train 12395's journey in December 2017




Fig. 8. Mean late minutes during Train 12444's journey in April 2017

Trains. Since we made Unknown Trains' data Zero Shot, data-frame Table III is not prepared for USs, thus we do not have n-OMPR models for them. Hence, we look for a KS which is best similar to the current target US with respect to features stated in Table IV; whose model could be used to approximate the predicted late minutes at the US.We employ k-NN search algorithm (Algorithm 3) to fulfill this objective. A two-step k-NN search is applied since latitude and longitude data are semantically different from traffic and degree strength data. We used python sklearn.neighbors library [9] with default options.

C. Example

In our example, let there be five *Known Trains* (KT_i) routes and two *Unknown Trains* (UT_j) routes with dummy stations KS_{α} and US_{β} to explain our proposed framework, where $KS_{\alpha} \forall \alpha \in \text{(a..q)}$ and $US_{\beta} \forall \beta \in \text{(r..w)}$ are *Known Stations* and *Unknown Stations*, respectively. Figure 9 shows the train route map where source stations are colored green.

• KT_1 Journey: $KS_a \rightarrow KS_b \rightarrow KS_c \rightarrow KS_d \rightarrow KS_e \rightarrow KS_f$

Algorithm 1: Training n-OMPR Models

```
Input: List Of Known Stations (KS): \langle KS_1, ...KS_M \rangle
Output: n-OMPR Models for Known Stations
for i = 1; i <= 5; i+=1 do
     ips_{list} \leftarrow Initialize empty list (stores stations having
      i-OMPR models)
end
for \forall stn_k \in Known Stations do
    for i = 1; i <= 5; i+=1 do
         df \leftarrow \text{Get } stn_k's i\text{-}prev\text{-}stn data-frame (Table III)
         if df is not empty then
              mdl_i^{stn_k} \leftarrow \text{Train RFR \& RR Models on } df
               ips_{list} \leftarrow ips_{list} + stn_k
Save mdl_i^{stn_k}
                                                  \triangleright Include stn_k in list
          end
     end
end
for i = 1; i <= 5; i+=1 do
    Save ips_{list}
end
```

- KT_2 Journey: $KS_g \to KS_b \to KS_h \to KS_i \to KS_e \to KS_i$
- KT_3 Journey: $KS_m \to KS_a \to KS_b \to KS_c \to KS_k \to KS_l$
- KT_4 Journey: $KS_g \rightarrow KS_b \rightarrow KS_h \rightarrow KS_i \rightarrow KS_n \rightarrow KS_o$
- KT_5 Journey: $KS_p \to KS_c \to KS_i \to KS_n \to KS_o \to KS_q$
- UT_1 Journey: $KS_q \to US_r \to KS_i \to US_s \to US_t \to KS_f$
- UT_2 Journey: $US_u \rightarrow US_v \rightarrow KS_b \rightarrow KS_m \rightarrow US_w \rightarrow KS_j$




Fig. 9. Visual view of example trains routes KT_i and UT_j . Starting stations are highlighted.

Algorithm 2: N-OMLMPF for Known Trains and Unknown Trains (here the value of N is set as $3 \implies \text{limit}$ the models up to 3-OMPR models)

```
Input: Train number tr_{num}, in-line stations list (stn_{jrny}),
         journey route information (Table II), ipslist
Output: A list (lms_{stn}) of predicted late minutes at each
           station during the journey
lms_{stn} \leftarrow Initialize late minutes list with entry < 0 > (0
 minutes late at source)
for i = 1; i < length(stn_{jrny}); i+=1 do
                                                 \triangleright Station at i^{th} position
     crnt_{stn} = stn_{jrny}.At(i)
     if crnt_{stn} is at position i = 1 then
          df_{stn} \leftarrow \text{Prepare } crnt_{stn}'s 1-prev-stn row data-frame
            (Table III) using Table II with late_mins_Stn1 set as
            lms_{stn}.At(0)
          if crnt_{stn} \notin 1ps_{list} then
               crnt_{sin} \leftarrow Get nearest Known Station in 1ps_{list}
                 using Algorithm 3
          end
          lms_{stn}.At(i) \leftarrow Predict late minutes at crnt_{stn} for df_{stn} using mdl_1^{crnt_{stn}} model
     else if crnt_{stn} is at position i = 2 then
          df_{stn} \leftarrow \text{Prepare } crnt_{stn}'s 2-prev-stn row data-frame
            (Table III) using Table II with late_mins_Stn1 set as
            lms_{stn}.At(1) and late_mins_Stn<sub>2</sub> set as lms_{stn}.At(0)
          if crnt_{stn} \notin 2ps_{list} then
               crnt_{stn} \leftarrow \text{Get nearest } Known \ Station \ in \ 2ps_{list}
                 using Algorithm 3
          lms_{stn}.At(i) \leftarrow Predict late minutes at crnt_{stn} for
            df_{stn} using mdl_2^{crnt_{stn}} model
     else
                  \triangleright crnt_{stn} is at position i \ge 3 during the journey
          df_{stn} \leftarrow \text{Prepare } crnt_{stn}\text{'s } 3\text{-}prev\text{-}stn \text{ row data-frame}
            (Table III) using Table II with late_mins_Stn<sub>1</sub> set as
            lms_{stn}.At(i-1), late_mins_Stn<sub>2</sub> set as lms_{stn}.At(i-2)
            and late_mins_Stn<sub>3</sub> set as lms_{stn}.At(i-3)
          if crnt_{stn} \notin 3ps_{list} then
               crnt_{stn} \leftarrow Get nearest Known Station in 3ps_{list}
                 using Algorithm 3
          lms_{stn}.At(i) \leftarrow Predict late minutes at crnt_{stn} for
            df_{stn} using mdl_3^{crnt_{stn}} model
     end
end
```

Algorithm 3: k-NN search framework to get a *Known Station* best similar to any type of Station (k set to 10)

Input: A Station stn_S , Valid ips_{list} of Known Stations **Output:** A nearest Known Station stn_{KS} $stn_{KS}^{nll} \leftarrow \text{Get } k\text{-NN } Known$ Stations to stn_S among stations in ips_{list} on the basis of Latitude and Longitude $stn_{KS}^{ndt} \leftarrow \text{Get } k\text{-NN } Known$ Stations to stn_S among stations in stn_{KS}^{nll} on the basis of Degree and Traffic Return the first station among stn_{KS}^{ndt}

1) Data Preparation and Training: We collect Train Data Table II for each of the seven trains and divide them into two categories: Known Trains $(KT_i \ \forall \ i \in <1...5>)$ and Unknown Trains $(UT_j \ \forall \ j \in <1...2>)$ based on the amount of data collected for each train. After the actual segregation of collected data as showed in Fig.1, we prepare n-prev-stn

data-frame Table III for each KS_{α} using KT_i 's Table II data.

- Preparation of *n-prev-stn* data-frames Table III for KS_a : We prepare a 1-prev-stn data-frame for KS_a owing to Train KT_3 only since it has KS_m as one station previous to it. It is navigated by KT_1 also, but it is the source station there, thus has zero stations previous to it.
- Preparation of n-prev-stn data-frames Table III for KS_h : We prepare a 1-prev-stn data-frame for KS_b owing to trains KT_1 , KT_2 , KT_3 and KT_4 since it has a valid set of one station previous to it and a 2-prev-stn data-frame owing to train KT_3 , as it has two stations previous to it.
- Preparation of *n*-prev-stn data-frames Table III for KS_c : We prepare a 1-prev-stn data-frame for it owing to Train KT_1 , KT_3 and KT_5 as they have a valid one station previous to KS_c during the journey. Another 2-prev-stn data-frame is prepared for it owing to Train KT_1 and KT_3 , and a 3-prev-stn data-frame owing to Train KT_3 .

Similarly, for each of the Known Stations, we prepare valid n-prev-stn data-frames Table III, depending on the number of stations previous to them during the journey of *Known Trains*. Later we use those n-prev-stn data-frames to train n-OMPR models (RFR and RR) for each *Known Station* as explained in Algorithm 1. While training the models, we also maintain a list of stations ips_{list} which stores the names of stations (station codes) which have i^{th} -OMPR models. For example, in context of all five *Known Trains* here, the stations in $1ps_{list}$ are $(KS_h,$ KS_c , KS_d , KS_e , KS_f , KS_h , KS_i , KS_i , KS_i , KS_a , KS_k , KS_l , KS_n, KS_o, KS_q) since they have one valid station previous to them during the journey of various KT_i ; ... $4ps_{list}$ has stations $(KS_e, KS_f, KS_i, KS_k, KS_l, KS_n, KS_o, KS_q)$ since each of them has a valid set of 4 stations previous to them.

- 2) Prediction of Late Minutes for Train Journeys: We explain N-OMLMPF algorithm (Algorithm 2) here with the help of above train examples. We employ a feed-forward method for late minutes prediction at each of the in-line stations where the late minutes predicted for the n previous stations and their other details are incorporated in current target station's n-prev-stn row data-frame. (A row data-frame consists of only one row of Table III).
- a) Known Trains Late Minutes Prediction: Stations inline during the journeys of cross-validation set and the test set of Known Trains consist of only Known Stations for which we have trained models saved from Algorithm 1. The column entries in n-prev-stn row data-frame (Table III) for the current station at which late minutes are to be predicted are filled accordingly as explained in the table, except Stn₀_late_minutes since we aim to predict it here. Say for train KT_3 's crossvalidation or test data, we predict late minutes at each station. As per the execution steps of Algorithm 2 the late minutes at:
 - KS_m is assumed to be 0 since it is a source station thus list lms_{stn} is < 0 >.
 - KS_a is predicted through $mdl_1^{KS_a}$ since we have this 1-OMPR model trained over the 1-prev-stn training dataframe for KS_a . We fill the 1-prev-stn row data-frame for KS_a with Stn_1 set as KS_m and late minutes at Stn_1 set

- as the first entry in lms_{stn} i.e. 0. Say the predicted late
- minutes at KS_a is 5, hence lms_{stn} extends to <0,5>. KS_b is predicted through $mdl_2^{KS_b}$ as we have this 2-OMPR model trained for it. The first and second entry in lms_{stn} list, (0 and 5) are used as late minutes at station Stn_2 and Stn_1 respectively in the 2-prev-stn row dataframe for station KS_b to predict the late minutes at it; say 10 minutes. So the list lms_{stn} becomes < 0, 5, 10 >.
- · In a similar fashion, we keep feed-forwarding the predicted late minutes at previous stations to predict the late minutes at KS_c , KS_k , and KS_l through 3-OMPR models $mdl_3^{KS_c}$, $mdl_3^{KS_k}$, and $mdl_3^{KS_l}$ respectively.
- b) Unknown Trains Late Minutes Prediction: We choose train UT_2 for explaining Algorithm 2 to predict late minutes for Unknown Trains' in-line stations. The late minutes at:
 - US_u is assumed to be 0 since it is the source station. Thus the late minutes list lms_{stn} is initialized with < 0 >.
 - US_v is predicted as follows. We do not have a trained 1-OMPR model (neither RFR nor RR) for US_v since it is an *Unknown Station*, thus not in $1ps_{list}$. Hence, via Algorithm 3 we find a *Known Station* nearest to it among the ones in $1ps_{list}$ which have a 1-OMPR model (RFR and RR), say station KS_a is found. Next, the 1-prev-stn row data-frame prepared for US_v with US_u set as Stn_1 is fed to the model $mdl_1^{KS_a}$ to predict late minutes at US_v , say 10 minutes. Thus lms_{stn} list extends to < 0, 10 >.
 - KS_b is predicted through model $mdl_2^{KS_b}$ with Stn_1 , Stn_2 and late minutes at Stn_1 , late minutes at Stn_2 set as US_v , US_u and 10, 0 respectively; say 15 minutes is predicted, thus the list lms_{stn} becomes < 0, 10, 15 >.
 - KS_m is predicted as follows. It can be noticed from above set of Known Trains journey that we do not have a valid trained model $mdl_3^{KS_m}$ in spite of the current target station being a Known Station since no 3-prev-stn dataframe for station KS_m could be prepared from any of the Known Trains. So we choose a station among $3ps_{list}$ which is best similar to KS_m through Algorithm 3 (say station KS_e is chosen). Thus $mdl_3^{KS_e}$ is used to predict the late minutes (say 40 minutes) on the row data-frame for KS_m with Stn_1 , Stn_2 , and Stn_3 being KS_b , US_v , and US_u respectively with corresponding late minutes as 15, 10 and 0. Thus the list becomes < 0, 10, 15, 40 >.
 - US_w is predicted through a 3-OMPR model; say $mdl_3^{KS_i}$ where KS_i is obtained through Algorithm 3 for US_w . The 3-prev-stn row data-frame for it has KS_m , KS_b , US_v set as Stn_1 , Stn_2 , and Stn_3 respectively.
 - KS_i is predicted through model $mdl_3^{KS_i}$ on its 3-prevstn row data-frame with US_w , KS_m , and KS_b set as Stn_1 , Stn_2 , and Stn_3 respectively.

IV. EXPERIMENTS AND RESULT ANALYSIS

The N-OMLMPF Algorithm 2 was executed on three sets of data, namely Cross-validation Data of Known Trains, Test Data of Known Trains and Test Data of Unknown Trains as mentioned in Figure 1 for different values of N (in N-OMLMPF). We enumerate four detailed experiments below, which were conducted with both RFR and RR models individually:

- Exp 1: We ignored tfc_of_Stn_i, deg_of_Stn_i and Stn_i_dfs columns from data-frame Table III since these features are implicitly captured in Stn_i_code. Experiment was conducted on dataset 52TrnsTrCv.
- 2) Exp 2: We ignored the Stn_i_code columns from data-frame Table III as tfc_of_Stn_i, deg_of_Stn_i and Stn_i_dfs numerically capture the property of station codes. This was done for *Unknown Trains* case because we did not have partial consecutive in-line station path of KSs and USs (hence no Stn_i_codes) due to the test data being Zero-Shot. The experiment was conducted on 83TrnsTe data after learning the prediction models from 52TrnsTrCv data to assess the transfer of knowledge from Known Trains to Unknown Trains.
- 3) Exp 3: We conducted Exp 2 again on 52TrnsTrCv data, where results similar to that obtained in Exp 1 for cross-validation data endorses our notion of vice-versa representation of stations, as done in Exp 1 and Exp 2.
- 4) Exp 4: We conducted Exp 2 on 52TrnsTe data with prediction models learned from 52TrnsTrCv data.

After conducting the experiments we analyzed the results to evaluate the performance of trained models and to determine the optimum value of N (in N-OMLMPF). For brevity, we do not present the detailed results for all 135 trains, but we do justice by presenting 4-OMLMPF output on test data of few trains in Tables V, VI, VII (negative numbers in tables suggest that the train arrived early by those many minutes).

A. Performance Evaluation of Models

We begin by noting again that a train's *Train Data* consists of multiple instances of journeys, where each journey has the same set of stations that the train plies through. For each inline station during a train's journey, we calculated monthly 68%, 95%, and 99% Confidence Intervals (CI) around the mean of late minutes in a month, considering the train's complete Train Data with outlier late minutes removed by Tukey's Rule [6]. For each train's cross-validation/test Train Data, the percentage of the number of times the predicted late minutes for an in-line station fell under each matching CI was calculated. Then we averaged out all the percentages (calculated for each train) in different experiments enumerated above. Table VIII shows the corresponding figures. In Table IX we present the mean Root Mean Square Error (RMSE) values for few Known Trains and Unknown Trains obtained from their Test Data, where RMSE for a journey was calculated between the predicted late minutes and the actual late minutes. It is to be noted that reported results in Table VIII and IX are inclusive of journeys where the train actually got late at the source station, but these details could not be captured by our models due to their scarce occurrences.

Preliminary analysis of CI and mean RMSE observations showed that RFR models outperformed RR models. However, for sake of completion, we present CI observations of RR

models for some selected experiments in Table VIII. The scattering of individual late minutes at a station during a month; as observed in Figures 3, 4, and 5 suggests to consider CI95 (or higher) since the late minutes are not closely centered around mean but cover a wider distribution around it. Under RFR Models column in Table VIII, the figures in CI95 columns for Exp 1 and Exp 3 suggest that at an average we were able to predict late minutes at in-line stations during cross-validation journey data of Known Trains for approximately 62% times within 95% CI (say accuracy is 62%). Figures in Exp 2 under both RFR and RR Models columns in Table VIII for Unknown Trains' test data do not seem promising, but since these results are for Zero-Shot trains for which significant amount of data is not available, the observations are appreciable. One should also note here the low mean RMSE values for Unknown Trains in Table IX. The higher accuracies (around 56% and 66% for CI95 and CI99) for Known Trains' test data in Exp 4 column under RFR Models column compared to that under RR Models column signify a very important conclusion. Random Forest Regressors (which are an ensemble of multiple decision trees) very well model the deciding factors (in Table III) compared to Ridge Regressors, thus the results state that the prediction of late minutes is effectively a decision-based regression task.

B. Determination of Optimum value of N in N-OMLMPF

We executed Algorithm 2 with values of $N \in (1..5)$, but which one truly captures the Markov Process property of delays along a train's journey? To answer this we employ two common model selection criterion [1]: Akaike Information Criterion (AIC) and Schwartz Bayesian Information Criterion (BIC) to choose the statistically best regression model.

$$AIC = n \times \ln\left(\frac{SSE}{n}\right) + 2p \tag{1}$$

$$BIC = n \times \ln\left(\frac{SSE}{n}\right) + p \times \ln(n) \tag{2}$$

where n stands for the number of observations used to train a model, SSE is the Squared Sum of Errors (between predicted late minutes and the actual late minutes) and p is the number of parameters in the model (number of columns in formatted data-frame Table III). Lower the score, better the model. The count of the number of times a run of N-OMLMPF (for a particular value of N) yielded the least AIC and BIC scores among all five runs for each train in all four experiments is noted in Table X. In Table X we see that delays along journey undertaken by 40.38% to 67.30% of Known Trains under related experiments follow a 1-Order Markov Process since 1-OMLMPF scores minimum AIC and BIC score among other frameworks. Similarly 71.08% to 81.93% of Unknown Trains follow a 1-Order Markov Process. Rest of the trains follow a higher order Markov Process with diminishing indications. However lower cumulative RMSE scores (summed over all trains) obtained for 3- and 4-OMLMPF under different experimental settings suggest to use them for real-time deployment.

TABLE V
PREDICTED LATE MINUTES FOR Known Train 22811 TEST DATA (OBTAINED FROM 4-OMLMPF WITH RFR MODELS)

Stations:	BBS	CTC	JJKR	BHC	BLS	KGP	BQA	ADRA	GMO	KQR	GAYA	MGS	CNB	NDLS
Actual Late Minutes:	0	2	8	-1	13	25	19	18	2	9	-21	-5	6	15
Predicted Late Minutes:	0	2.75	6.83	0.01	17.44	16.52	11.22	17.65	1.94	16.01	-8.77	-0.25	12.26	23.10

TABLE VI
PREDICTED LATE MINUTES FOR Known Train 12326 TEST DATA (OBTAINED FROM 4-OMLMPF WITH RFR MODELS)

Stations:	NLDM	ANSB	RPAR	SIR	UMB	SRE	MB	BE	LKO	BSB	MGS	PNBE	KIUL	JAJ	JSME	ASN	KOAA
Actual Late Minutes:	0	3	4	-11	0	-6	15	55	30	10	18	10	11	0	7	3	5
Predicted Late Minutes:	0	9.38	7.87	-2.43	3.61	0.50	26.13	36.14	29.42	32.14	20.38	3.296	6.87	-3.80	17.55	14.30	13.91

TABLE VII

PREDICTED LATE MINUTES FOR Unknown Train 12356 TEST DATA WITH 3 Unknown Stations (OBTAINED FROM 4-OMLMPF WITH RFR MODELS)

Stations:	JAT	PTKC	JRC	LDH	UMB	SRE	MB	BE	LKO	RBL	JAIS	AME	PBH	BOY	BSB	MGS	DNR	PNBE	RJPB
Actual Late Minutes:	0	8	3	0	-5	-15	-10	-1	30	41	51	57	74	111	75	123	130	120	120
Predicted Late Minutes:	0	10.19	10.74	10.17	11.60	11.97	27.24	34.63	28.45	40.15	41.29	42.94	60.71	72.51	75.25	70.50	74.45	67.95	71.80

 ${\bf TABLE\ VIII} \\ {\bf Confidence\ Interval\ (CI)\ observations\ for\ different\ experiments}$

				Rand	om For		Ridge I	Regresso	or (RR)	Models	S							
	Exp 1	(Avg	%age)	Exp 2	2 (Avg	% age)	Exp 3 (Avg %age)			Exp 4 (Avg %age)			Exp 2 (Avg %age)			Exp 4 (Avg %age)		
	CI68	CI95	CI99	CI68	CI95	CI99	CI68	CI95	CI99	CI68	CI95	CI99	CI68	CI95	CI99	CI68	CI95	CI99
1-OMLMPF	34.65	61.37	70.47	5.90	14.73	18.51	33.67	61.05	70.21	27.60	55.41	65.57	4.97	12.87	17.29	22.34	44.30	55.71
2-OMLMPF	35.28	61.36	70.85	5.72	14.17	18.41	33.72	61.03	70.65	27.51	56.32	66.87	5.34	12.65	16.80	22.81	43.67	56.59
3-OMLMPF	33.86	62.31	71.42	6.00	14.79	18.81	33.80	62.13	71.58	27.81	55.89	66.98	4.89	12.46	16.76	22.21	44.05	55.67
4-OMLMPF	34.39	62.53	71.74	5.66	14.96	18.97	33.67	61.57	71.49	27.82	55.80	66.82	4.66	12.35	16.35	21.85	43.89	55.83
5-OMLMPF	34.77	62.70	72.10	5.51	14.52	18.75	33.45	62.03	71.96	27.93	56.20	67.07	4.61	12.43	16.16	21.85	43.87	55.18

CI68, CI95, and CI99 respectively stand for 68% CI, 95% CI, and 99% CI. Avg %age stands for Average Percentage.

V. CONCLUSION AND FUTURE WORK

Our objective was to predict the late minutes at an inline station given the route information of a train and a valid date. The significant accuracy results in Table VIII for Known Trains' and Unknown Trains' data demonstrates the efficacy of our proposed algorithm for a highly dynamic problem. We also determine experimentally and statistically that the delays along journey for most of the trains follow a 1-Order Markovian Process, while other few trains follow a higher order Markovian Process. Reasonably low RMSE results obtained for Unknown Trains in Table IX also show that we were able to transfer knowledge from *Known Trains* to Unknown Trains. The N-OMLMPF algorithm is so designed that it can leverage different types of prediction models and predict delay at stations for any train, thus it is train-agnostic. With just 1.2% of total trains in India, our approach was able to cover more than 11.3% of stations, thereby illustrating scalability. There are many avenues for future work: (a) one can expand the data collection and extend the analysis to trains India-wide, (b) one can also explore other approaches like time series prediction and neural networks. In particular, Recurrent Neural Networks (RNN) have the property of memorizing past details and predicting the next state. The prediction of delays along stations is inherently dynamic which implicitly

calls for an online learning algorithm to continuously learn the changing behavior of railway network and delays. Thus one can attempt to develop an Online RNN algorithm for it. One can also consider predicting delay of trains in other countries.

VI. ACKNOWLEDGMENT

We would like to thank Debarun Bhattacharjya for his help in statistically discovering the order of Markovian delays through mathematical equations. We also thank Nutanix Technologies India Pvt Ltd for the computational resources.

REFERENCES

- D. Beal, "Information criteria methods in sas for multiple linear regression models," SESUG Proceedings. Paper SA05, 2007.
- [2] I. R. F. Club, "Faqs about indian railway numbers," https://www.irfca.org/faq/faq-number.html, 2016.
- [3] I. O. Data, "Indian railway time table," https://data.gov.in/resources/indian-railways-time-table-trains-available-reservation-03082015, 2016.
- [4] S. Ghosh, A. Banerjee, N. Sharma, S. Agarwal, N. Ganguly, S. Bhattacharya, and A. Mukherjee, "Statistical analysis of the indian railway network: a complex network approach," *Acta Physica Polonica B Proceedings Supplement*, vol. 4, no. 2, pp. 123–138, 2011.
- [5] S. Ghosh, A. Banerjee, N. Sharma, S. Agarwal, A. Mukherjee, and N. Ganguly, "Structure and evolution of the indian railway network," in *Summer Solstice International Conference on Discrete Models of Complex Systems*, 2010.

TABLE IX
MEAN RMSE VALUES FOR FEW Known Trains AND Unknown Trains TEST DATA (OBTAINED FROM 4-OMLMPF WITH RFR MODELS)

					Kno	wn Tr	ains							U	nknow	n Traiı	ns		
Trains	12305	12361	12815	12307	13131	13151	22811	03210	04401	04821	12141	12295	22308	12439	18311				
Number of Journeys	16	14	39	84	19	83	28	14	47	25	13	2	1	6	3	4	28	2	3
Mean RMSE	87.12	89.38	96.61	88.26	62.84	82.34	53.71	44.72	29.42	80.66	80.22	57.37	23.86	31.97	53.38	68.49	44.83	11.75	36.20

Trains row consists of unique Train Numbers. **Number of Journeys** row denotes the number of journeys undertaken by the corresponding train in its Test Data. **Mean RMSE** row presents the average of the RMSEs of all journeys. For example, Train 12305 covered 16 journeys with a mean RMSE of 87.12.

TABLE X BIC AND AIC ANALYSIS OF N-OMLMPF WITH RFR MODELS

Random Forest Regressor Models								
	BIC Analysis				AIC Analysis			
	Exp 1	Exp 2	Exp 3	Exp 4	Exp 1	Exp 2	Exp 3	Exp 4
1-OMLMPF	32	68	35	29	21	59	31	23
2-OMLMPF	7	7	9	14	9	12	9	10
3-OMLMPF	9	5	6	5	12	7	7	11
4-OMLMPF	4	3	1	4	8	2	3	6
5-OMLMPF	0	0	1	0	2	3	2	2

The figures in each cell denote the number of times an N-OMLMPF scored minimum score among other runs, e.g. in **BIC Analysis** column for **Exp 1**, **1-OMLMPF** scored minimum BIC score for 32 trains among other runs.

- [6] D. C. Hoaglin, B. Iglewicz, and J. W. Tukey, "Performance of some resistant rules for outlier labeling," *Journal of the American Statistical Association*, 1986.
- [7] R. M. India, "Indian railways yearbook 2015-2016," in *Ministry of Railways (Railway Board)*, 2015.
- [8] C. H. Lampert, H. Nickisch, and S. Harmeling, "Attribute-based classification for zero-shot visual object categorization," *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 36, no. 3, pp. 453–465, Mar. 2014. [Online]. Available: http://dx.doi.org/10.1109/TPAMI.2013.140
- [9] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos, D. Cournapeau, M. Brucher, M. Perrot, and E. Duchesnay, "Scikit-learn: Machine learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [10] RailApi, "Indian railway apis," https://railwayapi.com, 2016.