# From Thin Concurrent Games to Generalized Species of Structures

Pierre Clairambault
Aix Marseille Univ, Université de Toulon,
CNRS, LIS, Marseille, France
Email: Pierre.Clairambault@cnrs.fr

Federico Olimpieri University of Leeds, United Kingdom Email: F.Olimpieri@leeds.ac.uk Hugo Paquet
University of Oxford,
United Kingdom
Email: Hugo.Paquet@cs.ox.ac.uk

Abstract—Two families of denotational models have emerged from the semantic analysis of linear logic: dynamic models, typically presented as game semantics, and static models, typically based on a category of relations. In this paper we introduce a formal bridge between two-dimensional dynamic and static models: we connect the bicategory of thin concurrent games and strategies, based on event structures, to the bicategory of generalized species of structures, based on distributors.

In the first part of the paper, we construct an oplax functor from (the linear bicategory of) thin concurrent games to distributors. This explains how to view a strategy as a distributor, and highlights two fundamental differences: the composition mechanism, and the representation of resource symmetries.

In the second part of the paper, we adapt established methods from game semantics (visible strategies, payoff structure) to enforce a tighter connection between the two models. We obtain a cartesian closed pseudofunctor, which we exploit to shed new light on recent results in the bicategorical theory of the  $\lambda$ -calculus.

#### I. INTRODUCTION

The discovery of linear logic has had a deep influence on programming language semantics. The linear analysis of resources provides a refined perspective that leads, for instance, to important notions of program approximation [1] and differentiation [2]. Denotational models for higher-order programming languages can be constructed from this resource-aware perspective, exploiting the fact that every model of linear logic is also a model of the simply-typed  $\lambda$ -calculus.

In this paper, we clarify the relationship between two denotational models that arise in this way:

- *Thin concurrent games*, a framework for game semantics introduced by Castellan, Clairambault, and Winskel [3], in which programs are modelled as concurrent strategies.
- Generalized species of structures, a combinatorial model developed by Fiore, Gambino, Hyland, and Winskel [4], in which programs are interpreted as categorical distributors (or profunctors) over groupoids.

We carry out this comparison in a two-dimensional setting also including morphisms between strategies and morphisms between distributors. In the language of bicategory theory, our first key contribution is an *oplax* functor of bicategories

games, strategies and maps groupoids, distributors and natural transformations (1)


which shows, in particular, that the symmetries of a strategy can be explained using groupoid actions.

#### A. Static and dynamic models


This work fits in a long line of research on the relationship between *static* and *dynamic* denotational models.

In a static model, programs are represented by their input/output behaviour, or by collecting representations of completed executions. The simplest example is given by the category of sets and relations: this is the relational model of linear logic (§II-A or [5]). In a dynamic model, programs are represented by their interactive behaviour with respect to every possible execution environment. This includes game semantics ([6], [7]), which has proved incredibly proficient at modelling various computational features or effects ([8], [9], [10]).

To illustrate the difference, the identity at type  $1 \rightarrow 1$  in game semantics is a strategy that represents an exchange of information between the program and its environment:



In contrast, in the relational model, 1 - 0 1 is a one-element set containing a single input/output pair. The identity relation over it can be seen as a collapsed version of the strategy above:



This suggests a simple equation

 $game\ semantics = relational\ model + time$ ,

so that going from game semantics to the relational model is a simple matter of forgetting the temporal order of execution.

But this naive intuition hides a fundamental difference between the composition mechanisms in static and dynamic models: strategies may *deadlock*, while relations cannot. More precisely, in game semantics, two strategies can synchronize by performing the same actions *in the same order*, whereas in the collapsed version, only the actions matter and not the order. Thus, as was quickly established [11], one cannot simply forget time in a functorial way, and composition is usually only preserved in an oplax manner, as in (1).

Static collapses of game semantics require an adequate notion of *position* for a game. This is difficult to define in traditional game semantics, but very natural with concurrent games, because we can look at configurations of the underlying event structure (§III-A, see also [12], [13]).

The subtle relationship between static and dynamic models was refined by many authors over two decades ([13], [14], [15], [16]), to identify settings in which functoriality can be restored. Leveraging this, we show (in §V) how the oplax functor (1) can be strictified to a *pseudofunctor*, that preserves composition up to isomorphism.

#### B. Proof-relevant models and symmetries

Our aim here is to take the static-dynamic relationship to a new level that takes into account the symmetries of resource usage. Symmetry plays an important role in game semantics (§IV, or [7], [12], [17], [18]), but so far connections only exist with static models whose symmetries are implicit or quotiented, like in the relational model. We argue that generalized species, which represent combinatorial structures in terms of their symmetries, provide a convenient target for a static collapse of thin concurrent games.

The two models we consider are "proof-relevant" [19], in the sense that the interpretation of a program provides, for each possible execution, a set of proofs or *witnesses* that this execution can be realized. This high degree of intensionality is useful for modelling languages with non-deterministic features [20], [21]. In a proof-relevant model, symmetries arise naturally in the linear duplication of witnesses. In §II-B we discuss the limitations of a proof-relevant model without symmetries.

Proof-relevant models are naturally organized into *bi-categories*: programs are interpreted as structured objects (e.g. strategies or distributors) which themselves support a notion of morphism. By constructing functors of bicategories we clarify the relationship at the two-dimensional level.

# C. Bicategorical models of the $\lambda$ -calculus

To motivate this further, we note that the two-dimensional and proof-relevant aspects are significant on the syntactic side. The interpretation of  $\lambda$ -terms in generalized species has a presentation in terms of an *intersection type system* [22], that takes into account the symmetries and can be exploited to characterize computational properties and equational theories of the  $\lambda$ -calculus [19]. More generally, the structural 2-cells in a cartesian closed bicategory have a syntactic interpretation as  $\beta \eta$ -rewriting steps in the simply-typed  $\lambda$ -calculus ([23], [24]).

In §V we connect to this line of work by constructing a cartesian closed pseudofunctor, which preserves the semantics of  $\lambda$ -terms in both typed and untyped settings.

# D. Outline of the paper and key contributions


Review of static models: In §II we recall static semantics, including a bicategory PRRel of proof-relevant relations,

and a bicategory **Dist** of distributors. One can view **PRRel** as the sub-model of **Dist** with no symmetries, so there is an embedding **PRRel**  $\hookrightarrow$  **Dist**. The bicategory **Esp** of generalized species is defined in terms of **Dist**.

Collapsing concurrent games to static models: In §III we introduce the bicategory CG of "plain" concurrent games without symmetries, and we show that a collapse operation gives an oplax functor  $CG \rightarrow PRRel$  (Theorem 2).

Then in  $\S IV$  we add symmetry: we define the bicategory  $\mathbf{TCG}$  of thin concurrent games, with  $\mathbf{CG} \hookrightarrow \mathbf{TCG}$  as the sub-model with no symmetries. We show that every strategy has a distributor of *positive witnesses* (Proposition 4), and that this extends to an oplax functor  $\mathbf{TCG} \to \mathbf{Dist}$  (Theorem 3).

Thus we have the following situation:



Cartesian closed structure and the  $\lambda$ -calculus: In §V we introduce a refined version of  $\mathbf{TCG}$  called  $\mathbf{Vis}$ , using methods from game semantics: payoff ([13], [25]) and visible strategies [26]. Roughly speaking, this is to ensure that the composition of strategies yields no deadlocks and this behaves like that of distributors. Thus we obtain a pseudofunctor

$$Vis \longrightarrow Dist$$
 (Theorem 4)

and by also refining our categorical structure with a *relative* pseudo-comonad, we derive a cartesian closed pseudofunctor  $\mathbf{Vis}_! \to \mathbf{Esp}$  (Theorem 7). We apply this result to the semantics of untyped  $\lambda$ -calculus: we build a reflexive object in  $\mathbf{Vis}$  and show that, under our pseudofunctor, this is sent to an extensional, *categorifed graph model*  $D^*$  in  $\mathbf{Esp}$  [19].

# II. A TOUR OF STATIC SEMANTICS

In this section we present three static models: the basic relational model Rel (§II-A), a proof-relevant version of it which we call PRRel (§II-B), and the model Dist of groupoids and distributors (§II-C).

# A. The relational model of linear logic

We start with the *relational model*, which gives a denotational interpretation in the category  $\mathbf{Rel}$  of sets and relations. A type A is interpreted as a  $set \ \llbracket A \rrbracket$ , and a program  $\vdash M : A$  is interpreted as a subset  $\ \llbracket M \rrbracket \subseteq \llbracket A \rrbracket$ . The set  $\ \llbracket A \rrbracket$  is often called the web of A, and we think of its elements as representations of completed program executions. The subset  $\ \llbracket M \rrbracket$  contains the executions that the program M can realize.

**Example 1.** The ground type for booleans is interpreted as  $[\![\mathbb{B}]\!] = \{\mathsf{tt}, \mathsf{ff}\}$ , and the constant  $\vdash \mathsf{tt} : \mathbb{B}$  as  $[\![\mathsf{tt}]\!] = \{\mathsf{tt}\}$ .

The interpretation of a program M is computed compositionally, following the methodology of denotational semantics, using the categorical structure we describe below.

1) Basic categorical structure: The category  $\mathbf{Rel}$  is defined to have sets as objects, and as morphisms the *relations* from A to B, *i.e.* the subsets  $R \subseteq A \times B$ , with the usual notions of identity and composition for relations. Its monoidal product is the cartesian product of sets. If  $R_i \in \mathbf{Rel}(A_i, B_i)$  for i = 1, 2, then the relation  $R_1 \times R_2 \in \mathbf{Rel}(A_1 \times A_2, B_1 \times B_2)$  is defined to contain the pairs  $((a_1, a_2), (b_1, b_2))$  with  $(a_i, b_i) \in R_i$ . The unit I is a fixed singleton set, say  $\{*\}$ . This monoidal structure is closed, with linear arrow  $A \multimap B = A \times B$ .

Moreover Rel has finite cartesian products: the product of sets A and B is given by the disjoint union  $A+B=\{1\}\times A\uplus\{2\}\times B$ , and the empty set is a terminal object.

2) The exponential modality: The exponential modality of Rel is based on *finite multisets*. If A is a set, we write  $\mathcal{M}(A)$  for the set of finite multisets on A. To denote specific multisets we use a list-like notation, as in e.g.  $[0,1,1] \in \mathcal{M}(\mathbb{N})$  – we write  $[] \in \mathcal{M}(A)$  for the empty multiset.

Given a set A, its **bang** !A is the set  $\mathcal{M}(A)$ . This extends to a comonad ! on **Rel**, satisfying the required conditions for a model of intuitionistic linear logic: the *Seely isomorphisms* 

$$\mathcal{M}(A+B) \cong \mathcal{M}(A) \times \mathcal{M}(B) \qquad \mathcal{M}(\emptyset) \cong I$$

make ! a symmetric monoidal functor from  $(\mathbf{Rel}, +, \emptyset)$  to  $(\mathbf{Rel}, \times, I)$ , satisfying a coherence axiom [27, §7.3]. From this, we obtain that the Kleisli category  $\mathbf{Rel}_!$  is cartesian closed and thus a model of the simply-typed  $\lambda$ -calculus.

3) Conditionals and non-determinism: The category Relation supports further primitives in a call-by-name setting.

**Example 2.** Considering the term  $\vdash M : \mathbb{B} \to \mathbb{B}$  of PCF

$$\vdash \lambda x^{\mathbb{B}}$$
. if  $x$  then  $x$  else if  $x$  then **ff** else  $\mathbf{tt}: \mathbb{B} \to \mathbb{B}$ ,

then  $[\![M]\!] = \{([\mathbf{t}, \mathbf{t}], \mathbf{t}), ([\mathbf{t}, \mathbf{ff}], \mathbf{ff}), ([\mathbf{ff}, \mathbf{ff}], \mathbf{t})\}$ , representing the possible executions given a multiset of values for x.

As a further example,  $\mathbf{Rel}$  supports the interpretation of non-deterministic computation: consider  $\vdash$  **choice**:  $\mathbb{B}$  a non-deterministic primitive that may evaluate to either  $\mathbf{tt}$  or  $\mathbf{ff}$ . Then we can set  $\llbracket \mathbf{choice} \rrbracket = \{\mathbf{tt}, \mathbf{ff}\}$  so that we have

$$[if choice then tt else tt] = \{tt\}.$$
 (2)

The relational model is a cornerstone of static semantics, and the foundation of many recent developments in denotational semantics [28], [29], [30]. In this paper we are concerned with its *proof-relevant* extensions – roughly speaking, one motivation is to keep separate different execution paths that lead to the same value, as with value tt in (2).

#### B. Proof-relevant relations

To showcase this, we consider a notion of proof-relevant relation between sets (e.g. [31], [32]). The idea is to record not only the executions that a program may achieve, but also the distinct ways in which each execution is realized. We replace relations  $[M] \subseteq A \times B$  with *proof-relevant* relations

$$\llbracket M \rrbracket : A \times B \to \mathbf{Set} ,$$

so that each point of the web has an associated set of *witnesses*. In this model, [if choice then tt else tt](tt) from (2) should be a set  $\{*_1, *_2\}$  containing two witnesses, because there are two possible paths to the value tt.

Formally, the model is organized as a categorical structure with sets as objects, functors  $\alpha: A \times B \to \mathbf{Set}$  (with  $A \times B$  viewed as a discrete category ) as morphisms, composed with

$$(\beta \circ \alpha)(a,c) = \sum_{b \in B} \alpha(a,b) \times \beta(b,c)$$
 (3)

and with identity morphisms given by  $\mathrm{id}_A(a,a')=\{*\}$  if a=a' and empty otherwise<sup>1</sup>. An important observation is that this does not form a category. Categorical laws are only *isomorphisms*, with for instance  $(\mathrm{id}_B \circ \alpha)(a,b) = \alpha(a,b) \times \{*\} \cong \alpha(a,b)$ . We obtain a *bicategory*: a two-dimensional structure incorporating 2-cells – morphisms between morphisms – with categorical laws holding only up to coherent invertible 2-cells.

We call this bicategory **PRRel**. This model shares (in a bicategorical sense) much of the structure of **Rel**, and may be used to interpret e.g. the linear  $\lambda$ -calculus. We use **PRRel** as a static collapse of a basic dynamic model in §III-C.

Limitations of a proof-relevant model without symmetry: Unfortunately, the finite multiset functor on **Rel** does not seem to extend to **PRRel**. Intuitively, the objective of keeping track of individual execution witnesses is in tension with the quotient involved in constructing finite multisets, which blurs out the identity of individual resource accesses. <sup>2</sup> Proof-relevant models that do support an exponential modality do so by replacing finite multisets with a categorification, such as finite lists related by explicit permutations – symmetries.

# C. Distributors and generalized species of structures

*Distributors* are symmetry-aware proof-relevant relations – here we consider distributors on *groupoids*, *i.e.* small categories in which every morphism is invertible.

1) The bicategory of groupoids and distributors: If A and B are groupoids, a **distributor** from A to B (also known as a profunctor or bimodule) is a functor

$$\alpha: A^{\mathrm{op}} \times B \to \mathbf{Set}$$
.

Thus, for every  $a \in A$  and  $b \in B$  we have a set  $\alpha(a,b)$  of witnesses, but unlike in **PRRel** we also have symmetries, in the form of an action by morphisms in A and B. If  $x \in \alpha(a,b)$  and  $g \in B(b,b')$ , we write  $g \cdot x$  for the functorial action  $\alpha(\operatorname{id},g)(x) \in \alpha(a,b')$ . Similarly, if  $f \in A(a',a)$ , we write  $x \cdot f \in \alpha(a',b)$  for  $\alpha(f,\operatorname{id})$ . The actions must commute, so we can write  $g \cdot x \cdot f$  for  $(g \cdot x) \cdot f = g \cdot (x \cdot f) \in \alpha(a',b')$ .

We define a bicategory **Dist** with groupoids as objects, distributors as morphisms, and natural transformations as 2-cells ([33], [34]). The **identity distributor** on A is

$$\mathrm{id}_A = A[-,-] : A^\mathrm{op} \times A \to \mathbf{Set}$$
,

<sup>&</sup>lt;sup>1</sup>A more standard presentation of this model is via the bicategory of *spans* of sets, with sets as objects and spans  $A \leftarrow S \rightarrow B$  as morphisms.

<sup>&</sup>lt;sup>2</sup>In technical terms, the functor  $\mathcal{M}(-)$  on **Set** is not cartesian – does not preserve pullbacks – and so does not preserve the composition of spans.

the hom-set functor. The **composition** of two distributors  $\alpha$ :  $A^{\mathrm{op}} \times B \to \mathbf{Set}$  and  $\beta : B^{\mathrm{op}} \times C \to \mathbf{Set}$  is obtained as a categorified version of (3), defined in terms of a coend:

$$(\beta \bullet \alpha)(a,c) = \int^{b \in B} \alpha(a,b) \times \beta(b,c) \,.$$

Concretely,  $(\beta \bullet \alpha)(a,c)$  consists in pairs (x,y), where  $x \in$  $\alpha(a,b)$  and  $y \in \beta(b,c)$  for some  $b \in B$ , quotiented by  $(q \cdot$  $(x,y) \sim (x,y \cdot q)$  for  $x \in \alpha(a,b)$ ,  $q \in B(b,b')$  and  $y \in \beta(b',c)$ .

The bicategory Dist has a symmetric monoidal structure given by the cartesian product  $A \times B$  of groupoids, extended pointwise to distributors. There is a closed structure given by  $A \longrightarrow B = A^{op} \times B$ . Finally, **Dist** has cartesian products given by the disjoint union A + B of groupoids.

2) The exponential modality: In this model with explicit symmetries, the exponential modality is not given by finite multisets, but instead by finite lists with explicit permutations.

**Definition 1.** For a groupoid A, there is a groupoid Sym(A)with as objects the finite lists  $(a_1 \dots a_n)$  of objects of A, and as morphisms  $(a_1 \dots a_n) \longrightarrow (a'_1 \dots a'_m)$  the pairs  $(\pi,(f_i)_{1\leq i\leq n})$ , where  $\pi:\{1,\ldots,n\}\cong\{1,\ldots,m\}$  is a bijection and  $f_i \in A(a_i, a'_{\pi(i)})$  for each i = 1, ..., n.

More abstractly, Sym(A) is the free symmetric (strict) monoidal category over A. This extends to a pseudo-comonad on Dist, where pseudo means that the comonad laws only hold up to coherent invertible 2-cells [4], [35].

3) Generalized species of structures: The Kleisli bicategory Dist<sub>Sym</sub> is denoted Esp, and the morphisms in Esp are called generalized species of structures [4]. Concretely, Esp has the same objects as Dist; morphisms are generalized species<sup>3</sup>, defined as distributors from Sym(A) to B; and 2cells are natural transformations. Equipped with

$$\mathbf{Sym}(A+B) \simeq \mathbf{Sym}(A) \times \mathbf{Sym}(B)$$
  $\mathbf{Sym}(\emptyset) \simeq I$ 

the Seely equivalences, Dist is a bicategorical model of linear logic. In particular, the bicategory **Esp** is cartesian closed.

Any functor  $F: A \rightarrow B$  determines a pair of (adjoint) species  $\hat{F} \in \mathbf{Esp}[A, B]$  and  $\check{F} \in \mathbf{Esp}[B, A]$ , defined as  $\widehat{F}((a_1, \dots, a_n), b) = \mathbf{Sym}(B)((F(a_1), \dots, F(a_n)), (b))$  and  $\check{F}((b_1,\ldots,b_n),a) = \mathbf{Sym}(B)((b_1,\ldots,b_n),(F(a))).$ 

4) Relationship with PRRel: Distributors conservatively extend the proof-relevant relations of §II-B: if we regard sets as discrete groupoids, we get an embedding  $PRRel \hookrightarrow Dist$ that preserves the symmetric monoidal closed structure and the cartesian structure. Explicit symmetries appear essential in defining an exponential modality in a proof-relevant model: even when A is a discrete groupoid, Sym(A) is not discrete.

# III. CONCURRENT GAMES AND STATIC COLLAPSE

We now construct a dynamic model based on concurrent games and strategies, without symmetries. We show that it has a static collapse in the model PRRel introduced in §II-B.

#### A. Rudiments of concurrent games

Game semantics presents computation in terms of a twoplayer game: *Player* plays for the program under scrutiny, while Opponent plays for the execution environment. So a program is interpreted as a *strategy* for Player, and this strategy is constrained by a notion of game, specified by the type. The framework of concurrent games ([37], [38], [39]) is not merely a game semantics for concurrency, but a deep reworking of the basic mechanisms of game semantics using causal "truly concurrent" structures from concurrency theory [40].

1) Event structures: Concurrent games and strategies are based on event structures. An event structure represents the behaviour of a system as a set of possible computational events equipped with dependency and incompatibility constraints.

**Definition 2.** An event structure is  $E = (|E|, \leq_E, \#_E)$ , where |E| is a (countable) set of **events**,  $\leq_E$  is a partial order called causal dependency and  $\#_E$  is an irreflexive symmetric binary relation on |E| called **conflict**, satisfying the two conditions:

- $\begin{array}{ll} \text{(1)} & \forall e \in |E|, \ [e]_E = \{e' \in |E| \mid e' \leq_E e\} \text{ is finite,} \\ \text{(2)} & \forall e_1 \ \#_E \ e_2, \ \forall e_2 \leq_E e'_2, \ e_1 \ \#_E \ e'_2 \,. \end{array}$

Operationally, an event can occur if all its dependencies are met, and no conflicting events have occurred. A finite set  $x \subseteq_f |E|$  down-closed for  $\leq_E$  and comprising no conflicting pair is called a **configuration** – we write  $\mathscr{C}(E)$  for the set of configurations on E, naturally ordered by inclusion. If  $x \in$  $\mathscr{C}(E)$  and  $e \in |E|$  is such that  $e \notin x$  but  $x \cup \{e\} \in \mathscr{C}(E)$ , we say that e is **enabled** by x and write  $x \vdash_E e$ . For  $e_1, e_2 \in |E|$ we write  $e_1 \rightarrow_E e_2$  for the immediate causal dependency, *i.e.*  $e_1 <_E e_2$  with no event strictly in between.

There is an accompanying notion of map: a map of event **structures** from E to F is a function  $f:|E| \to |F|$  such that: (1) for all  $x \in \mathcal{C}(E)$ , the direct image  $fx \in \mathcal{C}(F)$ ; and (2) for all  $x \in \mathcal{C}(E)$  and  $e, e' \in x$ , if fe = fe' then e = e'. There is a category **ES** of event structures and maps.

2) Games and strategies: Throughout this paper, we will gradually refine our notion of game. For now, a plain game is simply an event structure A together with a **polarity** function  $\operatorname{pol}_A: |A| \to \{-, +\}$  which specifies, for each event  $a \in A$ , whether it is **positive** (i.e. due to Player / the program) or **negative** (i.e. due to Opponent / the environment). Events are often called moves, and annotated with their polarity.

A strategy is an event structure with a projection map to A:

**Definition 3.** Consider A a plain game. A strategy on A, written  $\sigma$ : A, is an event structure  $\sigma$  together with a map  $\partial_{\sigma}: \sigma \to A$  called the **display map**, satisfying:

- (1) for all  $x \in \mathscr{C}(\sigma)$  and  $\partial_{\sigma}x \vdash_A a^-$ , there is a unique  $x \vdash_{\sigma} s$  such that  $\partial_{\sigma} s = a$ .
- (2) for all  $s_1 \rightarrow_{\sigma} s_2$ , if  $\operatorname{pol}_A(\partial_{\sigma}(s_1)) = +$ or  $\operatorname{pol}_A(\partial_{\sigma}(s_2)) = -$ , then  $\partial_{\sigma}(s_1) \to_A \partial_{\sigma}(s_2)$ .

Informally, the two conditions (called receptivity and courtesy) ensure that the strategy does not constrain the behaviour of Opponent any more than the game does. They are essential

<sup>&</sup>lt;sup>3</sup>If A = B = 1, then this corresponds to a species in the classical combinatorial sense [36]. Note that this can be further generalized to arbitrary small categories A and B [4], but we do not need this generality.


for the bicategorical structure we describe below [41], but they do not play a major role in this paper.

As a simple example, the usual game  $\mathbb{B}$  for booleans is



drawn from top to bottom (Player moves are blue, and Opponent moves are red): Opponent initiates computation with the first move **q**, to which Player can react with either **tt** or **ff**. The wiggly line indicates that **tt** and **ff** are in conflict.

Strategies are proof-relevant, in the sense that moves of the game can have multiple witnesses in the strategy. For example, on the left below, b and c are mapped to the same move tt:



Note that we denote immediate causality by  $\rightarrow$  in strategies, while we use dotted lines for games. This lets us represent the strategy in a single diagram, as on the right above.

- 3) Morphisms between strategies: For  $\sigma$  and  $\tau$  two strategies on A, a **morphism** from  $\sigma$  to  $\tau$ , written  $f: \sigma \Rightarrow \tau$ , is a map of event structures  $f: \sigma \to \tau$  preserving the dependency relation  $\leq$  (we say it is **rigid**) and s.t.  $\partial_{\tau} \circ f = \partial_{\sigma}$ .
- 4) +-covered configurations: We now describe a useful technical tool: a strategy is completely characterized by a subset of its configurations, called +-covered.

For a strategy  $\sigma$  on a game A, a configuration  $x \in \mathscr{C}(\sigma)$  is +-covered if all its maximal events are positive, so every Opponent move has at least one Player successor. We write  $\mathscr{C}^+(\sigma)$  for the partial order of +-covered configurations of  $\sigma$ .

**Lemma 1.** Consider a plain game A, and strategies  $\sigma, \tau : A$ . If  $f : \mathscr{C}^+(\sigma) \cong \mathscr{C}^+(\tau)$  is an order-isomorphism such that  $\partial_{\tau} \circ f = \partial_{\sigma}$ , then there is a unique isomorphism of strategies  $\hat{f} : \sigma \cong \tau$  such that for all  $x \in \mathscr{C}^+(\sigma)$ ,  $\hat{f} = f(x)$ .

#### B. A bicategory of concurrent games and strategies

We now define our bicategory of concurrent games.

1) Strategies between games: If A is a plain game, its **dual**  $A^{\perp}$  has the same components as A except for the reversed polarity. In particular  $\mathscr{C}(A) = \mathscr{C}(A^{\perp})$ . The **tensor**  $A \otimes B$  of A and B is simply A and B side by side, with no interaction – its events are the tagged disjoint union  $|A \otimes B| = |A| + |B| = \{1\} \times |A| \uplus \{2\} \times |B|$ , and other components inherited. We write  $x_A \otimes x_B$  for the configuration of  $A \otimes B$  that has  $x_A \in \mathscr{C}(A)$  on the left and  $x_B \in \mathscr{C}(B)$  on the right, so

$$-\otimes -: \mathscr{C}(A) \times \mathscr{C}(B) \cong \mathscr{C}(A \otimes B).$$

Finally, the **hom**  $A \vdash B$  is  $A^{\perp} \otimes B$ ; as above its configurations are denoted  $x_A \vdash x_B$  for  $x_A \in \mathscr{C}(A)$  and  $x_B \in \mathscr{C}(B)$ .

**Definition 4.** A strategy from A to B is a strategy on the game  $A \vdash B$ . If  $\sigma : A \vdash B$  and  $x^{\sigma} \in \mathscr{C}(\sigma)$ , by convention we write  $\partial_{\sigma}(x^{\sigma}) = x_A^{\sigma} \vdash x_B^{\sigma} \in \mathscr{C}(A \vdash B)$ .




Fig. 1. An example of matching but causally incompatible configurations, in the composition of  $\sigma:\mathbb{U}\multimap\mathbb{U}$  and  $\tau:\mathbb{U}\multimap\mathbb{U}\vdash\mathbb{N}.$  The underlying games are left undefined, but can be recovered by removing the arrows  $\multimap$ . The configurations are matching on  $\mathbb{U}\multimap\mathbb{U}$ , but the arrows  $\multimap$  impose incompatible orders (i.e. a cycle) between the two occurrences of  $\checkmark$ .

Our first example of a strategy between games is the **copycat** strategy  $\mathbf{c}_A$ , which is the identity morphism on A in our bicategory. Concretely, copycat on A has the same events as  $A \vdash A$ , but adds immediate causal links between copies of the same move across components. By Lemma 1, the following characterizes copycat up to isomorphism.

**Proposition 1.** If A is a game, there is an order-isomorphism

$$\mathbf{c}_{(-)}:\mathscr{C}(A)\cong\mathscr{C}^+(\mathbf{c}_A)$$

such that for all  $x \in \mathcal{C}(A)$ ,  $\partial_{\mathbf{c}_A}(\mathbf{c}_x) = x \vdash x$ .

2) Composition: Consider  $\sigma: A \vdash B$  and  $\tau: B \vdash C$ . We define their composition  $\tau \odot \sigma: A \vdash C$ . This is a dynamic model, and to successfully synchronize,  $\sigma$  and  $\tau$  must agree to play the same events in the same order.

We say that configurations  $x^{\sigma} \in \mathscr{C}(\sigma)$  and  $x^{\tau} \in \mathscr{C}(\tau)$  are

- matching, if they reach the same configuration on B, *i.e.*  $x_B^{\sigma} = x_B^{\tau} = x_B$ ; and
- causally compatible if, additionally, the synchronization is deadlock-free, in the sense that combining the causal dependencies in  $x^{\sigma}$  and  $x^{\tau}$  gives an acyclic relation. (We state this formally in Appendix A, or see e.g. [41].)

We illustrate a deadlock situation in Figure 1.

The **composition** of  $\sigma$  and  $\tau$  is a strategy whose +-covered configurations are causally compatible pairs of +-covered configurations. Write  $\mathbf{CC}(\sigma,\tau)$  for the set of causally compatible pairs  $(x^{\sigma}, x^{\tau}) \in \mathscr{C}^+(\sigma) \times \mathscr{C}^+(\tau)$ , ordered componentwise.

**Proposition 2** ([26]). There is a strategy  $\tau \odot \sigma : A \vdash C$ , unique up to isomorphism, with an order-isomorphism

$$-\odot - : \mathbf{CC}(\sigma, \tau) \cong \mathscr{C}^+(\tau \odot \sigma)$$

s.t. for all  $x^{\sigma} \in \mathcal{C}^+(\sigma)$  and  $x^{\tau} \in \mathcal{C}^+(\tau)$  causally compatible,

$$\partial_{\tau \odot \sigma}(x^{\tau} \odot x^{\sigma}) = x_A^{\sigma} \parallel x_C^{\tau}.$$

This description of composition emphasizes the conceptual difference between a static model, in which composition is based on matching pairs as in (3), and a dynamic model, based on causal compatibility and sensitive to deadlocks.

**Theorem 1.** There is a bicategory  $\mathbb{CG}$  with: objects, plain games; morphisms from A to B, strategies on  $A \vdash B$ ; and 2-cells, morphisms between strategies.

# C. A static collapse of concurrent games

We describe an oplax functor  $\|-\|: \mathbf{CG} \to \mathbf{PRRel} - oplax$  because composition is not preserved: instead we have a coherent, non-invertible 2-cell  $\|\tau \odot \sigma\| \to \|\tau\| \odot \|\sigma\|$  which embeds the causally compatible pairs into the matching pairs.

The image of a plain game A is the set  $\mathscr{C}(A)$ . To a strategy  $\sigma: A \vdash B$ , we associate the proof-relevant relation

$$\|\sigma\|(x_A, x_B) = \{x^{\sigma} \in \mathscr{C}^+(\sigma) \mid \partial_{\sigma}(x^{\sigma}) = x_A \vdash x_B\}$$

and to  $f: \sigma \Rightarrow \sigma'$  we associate the function which to any  $x^{\sigma} \in \|\sigma\|(x_A, x_B)$  associates  $f(x^{\sigma}) \in \|\sigma'\|(x_A, x_B)$ .

Proposition 1 induces an isomorphism of  $\|\mathbf{c}_A\|$  with the identity proof-relevant relation. From Proposition 2 we obtain a function  $\|\tau\odot\sigma\|\to\|\tau\|\odot\|\sigma\|$ , not invertible in general because some matching pairs are not causally compatible.

**Theorem 2.** The above data determines an oplax functor of bicategories  $\|-\|: \mathbf{CG} \to \mathbf{PRRel}$ .

In summary, we can regard **CG** as a *dynamic* version of **PRRel**, where the witnesses in **PRRel** are reached over time and composition is sensitive to deadlocks.

## IV. ACCOMMODATING SYMMETRY

In this section, we look at a model of concurrent games enriched with symmetry, known as thin concurrent games [3]. We start by explaining the basics of event structures with symmetry and thin concurrent games ( $\S$ IV-A). Then we explain how strategies in thin concurrent games can be viewed as distributors ( $\S$ IV-B). We then define the bicategory  $\mathbf{TCG}$  ( $\S$ IV-C) and construct an oplax functor  $\mathbf{TCG} \to \mathbf{Dist}$  ( $\S$ IV-D). Finally we discuss the exponential modality ( $\S$ IV-E).

#### A. Symmetry and thin concurrent games

Recall that we went from **PRRel** to **Dist** by replacing sets with groupoids. We now go from **CG** to **TCG** by replacing the set of configurations  $\mathscr{C}(A)$  with a groupoid of configurations  $\mathscr{G}(A)$  whose morphisms are chosen bijections called *symmetries*, that behave well w.r.t. the causal order.

1) Event structures with symmetry: Our model is based on the following notion of event structure with symmetry [42]:

**Definition 5.** An isomorphism family on an event structure E is a groupoid  $\mathcal{S}(E)$  of bijections between configurations, satisfying the conditions:

restriction: for all  $\theta: x \simeq y \in \mathscr{S}(E)$  and  $x \supseteq x' \in \mathscr{C}(E)$ , there is  $\theta \supseteq \theta' \in \mathscr{S}(E)$  such that  $\theta': x' \simeq y'$ .

extension: for all  $\theta: x \simeq y \in \mathcal{S}(E)$ ,  $x \subseteq x' \in \mathcal{C}(E)$ ,

there is  $\theta \subseteq \theta' \in \mathscr{S}(E)$  such that  $\theta' : x' \simeq y'$ .

We call  $(E, \mathcal{S}(E))$  an event structure with symmetry (ess).

We refer to elements of  $\mathscr{S}(E)$  as **symmetries**, and write  $\theta: x \cong_E y$  if  $\theta: x \simeq y$  with  $\theta \in \mathscr{S}(E)$ . The **domain**  $\mathrm{dom}(\theta)$  of  $\theta: x \cong_A y$  is x, and likewise its **codomain**  $\mathrm{cod}(\theta)$  is y.

A map of ess  $E \to F$  is a map of event structures that preserves symmetry: for every  $\theta : x \cong_E y$ , the bijection

$$f\theta \stackrel{\text{def}}{=} fx \stackrel{f}{\simeq} x \stackrel{\theta}{\simeq} y \stackrel{f^{-1}}{\simeq} fy$$

is in  $\mathscr{S}(F)$ . (Recall that f restricted to any y is bijective.) This makes  $f:\mathscr{S}(E)\to\mathscr{S}(F)$  a functor of groupoids.

We can define a 2-category **ESS** of ess, maps of ess, and natural transformations between the induced functors. For  $f,g:E\to F$  such a natural transformation is necessarily unique [42], and corresponds to the fact that for every  $x\in\mathscr{C}(E)$  the bijection  $\theta^x=\{(fs,gs)\mid s\in x\}:fx\simeq gx$  is in  $\mathscr{S}(F)$ . So this is really an equivalence, denoted  $f\sim g$ .

2) Thin games: We define games with symmetry. To match the polarized structure, a game is an ess with two subsymmetries, one for each player (see e.g. [3], [18], [43]).

**Definition 6.** A thin concurrent game (tcg) is a game A with isomorphism families  $\mathcal{S}(A), \mathcal{S}_{+}(A), \mathcal{S}_{-}(A)$  s.t.  $\mathcal{S}_{+}(A), \mathcal{S}_{-}(A) \subseteq \mathcal{S}(A)$ , symmetries preserve polarity, and

- (1) if  $\theta \in \mathscr{S}_{+}(A) \cap \mathscr{S}_{-}(A)$ , then  $\theta = \mathrm{id}_x$  for  $x \in \mathscr{C}(A)$ ,
- (2) if  $\theta \in \mathscr{S}_{-}(A)$ ,  $\theta \subseteq \overline{\theta'} \in \mathscr{S}(A)$ , then  $\theta' \in \mathscr{S}_{-}(A)$ ,
- (3) if  $\theta \in \mathscr{S}_+(A)$ ,  $\theta \subseteq^+ \theta' \in \mathscr{S}(A)$ , then  $\theta' \in \mathscr{S}_+(A)$ ,

where  $\theta \subseteq \theta'$  is  $\theta \subseteq \theta'$  with (pairs of) events of polarity p.

Elements of  $\mathscr{S}_+(A)$  (resp.  $\mathscr{S}_-(A)$ ) are called **positive** (resp. **negative**); they intuitively correspond to symmetries carried by positive (resp. negative) moves, and thus introduced by Player (resp. Opponent). We write  $\theta: x \cong_A^- y$  (resp.  $\theta: x \cong_A^+ y$ ) if  $\theta \in \mathscr{S}_-(A)$  (resp.  $\theta \in \mathscr{S}_+(A)$ ).

Each symmetry has a unique positive-negative factorization:

**Lemma 2** ([3]). For A a tcg and  $\theta : x \cong_A z$ , there are unique  $y \in \mathscr{C}(A)$ ,  $\theta_- : x \cong_A^- y$  and  $\theta_+ : y \cong_A^+ z$  s.t.  $\theta = \theta_+ \circ \theta_-$ .

Sketch. Existence is proved by induction on  $\theta$ , using conditions (2) and (3); uniqueness follows from (1) with the fact that  $\mathscr{S}_{-}(A)$  and  $\mathscr{S}_{+}(A)$  are groupoids.

We extend with symmetry the basic constructions on games:

- The **dual**  $A^{\perp}$  has the same symmetries as A, but  $\mathscr{S}_{+}(A^{\perp}) = \mathscr{S}_{-}(A)$  and  $\mathscr{S}_{-}(A^{\perp}) = \mathscr{S}_{+}(A)$ .
- The **tensor**  $A_1 \otimes A_2$  has symmetries of the form  $\theta_1 \otimes \theta_2$ :  $x_1 \otimes x_2 \cong_{A_1 \otimes A_2} y_1 \otimes y_2$ , where each  $\theta_i : x_i \cong_{A_i} y_i$ , and similarly for positive and negative symmetries.
- As before, the **hom**  $A \vdash B$  is  $A^{\perp} \otimes B$ .
- 3) Thin strategies: We now define strategies on thin concurrent games, as an extension of strategies on plain games.

**Definition 7.** Consider A a tcg. A strategy on A, written  $\sigma : A$ , is an ess  $\sigma$  equipped with a morphism of ess  $\partial_{\sigma} : \sigma \to A$  forming a strategy in the sense of Definition 3, and such that:

- (1) if  $\theta \in \mathcal{S}(\sigma)$  and  $\partial_{\sigma}\theta \vdash_{A} (a^{-}, b^{-})$ , there are unique  $\theta \vdash_{\sigma} (s, t)$  s.t.  $\partial_{\sigma}s = a$  and  $\partial_{\sigma}t = b$ .
- (2) if  $\theta: x \cong_{\sigma} y, \partial_{\sigma}\theta \in \mathscr{S}_{+}(A)$ , then x = y and  $\theta = \mathrm{id}_{x}$ .

As before, a strategy from A to B is a strategy on  $\sigma : A \vdash B$ .

The first condition forces  $\sigma$  to acknowledge Opponent symmetries in A; the notation  $\theta \vdash_A (a,b)$  means  $(a,b) \notin \theta$  and  $\theta \cup \{(a,b)\} \in \mathscr{S}(A)$ . The second condition is **thinness**: it means that any non-identity symmetry in the strategy must originate from an Opponent symmetry.

4) Comparison with the "saturated" approach: The "thin" approach is only one possible way of adding symmetry to games. Other models (e.g. [17], [44], [45]) follow a different approach, where strategies satisfy a saturation condition.

We explain the difference in the language of concurrent games. Consider a strategy  $\sigma:A$  on a tcg, in the sense of Definition 7 without conditions (1) and (2). The saturation condition [17] corresponds to a fibration property of the functor  $\partial_{\sigma}: \mathscr{G}(\sigma) \to \mathscr{G}(A)$ : for  $x \in \mathscr{G}(\sigma)$  and  $\psi: \partial_{\sigma} x \cong_A y$ , there is a unique  $\varphi: x \cong_{\sigma} z$  such that  $\partial_{\sigma} \varphi = \psi$ :

$$\begin{array}{ccc} \mathscr{G}(\sigma) & x & \xrightarrow{\varphi} & z \\ \partial_{\sigma} \downarrow & & \downarrow & \downarrow \\ \mathscr{G}(A) & \partial_{\sigma} x & \xrightarrow{g_{b}} & y \end{array} \tag{4}$$

In contrast, thin strategies satisfy a different lifting property: a unique lifting exists, up to a positive symmetry.

**Lemma 3.** Let  $\sigma$ : A be a strategy as in Definition 7.

For all  $x \in \mathscr{C}(\sigma)$  and  $\psi : \partial_{\sigma}x \cong_{A} y$ , there are unique  $\varphi : x \cong_{\sigma} z$  and  $\theta^{+} : \partial_{\sigma}z \cong_{A}^{+} y$  such that  $\theta^{+} \circ \partial^{\sigma}\varphi = \psi$ :

Sketch. Existence is proved first for  $\psi$  positive, by induction on x using condition (1) of Definition 7 and properties of isomorphism families; and then generalized to arbitrary  $\psi$ . Uniqueness follows from condition (2) of Definition 7.

Below, we will use this to construct a distributor from a thin strategy. We note that saturated strategies are closer to distributors, because the saturation property (4) directly induces a functorial action of the groupoid  $\mathcal{G}(A)$ . However, saturated strategies are more difficult to understand operationally, and have not achieved the precision of thin strategies for languages with state, concurrency, or non-determinism.

# B. Strategies to distributors

For tcgs A and B, we show how to to construct a distributor

$$\|\sigma\|: \mathscr{G}(A)^{\mathrm{op}} \times \mathscr{G}(B) \to \mathbf{Set}$$

from a strategy  $\sigma : A \vdash B$ . The key idea is to use witnesses "up to positive symmetry" and use the lifting property in Lemma 3.

For  $x_A \in \mathcal{C}(A)$  and  $x_B \in \mathcal{C}(B)$  we define the set of **positive witnesses** of  $(x_A, x_B)$ , written  $\|\sigma\|(x_A, x_B)$ , as the set of all triples  $(\theta_A^-, x^\sigma, \theta_B^+)$  such that  $x^\sigma \in \mathcal{C}^+(\sigma)$  and

$$\theta_A^-: x_A \cong_A^- x_A^{\sigma} \qquad \theta_B^+: x_B^{\sigma} \cong_B^+ x_B$$

are positive symmetries in  $A^{\perp}$  and B. The groupoid actions of A and B on this set is determined by the uniqueness result:

**Proposition 3.** Consider  $(\theta_A^-, x^{\sigma}, \theta_B^+) \in ||\sigma||(x_A, x_B)$ .

For each  $\Omega_A: y_A \cong_A x_A$  and  $\Omega_B: x_B \cong_B y_B$ , there are unique  $\varphi: x^{\sigma} \cong_{\sigma} y^{\sigma}$  and  $\vartheta_A^{-}: y_A \cong_A^{-} x_A^{\sigma}$ ,  $\vartheta_B^{-}: y_B^{\sigma} \cong_B^{+} y_B$  such that the following two diagrams commute:

$$\begin{array}{ccc}
x_{A} & \xrightarrow{\theta_{A}^{-}} x_{A}^{\sigma} & x_{B}^{\sigma} & \xrightarrow{\theta_{B}^{+}} x_{B} \\
& & \downarrow^{\varphi_{A}^{\sigma}} & \downarrow^{\varphi_{B}^{\sigma}} & \downarrow^{Q_{B}^{\sigma}} \\
& & \downarrow^{\varphi_{A}^{-}} & y_{A}^{\sigma} & y_{B}^{\sigma} & \xrightarrow{\vartheta_{B}^{+}} y_{B}
\end{array}$$

*Proof. Existence* by Lem. 3, *uniqueness* by (2) of Def. 7.  $\square$ 

Thus we may set  $\|\sigma\|(\Omega_A, \Omega_B)(\theta_A^-, x^\sigma, \theta_B^+)$  as the positive witness  $(\vartheta_A^-, y^\sigma, \vartheta_B^+)$  above. This is a distributor.

**Proposition 4.** We have defined  $\|\sigma\| : \mathscr{G}(A)^{\mathrm{op}} \times \mathscr{G}(B) \to \mathbf{Set}$ .

C. The bicategory of thin concurrent games

We now define the bicategory **TCG** of thin concurrent games – note that we have already defined the objects (Definition 6) and the morphisms (Definition 7).

Morphisms of strategies: The 2-cells of TCG are more liberal than those in CG, because there should be an isomorphism between two strategies which play symmetric moves. Recall the 2-dimensional structure in ESS, given by the equivalence relation  $\sim$  on morphisms (§IV-A1). For two maps  $f,g:E\to A$  into a tcg, we write  $f\sim^+g$  if  $f\sim g$  and for every  $x\in\mathscr{C}(E)$  the symmetry  $\theta^x:fx\cong_Agx$  is positive.

For strategies  $\sigma, \tau: A$  on a tcg, a **positive morphism of strategies**  $f: \sigma \Rightarrow \tau$  is a rigid map of ess s.t.  $\partial_{\tau} \circ f \sim^{+} \partial_{\sigma}$ .

Composition and identity: The composition of thin strategies  $\sigma:A\vdash B$  and  $\tau:B\vdash C$  is obtained by equipping  $\tau\odot\sigma$  (Proposition 2) with an adequate isomorphism family. If  $\mathscr{S}^+(\sigma)$  is the restriction of  $\mathscr{S}(\sigma)$  to +-covered configurations, then we can write  $\mathbf{CC}(\mathscr{S}^+(\sigma),\mathscr{S}^+(\tau))$  for the pairs  $(\varphi^\sigma,\varphi^\tau)$  of symmetries which are matching, i.e.  $\varphi^\sigma_B=\varphi^\tau_B$  and whose domain (and necessarily, codomain) are causally compatible.

**Proposition 5.** There is a unique symmetry on  $\tau \odot \sigma$  with

$$(-\odot -): \mathbf{CC}(\mathscr{S}^+(\sigma), \mathscr{S}^+(\tau)) \simeq \mathscr{S}^+(\tau \odot \sigma)$$

a bijection commuting with dom and cod, and compatible with display maps, i.e.  $(\varphi^{\tau} \odot \varphi^{\sigma})_A = \varphi_A^{\sigma}$  and  $(\varphi^{\tau} \odot \varphi^{\sigma})_C = \varphi_C^{\tau}$ .

For the identity in **TCG**, we equip copycat  $\mathbf{c}_A : A \vdash A$  (Proposition 1) with the unique symmetry that has an iso

$$\mathbf{c}_{(-)}: \mathscr{S}(A) \simeq \mathscr{S}^+(\mathbf{c}_A)$$

commuting with dom and cod, such that  $\partial_{\mathbf{c}_A}(\mathbf{c}_{\theta}) = \theta \vdash \theta$ .

**Proposition 6** ([46]). There is a bicategory TCG, and an embedding CG  $\hookrightarrow$  TCG that preserves all structure.

*Proof note.* Most of the effort is spent on the difficulty of composing 2-cells "horizontally", i.e. proving that if  $\sigma, \sigma'$ :  $A \vdash B$  and  $\tau : B \vdash C$ , then we can turn positive morphisms

 $f: \sigma \Rightarrow \sigma'$  and  $g: \tau \Rightarrow \tau'$  into a positive map  $\tau \odot f: \tau \odot \sigma \Rightarrow \tau \odot \sigma'$ , using an inductive construction based on thin-ness. We summarize the key property in Appendix B.

In summary, we have defined a dynamic model with symmetries. This model embeds the basic model CG from §III-A, and supports an exponential modality (§IV-E).

# *D.* An oplax functor $TCG \rightarrow Dist$

We give the components of a pseudofunctor  $TCG \rightarrow Dist$ . We have already explained the action on objects and morphisms, by turning every strategy into a distributor (§IV-B).

From positive morphisms to natural transformations: We show that  $f: \sigma \Rightarrow \tau: A \vdash B$  gives a natural transformation of distributors  $\|\sigma\| \Rightarrow \|\tau\|$ . Its components are the functions

$$\|f\|_{x_A, x_B} : \|\sigma\|(x_A, x_B) \to \|\tau\|(x_A, x_B) (\theta_A^-, x^\sigma, \theta_B^+) \mapsto (\theta_A^x \circ \theta_A^-, f(x^\sigma), \theta_B^+ \circ \theta_B^{x^{-1}})$$

for  $x_A \in \mathscr{C}(A)$  and  $x_B \in \mathscr{C}(B)$ , where  $\theta_A^x : x_A^\sigma \cong_A^- f(x^\sigma)_A$  and  $\theta_B^x : x_B^\sigma \cong_B^+ f(x^\sigma)_B$  come from  $\partial_\tau \circ f \sim^+ \partial_\sigma$  (§IV-C). This is natural, as an application of Proposition 3.

The unitor and compositor: We now explain in what sense the operation  $\|-\|$  is functorial, by giving the appropriate structural 2-cells for an oplax functor. We start with the **unitor**:

**Proposition 7.** Consider A a tcg. Then, there is a natural iso

$$\operatorname{pid}^A: \|\mathbf{c}_A\| \stackrel{\cong}{\Rightarrow} \mathscr{G}(A)[-,-]: \mathscr{G}(A)^{\operatorname{op}} \times \mathscr{G}(A) \to \mathbf{Set}.$$

*Proof.* Consider  $(\theta^-, \mathbf{c}_z, \theta^+) \in \|\mathbf{c}_A\|(x, y)$ , with  $\theta^- : x \cong_A^- z$  and  $\theta^+ : z \cong_A^+ y$ . We set  $\operatorname{pid}^A(\theta^-, \mathbf{c}_z, \theta^+) = \theta^+ \circ \theta^-$ ; naturality and invertibility follow from Lemma 2.

Now, we focus on the preservation of composition. For two strategies  $\sigma: A \vdash B$  and  $\tau: B \vdash C$ , we have the **compositor**:

**Proposition 8.** There is a natural transformation:

$$\mathsf{pcomp}^{\sigma,\tau}: \|\tau\odot\sigma\| \Rightarrow \|\tau\| \bullet \|\sigma\|: \mathscr{G}(A)^{\mathrm{op}}\times\mathscr{G}(B) \to \mathbf{Set} \,.$$

*Proof.* Consider  $(\theta_A^-, x^{\tau} \odot x^{\sigma}, \theta_C^+) \in \|\tau \odot \sigma\|(x_A, x_C)$ ; this is sent by  $\mathsf{pcomp}_{x_A, x_C}^{\sigma, \tau}$  to (the equivalence class of) the pair

$$((\theta_A^-, x^\sigma, \mathrm{id}_{x_B}), (\mathrm{id}_{x_B}, x^\tau, \theta_C^+)) \in (\|\tau\| \bullet \|\sigma\|)(x_A, x_C)$$

for 
$$x_B^{\sigma} = x_B^{\tau} = x_B$$
. For naturality, see Appendix C1a.  $\square$ 

Altogether, the operation  $\|-\|$  equipped with this satisfies:

**Theorem 3.** We have an oplax functor  $\|-\|: \mathbf{TCG} \to \mathbf{Dist}$ .

*Proof.* See Appendix C2 and C2a.

## E. Difficulties with the exponential modality

1) An exponential modality in polarized  $\mathbf{TCG}$ : We show how to construct an exponential modality on  $\mathbf{TCG}$ . For an ess E, the ess !E is an infinitary symmetric tensor product, where the elements of the indexing set are called **copy indices**:

## **Definition 8.** Consider E an ess.

Then |E| has: events,  $|E| = \mathbb{N} \times |E|$ ; causality and conflict inherited transparently. The isomorphism family comprises all

$$\theta: \Sigma_{i \in \mathbb{N}} x_i \simeq \Sigma_{i \in \mathbb{N}} y_i$$

such that there is a bijection  $\pi : \mathbb{N} \simeq \mathbb{N}$  and for every  $i \in \mathbb{N}$ , a symmetry  $\theta_i : x_i \cong_A y_{\pi(i)}$ , such that  $\theta(i, a) = (\pi(i), \theta_i(a))$ .

To extend this to tcgs, we must treat the positive and negative symmetries. Intuitively, symmetries that only change the copy indices of negative moves should be negative, and likewise for positive moves – but this naive definition does not yield a tcg in general [3]. We must restrict to a polarized setting in which tcgs are **negative**, meaning that all minimal events are negative. For a negative tcg A, a symmetry  $\theta \in \mathcal{S}(!A)$  is in the sub-familiy  $\mathcal{S}_-(!A)$  if each  $\theta_i$  in Definition 8 is negative in  $\mathcal{S}(A)$ , whereas  $\theta$  is in  $\mathcal{S}_+(!A)$  if each  $\theta_i$  is in  $\mathcal{S}_+(A)$  and additionally  $\pi$  is the identity bijection. This extends to a pseudo-comonad, see [3] for details.

2) Our functor does not preserve the modality: For a negative tcg A, the two groupoids  $\mathscr{G}(!A)$  and  $\mathbf{Sym}(\mathscr{G}(A))$  are not equivalent in general. This can be seen even if A is the empty game: then !A is empty and  $\mathscr{G}(!A)$  is the singleton groupoid, while  $\mathbf{Sym}(\mathscr{G}(A))$  has countably many non-isomorphic objects  $\emptyset$ ,  $\emptyset\emptyset$ ,  $\emptyset\emptyset\emptyset$ , and so on. Intuitively, like the relational model,  $\mathbf{Esp}$  records how many times we "do nothing", whereas  $\mathbf{TCG}$  only records when we do something.

Thus, although one can construct a cartesian closed Kleisli bicategory from the restriction of  $\mathbf{TCG}$  to negative games [46], the functor  $\|-\|$  will not preserve cartesian closed structure – we shall resolve this in the next section.

#### V. A CARTESIAN CLOSED PSEUDOFUNCTOR

**TCG** is fairly agnostic to the programming language or system being represented, but to close up the distance to **Esp** we must specialise the games and strategies to those involved in the interpretation of pure functional languages. We construct a refined bicategory **Vis** (\$V-A), and a pseudofunctor **Vis**  $\rightarrow$  **Dist** (Theorem 4) that we extend to a cartesian closed pseudofunctor between the Kleisli bicategories (\$V-B-V-D).

## A. The Bicategory Vis of Winning Visible Strategies

1) Arenas: The objects of our refined model are called arenas. Arenas are defined to achieve two goals: firstly, narrow down the causal structure to an alternating forest, required for the definition of visible (deadlock-free) strategies later on; secondly, introduce a notion of payoff to distinguish between incomplete and complete executions in a game, since only the latter are represented in Dist. As we will see, complete executions have payoff 0, and if the payoff is 1 (resp. -1) then the execution is incomplete because Opponent (resp. Player) is stalling. We adapt definitions from [25] (see also [13]):

# **Definition 9.** An arena is a tcg A such that

- (1) if  $a_1, a_2 \leq_A a_3$  then  $a_1 \leq_A a_2$  or  $a_2 \leq_A a_1$ ,
- (2) if  $a_1 \rightarrow_A a_2$ , then  $\operatorname{pol}_A(a_1) \neq \operatorname{pol}_A(a_2)$ ,

equipped with a function  $\kappa_A : \mathcal{C}(A) \to \{-1, 0, +1\}$  called the **payoff**, preserved by all symmetries.

Moreover, A is called a **--arena** if A is negative as a tcg and  $\kappa_A(\emptyset) \geq 0$ . It is **strict** if it is negative,  $\kappa_A(\emptyset) = 1$  and all its minimal events are in pairwise conflict.

| $\otimes$ | -1 | 0  | 1  |
|-----------|----|----|----|
| -1        | -1 | -1 | -1 |
| 0         | -1 | 0  | 1  |
| 1         | -1 | 1  | 1  |

| Ŋ  | -1 | 0  | 1 |
|----|----|----|---|
| -1 | -1 | -1 | 1 |
| 0  | -1 | 0  | 1 |
| 1  | 1  | 1  | 1 |

Fig. 2. Payoff tables for operations on arenas, with  $A \, {}^{\gamma}\!\!/ B = (A^\perp \otimes B^\perp)^\perp$ .

The **dual** of an arena A has  $\kappa_{A^{\perp}}(x_A) = -\kappa_A(x_A)$ . The **tensor** of tcgs extends to arenas with  $\kappa_{A\otimes B}(x_A\otimes x_B) = \kappa_A(x_A)\otimes \kappa_B(x_B)$  with  $\otimes$  described in Figure 2. Its De Morgan dual, the **par**  $A \ \mathcal{P} B$  of arenas, is also based on the tensor tcg (written  $A \ \mathcal{P} B$  for disambiguation, with action on configurations written  $x_A \ \mathcal{P} x_B \in \mathscr{C}(A \ \mathcal{P} B)$ ), and  $\kappa_{A \ \mathcal{P} B}(x_A \ \mathcal{P} x_B) = \kappa_A(x_A) \ \mathcal{P} \kappa_B(x_B)$ . Finally, the **hom** of A and B is defined as  $A \vdash B = A^{\perp} \ \mathcal{P} B$ .

2) Winning strategies: As mentioned above, configurations with null payoff are those appearing in **Dist**. The others are intermediate stages, that only appear in the dynamic model. A strategy is winning if Player never stalls:

**Definition 10.** Consider A an arena. A strategy  $\sigma: A$  is winning if for all  $x^{\sigma} \in \mathscr{C}^+(\sigma)$ ,  $\kappa_A(\partial_{\sigma}x^{\sigma}) \geq 0$ .

Winning strategies compose, and copycat is winning [25].

3) Visible strategies: Visibility captures a property of purely-functional parallel programs, in which threads may fork and join but each should be a well-formed stand-alone sequential execution. In an event structure E, a thread is formalized as a **grounded causal chain (gcc)**, *i.e.* a finite set  $\rho \subseteq_f |E|$  on which  $\leq_E$  is a total order, forming a sequence

$$\rho_1 \rightarrow_E \ldots \rightarrow_E \rho_n$$

where  $\rho_1$  is minimal in E. We write gcc(E) for the set of gccs. A gcc need not be a configuration (although it will always be if the strategy interprets a sequential program). A strategy is *visible* if gccs only reach valid states of the arena:

**Definition 11** ([47]). Consider A a --arena, and  $\sigma$ : A. Then  $\sigma$  is **visible** if it is **negative**, i.e. all minimal events of  $\sigma$  display to a negative event, and for all  $\rho \in \gcd(\sigma)$ ,  $\partial_{\sigma} \rho \in \mathscr{C}(A)$ .

This definition is analogous to visibility in Hyland-Ong games [6]. The key property of visible strategies for this paper is that their composition is always deadlock-free [26]:

**Lemma 4.** Consider visible  $\sigma: A \vdash B$  and  $\tau: B \vdash C$ . If  $x^{\sigma} \in \mathscr{C}^+(\sigma), x^{\tau} \in \mathscr{C}^+(\tau)$  are matching, then they are necessarily also causally compatible (§III-B2).

4) A pseudofunctor: The results of this section take place in the bicategory Vis with objects: —-arenas; morphisms from A to B: winning visible strategies on  $A \vdash B$ ; and 2-cells: positive morphisms  $f : \sigma \Rightarrow \tau$ .

We define a pseudofunctor  $\mathbf{Vis} \to \mathbf{Dist}$  by restricting the collapse functor  $\mathbf{TCG} \to \mathbf{Dist}$  (§IV-D) to complete configurations: if A is an arena, we write  $\mathscr{T}(A)$  for the full sub-groupoid of  $\mathscr{S}(A)$  whose objects are restricted to the  $x \in \mathscr{C}(A)$  with null payoff, i.e. such that  $\kappa_A(x) = 0$ .

It is straightforward that for  $\sigma \in \mathbf{Vis}[A, B]$ , the distributor  $\|\sigma\|$  restricts to a distributor  $\mathscr{T}(A)^{\mathrm{op}} \times \mathscr{T}(B) \to \mathbf{Set}$ , which we still write  $\|\sigma\|$ . By the deadlock-freeness property, this gives a functor which is not oplax but *pseudo*:

**Theorem 4.** There is a pseudofunctor  $\|-\|$ : Vis  $\to$  Dist, with  $\|A\| = \mathcal{F}(A)$  the configurations of null payoff.

*Proof.* The natural transformation  $\mathsf{pcomp}^{\sigma,\tau}: \|\tau \odot \sigma\| \Rightarrow \|\tau\| \bullet \|\sigma\|$  for preservation of composition is still valid, as witnesses of complete configurations in  $\tau \odot \sigma$  must synchronize on complete configurations (see Appendix D1).

We show that  $\mathsf{pcomp}^{\sigma,\tau}(x_A,x_C)$  is surjective. Consider

$$\begin{array}{rcl} \mathbf{w}^{\sigma} & = & (\theta_A^-, x^{\sigma}, \theta_B^+) & \in & \|\sigma\|(x_A, x_B) \\ \mathbf{w}^{\tau} & = & (\theta_B^-, x^{\tau}, \theta_C^+) & \in & \|\tau\|(x_B, x_C) \end{array}$$

composable witnesses. By Lemma 4,  $(x^{\sigma}, \theta_B^- \circ \theta_B^+, x^{\tau})$  is causally compatible. So by Proposition 13 in Appendix B, there are unique  $y^{\tau} \odot y^{\sigma} \in \mathscr{C}^+(\tau \odot \sigma)$  along with  $\varphi^{\sigma}, \varphi^{\tau}, \vartheta_A^-, \vartheta_C^+$  such that:

which, writing  $\Theta_B = \varphi_B^{\sigma} \circ \theta_B^{+-1} = \varphi_B^{\tau} \circ \theta_B^{-}$ , entails

$$\begin{array}{rcl} \mathbf{v}^{\sigma} & = & (\vartheta_{A}^{-}, y^{\sigma}, \mathrm{id}_{y_{B}}) & = & \Theta_{B} \cdot (\theta_{A}^{-}, x^{\sigma}, \theta_{B}^{+}) \\ \mathbf{v}^{\tau} & = & (\mathrm{id}_{y_{B}}, y^{\tau}, \vartheta_{C}^{+}) & = & (\theta_{B}^{-}, x^{\tau}, \theta_{C}^{+}) \cdot \Theta_{B} \end{array}$$

so  $(\mathbf{v}^{\sigma}, \mathbf{v}^{\tau}) = (\Theta_B \cdot \mathbf{w}^{\sigma}, \mathbf{v}^{\tau}) \sim (\mathbf{w}^{\sigma}, \mathbf{v}^{\tau} \cdot \Theta_B) = (\mathbf{w}^{\sigma}, \mathbf{w}^{\tau})$ . Now  $(\mathbf{v}^{\sigma}, \mathbf{v}^{\tau}) = \mathsf{pcomp}^{\sigma, \tau}(\vartheta_A^-, y^{\tau} \odot y^{\sigma}, \vartheta_C^+)$ , showing surjectivity.

Likewise, injectivity is a fairly direct consequence of uniqueness in Proposition 13, see Appendix D1 for details.

# B. Kleisli bicategories, and relating them

Next, we compare the exponential modalities in Vis (written!) and in Dist (written Sym).

1) The exponential modality for arenas: The construction of !A as a countable symmetric tensor of copies of A (§IV-E) can be extended to arenas. Note that any configuration of !A has a representation as  $\Sigma_{i\in I}x_i$  for  $I\subseteq_f\mathbb{N}$ , and this representation is unique if we insist that every  $x_i$  is non-empty.

Using that, we set (all  $x_i$  below are non-empty):

that is well-defined because  $\otimes$  is associative on  $\{-1, 0, +1\}$ .

2) Strict arenas: To precisely capture the relationship between ! and  $\mathbf{Sym}$  we use strict arenas (Def. 9), where  $\emptyset$  has payoff 1 and is not considered complete. The situation with the empty configuration was at the heart of the issue in §IV-E2.

We now state the following key property: for strict arenas, the two constructions **Sym** and ! are equivalent:

**Proposition 9.** Consider a strict arena A.

There is an adjoint equivalence of categories:

$$L_A^!: \mathscr{T}(!A) \simeq \mathbf{Sym}(\mathscr{T}(A)): R_A^!$$

*Proof.* For a strict arena A, we can identify the objects of  $\mathcal{T}(!A)$  with families  $(x_i)_{i\in I}$  of objects of  $\mathcal{T}(A)$ , where I is a finite subset of natural numbers.

Thus, from left to right,  $L_A^!$  sends  $(x_i)_{i\in I}$  to the sequence  $x_{i_1}\dots x_{i_n}$  for  $I=\{i_1,\dots,i_n\}$  sorted in increasing order. From right to left,  $R_A^!$  sends  $x_0\dots x_n$  to  $(x_i)_{i\in\{0\dots n\}}$ .

Although this equivalence only holds for *strict* arenas, it is all we need for a cartesian closed pseudofunctor.

3) Relative pseudocomonads: The pseudofunctor  $Vis \rightarrow Dist$  does not preserve the exponential modality as a pseudocomonad on Vis, but as a pseudocomonad relative to the subbicategory of *strict* arenas. We recall the categorical notions.

Recall that a monad on category  $\mathcal C$  relative to a functor  $J:\mathcal D\to\mathcal C$  is a functor  $T:\mathcal D\to\mathcal C$  with a restricted monadic structure, which we can use to form a Kleisli category  $\mathcal C_T$  with objects those of  $\mathcal D$ . (Often,  $\mathcal D$  is a sub-bicategory of  $\mathcal C$  and J is the inclusion functor.) This generalizes to relative pseudomonads [48] and pseudocomonads:

**Definition 12.** Consider  $J: \mathcal{C} \to D$  a pseudofunctor between bicategories. A **relative pseudocomonad** T over J consists of: (1) an object  $TX \in \mathcal{D}$ , for every  $X \in \mathcal{C}$ ,

- (2) a family of functors  $(-)_{X,Y}^* : \mathcal{D}[TX, JY] \to \mathcal{D}[TX, TY]$ ,
- (3) a family of morphisms  $i_X \in \mathcal{D}[TX, JX]$ ,
- (4) a natural family of invertible 2-cells,

$$\mu_{f,g}: (g \circ f^*)^* \stackrel{\cong}{\Rightarrow} g^* \circ f^*$$

for  $f \in \mathcal{D}[TX, JY]$  and  $g \in \mathcal{D}[TY, JZ]$ , (5) a natural family of invertible 2-cells, for  $f \in \mathcal{D}[TX, JY]$ :

$$\eta_f: f \stackrel{\cong}{\Rightarrow} i_X \circ f^*$$

(6) a family of invertible 2-cells  $\theta_X : i_X^* \stackrel{\cong}{\Rightarrow} \mathrm{id}_{TX}$ , where X, Y, Z range over objects of C. This is subject to coherence conditions that appear in Appendix D2.

Those conditions are exactly what is needed to form a Kleisli bicategory written  $\mathcal{D}_T$ , with *objects* those of  $\mathcal{C}$ , *morphisms* and 2-*cells* from X to Y the category  $\mathcal{D}[TX,JY]$ . We can compose  $f\in\mathcal{D}[TX,JY]$  and  $g\in\mathcal{D}[TY,JZ]$  as  $g\circ_T f=g\circ f^*$ , and the *identity* on X is  $i_X$ .

4) The exponential relative pseudocomonad: Here, C is the sub-bicategory  $\mathbf{Vis}_s$  of strict arenas, and  $J: \mathbf{Vis}_s \hookrightarrow \mathbf{Vis}$  the embedding. Note that even if A is strict, !A is not strict, and so  $!: \mathbf{Vis}_s \to \mathbf{Vis}$ .

We now outline the components in Definition 12. For the component (2), we must introduce some additional notions. Fix an injection  $\langle -, - \rangle : \mathbb{N}^2 \to \mathbb{N}$ . If  $I \subseteq_f \mathbb{N}$  and  $J_i \subseteq_f \mathbb{N}$  for all  $i \in I$ , write  $\Sigma_{i \in I} J_i \subseteq_f \mathbb{N}$  for the set of all  $\langle i, j \rangle$  for  $i \in I$  and  $j \in J_i$ . Then, we may define:

**Definition 13.** Consider  $\sigma \in \mathbf{Vis}[!A, B]$ . Its **promotion**  $\sigma^!$  has ess  $!\sigma$ , and display map the unique map of ess such that

$$\partial_{\sigma^!}((x^{\sigma,i})_{i\in I}) = (x_{A,j}^{\sigma,i})_{\langle i,j\rangle\in\Sigma_{i\in I}J_i} \vdash (x_B^{\sigma,i})_{i\in I} \tag{5}$$

where  $\partial_{\sigma}(x^{\sigma,i}) = (x_{A,j}^{\sigma,i})_{j \in J_i} \vdash x_B^{\sigma,i}$ .

For (3), the **dereliction**  $\operatorname{der}_A \in \mathbf{Vis}[!A, A]$  on strict A has ess  $\mathbf{c}_A$ , and display map  $\partial_{\operatorname{der}_A}(\mathbf{c}_x) = (x)_{\{0\}} \vdash x$ . Then

$$\mathsf{join}_{\sigma,\tau}: (\tau \odot \sigma^!)^! \stackrel{\cong}{\Rightarrow} \tau^! \odot \sigma^!$$

sends  $(x_i^{\tau} \odot (x_{i,j}^{\sigma})_{j \in J_i})_{i \in I}$  to  $(x_i^{\tau})_{i \in I} \odot (x_{i,j}^{\sigma})_{\langle i,j \rangle \in \Sigma_{i \in I} J_i}$ , a positive iso providing (4). For (5), given B strict and  $\sigma \in \mathbf{Vis}[!A,B]$  we have a positive iso  $\mathrm{runit}_{\sigma}: \sigma \cong \mathrm{der}_B \odot \sigma^!$  sending  $x^{\sigma} \in \mathscr{C}^+(\sigma)$  to  $\mathbf{c}_{x_B^{\sigma}} \odot (x^{\sigma})_{\{0\}} \in \mathscr{C}^+(\mathrm{der}_B \odot \sigma^!)$ . Finally, for (6) we have a positive iso  $\mathrm{lunit}_A: \mathrm{der}_A^! \cong \mathbf{c}_{!A}$  sending  $(\mathbf{c}_{x_i})_{i \in I}$  to  $\mathbf{c}_{(x_i)_{i \in I}}$ . Altogether, this gives us:

**Theorem 5.** The components described above define a pseudocomonad! relative to the embedding of  $Vis_s$  into Vis.

*Proof.* See Appendix D2 for additional details. 
$$\Box$$

In particular, there is a Kleisli bicategory Vis! whose objects are strict arenas. (In the next section we show this is a cartesian closed bicategory.)

5) Lifting of  $\|-\|$  to the Kleisli bicategories: Recall that we write  $\mathbf{Esp}$  for the Kleisli bicategory  $\mathbf{Dist_{Sym}}$ . We show how to lift  $\|-\|$  to a pseudofunctor  $\|-\|_!: \mathbf{Vis}_! \to \mathbf{Esp}$ . (We give a direct proof, although one could write down a notion of pseudofunctor between relative pseudocomonads that lifts to the Kleisli bicategories [49].)

**Theorem 6.** We have a pseudofunctor  $\|-\|_! : \mathbf{Vis}_! \to \mathbf{Esp}$ .

*Proof.* For A a strict arena, we have  $||A||_1 = ||A|| = \mathcal{T}(A)$ . If A, B are strict and  $\sigma \in \mathbf{Vis}[!A, B]$ , we  $||\sigma||_1$  to be

$$\mathbf{Sym}(\mathscr{T}(A))^{\mathrm{op}} \times \mathscr{T}(B) \overset{R_A^{\mathrm{op}} \times \mathscr{T}(B)}{\to} \mathscr{T}(!A)^{\mathrm{op}} \times \mathscr{T}(B) \overset{\|\sigma\|}{\to} \mathbf{Set}$$

using  $R_A^!: \mathbf{Sym}(\mathscr{T}(A))^\mathrm{op} \to \mathscr{T}(!A)$  from Proposition 9. For preservation of identities, from the definition we have

$$\|\operatorname{der}_A\|_!((x_A^0 \dots x_A^n), y_A) = \|\operatorname{der}_A\|_{((x_A^i)_{\{0 \le i \le n\}}, y_A)}$$

*i.e.* the set comprising all triples  $(\theta_A^-, \mathbf{c}_{x_A}, \theta_A^+)$  such that

$$\theta_A^-: (x_A^i)_{\{0 \le i \le n\}} \cong_{!A}^- (x_A)_{\{0\}}, \qquad \theta_A^+: x_A \cong_A^+ y_A$$

but by definition of negative symmetries on !A,  $\theta_A^-$  forces n=0 and boils down to a symmetry  $x_A^0\cong_A^-x_A$  so that such triples are in bijection with  $\mathscr{T}(A)[x_A^0,y_A]$  as in Esp.

The analysis for preservation of composition is a more elaborate version of Theorem 4, postponed to Appendix D3.

#### C. Cartesian closed structure

We show the bicategory  $Vis_!$  is cartesian closed, using typical constructions for cartesian closed structure in concurrent games, in sufficient detail to keep the paper self-contained. For a precise definition of the structure of cartesian closed bicategories we refer to [50].

1) Cartesian products in  $\mathbf{Vis}_!$ : The empty arena  $\top$ , with  $\kappa_{\top}(\emptyset) = 1$ , is strict, and it is direct that  $\top$  is a terminal object in  $\mathbf{Vis}_!$ , since any negative strategy  $A \vdash \top$  must be empty.

Now if A,B are strict, the **product arena** A&B is defined as  $A\otimes B$ , except that all events of A are in conflict with events of B. This means that configurations of A&B are either empty, or of the form  $\{1\}\times x$  for  $x\in\mathscr{C}(A)$  (written  $i_1(x)$ ) or  $\{2\}\times x$  for  $x\in\mathscr{C}(B)$  (written  $i_2(x)$ ). For the payoff, we set  $\kappa_{A\&B}(\emptyset)=1$  and  $\kappa_{A_1\&A_2}(i_i(x))=\kappa_{A_i}(x)$ , making A&B a strict arena. By strictness, we have an isomorphism

$$L_{AB}^{\&}: \mathscr{T}(A \& B) \cong \mathscr{T}(A) + \mathscr{T}(B): R_{AB}^{\&}$$

which reflects the definition of binary products in Esp.

The first projection  $\pi_A \in \mathbf{Vis}[!(A \& B), A]$  has ess  $\mathbf{c}_A$ , with display map the map of ess characterized by

$$\partial(\mathbf{c}_x) = (\mathsf{i}_1(x))_{\{0\}} \vdash x,$$

with the second projection defined symmetrically.

If  $\sigma \in \mathbf{Vis}[!\Gamma, A]$  and  $\tau \in \mathbf{Vis}[!\Gamma, B]$ , their **pairing** has ess  $\sigma \& \tau$  and display map the unique such that

$$\partial(\mathsf{i}_1(x^\sigma)) = x_{\mathsf{I}\Gamma}^\sigma \vdash \mathsf{i}_1(x_A^\sigma) \in \mathscr{C}(!\Gamma \vdash A \& B),$$

and likewise for  $\partial(i_2(x^{\tau}))$ , yielding  $\langle \sigma, \tau \rangle \in \mathbf{Vis}[!\Gamma, A \& B]$ . This extends to a functor  $\langle -, - \rangle : \mathbf{Vis}_![\Gamma, A] \times \mathbf{Vis}_![\Gamma, B] \to \mathbf{Vis}_![\Gamma, A \& B]$  in a straightforward way.

**Proposition 10.** For any strict arenas  $\Gamma$ , A and B, there is

$$\mathbf{Vis}_{!}[\Gamma, A \& B] \xrightarrow{(\pi_{A} \odot (-)^{!}, \pi_{B} \odot (-)^{!})} \simeq \mathbf{Vis}_{!}[\Gamma, A] \times \mathbf{Vis}_{!}[\Gamma, B]$$

an adjoint equivalence providing the data to turn A & B into a cartesian product in the bicategorical sense.

2) Closed structure in Vis<sub>!</sub>: Recall that the objects of Vis<sub>!</sub> are strict arenas, and observe that any strict arena B is isomorphic to  $\&_{i \in I} B_i$  where the  $B_i$  are **pointed**, meaning that they have exactly one minimal event. We first define a **linear arrow** for a —arena A and a pointed strict arena B, by setting  $A \multimap B$  to be  $A \vdash B$  with a stricter dependency order, so that all events in A causally depend on the unique minimal move in B. This is generalized for any strict B as

$$A \multimap \&_{i \in I} B_i = \&_{i \in I} (A \multimap B_i)$$

whose configurations have a convenient description:

**Lemma 5.** For any —arena A, and strict arena B, we have

$$(-\multimap -):\mathscr{C}(A)\times\mathscr{C}^{\neq\emptyset}(B)\cong\mathscr{C}^{\neq\emptyset}(A\multimap B)$$

where  $\mathscr{C}^{\neq\emptyset}(E)$  is the set of non-empty configurations.

Now for A, B strict, we define the **arrow**  $A \Rightarrow B$  as  $!A \multimap B$ . This is equipped with an **evaluation** strategy

$$\mathbf{ev}_{A,B} \in \mathbf{Vis}[!((!A \multimap B) \& A), B]$$

consisting of the ess  $\mathbf{c}_{!A \multimap B}$ , and where  $\partial(\mathbf{c}_{(x_A^i)_{i \in I} \multimap x_B})$  is  $\emptyset$  if  $x_B = \emptyset$ , and  $\gamma \vdash x_B$  otherwise, with

$$\gamma = (\mathsf{i}_1((x_A^i)_{i \in I} \multimap x_B))_{\{\langle 0,0\rangle\}} \uplus (\mathsf{i}_2(x_A^i))_{\langle 1,i\rangle \in \Sigma_{\{1\}}I}.$$

Likewise, the **currying** of  $\sigma \in \mathbf{Vis}[!(\Gamma \& A), B]$  is a strategy  $\Lambda(\sigma)$  with ess  $\sigma$  and display map

$$\partial_{\Lambda(\sigma)}(x^{\sigma}) = (x_{\Gamma}^{i})_{i \in I} \vdash (x_{A}^{j})_{j \in J} \multimap x_{B}$$

for  $x^{\sigma} \neq \emptyset$ , where  $\partial_{\sigma}(x^{\sigma}) = (i_1(x_{\Gamma}^i))_{i \in I} \uplus (i_2(x_A^j))_{j \in J} \vdash x_B$ . This gives a functor  $\Lambda : \mathbf{Vis}_![\Gamma \& A, B] \to \mathbf{Vis}_![\Gamma, A \Rightarrow B]$ .

**Proposition 11.** For any strict  $\Gamma$ , A and B, there is

$$\mathbf{Vis}_{!}[\Gamma, A \Rightarrow B] \xrightarrow{\mathbf{Vis}_{!}[\Gamma \& A, B]}$$

an adjoint equivalence, providing the data to turn  $A \Rightarrow B$  into an exponential object in the bicategorical sense.

# D. A cartesian closed pseudofunctor

We show that the pseudofunctor  $\|-\|_!: \mathbf{Vis}_! \to \mathbf{Esp}$  preserves cartesian closed structure.

The terminal object is preserved in a strict sense, since  $\mathscr{T}(\top)$  is empty. For preservation of the binary product, note that for A and B strict arenas, the map

$$\langle \|\pi_A\|_{!}, \|\pi_B\|_{!} \rangle \in \mathbf{Esp}[\mathscr{T}(A \& B), \mathscr{T}(A) + \mathscr{T}(B)]$$

is naturally isomorphic to  $\widehat{L_{A,B}^{\&}}$ , and is thus easily completed with  $\mathsf{q}_{A,B}^{\times} = \widehat{R_{A,B}^{\&}} \in \mathbf{Esp}[\mathscr{T}(A) + \mathscr{T}(B), \mathscr{T}(A \& B)]$  forming an equivalence. This establishes:

**Proposition 12.** Equipped with those equivalences, the pseudofunctor  $\|-\|_1 : \mathbf{Vis}_1 \to \mathbf{Esp}$  preserves finite products.

1) Preservation: Observe that we have an equivalence

$$L_{AB}^{\Rightarrow}: \mathscr{T}(A \Rightarrow B) \simeq \mathbf{Sym}(\mathscr{T}(A))^{\mathrm{op}} \times \mathscr{T}(B): R_{AB}^{\Rightarrow}$$

using first Lemma 5 as since B is strict, its complete configurations are non-empty, and observing that this decomposition also holds for symmetries; followed by Proposition 9.

Now, for A and B strict we consider  $\Lambda(\|\mathbf{ev}_{A,B}\|_{!} \bullet_{!} \mathbf{q}^{\times})$  in

$$\mathbf{Esp}[\mathscr{T}(A \Rightarrow B), \mathbf{Sym}(\mathscr{T}(A))^{\mathrm{op}} \times \mathscr{T}(B)]$$

and verify it is naturally isomorphic to  $\widehat{L_{A,B}^{\Rightarrow}}$ ; thus completed to an equivalence in Esp with  $q_{A,B}^{\Rightarrow} = \widehat{R_{A,B}^{\Rightarrow}}$ .

Altogether this completes the proof of our main theorem:

**Theorem 7.** We have a cartesian closed pseudofunctor

$$\|-\|_!: \mathbf{Vis}_! \to \mathbf{Esp}$$
.

## VI. Some consequences for the $\lambda$ -calculus

We illustrate this pseudofunctor by relating a dynamic and a static model of the pure (untyped)  $\lambda$ -calculus.




Fig. 3. Compatibility with unfoldings

#### A. Two models of the pure $\lambda$ -calculus

1) A reflexive object in Vis<sub>1</sub>: Our bicategory of games contains a **universal arena** U with an isomorphism of arenas

$$\mathsf{unf}_{\mathbf{U}}:\ \mathbf{U}\ \cong\ \mathbf{U}\Rightarrow\mathbf{U}\ :\mathsf{fld}_{\mathbf{U}}$$

making **U** an extensional reflexive object [51]. Concretely, **U** is constructed corecursively as  $\otimes_{\mathbb{N}}!\mathbf{U} \multimap o$ , where o is the arena with one negative move \*,  $\kappa_o(\emptyset) = 1$  and  $\kappa_o(\{*\}) = 0$ .

Following the interpretation of the  $\lambda$ -calculus in a reflexive object, we have, for every closed  $\lambda$ -term M, a strategy  $[\![M]\!]$ : U. This strategy has a clear interpretation: it is a representation of the *Nakajima tree* of M (see e.g. [52], [53]).

2) The Pure  $\lambda$ -Calculus in Esp: Likewise, one can construct models of the  $\lambda$ -calculus in Esp [4], [19], [22].

We consider a groupoid  $\mathcal{D}^*$ , defined as a "categorified graph model" in [19], equipped with an equivalence

$$\mathsf{unf}_{\mathcal{D}^*}: \mathcal{D}^* \simeq \mathbf{Sym}(\mathcal{D}^*)^\mathrm{op} \times \mathcal{D}^*: \mathsf{fld}_{\mathcal{D}^*}$$

in Esp [19, Theorem 5.2]. The interpretation of a closed  $\lambda$ -term M in  $\mathcal{D}^*$  is a presheaf  $[\![M]\!]_{\mathbf{Esp}}^{\mathcal{D}^*}: \mathcal{D}^* \to \mathbf{Set}$ , which can be explained using an intersection type system. More precisely, objects of  $\mathcal{D}^*$  may be presented as intersection types, and for each  $a \in \mathcal{D}^*$ ,  $[\![M]\!]_{\mathbf{Esp}}^{\mathcal{D}^*}(a)$  is (up to a canonical isomorphism) the set of derivations of the judgement  $\vdash M: a$  in the type system. The construction of this intersection type system reflects the corresponding operations on distributors: in particular derivations carry explicit symmetries,  $[\![M]\!]_{\mathbf{Esp}}^{\mathcal{D}^*}(a)$  is really the set of derivations quotiented by an equivalence relation letting symmetries flow though the concrete derivation.

#### B. Relating the Interpretations

Using a straightforward analysis based on the above descriptions, we can define an equivalence of groupoids

$$L^{\mathbf{U}}: \mathscr{T}(\mathbf{U}) \simeq \mathcal{D}^*: R^{\mathbf{U}}$$

which is compatible with unfoldings in the sense that the diagram of Figure 3 commutes, and compatible with folding in the same way. Using our Theorem 7, it follows that:

**Theorem 8.** For any closed term M, we have a natural iso

$$\llbracket M \rrbracket_{\mathbf{Esp}}^{\mathcal{D}^*} \cong \llbracket \llbracket M \rrbracket_{\mathbf{Vis}_!}^{\mathbf{U}} \rVert_! \circ R^U$$

This shows that, for  $a \in \mathbb{U}$ , the set  $[\![M]\!]_{\mathbf{Esp}}^{\mathcal{D}^*}(a)$  described by Olimpieri as a set of derivations up to congruence may be

equivalently described, up to canonical isomorhism, as a set of positive witnesses of the form

$$(x \in \mathscr{C}^+(\llbracket M \rrbracket_{\mathbf{Vis}_1}^{\mathbf{U}}), \theta^+ : \partial(x) \cong_{\mathbf{U}}^+ R^{\mathbf{U}}(a)).$$

In other words, the interpretation of pure  $\lambda$ -terms as species computes the set of +-covered configurations *equipped with* a positive symmetry. Interestingly, this set is constructed *without quotient*, and thus provides canonical representatives for the equivalence classes of derivations in Olimpieri's model.

In what follows, we show how our cartesian closed pseudofunctor allows us to transfer results from game semantics to generalized species. It is known that the game semantics of the  $\lambda$ -calculus captures the maximal sensible  $\lambda$ -theory  $\mathcal{H}^*$ , because strategies coincide with the corresponding normal forms, Nakajima trees [52]. Using Theorem 8, we can deduce a result on the  $\lambda$ -theory induced by  $\mathcal{D}^*$ . Given a model  $\mathcal{D}$  of  $\lambda$ -calculus in an arbitrary bicategory, the *theory* induced by  $\mathcal{D}$ is the  $\lambda$ -theory induced by the following relation on  $\lambda$ -terms:

$$\{(M,N)\mid M,N\in\Lambda \text{ s.t. } [\![M]\!]^D\cong [\![N]\!]^D.\}.$$

The correspondence established in this paper allows us to derive the following new result:

**Corollary 1.** The theory of  $\mathcal{D}^*$  is  $\mathcal{H}^*$ .

*Proof.* Consider two  $\lambda$ -terms M and N. If  $M \equiv_{\mathcal{H}^*} N$ , then  $[\![M]\!]_{\mathbf{Vis}_!}^{\mathbf{U}} \cong [\![N]\!]_{\mathbf{Vis}_!}^{\mathbf{U}}$  and by Theorem 8,  $[\![M]\!]_{\mathbf{Esp}}^{\mathcal{D}^*} \cong [\![N]\!]_{\mathbf{Esp}}^{\mathcal{D}^*}$ . Reciprocally, isomorphisms in  $\mathbf{Esp}$  form a sensible  $\lambda$ -

Reciprocally, isomorphisms in **Esp** form a sensible  $\lambda$ -theory (see [19], Corollary 6.14). As  $H^*$  is the greatest sensible  $\lambda$ -theory, it must include isomorphisms in **Esp**.  $\square$ 

This is a simple application, but recent work suggests that there is much to explore in the bicategorical semantics of the  $\lambda$ -calculus [19].

# VII. CONCLUSION

In this paper, we have mapped out the links between thin concurrent games and generalized species of structures, two bicategorical models of linear logic and programming languages. By giving a proof-relevant and bicategorical extension of the relationship between dynamic and static models, we have established the new state of the art in this line of work.

This bridges previously disconnected semantic realms. In the past, such bridges have proved fruitful for transporting results between dynamic and static semantics ([21], [25], [53]). This opens up many perspectives: bicategorical models are a very active field, and several recent developments may be reexamined in light of this connection ([22], [25], [54]).

Moreover, this work exposes fundamental phenomena regarding symmetries. Symmetries lie at the heart of both thin concurrent games and generalized species, but they are treated completely differently: in **Esp**, witnesses referring to multiple copies of a resource are closed under the action of all symmetries ("saturated"), whereas **TCG** relies on a mechanism for choreographing a choice of copy indices, providing an address for individual resources ("thin"). Beyond semantics, this approach to managing symmetries hints at an alternative to Joyal's species [36] for representing combinatorial objects.

#### ACKNOWLEDGMENT

Work supported by the ANR project DyVerSe (ANR-19-CE48-0010-01); by the Labex MiLyon (ANR-10-LABX-0070) of Université de Lyon, within the program "Investissements d'Avenir" (ANR-11-IDEX-0007), operated by the French National Research Agency (ANR); and by the US Air Force Office for Scientific Research under award number FA9550-21-1-0007.

#### REFERENCES

- D. Barbarossa and G. Manzonetto, "Taylor subsumes scott, berry, kahn and plotkin," *Proc. ACM Program. Lang.*, vol. 4, no. POPL, pp. 1:1– 1:23, 2020.
- [2] T. Ehrhard and L. Regnier, "The differential lambda-calculus," *Theor. Comput. Sci.*, vol. 309, no. 1-3, pp. 1–41, 2003.
- [3] S. Castellan, P. Clairambault, and G. Winskel, "Thin games with symmetry and concurrent hyland-ong games," *Log. Methods Comput. Sci.*, vol. 15, no. 1, 2019.
- [4] M. Fiore, N. Gambino, M. Hyland, and G. Winskel, "The cartesian closed bicategory of generalised species of structures," *Journal of the London Mathematical Society*, vol. 77, no. 1, pp. 203–220, 2008.
- [5] J. Girard, "Linear logic," *Theor. Comput. Sci.*, vol. 50, pp. 1–102, 1987.[Online]. Available: https://doi.org/10.1016/0304-3975(87)90045-4
- [6] J. M. E. Hyland and C. L. Ong, "On full abstraction for PCF: i, ii, and III," *Inf. Comput.*, vol. 163, no. 2, pp. 285–408, 2000. [Online]. Available: https://doi.org/10.1006/inco.2000.2917
- [7] S. Abramsky, R. Jagadeesan, and P. Malacaria, "Full abstraction for PCF," *Inf. Comput.*, vol. 163, no. 2, pp. 409–470, 2000.
- [8] S. Abramsky, K. Honda, and G. McCusker, "A fully abstract game semantics for general references," in *LICS*. IEEE Computer Society, 1998, pp. 334–344.
- [9] J. Laird, "Full abstraction for functional languages with control," in LICS. IEEE Computer Society, 1997, pp. 58–67.
- [10] D. R. Ghica and A. S. Murawski, "Angelic semantics of fine-grained concurrency," *Ann. Pure Appl. Log.*, vol. 151, no. 2-3, pp. 89–114, 2008.
- [11] P. Baillot, V. Danos, T. Ehrhard, and L. Regnier, "Timeless games," in Computer Science Logic, 11th International Workshop, CSL '97, Annual Conference of the EACSL, Aarhus, Denmark, August 23-29, 1997, Selected Papers, ser. Lecture Notes in Computer Science, M. Nielsen and W. Thomas, Eds., vol. 1414. Springer, 1997, pp. 56–77. [Online]. Available: https://doi.org/10.1007/BFb0028007
- [12] P. Melliès, "Asynchronous games 2: The true concurrency of innocence," Theor. Comput. Sci., vol. 358, no. 2-3, pp. 200–228, 2006.
- [13] —, "Asynchronous games 4: A fully complete model of propositional linear logic," in *LICS*. IEEE Computer Society, 2005, pp. 386–395.
   [14] P. Boudes, "Thick subtrees, games and experiments," in *Typed Lambda*
- [14] P. Boudes, "Thick subtrees, games and experiments," in *Typed Lambda Calculi and Applications*, 9th International Conference, TLCA 2009, Brasilia, Brazil, July 1-3, 2009. Proceedings, ser. Lecture Notes in Computer Science, P. Curien, Ed., vol. 5608. Springer, 2009, pp. 65–79. [Online]. Available: https://doi.org/10.1007/978-3-642-02273-9\_7
- [15] A. C. Calderon and G. McCusker, "Understanding game semantics through coherence spaces," in *MFPS*, ser. Electronic Notes in Theoretical Computer Science, vol. 265. Elsevier, 2010, pp. 231–244.
- [16] T. Tsukada and C. L. Ong, "Plays as resource terms via non-idempotent intersection types," in *LICS*. ACM, 2016, pp. 237–246.
- [17] S. Castellan, P. Clairambault, and G. Winskel, "Symmetry in concurrent games," in CSL-LICS. ACM, 2014, pp. 28:1–28:10.
- [18] H. Paquet, "Bi-invariance for uniform strategies on event structures," in MFPS, 2022.
- [19] A. Kerinec, G. Manzonetto, and F. Olimpieri, "Why are proofs relevant in proof-relevant models?" *PACMPL*, vol. 7, no. POPL, pp. 8:1–8:31, 2023. [Online]. Available: https://doi.org/10.1145/3571201
- [20] T. Tsukada and C. L. Ong, "Nondeterminism in game semantics via sheaves," in LICS. IEEE Computer Society, 2015, pp. 220–231.
- [21] S. Castellan, P. Clairambault, H. Paquet, and G. Winskel, "The concurrent game semantics of probabilistic PCF," in *LICS*. ACM, 2018, pp. 215–224.
- [22] F. Olimpieri, "Intersection type distributors," in 36th Annual ACM/IEEE Symposium on Logic in Computer Science, LICS 2021, Rome, Italy, June 29 - July 2, 2021. IEEE, 2021, pp. 1–15. [Online]. Available: https://doi.org/10.1109/LICS52264.2021.9470617

- [23] M. Fiore and P. Saville, "A type theory for cartesian closed bicategories (extended abstract)," in 34th Annual ACM/IEEE Symposium on Logic in Computer Science, LICS 2019, Vancouver, BC, Canada, June 24-27, 2019. IEEE, 2019, pp. 1–13. [Online]. Available: https://doi.org/10.1109/LICS.2019.8785708
- [24] R. A. G. Seely, "Modelling computations: A 2-categorical framework," in *Proceedings of the Symposium on Logic in Computer Science (LICS '87), Ithaca, New York, USA, June 22-25, 1987.* IEEE Computer Society, 1987, pp. 65–71.
- [25] P. Clairambault and M. de Visme, "Full abstraction for the quantum lambda-calculus," *Proc. ACM Program. Lang.*, vol. 4, no. POPL, pp. 63:1–63:28, 2020. [Online]. Available: https://doi.org/10.1145/3371131
- [26] S. Castellan and P. Clairambault, "Disentangling parallelism and interference in game semantics," CoRR, vol. abs/2103.15453, 2021.
- [27] P.-A. Mellies, "Categorical semantics of linear logic," *Panoramas et syntheses*, vol. 27, pp. 15–215, 2009.
- [28] A. Bucciarelli, T. Ehrhard, and G. Manzonetto, "Not enough points is enough," in Computer Science Logic, 21st International Workshop, CSL 2007, 16th Annual Conference of the EACSL, Lausanne, Switzerland, September 11-15, 2007, Proceedings, ser. Lecture Notes in Computer Science, J. Duparc and T. A. Henzinger, Eds., vol. 4646. Springer, 2007, pp. 298–312. [Online]. Available: https://doi.org/10.1007/978-3-540-74915-8\_24
- [29] D. de Carvalho, "Execution time of λ-terms via denotational semantics and intersection types," *Math. Struct. Comput. Sci.*, vol. 28, no. 7, pp. 1169–1203, 2018. [Online]. Available: https://doi.org/10.1017/S0960129516000396
- [30] J. Laird, G. Manzonetto, G. McCusker, and M. Pagani, "Weighted relational models of typed lambda-calculi," in 28th Annual ACM/IEEE Symposium on Logic in Computer Science, LICS 2013, New Orleans, LA, USA, June 25-28, 2013. IEEE Computer Society, 2013, pp. 301–310. [Online]. Available: https://doi.org/10.1109/LICS.2013.36
- [31] J.-Y. Girard, "Normal functors, power series and λ-calculus," Annals of pure and applied logic, vol. 37, no. 2, pp. 129–177, 1988.
- [32] N. Gambino and A. Joyal, On operads, bimodules and analytic functors. American Mathematical Society, 2017, vol. 249, no. 1184.
- [33] N. Yoneda, "On ext and exact sequences," J. Fac. Sci. Univ. Tokyo Sect. I, vol. 8, no. 507-576, p. 1960, 1960.
- [34] J. Bénabou, "Les distributeurs," Université Catholique de Louvain, Institut de Mathématique Pure et Appliquée, rapport, vol. 33, 1973.
- [35] S. Lack, "A coherent approach to pseudomonads," Advances in Mathematics, vol. 152, no. 2, pp. 179–202, 2000.
- [36] A. Joyal, "Une théorie combinatoire des séries formelles," Advances in mathematics, vol. 42, no. 1, pp. 1–82, 1981.
- [37] P. Melliès and S. Mimram, "Asynchronous games: Innocence without alternation," in *CONCUR*, ser. Lecture Notes in Computer Science, vol. 4703. Springer, 2007, pp. 395–411.
- [38] C. Faggian and M. Piccolo, "Partial orders, event structures and linear strategies," in *TLCA*, ser. Lecture Notes in Computer Science, vol. 5608. Springer, 2009, pp. 95–111.
- [39] S. Rideau and G. Winskel, "Concurrent strategies," in LICS. IEEE Computer Society, 2011, pp. 409–418.
- [40] M. Nielsen, G. D. Plotkin, and G. Winskel, "Petri nets, event structures and domains," in *Semantics of Concurrent Computation*, ser. Lecture Notes in Computer Science, vol. 70. Springer, 1979, pp. 266–284.
- [41] S. Castellan, P. Clairambault, S. Rideau, and G. Winskel, "Games and strategies as event structures," *Log. Methods Comput. Sci.*, vol. 13, no. 3, 2017
- [42] G. Winskel, "Event structures with symmetry," Electron. Notes Theor. Comput. Sci., vol. 172, pp. 611–652, 2007.
- [43] P.-A. Mellies, "Asynchronous games 1: Uniformity by group invariance," 2003.
- [44] P. Baillot, V. Danos, T. Ehrhard, and L. Regnier, "Believe it or not, ajm's games model is a model of classical linear logic," in *LICS*. IEEE Computer Society, 1997, pp. 68–75.
- [45] P. Melliès, "Template games and differential linear logic," in *LICS*. IEEE, 2019, pp. 1–13.
- [46] H. Paquet, "Probabilistic concurrent game semantics," Ph.D. dissertation, 2020.
- [47] S. Castellan, P. Clairambault, and G. Winskel, "The parallel intensionally fully abstract games model of pcf," in 2015 30th Annual ACM/IEEE Symposium on Logic in Computer Science. IEEE, 2015, pp. 232–243.

- [48] M. Fiore, N. Gambino, M. Hyland, and G. Winskel, "Relative pseudomonads, kleisli bicategories, and substitution monoidal structures," Selecta Mathematica, vol. 24, no. 3, pp. 2791–2830, 2018.
- [49] R. Street, "The formal theory of monads," *Journal of Pure and Applied Algebra*, vol. 2, no. 2, pp. 149–168, 1972.
- [50] P. Saville, "Cartesian closed bicategories: type theory and coherence," 2020. [Online]. Available: https://arxiv.org/abs/2007.00624
- [51] H. P. Barendregt, The lambda calculus its syntax and semantics, ser. Studies in logic and the foundations of mathematics. North-Holland, 1985, vol. 103.
- [52] A. D. Ker, H. Nickau, and C. L. Ong, "Innocent game models of untyped lambda-calculus," *Theor. Comput. Sci.*, vol. 272, no. 1-2, pp. 247–292, 2002
- [53] P. Clairambault and H. Paquet, "Fully abstract models of the probabilistic lambda-calculus," in 27th EACSL Annual Conference on Computer Science Logic, CSL 2018, September 4-7, 2018, Birmingham, UK, ser. LIPIcs, D. R. Ghica and A. Jung, Eds., vol. 119. Schloss Dagstuhl Leibniz-Zentrum für Informatik, 2018, pp. 16:1–16:17. [Online]. Available: https://doi.org/10.4230/LIPIcs.CSL.2018.16
- [54] T. Tsukada, K. Asada, and C. L. Ong, "Species, profunctors and taylor expansion weighted by SMCC: A unified framework for modelling nondeterministic, probabilistic and quantum programs," in *LICS*. ACM, 2018, pp. 889–898.

#### APPENDIX

# A. Formal definition of causally compatible configurations

To define the composition of strategies  $\sigma:A \vdash B$  and  $\tau:B \vdash C$ , we must define what it means for the interaction of matching configurations  $x^{\sigma} \in \mathscr{C}(\sigma)$  and  $x^{\tau} \in \mathscr{C}(\tau)$  to be deadlock-free. To do that, we compute the actual *synchronisation* of events of  $x^{\sigma}$  and  $x^{\tau}$ , using the fact that they are matching. If all events of  $x^{\sigma}$  and  $x^{\tau}$  were in B, this would take the form of a bijection  $x^{\sigma} \simeq x^{\tau}$ . But some moves of  $x^{\sigma}$  are in A and some moves of  $x^{\tau}$  are in C, so instead we form the bijection

$$\varphi[x^{\sigma}, x^{\tau}] : x^{\sigma} \parallel x_{C}^{\tau} \overset{\partial_{\sigma} \parallel x_{C}^{\tau}}{\simeq} x_{A}^{\sigma} \parallel x_{B} \parallel x_{C}^{\tau} \overset{x_{A}^{\sigma} \parallel \partial_{\tau}^{-1}}{\simeq} x_{A}^{\sigma} \parallel x^{\tau}$$

where  $x \parallel y$  is the tagged disjoint union. This uses the fact that from the conditions on maps of event structures,  $\partial_{\sigma}: x^{\sigma} \simeq x_A^{\sigma} \vdash x_B^{\sigma}$  is a bijection and likewise for  $\partial^{\tau}$ .

Now that the synchronisation is formed, we import the causal constraints of  $\sigma$  and  $\tau$  to (the graph of)  $\varphi[x^{\sigma}, x^{\tau}]$ , via:

$$\begin{array}{ccc} (m,n) \lhd_{\sigma} (m',n') & \Leftrightarrow & m <_{\sigma \parallel C} m' \\ (m,n) \lhd_{\tau} (m',n') & \Leftrightarrow & n <_{A \parallel \tau} n' \end{array}$$

letting us finally say that matching  $x^{\sigma}$  and  $x^{\tau}$  are **causally compatible** if  $\lhd = \lhd_{\sigma} \cup \lhd_{\tau}$  on (the graph of)  $\varphi[x^{\sigma}, x^{\tau}]$  is acyclic. In particular,  $x^{\sigma}$  and  $x^{\tau}$  in Figure 1 are *not* causally compatible.

# B. Horizontal composition of positive maps

Consider  $f:\sigma\Rightarrow\sigma':A\vdash B$ , and  $g:\tau\Rightarrow\tau':B\vdash C$ . Recall from below Theorem 1 that in  $\mathbf{CG}$ ,  $g\odot f:\tau\odot\sigma\Rightarrow\tau'\odot\sigma'$  is characterised by  $(g\odot f)(x^\tau\odot x^\sigma)=g(x^\tau)\odot f(x^\sigma)$ . In  $\mathbf{TCG}$  this simple description is no longer possible, as we may not have  $f(x^\sigma)_B=g(x^\tau)_B$  – we only have a symmetry

$$\theta_{x^{\sigma},x^{\tau}}^{f,g}: f(x^{\sigma})_B \cong_B g(x^{\tau})_B$$

obtained as  $\theta_{x^{\sigma},x^{\tau}}^{f,g} = \theta_{B}^{x^{\tau}} \circ (\theta_{B}^{x^{\sigma}})^{-1}$ . Fortunately, interaction of thin strategies supports synchronisation *up to symmetry* [26]:

**Proposition 13.** Consider  $x^{\sigma} \in \mathscr{C}^{+}(\sigma), \theta_{B} : x_{B}^{\sigma} \cong_{B} x_{B}^{\tau}, x^{\tau} \in \mathscr{C}^{+}(\tau)$  causally compatible, i.e. the relation  $\lhd$  induced on

$$x^{\sigma} \parallel x_{C}^{\tau} \overset{\partial_{\sigma} \parallel x_{C}^{\tau}}{\simeq} x_{A}^{\sigma} \parallel x_{B}^{\sigma} \parallel x_{C}^{\tau} \overset{x_{A}^{\sigma} \parallel \theta \parallel x_{C}^{\tau}}{\simeq} x_{A}^{\sigma} \parallel x_{B}^{\tau} \parallel x_{C}^{\tau} \overset{x_{A}^{\sigma} \parallel \partial_{\tau}^{-1}}{\simeq} x_{A}^{\sigma} \parallel x^{\tau}$$

by  $<_{\sigma\parallel C}$  and  $<_{A\parallel\tau}$  as in §III-B2, is acyclic.

Then, there are unique  $y^{\tau} \odot y^{\sigma} \in \mathscr{C}^+(\tau \odot \sigma)$  with symmetries  $\varphi^{\sigma}: x^{\sigma} \cong_{\sigma} y^{\sigma}$  and  $\varphi^{\tau}: x^{\tau} \cong_{\tau} y^{\tau}$ , such that  $\varphi^{\sigma}_A \in \mathscr{S}_-(A)$  and  $\varphi^{\tau}_C \in \mathscr{S}_+(C)$ , and  $\varphi^{\tau}_B \circ \theta = \varphi^{\sigma}_B$ .

In that case, we write  $y^{\tau}\odot y^{\sigma}=x^{\tau}\odot_{\theta}x^{\sigma}$ . With that notation, there is a unique positive morphism  $g\odot f:\tau\odot\sigma\Rightarrow \tau'\odot\sigma'$  such that  $(g\odot f)(x^{\tau}\odot x^{\sigma})=g(x^{\tau})\odot_{\theta^{f,g}_{x^{\sigma}x^{\tau}}}f(x^{\sigma})$ .

## C. Proofs for Section IV

1) Pseudofunctor from TCG to Dist: The compositor we introduced in Proposition 8:

$$\mathsf{pcomp}^{\sigma,\tau}: \|\tau\odot\sigma\| \Rightarrow \|\tau\| \bullet \|\sigma\|: \mathscr{G}(A)^{\mathrm{op}}\times\mathscr{G}(B) \to \mathbf{Set}$$

for  $\sigma:A \vdash B$  and  $\tau:B \vdash C$ , by describing the function  $\mathsf{pcomp}^{\sigma,\tau}(x_A,x_C)$  for all  $x_A \in \mathscr{C}(A)$  and  $x_C \in \mathscr{C}(C)$ .

a) Naturality in  $x_A, x_C$ : It is the following lemma:

**Lemma 6.** The function  $\mathsf{pcomp}^{\sigma,\tau}(x_A,x_C): \|\tau \odot \sigma\|(x_A,x_C) \to (\|\tau\| \bullet \|\sigma\|)(x_A,x_C)$  is natural in  $x_A,x_C$ .

*Proof.* Consider  $\mathbf{w}^{\tau \odot \sigma} \in \| \tau \odot \sigma \| (x_A, x_C)$ , written as

$$\mathbf{w}^{\tau\odot\sigma} = (\psi_A^-, x^\tau\odot x^\sigma, \psi_C^+)\,,$$

hence with pcomp( $\mathbf{w}^{\tau\odot\sigma}$ ) = ( $\mathbf{w}^{\sigma}, \mathbf{w}^{\tau}$ ) where we write  $\mathbf{w}^{\sigma}$  = ( $\psi_A^-, x^{\sigma}, \mathrm{id}_{x_B^{\sigma}}$ ) and  $\mathbf{w}^{\tau}$  = ( $\mathrm{id}_{x_B^{\tau}}, x^{\tau}, \psi_C^+$ ).

Now consider  $\theta_A: y_A \cong_A x_A, \theta_C: x_C \cong_C y_C$ , then by definition of  $\theta_C \cdot \mathsf{w}^{\tau \odot \sigma} \cdot \theta_A$ , it must be given as  $(\nu_A^-, y^\tau \odot y^\sigma, \nu_C^+)$  as in the bottom of the following diagram:

for  $\varphi^{\sigma}: x^{\sigma} \cong_{\sigma} y^{\sigma}$  and  $\varphi^{\tau}: x^{\tau} \cong_{\tau} y^{\tau}$ . But it also follows

$$\mathbf{w}^{\sigma} \cdot \theta_A = (\nu_A^-, y^{\sigma}, \mathrm{id}_{\mathbf{v}_D^{\sigma}}), \qquad \theta_C \cdot \mathbf{w}^{\tau} = (\mathrm{id}_{\mathbf{v}_D^{\tau}}, y^{\tau}, \nu_C^+)$$

by definition of these functorial actions, so that

$$\mathsf{pcomp}(\theta_C \cdot \mathsf{w}^{\tau \odot \sigma} \cdot \theta_A) = (\mathsf{w}^{\sigma} \cdot \theta_A, \theta_C \cdot \mathsf{w}^{\tau})$$

as required for the naturality of pcomp $^{\sigma,\tau}$ .

2) Naturality in  $\sigma$  and  $\tau$ : It is the following lemma:

**Lemma 7.** The following diagram commutes for all positive morphisms  $f : \sigma \Rightarrow \sigma'$  and  $g : \tau \Rightarrow \tau'$ :

$$\begin{split} \|\tau\odot\sigma\| &\xrightarrow{\operatorname{pcomp}^{\sigma,\tau}} \|\tau\| \bullet \|\sigma\| \\ \|g\odot f\| & \downarrow \|g\|\bullet\|f\| \\ \|\tau'\odot\sigma'\| &\xrightarrow{\operatorname{pcomp}^{\sigma',\tau'}} \|\tau'\| \bullet \|\sigma'\| \end{split}$$

*Proof.* Consider a positive witness  $\mathbf{w}^{\tau\odot\sigma}=(\theta_A^-,x^\tau\odot x^\sigma,\theta_C^+)\in \|\tau\odot\sigma\|(x_A,x_C)$ . For all  $x^\sigma\in\mathscr{C}(\sigma)$ ,

$$x^{\sigma} \xrightarrow{\partial_{\sigma}} x_{A}^{\sigma} \vdash x_{B}^{\sigma}$$

$$\downarrow f[x^{\sigma}]_{A} \vdash f[x^{\sigma}]_{B}$$

$$f(x^{\sigma}) \xrightarrow{\partial_{\sigma'}} f(x^{\sigma})_{A} \vdash f(x^{\sigma})_{B}$$

and likewise for  $g:\tau\Rightarrow\tau'$ . With these notations, by Proposition 13, there are unique  $\varphi^{\sigma'},\varphi^{\tau'}$  and  $\vartheta_A^-,\vartheta_C^+$  such that

$$f(x^{\sigma})_{A} f(x^{\sigma})_{A} \qquad f(x^{\sigma})_{B}^{\lceil x^{\sigma} \rceil_{B}^{-1}} x_{B} \xrightarrow{g(x^{\tau})_{B}} g(x^{\tau})_{B} \qquad g(x^{\tau})_{C} g(x^{\tau})_{C}^{-1}$$

$$x_{A} \downarrow \varphi_{A}^{\sigma'} \qquad \downarrow \varphi_{B}^{\sigma'} \qquad \downarrow \varphi_{B}^{\tau'} \qquad \downarrow \varphi_{C}^{\tau'} x_{C}$$

$$y_{A}^{\sigma'} \qquad y_{A}^{\sigma'} \qquad y_{B}^{\sigma'} = y_{B} = y_{B}^{\tau'} \qquad y_{C}^{\tau'} \xrightarrow{\vartheta_{C}^{+}}$$

commutes (the line on the top is secured since f,g are rigid); and by definition  $g\odot f:\tau\odot\sigma\to\tau'\odot\sigma'$  is the unique map such that  $(g\odot f)(x^{\tau}\odot x^{\sigma})=y^{\tau'}\odot y^{\sigma'}$ . Thus

$$\mathsf{pcomp}^{\sigma',\tau'} \circ \|g \odot f\|(\mathsf{w}^{\tau \odot \sigma}) = ((\vartheta_A^-, y^{\sigma'}, \mathrm{id}), (\mathrm{id}, y^{\tau'}, \vartheta_C^+)) \,.$$

Now, likewise, we have

$$||f||(\theta_A^-, x^\sigma, \mathrm{id}_{x_B^\sigma}) = (f[x^\sigma]_A \circ \theta_A^-, f(x^\sigma), f[x^\sigma]_B^{-1})$$
  
$$||g||(\mathrm{id}_{x_D^\tau}, x^\tau, \theta_C^+) = (g[x^\tau]_B, f(x^\tau), \theta_C^+ \circ g[x^\tau]_C^{-1})$$

but by the diagram above, writing  $\Theta_B = \varphi_B^{\sigma'} \circ f[x^{\sigma}]_B = \varphi_B^{\tau'} \circ g[x^{\tau}]_B$ , we have the two equalities

$$\begin{array}{rcl} (\vartheta_A^-, y^{\sigma'}, \mathrm{id}_{y_B}) & = & \Theta_B \cdot ((f[x^\sigma]_A \circ \theta_A^-, f(x^\sigma), f[x^\sigma]_B^{-1}) \\ (\mathrm{id}_{y_B}, y^{\tau'}, \vartheta_C^+) \cdot \Theta_B & = & (g[x^\tau]_B, g(x^\tau), g[x^\tau]_C^{-1}) \end{array}$$

so that we may now compute

$$\begin{split} & \quad ((\vartheta_A^-, y^{\sigma'}, \mathrm{id}), (\mathrm{id}, y^{\tau'}, \vartheta_C^+)) \\ &= \quad (\Theta_B \cdot (f[x^\sigma]_A \circ \theta_A^-, f(x^\sigma), f[x^\sigma]_B^{-1}), (\mathrm{id}, y^{\tau'}, \vartheta_C^+)) \\ &\sim \quad ((f[x^\sigma]_A \circ \theta_A^-, f(x^\sigma), f[x^\sigma]_B^{-1}), (\mathrm{id}, y^{\tau'}, \vartheta_C^+) \cdot \Theta_B) \\ &= \quad ((f[x^\sigma]_A \circ \theta_A^-, f(x^\sigma), f[x^\sigma]_B^{-1}), (g[x^\tau]_B, g(x^\tau), g[x^\tau]_C^{-1})) \end{split}$$

as required to establish the desired commutation.  $\Box$ 

a) An oplax functor: There are three coherence diagrams to check. For the preservation of the associator, this is straightforward. For the preservation of the unitor, we establish

$$\|\mathbf{c}_{B} \odot \sigma\| \xrightarrow{\rho_{\sigma}} \|\sigma\|$$

$$\downarrow^{\rho \|\sigma\|}$$

$$\|\mathbf{c}_{B}\| \bullet \|\sigma\|_{\overrightarrow{\text{pid}} \bullet \|\sigma\|} \text{id}_{B} \bullet \|\sigma\|$$

for any  $\sigma: A \vdash B$ . For that, consider

$$\mathbf{w} = (\theta_A^-, \mathbf{c}_{x_B^\sigma} \odot x^\sigma, \theta_B^+) \in \|\mathbf{c}_B \odot \sigma\|(x_A, x_B).$$

We have  $\mathsf{pcomp}(\mathsf{w}) = ((\theta_A^-, x^\sigma, \mathrm{id}), (\mathrm{id}, \mathbf{c}_{x_B^\sigma}, \theta_B^+))$ , sent in turn by  $\mathsf{pid} \bullet \|\sigma\|$  to  $((\theta_A^-, x^\sigma, \mathrm{id}), \theta_B^+)$ . But now

$$((\theta_A^-, x^{\sigma}, \mathrm{id}), \theta_B^+) = ((\theta_A^-, x^{\sigma}, \mathrm{id}), \mathrm{id}_{x_B} \cdot \theta_B^+)$$

$$\sim (\theta_B^+ \cdot (\theta_A^-, x^{\sigma}, \mathrm{id}_{x_B^{\sigma}}), \mathrm{id}_{x_B})$$

$$= ((\theta_A^-, x^{\sigma}, \theta_B^+), \mathrm{id}_{x_B})$$

satisfying  $\rho((\theta_A^-, x^\sigma, \theta_B^+), \mathrm{id}_{x_B}) = (\theta_A^-, x^\sigma, \theta_B^+)$  as required. The other coherence diagram for the unitor is symmetric.

## D. Proofs for Section V

1) Pseudofunctor from Vis to Dist: We start by showing that the oplax functor ||-||:  $TCG \rightarrow Dist$  adapts to

$$\|-\|: \mathbf{Vis} \to \mathbf{Dist}$$

another oplax functor. For that, we need:

**Lemma 8.** Consider  $\sigma \in \mathbf{Vis}[A,B]$  and  $\tau \in \mathbf{Vis}[B,C]$ . Then, if  $x^{\tau} \odot x^{\sigma} \in \mathscr{C}^+(\tau \odot \sigma)$  satisfies  $x_A^{\sigma} \in \mathscr{T}(A)$  and  $x_C^{\tau} \in \mathscr{T}(C)$ , it follows that  $x_B^{\sigma} = x_B^{\tau} \in \mathscr{T}(B)$  as well.

*Proof.* Seeking a contradiction, assume that  $\kappa_B(x_B)=1$ . But then  $\kappa_{B^{\mathfrak{R}}C}(\partial_{\tau}(x^{\tau}))=-1$   $\mathfrak{R}$  0=-1, which is impossible since  $x^{\tau}\in \mathscr{C}^+(\tau)$  and  $\tau$  is winning. Symmetrically if  $\kappa_B(x_B)=-1$  then this contradicts that  $\sigma$  is winning since  $x^{\sigma}\in \mathscr{C}^+(\sigma)$ . Hence,  $\kappa_B(x_B)=0$  as required.

This ensures that if  $(\theta_A^-, x^\tau \odot x^\sigma, \theta_C^+) \in \|\tau \odot \sigma\|(x_A, x_C)$ , then there is  $x_B \in \mathscr{T}(\sigma)$  and we have composable witnesses

$$(\theta_A^-, x^\sigma, id) \in \|\sigma\|(x_A, x_B), \quad (id, x^\tau, \theta_C^+) \in \|\tau\|(x_B, x_C)$$

as required. The rest of the construction is unchanged, ensuring that we have  $\|-\|: \mathbf{Vis} \to \mathbf{Dist}$  as desired.

To establish Theorem 4, it only remains to prove:

**Lemma 9.** Consider  $\sigma \in \mathbf{Vis}[A, B]$ ,  $\tau \in \mathbf{Vis}[B, C]$ ,  $x_A \in \mathcal{T}(A)$  and  $x_C \in \mathcal{T}(C)$ . Then,  $\mathsf{pcomp}^{\sigma,\tau}(x_A, x_C)$  is injective.

Proof. Consider two witnesses

$$(\theta_A^-, x^\tau \odot x^\sigma, \theta_C^+) \in \|\tau \odot \sigma\|(x_A, x_C)$$

$$(\vartheta_A^-, y^\tau \odot y^\sigma, \vartheta_C^+) \in \|\tau \odot \sigma\|(x_A, x_C)$$

such that  $\mathsf{pcomp}(\theta_A^-, x^\tau \odot x^\sigma, \theta_C^+) \sim \mathsf{pcomp}(\vartheta_A^-, y^\tau \odot y^\sigma, \vartheta_C^+)$ . This means, w.l.o.g., that there are components such that

$$((\theta_A^-, x^\sigma, \mathrm{id}), (\mathrm{id}, x^\tau, \theta_C^+)) = ((\theta_A^-, x^\sigma, \mathrm{id}), (\mathrm{id}, y^\tau, \theta_C^+) \cdot \Theta_B)$$

$$((\theta_A^-, y^\sigma, \mathrm{id}), (\mathrm{id}, y^\tau, \theta_C^+)) = (\Theta_B \cdot (\theta_A^-, x^\sigma, \mathrm{id}), (\mathrm{id}, y^\tau, \theta_C^+))$$

which by definition of the functorial action, means that

commutes for some  $\varphi^{\sigma}: x^{\sigma} \cong_{\sigma} y^{\sigma}$  and  $\psi^{\tau}: x^{\tau} \cong_{\tau} y^{\tau}$ . So

$$\varphi^{\tau} \odot \varphi^{\sigma} : x^{\tau} \odot x^{\sigma} \cong_{\tau \odot \sigma} y^{\tau} \odot x^{\sigma}$$

has a positive display, hence is an identity symmetry by condition (2) of Definition 7 – thus from the diagram,

$$(\theta_A^-, x^\tau \odot x^\sigma, \theta_C^+) = (\vartheta_A^-, y^\tau \odot y^\sigma, \vartheta_C^+)$$

as needed to conclude injectivity of  $pcomp^{\sigma,\tau}(x_A,x_C)$ .

2) Relative pseudocomonad structure: Here we detail the structure of the exponential as a pseudocomonad on Vis relative to the inclusion  $Vis_s \hookrightarrow Vis$ .

For this, we must provide the following components [48]:

- (1) For every  $A \in \mathbf{Vis}_s$ , an object  $A \in \mathbf{Vis}$ ,
- (2) A family of functors, for every  $A, B \in \mathbf{Vis}_s$ :

$$(-)!: \mathbf{Vis}[!A, B] \to \mathbf{Vis}[!A, !B],$$

(3) A family of strategies, for all  $A \in \mathbf{Vis}_s$ :

$$der_A \in \mathbf{Vis}[!A, A]$$
,

(4) A natural family of positive isos, for all  $\sigma \in \mathbf{Vis}[!A, B]$ ,  $\tau \in \mathbf{Vis}[!B, C]$  with A, B, C strict:

$$\mathsf{join}_{\sigma,\tau}: (\tau \odot \sigma^!)^! \cong \tau^! \odot \sigma^!,$$


(5) A natural family of positive isos, for all A, B strict and  $\sigma \in \mathbf{Vis}[!A, B]$ :


$$\operatorname{runit}_{\sigma}: \sigma \cong \operatorname{der}_{B} \odot \sigma^{!}$$
,

(6) A family of positive isos, for all A strict:

$$\operatorname{Iunit}_A : \operatorname{der}_A^! \cong \mathbf{c}_{!A}$$
,

such that for all A, B, C strict,  $\sigma \in \mathbf{Vis}[!A, B], \tau \in \mathbf{Vis}[!B, C]$  and  $\delta \in \mathbf{Vis}[!C, D]$ , the diagrams





commute. Most components have been defined in the main text. The others are defined by their action

$$\begin{array}{lcl} \mathsf{join}_{\sigma,\tau}(((x^{\sigma,i,j})_{j\in J_i}\odot x^{\tau,i})_{i\in I}) & = & (x^{\tau,i})_{i\in I}\odot (x^{\sigma,i,j})_{\langle i,j\rangle\in\Sigma_{i\in I}J_i} \\ & \mathsf{runit}_{\sigma}(x^{\sigma}) & = & \mathbf{c}_{x^{\sigma}_B}\odot (x^{\sigma})_{\{0\}} \\ & \mathsf{lunit}_A((\mathbf{c}_{x^i_A})_{i\in I}) & = & \mathbf{c}_{(x^i_A)_{i\in I}} \end{array}$$

on +-covered configurations. Naturality and coherence diagram follow from lengthy verifications, which we omit.

3) Pseudofunctor between Kleisli categories: Rather than directly construct a pseudofunctor, we describe components for preservation of the exponential modality – even though it is not a comonad but a relative comonad.

a) Actions of pseudofunctors on distributors: We shall use some additional notations on distributors. Consider

$$F \in \mathbf{Dist}[A, B]$$

a distributor, *i.e.*  $F:A^{\mathrm{op}}\times B\to \mathbf{Set}$ , and consider also  $S:A'\to A$  and  $T:B'\to B$  two functors. Then we set

$$F[S] \in \mathbf{Dist}[A', B]$$
  $[T]F \in \mathbf{Dist}[A, B']$ 

respectively as  $F \circ (S^{op} \times B) : A'^{op} \times B \to \mathbf{Set}$  and as  $F \circ (A^{op} \times T) : A^{op} \times B' \to \mathbf{Set}$ . This extends to functors

$$\begin{array}{cccc} -[S] & : & \mathbf{Dist}[A,B] & \to & \mathbf{Dist}[A',B] \,, \\ [T]- & : & \mathbf{Dist}[A,B] & \to & \mathbf{Dist}[A,B'] \end{array}$$

in the obvious way. We shall use:

**Lemma 10.** Consider  $F \in \mathbf{Dist}[A, B]$ ,  $G \in \mathbf{Dist}[B, C]$  and functors  $S : A' \to A$  and  $T : B' \to B$ .

Then we have natural isomorphisms

$$\begin{array}{ccc} (G \bullet F)[S] & \cong & G \bullet F[S] \\ [T](G \bullet F) & \cong & [T]G \bullet F \,, \end{array}$$

additionally natural in F and G.

*Proof.* In fact, given the canonical set-theoretic definition of the composition of distributors, these isomorphims are equalities. Indeed, for  $a \in A$  and  $c \in C'$ , we have

$$\begin{split} (G\odot F)[S](a,c) &= (G\odot F)(Sa,c) \\ &= \Pi_{b\in B}F(Sa,b)\times G(b,c)/\sim \\ &= \Pi_{b\in B}F[s](a,b)\times G(b,c)/\sim \\ &= (G\odot F[S])(a,c) \end{split}$$

and likewise for the other equality – naturality is direct.  $\Box$ 

In the sequel, we shall treat these isomorphisms as equalities. A more subtle situation that will show up in our proof is when distributors are composed through an equivalence:

**Lemma 11.** Consider  $F \in \mathbf{Dist}[A, B]$  and  $G \in \mathbf{Dist}[B', C]$  distributors, with  $S : B \simeq B' : T$  an adjoint equivalence e. Then, we have a natural isomorphism

$$\xi_{F,G,e}:G[S]\bullet F\cong G\bullet [T]F$$
,

additionally natural in F and G.

*Proof.* Consider  $(b, f, g) \in (G[S] \odot F)(a, c)$ , i.e.  $b \in B$ ,  $f \in F(a, b)$  and  $g \in G(Sb, c)$ . To this triple, we associate

$$\xi_{F,G,e}(b,f,q) = (Sb,F(a,\eta_b)(f),q) \in (G \odot [T]F)(a,c),$$

where  $\eta_b \in B[b, TSb]$  and  $\epsilon_{b'} \in B[STb', b']$  are the components of the equivalence  $S: B \simeq B': T$ . Symmetrically,

$$\xi_{F,G,e}(b',f,q) = (Tb',f,G(\epsilon_{b'},c)(q)) \in (G[S] \odot F)(a,c)$$

for  $(b', f, g) \in (G \odot [T]F)(a, c)$ . It is a routine verification that this yields a natural isomorphism as required.  $\square$ 

Note that we could obtain this same natural isomorphism through lifting of functors to distributors and associativity of composition of distributors, but it will be convenient for the forthcoming calculations to have the above description.

We introduce one additional lemma:

**Lemma 12.** Take  $S: B \simeq B': T$  an adjoint equivalence e. Then, we have a natural isomorphism

$$\chi_{\mathsf{e}} : \mathrm{id}_{B'}[S] \cong [T] \mathrm{id}_B \in \mathbf{Dist}[B, B'].$$

*Proof.* Consider  $b \in B$  and  $b' \in B'$ . By definition,

$$(id_{B'}[S])[b, b'] = B'[Sb, b'], ([T]id_B)[b, b'] = B[b, Tb']$$

which area clearly isomorphic; and this is natural.  $\Box$ 

b) Additional conventions and notations: If I is a finite subset of natural numbers, let  $\overline{I} = \{0, \dots, |I| - 1\}$  and  $\kappa_I : I \simeq \overline{I}$  be the unique monotone bijection. If  $(x_i)_{i \in I}$  is a family, we write  $(x_i)_{\overline{i} \in \overline{I}}$  for the reindexing  $(x_{\kappa_i^{-1}(i)})_{i \in \overline{I}}$ .

In the sequel, we shall often treat objects of  $\mathbf{Sym}(X)$  as families  $(x_i)_{i\in I}$  indexed by initial segments of  $\mathbb{N}$ , so as to ensure a uniform notation with  $\mathrm{Fam}(X)$ . We also introduce an alternative notation for morphisms in  $\mathrm{Fam}(\mathcal{C})$  (and  $\mathbf{Sym}(C)$ , viewed as a full subcategory): we shall sometimes write

$$\langle f_j \cdot \pi(j) \rangle_{j \in J}$$

for the element of  $\operatorname{Fam}(\mathcal{C})[(x_i)_{i\in I}, (y_j)_{j\in J}]$  normally written

$$(\pi^{-1}: I \simeq J, (f_{\pi^{-1}(i)} \in \mathcal{C}[x_i, y_{\pi(i)}])_{i \in I}),$$

notice that the family is indexed by its target index set instead of the source, and that the permutation  $\pi^{-1}$  is given pointwise by the action of  $\pi$  on all  $j \in J$ .

c) Preservation of exponentials: With these notations, we may finally show that the pseudofunctor  $\|-\|$  preserves the exponential. This takes the form of two natural isomorphisms, first for preservation of dereliction:

**Lemma 13.** For any arena A, there is a natural isomorphism

$$\mathsf{pder}_A : \|\mathsf{der}_A\|[R_A^!] \cong \mathsf{der}_{\mathscr{T}(A)} \in \mathbf{Dist}[\mathbf{Sym}(\mathscr{T}(A)), \mathscr{T}(A)]$$

*Proof.* From the definition,  $\|\operatorname{der}_A\|[R_A^i]((x_i)_{i\in I}, y)$  is non-empty iff  $(x_i)_{i\in I} = (y)_{\{0\}}$ , in which case its only witness is  $\mathbf{c}_y$  – likewise,  $\operatorname{der}_{\mathscr{T}(A)}((x_i)_{i\in I}, y)$  is also non-empty exactly for  $(x_i)_{i\in I} = (y)_{\{0\}}$ , in which case it is also a singleton.  $\square$ 

Likewise, for preservation of promotion:

**Lemma 14.** For any  $\sigma \in \mathbf{Vis}[!A, B]$ , there is a natural iso

$$\mathsf{pprom}_\sigma: \|\sigma^!\|[R_A^!] \cong [L_B^!](\|\sigma\|[R_A^!])^!\,,$$

between distributors in  $\mathbf{Dist}[\mathbf{Sym}(\mathscr{T}(A)), \mathscr{T}(!B)]$ . Furthermore, it is natural in  $\sigma$ .

*Proof.* Recall that  $(x^{\sigma,i})_{i\in I}\in\mathscr{C}^+(\sigma^!)$  displays to

$$(x_{A,j}^{\sigma,i})_{\langle i,j\rangle\in\Sigma_{i\in I}J_i}\vdash (x_B^{\sigma,i})_{i\in I}$$

where for  $i \in I$ ,  $\partial(x^{\sigma,i}) = (x^{\sigma,i}_{A,i})_{j \in J_i}$ .

For  $K = \overline{\Sigma_{i \in I} J_i}$ , a witness in  $\|\sigma^!\|[R_A^!]$  has components

$$\begin{cases} \langle \theta_{i,j}^- \cdot \pi(i,j) \rangle_{\langle i,j \rangle \in \Sigma_{i \in I} J_i} \\ (x^{\sigma,i})_{i \in I} \in \mathscr{C}^+(\sigma^!) \\ (\theta_i^+ : x_B^{\sigma,i} \cong x_i)_{i \in I} \end{cases}$$


witnessing  $((x_k)_{k\in K}, (x_i)_{i\in I})$ . This is sent by  $\mathsf{pprom}_\sigma$  to

$$(\langle \theta_{i,j}^- \cdot \pi(i,j) \rangle_{j \in J_i}, x^{\sigma,i}, \theta_i^+)_{\overline{i} \in \overline{I}}$$

noticing the abuse of notation consisting of having the notation  $\theta_{i,j}^- \cdot \pi(i,j)$  inside the family  $(-)_{\overline{i} \in \overline{I}}$ . One can verify that this yields a natural isomorphism as required.

This natural isomorphism is *compatible* with the promotion of dereliction, in the sense of the following lemma:

**Lemma 15.** For any arena A, the following diagram



commutes, where all arrows are the obvious structural maps or obtained by Lemmas 11, 12, 13 and 14.

*Proof.* If  $(z_i)_{i\in\overline{I}}\in \mathbf{Sym}(\mathscr{T}(A))$  and  $(y_i)_{i\in I}\in \mathscr{T}(!A)$ , an element of  $\|\mathbf{c}_{!A}\|[R_A^!]((z_i)_{i\in\overline{I}},(y_i)_{i\in I})$  is composed of

$$\begin{cases} \langle \theta_i^- \cdot \pi(i) \rangle_{i \in I} : (z_i)_{i \in \overline{I}} \cong_{!A}^- (x_i)_{i \in I}, \\ \mathbf{c}_{(x_i)_{i \in I}} \in \mathscr{C}^+(\mathbf{c}_{!A}), \\ (\theta_i^+ : x_i \cong_A^+ y_i)_{i \in I} \end{cases}$$

which, computing alongside both paths, is sent to

$$\langle \theta_i^+ \circ \theta_i^- \cdot \pi(i) \rangle_{\overline{i} \in \overline{I}} \in \operatorname{der}^!_{\mathscr{T}(A)}((z_i)_{i \in \overline{I}}, (y_i)_{i \in \overline{I}}).$$

Next, this natural isomorphism is compatible with the right cancellation of dereliction, in the sense that we have:

**Lemma 16.** Consider  $\sigma \in \mathbf{Vis}[!A, B]$ . Then the diagram

$$\begin{split} \|\mathrm{der}_B \odot \sigma^! \| [R_A^!] & \boldsymbol{\rightarrow} \|\sigma\| [R_A^!] \boldsymbol{\rightarrow} \mathrm{der}_{\mathscr{T}(B)} \bullet (\|\sigma\| [R_A^!])^! \\ & \boldsymbol{\downarrow} & \boldsymbol{\uparrow} \\ (\|\mathrm{der}_B\| \bullet \|\sigma^!\|) [R_A^!] & \|\mathrm{der}_B\| [R_B^!] \bullet (\|\sigma\| [R_A^!])^! \\ & \boldsymbol{\downarrow} & \boldsymbol{\uparrow} \\ \|\mathrm{der}_B\| \bullet (\|\sigma^!\| [R_A^!]) & \boldsymbol{\rightarrow} \|\mathrm{der}_B\| \bullet [L_B^!] (\|\sigma\| [R_A^!])^! \end{split}$$

commutes, where all arrows are the obvious structural maps or obtained by Lemmas 11, 12, 13 and 14.

*Proof.* Start with the upper-left corner. This is a diagram involving natural isomorphisms between distributors in  $\mathbf{Dist}[\mathbf{Sym}(\mathscr{T}(A)),\mathscr{T}(B)]$ , thus unfolding the definitions, a witness in the upper-left corner corresponds to components

$$\left\{ \begin{array}{l} \langle \theta_i^- \cdot \pi(i) \rangle_{\langle 0,i \rangle \in \Sigma_{\{0\}}I} : (x_{A,i})_{\overline{i} \in \overline{I}} \cong_{!A}^- (x_{A,i}^\sigma)_{\langle 0,i \rangle \in \Sigma_{\{0\}}I} \\ \boldsymbol{c}_{x_B^\sigma} \odot (x^\sigma)_{\{0\}} \in \mathscr{C}^+ (\operatorname{der}_B \odot \sigma^!) \,, \\ \theta^+ : x_B^\sigma \cong_B^+ x_B \end{array} \right.$$

witnessing the pair  $((x_{A,i})_{\overline{i}\in\overline{I}}, x_B)$ .

Following the upper path in the diagram, this is sent to the pair with the singleton sequence comprising the witness

$$\begin{cases} \langle \theta_i^- \cdot \pi(i) \rangle_{i \in I} : (x_{A,i})_{\overline{i} \in \overline{I}} \cong_{!A}^- (x_{A,i}^{\sigma})_{i \in I}, \\ x^{\sigma} \in \mathscr{C}^+(\sigma), \\ \theta^+ : x_B^{\sigma} \cong_B^+ x_B, \end{cases}$$

in  $(\|\sigma\|[R_A^l])!((x_{A,i})_{\overline{i}\in\overline{I}},(x_B))$ , along with the witness  $\mathrm{id}_{x_B}\in \mathrm{der}_{\mathscr{T}(B)}((x_B),x_B)$ . Following the lower path, we get

$$\begin{cases} \langle \theta_i^- \cdot \pi(i) \rangle_{i \in I} : (x_{A,i})_{\overline{i} \in \overline{I}} \cong_{!A}^- (x_{A,i}^{\sigma})_{i \in I}, \\ x^{\sigma} \in \mathscr{C}^+(\sigma), \\ \mathrm{id}_{x_B^{\sigma}} : x_B^{\sigma} \cong_{B}^+ x_B^{\sigma} \end{cases}$$

in  $(\|\sigma\|[R_A^!])!((x_{A,i})_{\overline{i}\in\overline{I}},(x_B^{\sigma}))$ , along with the witness  $\theta^+ \in \operatorname{der}_{\mathscr{T}(B)}((x_B^{\sigma}),x_B)$  – a pair equivalent to the former.

Finally, we have compatibility with the last of the components of a relative pseudocomonad, *i.e.*  $join_{\sigma,\tau}$ , expressed via:

**Lemma 17.** If  $\sigma \in \mathbf{Vis}[!A, B]$  and  $\tau \in \mathbf{Vis}[!B, C]$ , then

$$\|\tau^! \odot \sigma^! \| [R_A^!]$$
 
$$\|\tau^! \odot \sigma^! \| [R_A^!]$$
 
$$\|\tau^! \| \bullet \|\sigma^! \|) [R_A^!]$$
 
$$\|\tau^! \| \bullet \|\sigma^! \|) [R_A^!]$$
 
$$\|\tau^! \| \bullet (\|\sigma^! \|[R_A^!])$$
 
$$\|\tau^! \| \bullet (\|\sigma^! \|[R_A^!])$$
 
$$\|\tau^! \| \bullet [L_B^!] (\|\sigma\|[R_A^!])$$
 
$$\|\tau^! \| \bullet [L_B^!] (\|\sigma\|[R_A^!])$$
 
$$\|\tau^! \| [R_B^!] \bullet (\|\sigma\|[R_A^!])$$
 
$$|\tau^! \| [R_B^!] \bullet (\|\sigma\|[R_A^!])$$

commutes, where all arrows are the obvious structural maps or obtained by Lemmas 11, 12, 13 and 14.

*Proof.* A witness on the top distributor has components

$$\begin{cases} \langle \theta_{i,j,k}^- \cdot \pi(i,j,k) \rangle_{\langle \langle i,j \rangle, k \rangle} : (x_{A,i})_{\overline{i} \in \overline{I}} \cong_{!A}^- (x_{A,k}^{\sigma,i,j})_{\langle \langle i,j \rangle, k \rangle} \\ (x^{\tau,i})_{i \in I} \odot (x^{\sigma,i,j})_{\langle i,j \rangle \in \Sigma_{i \in I}} J_i \in \mathscr{C}^+(\tau^! \odot \sigma^!) \\ (\theta_i^+)_{i \in I} : (x_C^{\tau,i})_{i \in I} \cong_C^+ (x_{C,i})_{i \in I} \end{cases}$$

Following the left path of the diagram, this is sent to the pair with first component the sequence of positive witnesses

$$\begin{pmatrix} \theta_{i,j,k}^{-} \cdot \pi(i,j,k))_{k}, \\ x^{\sigma,i,j}, \\ \mathrm{id}_{x_{B}^{\sigma,i,j}} \end{pmatrix}_{\overline{i} \in \overline{I}, \overline{j} \in \overline{J_{i}}}$$

where the two indices produce a sequence by ranging in the lexicographic ordering; the second component is the sequence

$$\begin{pmatrix} \langle \operatorname{id}_{x_{B,j}^{\tau,i}} \cdot \kappa_{J_i}(j) \rangle_{j \in J_i} \\ x^{\tau,i} \in \mathscr{C}^+(\tau) \\ \theta_i^+ \end{pmatrix}_{\overline{i} \in \overline{I}}.$$

On the other hand, following the right hand side path of the diagram, we get the pair with first component the sequence

$$\begin{pmatrix} \theta_{i,j,k}^{-} \cdot \pi(i,j,k))_{k}, \\ x^{\sigma,i,j}, \\ \mathrm{id}_{x_{B}^{\sigma,i,j}} \end{pmatrix}_{\overline{\langle i,j \rangle} \in \overline{\Sigma}_{i \in I} \overline{J}_{i}}$$

and with second component the sequence

$$\begin{pmatrix} \langle \operatorname{id}_{x_{B,j}^{\tau,i}} \cdot \kappa(i,j) \rangle_{j \in J_i} \\ x^{\tau,i} \in \mathscr{C}^+(\tau) \\ \theta_i^+ \end{pmatrix}_{\overline{i} \in \overline{I}},$$

but the two are equivalent, via  $\overline{\Sigma_{i\in I}J_i}\simeq \Sigma_{\overline{i}\in \overline{I}}\overline{J_i}$ .

d) Preservation of Kleisli composition: Finally, we are equipped to show how  $\|-\|$  lifts to the Kleisli bicategories. Recall from the main text that for  $\sigma \in \mathbf{Vis}[!A,B]$ , we have

$$\|\sigma\|_! = \|\sigma\|[R_A^!] \in \mathbf{Dist}[\mathbf{Sym}(\mathscr{T}(A)), \mathscr{T}(B)].$$

Thus, we may set:

$$\operatorname{\mathsf{pid}}_A^! = \operatorname{\mathsf{pder}}_A : \|\operatorname{der}_A\|_! \cong \operatorname{der}_{\mathscr{T}(A)}$$

for the natural isomorphism witnessing preservation of identity. Likewise, for  $\sigma \in \mathbf{Vis}[!A,B]$  and  $\tau \in \mathbf{Vis}[!B,C]$ , we set the natural iso witnessing preservation of composition as

These definitions provide the necessary components for:

**Theorem 9.** This provides the data for a pseudofunctor

$$\|-\|_!:\mathbf{Vis}_! o \mathbf{Esp}$$
 .

*Proof.* Naturality of  $\mathsf{pcomp}_{\sigma,\tau}^!$  in  $\sigma$  and  $\tau$  is direct by composition of natural isomorphisms. The coherence diagrams follow by diagram chasing, relying on Lemmas 15, 16 and 17.  $\square$