CYBERTRUST





Cryptocurrencies: Transparency Versus Privacy

Nir Kshetri, University of North Carolina at Greensboro

Cryptocurrencies can have significant privacy costs. A motivated adversary has available a range of actions to identify the actual user associated with a cryptocurrency account. By taking appropriate measures, cryptocurrency users can minimize privacy violations and reduce the risk of privacy breaches.

ransparency is a major factor that is driving the use of blockchain-based applications such as cryptocurrencies. A major question becomes whether transparency provides reasonable privacy protection. For instance, many firms in the financial sector do not like the fact that blockchain's transparent nature gives other users access to the details of conducted transactions.

Let's begin with cryptocurrencies. It is important to note that cryptocurrencies possess built-in mechanisms

addresses of users is another mechanism that provides protection to cryptocurrency user privacy. For example, in the Bitcoin network, correspondence cannot be established between transactions and IP addresses.

that provide reasonable levels of privacy to users. To make the costs of

transparency less severe to privacy,

Bitcoin and other cryptocurrencies employ pseudonymity. Users can

conduct transactions with one another without disclosing any infor-

mation related to their identity. Concealing the Internet Protocol (IP)

Bitcoin users are connected to a peer-to-peer (P2P) network. Data continue to flow among the devices connected to the P2P network until everyone has the information related to a transaction. No one, except for the originator, knows who initiated the transaction.¹

CONSEQUENCES OF PRIVACY VIOLATIONS IN THE CRYPTO-WORLD

Individuals and organizations are likely to suffer more severe consequences from cases of privacy violation if they engage in illegal behaviors using cryptocurrencies (compared with other transaction models). For example, if someone is caught in a crime, the cryptocurrency account can be linked

Digital Object Identifier 10.1109/MC.2018.2876182 Date of publication: 15 January 2019

to any crime committed by that person in the past. Privacy breaches are likely to lead to more severe criminal consequences, referred as an *amplified technical impact*.² Blockchain ledgers are searchable and, hence, can be used to track transactions.⁵ If a leak involves the amount and time of the purchase, a motivated adversary can convert the purchase amount

Zcash transactions have two types of addresses: transparent and shielded.

Privacy is important for citizens and businesses. If an individual uses Bitcoin to pay for certain goods or services, the party with whom the transaction is being made can know exactly how much money the individual has. This may increase the threat to personal safety. A supplier that has received a payment from a business would know how much money the business has. Knowing fund availability and customer price sensitivity could affect future negotiations. Finally, if online businesses have information about a consumer's spending patterns, they could predict the highest price that the consumer could pay. The business could then use price tampering to increase profits.³

UNWANTED PERSONAL INFORMATION LEAKS

There are various sources of unwanted personal information leaks in transactions involving cryptocurrencies. For instance, while Bitcoin transactions are difficult to track, they are not completely anonymous. All transactions are recorded in a permanent public ledger. After the Bitcoins are moved from that address. financial movements can be traced. Users can be traced through IP addresses and money flows. A team of researchers studied 130 major merchants that allow Bitcoin transactions. They found that at least 53 of the merchants leaked payment information to at least 40 third parties. While most of the information leaked was intentional and used for advertising and analytics, some merchant websites also leaked precise blockchain transaction information to trackers.⁴

into Bitcoins using the exchange rate at that time. Then, a blockchain can be searched for a transaction of that amount and at that time. This gives away the user's Bitcoin address. Any other purchases made using that address are now easier to trace.⁴

Sometimes, an act of carelessness on the part of the user may decrease privacy. This happened to Ross Ulbricht, who created the online black market Silk Road, best known as a platform for selling illegal drugs. When Ulbricht looked for help to expand the Silk Road business, he used the same pseudonym that he had adopted previously to post announcements on illegal drug discussion forums. This made him an FBI suspect. The FBI tracked his IP address to an Internet café in San Francisco and caught Ulbricht as he was logging in to Silk Road as an administrator.¹

Another privacy problem occurs when users of cryptocurrencies such as Bitcoin reuse addresses. By doing so, they publicly disclose information about past financial transactions, and this can compromise their privacy. The transparency and immutability features of cryptocurrencies like Bitcoin make it possible to track every transaction involving a given address. Even if a person has engaged in careful processes to hide his or her identity, once a link has been established between a person's identity and a Bitcoin address, all past transactions made by the owner of the Bitcoin address will be associated to the owner's identity.

CRYPTOCURRENCIES HAVE DIFFERENT LEVELS OF PRIVACY

Well-known cryptocurrencies such as Bitcoin have not been able to meet all privacy needs of users. As mentioned, financial firms are concerned that blockchain's ledger allows other users to access the details of transactions already conducted. In response to these demands, some cryptocurrencies provide users with higher levels of privacy protection.

Blockchain is still in early-stage development, and various alternative models and forms of cryptocurrencies are evolving along with it. For instance, to make blockchain more appealing to financial institutions, the cryptocurrency Zcash, which was launched in October 2016, has promised transactional privacy.⁶ It employs cryptography to enhance user privacy.

Zcash transactions can be made transparent, like those of Bitcoin, or shielded through a zero-knowledge proof. Zcash transactions have two types of addresses: transparent and shielded. In transparent addresses, as is the case for Bitcoin, the monetary amount of the transaction as well as information about the receiver and the sender appears in the blockchain. On the other hand, if a shielded address is used, the address is "obscured" on the public ledger. Also, if both the sender and the receiver use shielded addresses, the transaction amount is encrypted.

Users of shielded addresses constitute a small proportion of Zcash adopters. In early 2017, shielded addresses accounted for about 0.8% of Zcash transactions.⁷ That proportion is predicted to increase to 4% by mid-2018.⁸

A relatively low adoption rate of shielded addresses might be due to the additional time and computational resources required. Shielded addresses require a more computationally intensive process. To use Zcash's privacy features, users may need 4 GB or more of RAM (tinyurl.com/y9dtj3dh). With 4 GB of RAM, operations were reported to take as long as 2 min to complete.⁹ Therefore, most exchanges and wallets support only transparent Zcash transactions.⁸

Likewise, Monero focuses on privacy and untraceability by hiding the transaction's sender, receiver, and monetary amount. To achieve this, Monero mixes Monero "coins" with other forms of payments. This makes it nearly impossible to link a transaction to any particular identity or previous transaction from the same source if only Monero's blockchain is searched.¹⁰

Despite higher levels of user privacy from Monero and Zcash, these cryptocurrencies have not yet achieved higher popularity. For instance, as of mid-July 2018, market capitalization of Monero and Zcash was about \$2 billion and \$816 million, respectively, compared with Bitcoin's \$115 billion and Ethereum's \$48 billion (coinmarket cap.com/).

REGULATORY AND LAW ENFORCEMENT RESPONSES

Regulatory and law enforcement agencies are now focusing on illegal activities associated with cryptocurrencies. Law enforcement agencies are concerned with the anonymity features of cryptocurrencies. At a congressional hearing, former assistant US attorney Kathryn Haun noted that, when regulators issue subpoenas requesting documents relating individual identities to illicit activities at cryptocurrency exchanges, subpoenas may return information such as "Mickey Mouse" living at "123 Main Street" (tinyurl.com/ y8g2x23c).

Academic researchers and blockchain intelligence companies are using advances in computer science, economics, and forensics to help law enforcement. Law enforcement agencies now have access to advanced techniques to track illegal activities that employ cryptocurrencies. Elliptic, a blockchain intelligence company, uses artificial intelligence to scan and analyze the Bitcoin network to identify suspicious transactions. It can trace transactions to individuals and groups. Elliptic's services are used by online exchanges and law enforcement to detect money laundering (bit .ly/1T3SBwc).

The higher levels of privacy offered by cryptocurrencies such as Monero and Zcash concern regulators who are focused on money laundering. A cybercrime expert at the European Union's law enforcement agency, Europol, noted that criminals have begun shifting away from Bitcoin to cryptocurrencies with higher levels of privacy (tinyurl.com/yat9hucw). In recent years, regulators have increased their focus on cryptocurrencies with higher degrees of nontraceability. In June 2018, in testimony before the House of Representatives Committee on Financial Services Subcommittee on Terrorism and Illicit Finance, an official of the US Secret Service recommended better regulation of less traceable cryptocurrencies to prevent illegal activities from benefiting from nontraceable coins (tinyurl.com/ ycot283t).

ryptocurrencies' transparency and immutability features come with a privacy cost. Adversaries can use a range of actions to identify the actual user associated with a specific cryptocurrency account.

It is important for cryptocurrency users to be aware that their privacy can be compromised. Users need to take precautions to minimize privacy violations and mitigate the risk of privacy breaches. Users should refrain from reusing identities in both their noncryptocurrency and cryptocurrency worlds. Likewise, by reusing cryptocurrency addresses, users are more likely to publicly disclose personal information. Higher levels of privacy require generating a new address for each transaction.

ACKNOWLEDGMENTS

I thank Jeff Voas for numerous edits and suggestions on previous versions of this article.

REFERENCES

- J. Bohannon. (2016, Mar. 9). Why criminals can't hide behind Bitcoin. Science. [Online]. Available: http://www.sciencemag.org/ news/2016/03/why-criminals-canthide-behind-bitcoin
- ISACA, Generating value from big data analytics, ISACA, Schaumburg, IL, White Paper, 2014. Available: http://www.isaca .org/Knowledge-Center /Research/ResearchDeliverables /Pages/Generating-Value-From-Big-Data-Analytics.aspx
- draglet.com. (2018). What is Monero? Everything you need to know. Draglet. [Online]. Available: https://www.draglet.com /what-is-monero/
- technologyreview.com. (2017, Aug. 23). Bitcoin transactions aren't as anonymous as everyone hoped. *Technology Review*. [Online]. Available: https://www .technologyreview.com/s/608716 /bitcoin-transactions-arentas-anonymous-as-everyone-hoped/
- E. Aldaz-Carroll and E. Aldaz-Carroll. (2018, Feb. 1). Can cryptocurrencies and blockchain help fight corruption? *Brookings*. [Online]. Available: https:// www.brookings.edu/blog/futuredevelopment/2018/02/01 /can-cryptocurrencies-an d-blockchain-help-fight-corruption/
- L. Clozel. (2016). How Zcash tries to balance privacy, transparency in Blockchain. American Banker. [Online]. Available: http://www .americanbanker.com/news /law-regulation/how-zcash-triesto-balance-privacy-transparencyin-blockchain-1092198-1.html
- A. Hertig. (2017, Jan. 13). Hardly anyone seems to be using Zcash's anonymity features. Coin Desk. [Online]. Available: https://www .coindesk.com/hardly-anyone-isusing-zcashs-anonymity-featuresbut-we-couldnt-tell-if-they-were/

MAIN GLOBAL DLT STANDARDS DEVELOPMENT

Currently, there are several standardsdevelopment initiatives going on worldwide. These processes are carried out by global SDOs and industry associations and alliances, with the latter involving great support from the development community and the end users of these platform-specific standards. Most of these standards are currently under way, with just a few first drafts having been released for review; the great majority are still in the preliminary draft stage. More work and preliminary documentation of these DLT/blockchain standards are expected to be released around 2019.

here are several global and country-specific DLT standards and technical specifications being developed worldwide, but the most relevant currently under consideration are described in the following.

IEEE DLT/blockchain standards: The IEEE is developing the IEEE P2418 series, which is focused on the creation of generic frameworks and architectures, interoperability, enabling-technology building blocks, and vertical-industry standards.⁵

ISO/TC 307 blockchain and DLT: TC 307 is one of the most active global standards efforts, driven by the Australian standards body and the ISO. TC 307 is in the early stages for ISO 307. There are several focus areas here, including architecture and taxonomy, use cases, security and privacy, identity, smart contracts, governance, and interoperability between blockchain applications.⁶

EEA: The EEA is one of the most active industry alliances, with more than 500 members working on open, standards-based architectures and specifications to accelerate the adoption of Enterprise Ethereum and focusing on the development of technical specifications and certification of Ethereum for enterprise.⁷

ITU-T: The ITU has created an openparticipation ITU-T FG DLT to analyze the standardization demands of applications and services built on DLT.⁸

W3C: The W3C has a Blockchain Community Group working on a Web Ledger Protocol to generate message format standards for blockchain based on ISO 20022 and produce guidelines for the use of storage, including torrent, public blockchain, private blockchain, and sidechain. This group will study and evaluate new technologies related to blockchain and such use cases as interbank communications.⁹

REFERENCES

- FreightWaves. (2017, Sept. 2). Deloitte projects by 2025 that 10% of global GDP to be built on blockchain applications. [Online]. Available: https://www.freightwaves.com /news/2017/9/2/deloitte
- J. Godsil. (2018, Jan. 26). Blockchain is the new Internet—The trinity of Ts. [Online]. Available: https://goo .gl/hq7ACy

- 3. Systems and Software Engineering— Architecture Description, ISO/IEC /IEEE 42010:2011, 2017.
- C. Lima. (2018, Sept. 17). DLT/blockchain srchitectures and teference frameworks: A system-of-system model. IEEE NIST Global Blockchain Summit. Gaithersburg, MD. [Online]. Available: https://blockchain .ieee.org/images/files/pdf/20180917blockchain-architecture-and-referenceframeworks_-_c-lima.pdf
- IEEE. (2018). IEEE blockchain standards. [Online]. Available: https: //blockchain.ieee.org/standards
- 6. Blockchain and Distributed Ledger Technologies, ISO/TC 307, 2016.
- 7. Enterprise Ethereum Alliance.
 (2018). [Online]. Available: https: //entethalliance.org
- International Telecommunication Union. (2018). Focus group on application of distributed ledger technology. [Online]. Available: https: //www.itu.int/en/ITU-T/focus groups/dlt/Pages/default.aspx
- 9. W3C Community and Business.
 (2018). Blockchain community group.
 [Online]. Available: https://www
 .w3.org/community/blockchain/

CLAUDIO LIMA is chair of the 2018 IEEE–NIST Global Blockchain Summit and the 2019 IEEE World Blockchain Forum Technical Program Committee and vice chair of the IEEE Blockchain Standards Working Group. He cofounded the Blockchain Engineering Council. Contact him at clima@ blockchain-eng.org.

CYBERTRUST (co

(continued from page 101)

- B. Penny. (2018, May 3). What is ZEC? Introduction to Zcash: Blockchains can cause zzzz, but pure currency cryptos can really push boundaries. *Crypto Briefing*. [Online]. Available: https://cryptobriefing.com /what-is-zec-introduction-to-zcash/
- 9. P. Peterson. (2016, Oct. 19). User expectations at Sprout Pt. 2:

Software usability and hardware requirements. Zcash. [Online]. Available: https://blog.z.cash /software-usability-and-hardwarerequirements/

 A. Greenberg. (2018, Mar. 27). The dark web's favorite currency is less untraceable than it seems. Wired. [Online]. Available: https://www.wired.com/story /monero-privacy/

NIR KSHETRI is a professor of management in the Bryan School of Business and Economics at the University of North Carolina at Greensboro. Contact him at nbkshetr@uncg.edu.