

Department: Wearable Computing

Editors: Oliver Amft, oliver.amft@fau.de

Kristof Van Laerhoven, kvl@eti.uni-siegen.de

Making Sensors, Making Sense, Making Stimuli: The State of the Art in Wearables Research From ISWC 2019

Lucy E. Dunne

University of Minnesota

Jamie A. Ward

Goldsmiths University of London

Abstract—The International Symposium on Wearable Computers (ISWC) has been the leading research venue for wearable technology research since 1997. In 2019, the 23rd ISWC was held in London, U.K., from Sep. 9th–13th. Following on the last eight years of successful collaboration, ISWC was colocated with the 2019 ACM International Joint Conference on Pervasive and Ubiquitous Computing (UbiComp).

ISWC BY THE NUMBERS

■ **THE PROGRAM COMMITTEE** reviewed 125 complete submissions. The papers had authors from 25 countries, with a balanced representation from the Americas, Asia/Oceania, and Europe. The International Symposium on Wearable Computers (ISWC) accepts papers in three

lengths: long papers, notes, and briefs. From the 81 long paper submissions, the program committee accepted 21, an acceptance rate of 21%. In addition, 13 papers were accepted as notes and 8 were accepted as briefs. The acceptance rate across all ISWC publication formats was 30%.

More than 730 people attended the colocated conferences. The technical program committee

Digital Object Identifier 10.1109/MPRV.2020.2964088

Date of current version 27 February 2020.



Haptics and Sensing: (left to right) ear manipulation to change sound direction perception,³ shape-memory actuators for dynamic compression,⁴ and cardio-respiratory sensor system.⁵ Photos © the authors.

chairs from both conferences prepared a blended program that grouped papers by topic rather than by conference. In addition to oral presentations of papers, the program also included 64 posters and 30 demos, the ISWC gadget show, and the ISWC design exhibition, a juried selection of creative practice in wearable technology.

The full program was exciting and introduced many new ideas. Papers of all lengths can be retrieved here: <https://dlnext.acm.org/doi/10.1145/3341163>, and the adjunct program (including workshops, posters, demos, and the design exhibition) is available here: <https://dlnext.acm.org/doi/proceedings/10.1145/3341162>. Because it is not possible to fully acknowledge all of the content covered, here are some themes and highlights from the 2019 program.

WEARABLE HAPTICS AND ON-BODY MECHANICS

Body-worn devices offer a unique platform for haptic actuation, and ISWC authors explored this domain from several angles. The idea of implementing passive haptic learning (learning to do a motor task like typing or playing the piano by feeling tactile stimuli on your body with or without active practice of the activity) has been a constant theme at ISWC for more than a decade. At this year's conference, Pescara *et al.*¹ sparked a debate about the relative contributions of active learning and passive haptics in such studies, through a test of learning Morse code. Best paper nominees Luzhnica and Veas investigated learning of letters and words represented by tactile impulses.²

Another emerging topic was the use of on-body mechanics to create novel stimuli. Shirota *et al.* developed a method of manipulating the outer part of the ear in order to change the perceived direction of sound.³ Foo *et al.* used shape-memory actuators to squeeze the torso and arms in order to create the sensation of dynamic compression.⁴

SOCIAL DYNAMICS

Wearables in social situations generated interesting research questions at the 2019 conference. Researchers investigated the use of wearable technology to measure or respond to social experiences as well as the social perceptions of observers viewing others interacting with on-body technologies. Gupta *et al.* used sensors embedded in smart eyewear to detect eye blinks and head nods and to calculate the degree of synchrony in these behaviors between two conversing individuals.⁶ Best paper nominee You *et al.* considered third-party perspectives on users interacting with a skin-mounted touch sensor tattoo in various body locations.⁷ Finally, Schmidt *et al.* conducted a broad review of studies that aim to detect affect (emotion or mood) in the wild using body-worn sensors.⁸ Their analysis highlights many of the fundamental challenges of doing physiologically based affect sensing.

E-TEXTILES

Textile-integrated electronics is a research theme that has been well-represented at ISWC since the first conference. The 2019 conference was no exception, with papers characterizing the breadth and significance of deployable e-textile

toolkits, work on the development of textile-based sensing and circuitry, and unique applications like enabling kinetic garments through e-textile components. Hayashi *et al.* developed kinetic “smart hairs” composed of shape memory alloys and superelastic alloys and implemented them in a multilayer, e-textile structure that allows the individual hairs to be inserted in a plug-and-play fashion.⁹ Both Dupler *et al.* and Golgouneh *et al.* worked with stitched textile strain sensors. Dupler’s analysis focused on characterizing the performance of different strain-sensitive stitches under different loading conditions, while Golgouneh applied a similar sensor to the problem of sensing ankle swelling.¹⁰ Other authors looked at both e-textiles toolkits (and what they reflect about community values and structures) and commercial e-textile products (e.g., reverse-engineering the Google/Levi’s Jacquard jacket to enable novel interactions).¹¹

WEARABLE SENSING

On-body sensing (and the sensor hardware that enables sensing) is at the heart of wearable technology research, and the 2019 conference showcased a wide variety of approaches and application domains. Two papers focused their sensing on and around the heart. Best paper winners Yoshida *et al.* introduced a unique new way to resolve the challenge of not knowing exactly, where on the body a sensor may have been placed.¹² Using the fact that electricity moves faster than blood flow, they estimate location by measuring the difference in time between an electrocardiogram-sensed heartbeat and the corresponding pulse-wave detected at the sensor location. Zhou *et al.* took a different approach to measuring cardio (and respiratory) signals by developing a miniaturized system, consisting of an air-pressure face mask and an earlobe-worn pulse-oximeter that is significantly less bulky than existing approaches.⁵ Finally, Yildirim *et al.* explored a new way to augment human sensing capabilities by incorporating ambient electric field sensing into a vest that then relays these signals to the wearer via electrical nerve stimulation.¹³ On-body sensing for animals has also been an emerging topic at the conference, and in 2019 one paper explored the design of on-body biotelemetry for canines.¹⁴

ACTIVITY AND GESTURE RECOGNITION


Methods and applications for detecting human activities and gestures from body-worn sensors remain two of the most popular topics at ISWC (indeed, ISWC was the venue where research of this nature was pioneered). The 2019 program included ways of recognizing typical activities and movements for use in health, sports, music, and sleep monitoring applications. The program also included new work that explored ways of robustly detecting interaction gestures using multiple wearable devices, or by fusing different sensing modalities.

Many papers addressed subtleties of accurate, robust recognition using novel algorithms or analyses. Some examples include Haresamudram *et al.*, who revisited the role of feature representation in activity recognition.¹⁵ The authors compared traditional, heuristic-based feature extraction with recent representation learning methods, concluding that optimized feature learning is preferable to end-to-end deep learning. Du *et al.* evaluated cascade learning, an adaptive approach to transfer learning, as a low-cost way to do deep-learning on activity data.¹⁶

Other applications explored by ISWC authors included predicting thermal comfort using body temperature and physiological signals, measuring cognitive effort using EMG signal features, monitoring of sleep apnea using a multisensor adhesive patch, recognition of swimming styles, and sensing leg muscle contractions in rehabilitation using a novel ultrasonic sensor. Several papers combined sensing modalities to leverage richer contextual information in recognizing activities. For example, Wang *et al.*, combined muscle activity and wearable motion capture signals to detect pain-protective behavior in sufferers of chronic pain.¹⁷ Perhaps the most unique application represented at the conference was the detection of “fast and powerful down picking of heavy metal guitar” using a wrist-worn inertial sensing device.

DESIGN EXHIBITION

2019 marked the 12th ISWC design exhibition. Sixteen pieces in three categories were selected for the exhibit by the jury: Functional designs,



Design exhibition winners: (left to right) AWE goosebumps, myco-accessories, and touch mood. All photos © Rain Ashford (<https://rainycatz.wordpress.com>).

which emphasize utility and usability; Fiber Art designs, which emphasize textile development; and aesthetic designs, which emphasize concept and visual impact. One piece in each category was selected for a Jury Award.

In the functional category, the winning design was *AWE Goosebumps* by Neidlinger *et al.* (SENSOREE, USA, and University of Twente, NL). This piece uses embedded pneumatic actuators to induce a feeling of “awe” through simulated goosebumps. The actuation effect is enhanced through an illuminated display that becomes more visible as slits in the garment’s outer covering open when the goosebumps inflate.

In the fiber arts category, *Myco-Accessories* by Lazaro *et al.* (UC Davis, USA) received the Jury Award. The work explores development of biodegradable e-textiles based on the grown material mycelium.

In the Aesthetic category, Wei *et al.* (IAAC and Datable Studio, Spain) received the Jury Award for *Touch Mood*. This three-dimensional-printed piece uses affective information from the wearer (galvanic skin response and thermal information) to generate a kinetic response using LEDs and a shape-memory driven fabric array.

JOIN US FOR ISWC 2020

The next ISWC will be held in Cancun, Mexico in September 12th–16th, 2020 (<http://iswc.net/iswc20>). The paper submission deadline will be announced in early 2020. For updates, subscribe to our Twitter feed @ISWCNET.

REFERENCES

1. E. Pescara, T. Polly, A. Schankin, and M. Beigl, “Reevaluating passive haptic learning of Morse code,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 186–194.
2. G. Luzhnica and E. Veas, “Boosting word recognition for vibrotactile skin reading,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 135–144.
3. K. Shirota, R. L. Peiris, and K. Minamizawa, “Altered pinna: Exploring shape change of pinna for perception and illusion of sound direction change,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 220–224.
4. E. W. Foo, J. W. Lee, C. Compton, S. Ozbek, and B. Holschuh, “User experiences of garment-based dynamic compression for novel haptic applications,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 54–59.
5. B. Zhou, A. B. Costa, and P. Lukowicz, “CoRSA: A cardio-respiratory monitor in sport activities,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 254–256.
6. A. Gupta, F. L. Strivens, B. Tag, K. Kunze, and J. A. Ward, “Blink as you sync: Uncovering eye and nod synchrony in conversation using wearable sensing,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 66–71.
7. C.-W. You, Y.-F. Lin, E. Luo, H.-Y. Lin, and H.-L. (Cindy) Kao, “Understanding social perceptions towards interacting with on-skin interfaces in public,” in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 244–253.

8. P. Schmidt, R. Dürichen, A. Reiss, K. Van Laerhoven, and T. Plötz, "Multi-target affect detection in the wild: An exploratory study," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 211–219.
9. T. Hayashi, M. Ohkubo, S. Sakurai, K. Hirota, and T. Nojima, "Towards making kinetic garments based on conductive fabric and smart hair," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 89–90.
10. A. Golgouneh, M. T. I. Molla, and L. E. Dunne, "A comparative feasibility analysis for sensing swelling with textile-based soft strain sensors," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 60–65.
11. A. Kumar, C. Rudnicki, R. Chatterjee, K. Mina, O. Onyeije, and T. Starner, "JacquardToolkit: Enabling and exploring interactions with the Levi's jacquard jacket," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 306–307.
12. K. Yoshida and K. Murao, "Estimating load positions of wearable devices based on difference in pulse wave arrival time," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 234–243.
13. D. Yildirim, L. E. Fraguada, and E. E. Bigger, "DualSkin: Ambient electric field sensing wearable," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 339–345.
14. P. Paci, C. Mancini, and B. A. Price, "Wearer-centered design for animal biotelemetry: Implementation and wearability test of a prototype," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 177–185.
15. H. Haresamudram, D. V. Anderson, and T. Plötz, "On the role of features in human activity recognition," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 78–88.
16. X. Du, K. Farrahi, and M. Niranjan, "Transfer learning across human activities using a cascade neural network architecture," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 35–44.
17. C. Wang, T. A. Olugbade, A. Mathur, A. C. De C. Williams, N. D. Lane, and N. Bianchi-Berthouze, "Recurrent network based automatic detection of chronic pain protective behavior using MoCap and sEMG data," in *Proc. 23rd Int. Symp. Wearable Comput.*, New York, NY, USA, 2019, pp. 225–230.

Lucy E. Dunne is currently a Professor with the College of Design, University of Minnesota, Minneapolis, MN, USA. Contact her at ldunne@umn.edu.

Jamie A. Ward is currently a Lecturer with the Computing Department at Goldsmiths, University of London, London, U.K. Contact him at jamie@jamieward.net.