

Enhancing Multimodal Entity and Relation Extraction with Variational Information Bottleneck

Shiyao Cui, Jiangxia Cao, Xin Cong, Jiawei Sheng, Quangang Li, Tingwen Liu, Jinqiao Shi

Abstract—This paper studies the multimodal named entity recognition (MNER) and multimodal relation extraction (MRE), which are important for multimedia social platform analysis. The core of MNER and MRE lies in incorporating evident visual information to enhance textual semantics, where two issues inherently demand investigations. The first issue is modality-noise, where the task-irrelevant information in each modality may be noises misleading the task prediction. The second issue is modality-gap, where representations from different modalities are inconsistent, preventing from building the semantic alignment between the text and image. To address these issues, we propose a novel method for MNER and MRE by **MultiModal** representation learning with **Information Bottleneck** (MMIB). For the first issue, a refinement-regularizer probes the information-bottleneck principle to balance the predictive evidence and noisy information, yielding expressive representations for prediction. For the second issue, an alignment-regularizer is proposed, where a mutual information-based item works in a contrastive manner to regularize the consistent text-image representations. To our best knowledge, we are the first to explore variational IB estimation for MNER and MRE. Experiments show that MMIB achieves the state-of-the-art performances on three public benchmarks.

Index Terms—Multimodal named entity recognition, Multimodal relation extraction, Information bottleneck

I. INTRODUCTION

NAMED entity recognition (NER) [1] and relation extraction (RE) [2] are two major tasks for social media analysis, benefiting various applications [3], [4]. Specifically, NER aims to extract entities of interest and RE seeks to decide the semantic relations between entities from unstructured texts, respectively. Compared with NER and RE in newswire domain, the texts in social media are usually short and accompanied with slangs [5], [6], where the inadequate and ambiguous semantics raise the difficulty to content analysis. Fortunately, with the prevalence of multimodal posts in social media, in recent years, images in social posts are leveraged to facilitate

Manuscript created April, 2023; This work was developed by the IEEE Publication Technology Department. This work is distributed under the LATEX Project Public License (LPPL) (<http://www.latex-project.org/>) version 1.3. A copy of the LPPL, version 1.3, is included in the base LATEX documentation of all distributions of LATEX released 2003/12/01 or later. The opinions expressed here are entirely that of the author. No warranty is expressed or implied. User assumes all risk.

Shiyao Cui, Jiangxia Cao, Xin Cong, Jiawei Sheng, Quangang Li and Tingwen Liu are with the Institute of Information Engineering, Chinese Academy of Sciences, Beijing 100193, China and the University of Chinese Academy of Sciences, Beijing, China (e-mail: {cuishiyao,caojiangxia,congxin,shengjiawei,liquangang,liutingwen}@iie.ac.cn). Jinqiao Shi is with the Beijing University of Posts and Telecommunications, Beijing 100876, China. (e-mail:shijinqiao@bupt.edu.cn)

This work has been submitted to the IEEE for possible publication. Copyright may be transferred without notice, after which this version may no longer be accessible.




Fig. 1. Examples from Twitter dataset for MNER and MRE.

NER and RE towards social media, namely **Multimodal NER** (MNER) [7] and **Multimodal RE** (MRE) [8].

The core of MNER and MRE lies in incorporating evident visual information from images to enhance the textual semantics in social media. To achieve this goal, the visual information is integrated with different ways. Early researchers directly explore the whole image as global-level visual clues. These methods either encode the raw image as one feature vector [9] for the semantic enhancement, or roughly segment the image into multiple grids for cross-modal interaction [1], [10]. For the more fine-grained visual clues, the following researchers extract the salient objects in the image and encode them as local-level visual hints [5], [6], [8], [11], [12], [13], [14], [15] to guide the task prediction. Despite of their remarkable success, two issues are still inadequately addressed.

The first issue is **modality-noise**, where each modality contains task-irrelevant information, which can not contribute to the final tasks and even be noises misleading the prediction. Taking the MNER in Figure 1(a) as an example. For the text-modality, the model tends to predict “Rob” as an entity of person-type(PER), since the textual noises from some words, like “handsome” and “dinner”, pose characteristics of a person to “Rob”. Fortunately, from the overview of the text and image, the “Cat” object (e.g. the region in the blue box) in the image is evident to guide the correct prediction. Nevertheless, for the image-modality, the noises could lie in two-folds: 1) in the global-level, most regions in the image are not informative to the recognition of the target entity; 2) in the local-level, the corresponding evident region also expresses a more complicated visual semantics (“A cat lies on the carpet”) than we need (just a “Cat”) exactly. Here, the redundant information may disturb the model to assigning attention weights for regions in the image, thus impede the final task predictions.

Similarly, in Figure 1(b), the redundant noisy regions in green boxes may drive the model to predict one relation between persons, instead of between an organization and a person. Hence, it is important to refine information which diminishes the redundant noises and maintains predictive for tasks.

Even though the redundant noises are erased, **modality-gap** still exists, where the representations of the input text and image are inconsistent. Specifically, since the textual and visual representations are respectively obtained from different encoders, they maintain different feature spaces and distributions. Such a modality-gap makes it confusing for the text and image to “understand” each other and capture the cross-modality semantic correlations. For MNER in Figure 1(a), ideally, the textual entity “Rob” should hold stronger semantic relevance with the “Cat” in the blue box than other regions. However, the disparity between textual and visual representations prevents from building such alignment, hindering the exploration to predictive visual hints. So is it for MRE in Figure 1(b), where the disagreement between semantics expression makes it hard to align the annotated textual entities with visual person/organization objects for relation decision. Though prior researches [6], [16] convert visual objects into the corresponding textual labels to achieve the consistent semantics expression, it still suffers from the error sensitivity of textual labels produced by external off-the-shelf tools.

In this paper, we propose a novel approach for MNER and MRE by MultiModal Representation learning with variational Information Bottleneck, which is termed as **MMIB**. Our method tackles the issues above by regularizing the data distributions based on the variational auto-encoder [17] framework. Specifically, for **modality-noise**, we design a *Refinement-Regularizer (RR)*, which explores the Information-Bottleneck (IB) principle for text-image representation learning. IB principle aims at deriving representations in terms of *a trade-off between having a concise representation with its own information and one with general predictive power* [18]. In our task, IB refines text/image representations which are diminished from the noisy information but predictive for final tasks. Our devised RR consists of two IB-terms respectively upon the representation learning of the input text and image, yielding robust representations to each modality for prediction. For **modality-gap**, an *Alignment-Regularizer (AR)* is proposed. Since mutual information (MI) could measure the association between two variables, AR drives the consistent text-image representations by maximizing the MI between the representations of the paired text-image while minimizing that between the unpaired ones. Based on the regularizers above, we could produce expressive text-image representations to facilitate the final task predictions.

Overall, we summarize our contributions as follows:

- We explore a fresh perspective to solve MNER and MRE via representation learning with variational information bottleneck principle.
- We propose a novel method, MMIB, which employs a refinement-regularizer and an alignment-regularizer respectively for modality-noise and modality-gap.
- Experiments show that MMIB achieves new state-of-the-art performances on three MNER and MRE public bench-

marks, and extensive analyses verify the effectiveness of our proposed method.

II. PRELIMINARY

In this section, we review the preliminary knowledge about the studied tasks and proposed method from three aspects.

A. Task Formulation

1) *MNER*: Given a sentence and its associated image, MNER aims to identify the textual named entities and classify the identified entities into the predefined entity types. We formulate the task into a sequence labeling paradigm. Formally, let $(x_1^t, x_2^t, \dots, x_n^t)$ denote the input sentence containing n tokens, we aim to predict the corresponding label sequence $Y = (y_1, y_2, \dots, y_n)$ where y_i is a predefined label which follows BIO-tagging schema [10], [19] so that the entities of interests could be derived.

2) *MRE*: Given a sentence and its associated image, the goal of MRE is to detect the semantic relations between two annotated entities. Formally, let $(x_1^t, x_2^t, \dots, x_n^t)$ denote the sentence containing two entities $E_1 = (x_i^t, \dots, x_{i+|E_1|-1}^t)$ and $E_2 = (x_j^t, \dots, x_{j+|E_2|-1}^t)$, the task is formulated as a classification problem to decide the relation types Y between E_1 and E_2 from the predefined relation types.

B. Mutual Information

Before going on, we first introduce Mutual Information (MI) since it is one basic concept for information bottleneck. MI is a general metric in information theory [20], which measures the strength of association between random quantities, which is defined as follows:

$$I(\mathbf{X}; \mathbf{Y}) = \sum_{y \in \mathbf{Y}} \sum_{x \in \mathbf{X}} p(x, y) \log \frac{p(x, y)}{p(x)p(y)}, \quad (1)$$

where $I(\cdot; \cdot)$ denotes the MI between two random variables \mathbf{X} and \mathbf{Y} , $p(\cdot)/p(\cdot, \cdot)$ respectively refer to the marginal/joint **probability** for samples x and y . Meanwhile, MI could also be measured by Kullback–Leibler divergence [21], [22] between two distributions as:

$$I(\mathbf{X}; \mathbf{Y}) = \mathbb{D}_{KL}(p(\mathbf{X}|\mathbf{Y})||p(\mathbf{X})), \quad (2)$$

where $p(\cdot)/p(\cdot|\cdot)$ denote the prior/posterior **distribution** for variables \mathbf{X} and \mathbf{Y} .

C. Information Bottleneck Principle

Information Bottleneck (IB), which was proposed by Tishby et al. [23], aims to derive effective latent features with a tradeoff between having an explicit representation and one with general predictive power [18]. Assuming we have the task input information \mathbf{X} and the task label information \mathbf{R} , the IB is formed as:

$$\mathcal{L}_{IB} = \beta I(\mathbf{Z}; \mathbf{X}) - I(\mathbf{Z}; \mathbf{R}), \quad (3)$$

Particularly, the goal of Eq. 3 is to derive a limited latent variable \mathbf{Z} , which filter redundant information provided by




Fig. 2. Model Architecture.

the input X while maximally related information to reinvent expected information R . The objective function could be explained as follows: 1) **minimizing** $I(\mathbf{Z}; X)$ so that \mathbf{Z} could discard irrelevant parts for task predictions; 2) **maximizing** $I(\mathbf{Z}; R)$ to enforce \mathbf{Z} to retain the predictive information. The $\beta > 0$ is a Lagrangian multiplier to balance the trade-off between the two constraints. In implementation, since it is intractable to directly optimize the MI-based terms, variational approximation [24] is widely adopted for optimization to the corresponding objection functions [22].

III. METHOD

In this section, we introduce MMIB as Figure 2 shows. Specifically, MMIB contains three modules: 1) Encoding module converts the texts and images into the basic real-valued embeddings. 2) Representation learning module conducts variational encoding with our proposed regularizers. 3) Prediction module conducts the modality fusion and performs the final task predictions.

A. Encoding Module

This module conducts the encoding towards the input sentence and image, converting them into the distributional representations.

1) *Text Encoding*: To derive the representations for the input sentence, we employ the widely used BERT [25] as the textual encoder. Following Devlin et al. [25], two special tokens are inserted into each sentence, where [CLS] and [SEP] are respectively appended to the beginning and end to the sentence. Formally, let $X^T = (x_0^t, x_1^t, x_2^t, \dots, x_n^t, x_{n+1}^t)$ denote each processed sentence, where x_0^t and x_{n+1}^t respectively denote the inserted [CLS] and [SEP]. We feed X^T into BERT, and obtain the output representations as $\mathbf{X}^T = (x_0^t, x_1^t, x_2^t, \dots, x_n^t, x_{n+1}^t)$, where $x_i^t \in \mathbb{R}^d$ is the contextualized representation for the i_{th} token.

2) *Image Encoding*: Given an image X^V , it contains visual information from two aspects: (i) the global-level abstract concepts provided by the whole image; (ii) the local-level semantic units provided by the visual objects. We intend to explore such two-fold visual information, and thus two steps

are involved to produce the image representations. **Step1. Object Extraction.** Following Zhang et al. [11], we employ a visual grounding toolkit [26] to extract local objects, which are denoted as $(x_1^v, x_2^v, \dots, x_m^v)$. **Step2. Image Representation.** Considering the great success of ResNet [27] in computer vision, we utilize it as the visual encoder. Specifically, we first rescale the whole image and its object images into $224 * 224$ pixels, and feed them into ResNet. Since ResNet produces visual representations in the dimension of 2048, a linear transformation matrix $\mathbf{W}_v \in \mathbb{R}^{2048 \times d}$ works to project the image representations into the same dimension as the textual representations. Finally, we concatenate the image representations together as $\mathbf{X}^V = (x_0^v, x_1^v, \dots, x_m^v)$, where $x_0^v \in \mathbb{R}^{1 \times d}$ and $x_i^v \in \mathbb{R}^{1 \times d} (i > 0)$ respectively denote the representation of the whole image and i_{th} local object image.

B. Representation Learning Module

This module aims to produce the noise-robust and consistent text-image representations with our proposed regularizers. Since these MI-based regularizers are intractable, variational encoding serves for the representation learning. We will first introduce how the variational encoding works, and then detail the regularizers.

1) *Variational Encoding*: We devise an encoder in a variational manner for expressive text/image representation learning. Since the latent text/image representation is compressed within each modality, the encoder should explore the intra-modal information propagation. Considering the sufficient ability of Transformer [28] to propagation modeling, we deploy the encoder following the design of a Transformer Layer. Specifically, we name the encoder as “**Attentive Propagation Encoder**”, termed as APEnc(Q, K) with a query Q and key-value pair K as input, where a multi-head attention mechanism is first applied towards two variables as:

$$\text{MultiHeadAtt}(Q, K) = \mathbf{W}' [\text{CA}_1(Q, K), \dots, \text{CA}_h(Q, K)]^T, \\ \text{CA}_j(Q, K) = \text{Softmax}\left(\frac{[Q\mathbf{W}_{qj}][K\mathbf{W}_{kj}]^T}{\sqrt{d/h}}\right)[K\mathbf{W}_{vj}], \quad (4)$$

where CA_j refers to the j_{th} head of such multi-head attention, h is the number of heads. $\{\mathbf{W}_{qj}, \mathbf{W}_{kj}, \mathbf{W}_{vj}\} \in \mathbb{R}^{d \times (d/h)}$ and

$\mathbf{W}' \in \mathbb{R}^{d \times d}$ are all projections parameter matrices. Then, a fully-connected feed-forward network and a residual layer with layer-normalization are further stacked as follows:

$$\begin{aligned} \tilde{\mathbf{F}} &= \text{LayerNorm}(\mathbf{Q} + \text{MultiHeadAtt}(\mathbf{Q}, \mathbf{K})) \\ \mathbf{F} &= \text{LayerNorm}(\tilde{\mathbf{F}} + \text{FeedForward}(\tilde{\mathbf{F}})), \end{aligned} \quad (5)$$

where \mathbf{F} is the final output representation of the encoder $\text{APEnc}(\mathbf{Q}, \mathbf{K})$ containing computation from Eq. 4 to Eq. 5.

Due to the intractability to MI-based regularizers, the encoder works in a variational manner. For simplicity, we illustrate the variational encoding procedure of image representations $\text{APEnc}^V(\mathbf{X}^V, \mathbf{X}^V)$ as an example. To promote the information propagation between images, each image $\mathbf{x}_i^v \in \mathbb{R}^{1 \times d}$ is respectively taken as the query to interact with all images representations $\mathbf{X}^V \in \mathbb{R}^{(m+1) \times d}$ as key-value pairs. Specifically, the latent gaussian distributional variable \mathbf{z}_i^v for each image is produced as follows:

$$\boldsymbol{\mu}_i^v = \text{APEnc}_\mu^V(\mathbf{x}_i^v, \mathbf{X}^V), \quad (6)$$

$$(\boldsymbol{\sigma}_i^v)^2 = \exp(\text{APEnc}_\sigma^V(\mathbf{x}_i^v, \mathbf{X}^V)) \quad (7)$$

$$\mathbf{z}_i^v \sim \mathcal{N}(\boldsymbol{\mu}_i^v, (\boldsymbol{\sigma}_i^v)^2), \quad (8)$$

where $\boldsymbol{\mu}_i^v \in \mathbb{R}^{1 \times d}$ and $\boldsymbol{\sigma}_i^v \in \mathbb{R}^{1 \times d}$ are the mean and variance vector of Gaussian distribution $\mathcal{N}(\boldsymbol{\mu}_i^v, (\boldsymbol{\sigma}_i^v)^2)$, and the representation \mathbf{z}_i^v of the i_{th} image is sampled from the Gaussian distribution. However, such a direct sampling process is intractable for back-propagation, thus we adopt the widely used reparameterization trick [17] as a solution. Mathematically, we first sample ϵ from the normal Gaussian distribution, and then perform the equivalent sampling to derive \mathbf{z}_i^v as follows:

$$\mathbf{z}_i^v = \boldsymbol{\mu}_i^v + \boldsymbol{\sigma}_i^v \odot \epsilon, \quad \epsilon \sim \mathcal{N}(0, \text{diag}(\mathbf{I})) \quad (9)$$

where \odot denotes the element-wise product operation. Similarly, we could obtain the representations for all images, and correspondingly acquire the visual representations $\mathbf{Z}^V \in \mathbb{R}^{(m+1) \times d}$ as follows:

$$\mathbf{Z}^V = (\mathbf{z}_0^v, \mathbf{z}_1^v, \dots, \mathbf{z}_m^v). \quad (10)$$

The above procedure also holds in the case of text encoding via $\text{APEnc}^T(\mathbf{X}^T, \mathbf{X}^T)$ and we could obtain:

$$\mathbf{Z}^T = (\mathbf{z}_0^t, \mathbf{z}_1^t, \dots, \mathbf{z}_{n+1}^t). \quad (11)$$

2) *Refinement-Regularizer (RR)*: For the modality-noise, the representations of text/images should be diminished from the task-irrelevant information as much as possible while maximally maintain predictive for final tasks. Considering that information-bottleneck (IB) could balance information from two variables, we intend to achieve this goal using IB-based regularizers. Specifically, we propose a refinement-regularizer L_{rr} , which consists of two IB-based terms respectively upon the representation learning of text \mathbf{Z}^T and images \mathbf{Z}^V as follows:

$$\begin{aligned} L_{rr} &= \beta_1 I(\mathbf{Z}^T; \mathbf{X}^T) - I(\mathbf{Z}^T; \mathbf{R}) \\ &\quad + \beta_2 I(\mathbf{Z}^V; \mathbf{X}^V) - I(\mathbf{Z}^V; \mathbf{R}), \end{aligned} \quad (12)$$

where $\mathbf{X}^T, \mathbf{X}^V$ respectively denote the original information from input text and image, \mathbf{R} refers to the ideal task-expected

information for predictions. Considering the independence between \mathbf{Z}^T and \mathbf{Z}^V [22], the mutual information chain principle could be rewritten as:

$$\begin{aligned} I(\mathbf{Z}^T; \mathbf{R}) + I(\mathbf{Z}^V; \mathbf{R}) &= I(\mathbf{Z}^T; \mathbf{R} | \mathbf{Z}^V) + I(\mathbf{Z}^V; \mathbf{R}) \\ &= I(\mathbf{Z}^T, \mathbf{Z}^V; \mathbf{R}). \end{aligned} \quad (13)$$

Accordingly, L_{rr} in Eq.12 could be simplified as follows:

$$L_{rr} = \underbrace{\beta_1 I(\mathbf{Z}^T; \mathbf{X}^T) + \beta_2 I(\mathbf{Z}^V; \mathbf{X}^V)}_{\text{Minimality}} - \underbrace{I(\mathbf{Z}^T, \mathbf{Z}^V; \mathbf{R})}_{\text{Reconstruction}}, \quad (14)$$

where L_{rr} could be optimized by (i) minimizing the former two terms so that the text/image representations are **compressed from their original modality apart from noises**; (ii) maximizing the reconstruction term to **encourage the predictive representations towards task predictions**. More specifically, L_{rr} refines the text/image representations to maintain evident but limits the disturbing noises. **For tractable objective function of L_{rr} , please refer to Section III-D1.**

3) *Alignment-Regularizer (AR)*: For the modality-gap problem, the representations of text/images should be consistent with each other. We achieve this goal by **enhancing the mutual information (MI) between \mathbf{Z}^T and \mathbf{Z}^V for each input text-image pair**. In this way, the text-image representations are encouraged to maximumly agree with each other, since MI could inherently measure the association between two variables. Specifically, we devise a MI-based alignment-regularizer (AR), L_{ar} , as follows:

$$L_{ar} = - \underbrace{I(\mathbf{Z}^T; \mathbf{Z}^V)}_{\text{Maximality}}, \quad (15)$$

where L_{ar} is optimized by maximizing $I(\mathbf{Z}^T; \mathbf{Z}^V)$ for the agreement between representations of paired text/image. **For the tractable objective function of Eq. 15, please refer to Section III-D2.**

C. Prediction Module

In this module, we first conduct modality fusion to incorporate information from both modalities, and then respectively perform specific task predictions.

1) *Modality Fusion*: To derive the image-aware text representations for the final task predictions, the information interaction between modalities is probed. **The above mentioned attentive propagation encoder (APEnc) is again leveraged here, but the key difference lies in that the query and key-value pairs are taken from different modalities.** To exploit the bi-directional interactions between modalities, APEnc works in a coupled way, where two encoders respectively take the image and text as query. Specifically, for \mathbf{Z}^V and \mathbf{Z}^T , the first APEnc^{V2T} aggregates information from texts to derive the text-attended image representations $\mathbf{B} \in \mathbb{R}^{(m+1) \times d}$ as follows:

$$\mathbf{B} = \text{APEnc}^{V2T}(\mathbf{Z}^V, \mathbf{Z}^T). \quad (16)$$

Then, to enhance the textual representations with visual information, the second APEnc^{T2V} serves to derive the image-aware text representations as follows:

$$\mathbf{C} = \text{APEnc}^{T2V}(\mathbf{Z}^T, \mathbf{B}), \quad (17)$$

where $\mathbf{C} = (\mathbf{c}_0, \mathbf{c}_1, \dots, \mathbf{c}_n, \mathbf{c}_{n+1})$ is the image-aware text representations for the final task predictions.

Since we formulate MNER as a text-level sequence labeling problem, we utilize a standard Conditional Random Field (CRF) to derive the a corresponding label sequence $Y = (y_0, y_1, y_2, \dots, y_n, y_{n+1})$ to recognize entities of interest. Given the final hidden representation of input the sentence, we feed it into CRF, deriving the probability to a label sequence Y as:

$$p(Y|X^T) = \frac{\exp(\sum_{i=0}^{n+1} (\mathbf{w}_{y_i}^{crf} \mathbf{c}_i + \text{Trans}(y_{i-1}, y_i)))}{\sum_{Y' \in \mathbf{Y}} \exp(\sum_{i=0}^{n+1} (\mathbf{w}_{y'_i}^{crf} \mathbf{c}'_i + \text{Trans}(y'_{i-1}, y'_i)))}, \quad (18)$$

where $\mathbf{w}_{y_i}^{crf}$ is a parameter vector computing the emission score from token \mathbf{c}_i to label y_i , $\text{Trans}(y_{i-1}, y_i)$ is a learnable transition function from y_{i-1} to y_i , \mathbf{Y} is the all possible label sequences set.

2) *MRE Prediction*: MRE is formulated as a classification problem. We derive each annotated entity representation with pooling upon its contained tokens from \mathbf{C} , and further denote the representations of given entities E_1 and E_2 (explained in § II-A2) as \mathbf{E}_1 and \mathbf{E}_2 . Assuming that the gold label Y is the k_{th} relation among all relation types, its corresponding probability is:

$$p(Y|X^T, E_1, E_2) = \text{Softmax}(\mathbf{W}([\mathbf{E}_1 \oplus \mathbf{E}_2]) + \mathbf{b})[k], \quad (19)$$

where \oplus is the concatenation, \mathbf{W} and \mathbf{b} are learnable parameters.

D. Training Objective

The training objective to the MMIB consists of three components: 1) Objective function to the refinement-regularizer; 2) Objective function to the alignment-regularizer; 3) Objective function to the task predictions. In the following, we will respectively detail them.

1) *Refinement-Regularizer Objective Function*: The optimization to L_{rr} in Eq. 14 could be performed by minimizing the MI-based two terms and maximizing the reconstruction term as follows.

Minimization to the MI-based minimality terms. Considering the challenge of exact computation to MI [29], we estimate these two terms based on a **variational upper bound** through Kullback-Leibler. Since the two terms, $I(\mathbf{Z}^T; \mathbf{X}^T), I(\mathbf{Z}^V; \mathbf{X}^V)$, share the similar forms, we take $I(\mathbf{Z}^V; \mathbf{X}^V)$ as an example to illustrate the process. Specifically, following Eq. 2, we first measure $I(\mathbf{Z}^V; \mathbf{X}^V)$ as follows:

$$I(\mathbf{Z}^V; \mathbf{X}^V) = \mathbb{D}_{KL}(p_\phi^V(\mathbf{Z}^V | \mathbf{X}^V) || p(\mathbf{Z}^V)). \quad (20)$$

Then, following prior variational works [22], [30], [31], the prior distribution $p(\mathbf{Z}^V)$ could be estimated as normal Gaussian distribution $\mathcal{N}(0, \text{diag}(\mathbf{I}))$. For the the posterior distribution $p_\phi^V(\mathbf{Z}^V | \mathbf{X}^V)$, it could be approximated by a

variational posterior distribution $q_\phi^V(\mathbf{Z}^V | \mathbf{X}^V)$. Accordingly, we could obtain the upper bound of $I(\mathbf{Z}^V; \mathbf{X}^V)$ as:

$$\begin{aligned} I(\mathbf{Z}^V; \mathbf{X}^V) &\leq \mathbb{D}_{KL}(q_\phi^V(\mathbf{Z}^V | \mathbf{X}^V) || p(\mathbf{Z}^V)) \\ &= \sum_{i=0}^{m+1} \mathbb{D}_{KL}(\mathcal{N}(\boldsymbol{\mu}_i^v, [\text{diag}(\boldsymbol{\sigma}_i^v)]^2) || \mathcal{N}(0, \text{diag}(\mathbf{I}))), \end{aligned} \quad (21)$$

where q_ϕ^v refers to the parameters of variational encoding in Eq. 6. $I(\mathbf{Z}^V; \mathbf{X}^V)$ is optimized by by minimizing its upper bound in Eq. 21 as the objective function. Similarly, the object function of $I(\mathbf{Z}^T; \mathbf{X}^T)$ could also be obtained by following the process from Eq. 20 to Eq. 21.

Maximization to the reconstruction term. The goal of the reconstruction term is to develop the ideal task-expected information \mathbf{R} using the latent variables. We measure the quality of the reconstructed information via the probability to how the learned text/image representations could predict the true label as follows:

$$I(\mathbf{Z}^T, \mathbf{Z}^V; \mathbf{R}) \cong \mathbb{E}_{p_\theta^T(\mathbf{Z}^T | \mathbf{X}^T) p_\theta^V(\mathbf{Z}^V | \mathbf{X}^V)} [\log p(Y | \mathbf{Z}^T, \mathbf{Z}^V)], \quad (22)$$

where Y refers to the targets (i.e. the gold label sequence for MNER and gold relation for MRE). $p_\theta^T(\mathbf{Z}^T | \mathbf{X}^T), p_\theta^V(\mathbf{Z}^V | \mathbf{X}^V)$ are estimated via variational encoding $q_\phi^T(\mathbf{Z}^T | \mathbf{X}^T) q_\phi^V(\mathbf{Z}^V | \mathbf{X}^V)$ and we could obtain the **variational lower bound** of $I(\mathbf{Z}^T, \mathbf{Z}^V; \mathbf{R})$ as follows:

$$\begin{aligned} I(\mathbf{Z}^T, \mathbf{Z}^V; \mathbf{R}) &\geq \mathbb{E}_{q_\phi^T(\mathbf{Z}^T | \mathbf{X}^T) q_\phi^V(\mathbf{Z}^V | \mathbf{X}^V)} [\log p(Y | \mathbf{Z}^T, \mathbf{Z}^V)], \\ &= \log(p(Y | \mathbf{Z}^T, \mathbf{Z}^V)) + \sum_{Y' \in \mathbf{Y}, Y' \neq Y} \log(1 - p(Y' | \mathbf{Z}^T, \mathbf{Z}^V)) \end{aligned} \quad (23)$$

where \mathbf{Y} refers to the label space of task predictions, Y refers to the true label while Y' as the false labels. To this end, we employ $p(\cdot)$ in Eq. 18 and Eq. 19 respectively as $p(Y | \mathbf{Z}^T, \mathbf{Z}^V)$ for MNER and MRE. Hence, the reconstruction term could be optimized using the corresponding **task objective function in Section III-D3**.

2) *Alignment-Regularizer Objective Function*: The core of optimization to L_{ar} lies in the **maximization to the MI-based maximality term** in Eq. 15. We optimize L_{ar} following infomax [32], where a neural networks measure MI in a contrastive manner. Correspondingly, we build a discriminator \mathcal{D} to measure the degree of consistence between text-image representations as:

$$I(\mathbf{Z}^T; \mathbf{Z}^V) = \mathbb{E}_{p_\theta^T(\mathbf{Z}^T | \mathbf{X}^T) p_\theta^V(\mathbf{Z}^V | \mathbf{X}^V)} [\log \mathcal{D}(\mathbf{Z}^T; \mathbf{Z}^V)]. \quad (24)$$

Since the direct optimization to MI-based L_{ar} is intractable, we utilize its **lower bound estimated via variational encoding** as the objective function as follows:

$$\begin{aligned} I(\mathbf{Z}^T; \mathbf{Z}^V) &\geq \mathbb{E}_{q_\phi^T(\mathbf{Z}^T | \mathbf{X}^T) q_\phi^V(\mathbf{Z}^V | \mathbf{X}^V)} [\log \mathcal{D}(\mathbf{Z}^T; \mathbf{Z}^V)] \\ &= \log(\mathcal{D}(\mathbf{Z}^T, \mathbf{Z}^{V+})) + \log(1 - \mathcal{D}(\mathbf{Z}^T, \mathbf{Z}^{V-})), \end{aligned} \quad (25)$$

where q_ϕ^T / q_ϕ^V denote the parameters of the variational encoding in Section III-B1, $(\mathbf{Z}^T, \mathbf{Z}^{V+})$ refers to the sampled text-image representations belonging to the same input pair, otherwise the in-batch negatives $(\mathbf{Z}^T, \mathbf{Z}^{V-})$ in contrastive mutual information. Since the shape of $\mathbf{Z}^T \in \mathbb{R}^{(n+2) \times d}$ and

$\mathbf{Z}^V \in \mathbb{R}^{(m+1) \times d}$ does not match, we conduct mean-pooling to them for computation, namely:

$$\mathcal{D}(\mathbf{Z}^T, \mathbf{Z}^V) = \text{Sigmoid}(\text{MLP}(\text{Pooling}(\mathbf{Z}^T) \oplus \text{Pooling}(\mathbf{Z}^V))), \quad (26)$$

where $\text{Pooling}(\mathbf{Z}^T) \in \mathbb{R}^d$, $\text{Pooling}(\mathbf{Z}^V) \in \mathbb{R}^d$ and \oplus denotes the concatenation operation between vectors. The tractable function could be optimized using a standard binary cross-entropy.

3) *Task Objective Function*: We respectively introduce the task-specific objection function for MNER and MRE.

MNER. For MNER, given the sentence X^T and its golden sequence labels Y , we could obtain the probability of Y as $p(Y|X^T)$ from Eq. 18 and compute the corresponding loss L_{ner} as follows:

$$L_{task}^{ner} = -\log(p(Y|X^T)). \quad (27)$$

MRE. For MRE, given the sentence X^T and the annotated head/tail entity E_1/E_2 , we could obtain the probability $p(Y|X^T, E_1, E_2)$ from Eq. 19 and the objection function could be derived as follows:

$$L_{task}^{re} = -\log(p(Y|X^T, E_1, E_2)). \quad (28)$$

4) *Overall Objective Function*: Based on the functions above, we derive the final objection function L for MMIB as follows:

$$L = L_{rr} + L_{ar} + L_{task}, \quad (29)$$

where the all the minimality terms and reconstruction term in L_{rr} are tractably optimized by Eq. 21 and Eq. 23, the maximality term in L_{ar} is tractably optimized by Eq. 26. L_{task} is respectively optimized by Eq. 27 and Eq. 28 for MNER and MRE.

IV. EXPERIMENTS

A. Experimental Setup

1) *Dataset*: We conduct experiments on *Twitter-2015* [33] and *Twitter-2017* [7] for MNER, and *MNRE* [8] dataset for MRE. These datasets are collected from multimodal posts on Twitter, and each twitter post consists of one piece of text and a image. *Twitter-2015* and *Twitter-2017* both contain four types of entities: Person (**PER**), Location (**LOC**), Organization (**ORG**) and Miscellaneous (**MISC**). Table I shows the number of entities for each type and the division of multimodal tweets in the training, development, and test sets of the two dataset. The *MNRE* dataset contains 9,201 sentence-image pairs with 23 relation categories. Table II shows the detailed statistics and we compare it with the widely used relation extraction dataset SemEval-2010 Task 8 [34], reflecting the effectiveness of MNRE for task evaluation.

2) *Metric*: We adopt the same evaluation metric as our baselines. For **MNER**, an entity is correctly recognized when its span and entity type both match the gold answer. For **MRE**, the relation between a pair of entities is correctly extracted when the predicted relation type meets the gold answer. We utilize the evaluation code released by Chen et al. [12], where the Precision (**P**), Recall (**R**) and F1-score (**F1**) are used for performance evaluation.

TABLE I
THE BASIC STATISTICS OF TWITTER-2015 AND TWITTER-2017

| Entity Type | Twitter15 | | | Twitter17 | | |
|-------------|-----------|------|------|-----------|------|------|
| | Train | Dev | Test | Train | Dev | Test |
| PER | 2217 | 552 | 1816 | 2943 | 626 | 621 |
| LOC | 2091 | 522 | 1697 | 731 | 173 | 178 |
| ORG | 928 | 247 | 939 | 1674 | 375 | 395 |
| MISC | 940 | 225 | 726 | 701 | 150 | 157 |
| Total | 7176 | 1546 | 5078 | 6049 | 1324 | 1351 |
| Tweets | 4000 | 1000 | 3257 | 3373 | 723 | 723 |

TABLE II
THE STATISTICS OF MNRE COMPARED TO SEMEVAL-2010 DATASET

| Dataset | Sentence | Entity | Relation | Image |
|--------------|----------|--------|----------|-------|
| MNRE | 9,201 | 30,970 | 23 | 9,201 |
| SemEval-2010 | 10,717 | 21,434 | 9 | 0 |

3) *Hyperparameters*: We adopt BERT_{base} and ResNet50 as the textual and visual encoders for a fair comparison with previous study [12]. Accordingly, the hidden size of the all latent variables and representations are 768. Parameter optimization are performed using AdamW [35], where the decay is 0.01, the learning rate is 3e-5 and the batch size is 8. We manually tune the Lagrangian multiplier β_1, β_2 and achieve the best results with $\beta_1 = 0.1$ and $\beta_2 = 0.1$. The maximum length of the input sentence is 128 for MNER and 80 for MRE by cutting the longer ones and padding the shorter ones. The model implementation code has been packaged and uploaded as supplementary materials for reproductivity check.

B. Baselines

For a comprehensive comparison, we compare our method with four groups of baselines.

Text-based baselines: To verify the effectiveness of introducing visual images, we choose the baselines which conduct the both tasks without incorporating the visual information. The **NER** baselines contain 1) **CNNBiLSTM-CRF** [36] utilizes word- and character-level representations via BiLSTM and CNN for NER; 2) **HBiLSTMCRF** [37] replaces the CNN in CNNBiLSTM-CRF with an LSTM; 3) **T-NER** [38] is a Twitter-specific NER system with various features to boost performance, and we refer to its results on our used datasets from Xu et al. [10]. The **RE** baselines involve 1) **PCNN** [39] uses convolutional networks with piecewise pooling; 2) **MTB** [40] is a RE-oriented pre-training model based on BERT.

Vanilla multimodal baselines: To confirm the necessity of solving modality-noise and modality-gap, we choose vanilla multimodal baselines which ignore these two issues. Specifically, the **MNER** baselines contain 1) **GVATT** [7] utilizes attention mechanism to combine the image- and text-level information; 2) **AdapCoAtt** [33] designs an adaptive co-attention network to explore visual information; 3) **UMT** [41] proposes a multimodal interaction module to obtain image-aware word representations; 4) **FMIT** [14] designs a flat multi-modal interaction transformer (FMIT) layer where a

TABLE III
OVERALL MNER RESULTS.

| Method | Twitter15 | | | Twitter17 | | |
|----------------|--------------|--------------|--------------|--------------|-------|--------------|
| | P | R | F1 | P | R | F1 |
| CNN-BiLSTM-CRF | 66.24 | 68.09 | 67.15 | 80.00 | 78.76 | 79.37 |
| HBiLSTM-CRF | 70.32 | 68.05 | 69.17 | 82.69 | 78.16 | 80.37 |
| T-NER | 69.54 | 68.65 | 69.09 | - | - | - |
| GVATT | 73.96 | 67.90 | 70.80 | 83.41 | 80.38 | 81.87 |
| AdapCoAtt | 72.75 | 68.74 | 70.69 | 84.16 | 80.24 | 82.15 |
| UMT | 71.67 | 75.23 | 73.41 | 85.28 | 85.34 | 85.31 |
| FMIT | 74.18 | 75.03 | 74.60 | 85.55 | 85.29 | 85.42 |
| UMGF | 74.49 | 75.21 | 74.85 | 86.54 | 84.50 | 85.51 |
| MAF | 71.86 | 75.10 | 73.42 | 86.13 | 86.38 | 86.25 |
| HVPNeT | 73.87 | 76.82 | 75.32 | 85.84 | 87.93 | 86.87 |
| MMIB | 74.44 | 77.68 | 76.02 | 87.34 | 87.86 | 87.60 |

TABLE IV
OVERALL MRE PERFORMANCES.

| Method | MRE | | |
|-------------|--------------|--------------|--------------|
| | P | R | F1 |
| PCNN | 62.85 | 49.69 | 55.49 |
| MTB | 64.46 | 57.81 | 60.86 |
| AdapCoAtt | 64.67 | 57.98 | 61.14 |
| VisualBERT | 57.15 | 59.48 | 58.30 |
| BERT+SG | 62.95 | 62.65 | 62.80 |
| UMT | 62.93 | 63.88 | 63.46 |
| UMGF | 64.38 | 66.23 | 65.29 |
| MEGA | 64.51 | 68.44 | 66.41 |
| HVPNeT | 83.64 | 80.78 | 81.85 |
| MKGformer | 82.67 | 81.25 | 81.95 |
| MMIB | 83.49 | 82.97 | 83.23 |

unified lattice structure is used for cross-modality interaction. We cite the performance of FMIT with one FMIT layer for a fair comparison with MMIB. For **MRE**, it contains 1) **VisualBERT** [42], where Chen et al. [12] utilize the pre-trained multimodal model for text-image encoding and fusion. 2) **BERT-SG** [8] directly incorporates visual features extracted using a Scene Graph (SG) Tool [43].

Multimodal baselines considering modality-gap. We choose baselines which tend to derive the consistent text-image representations. For **MNER**, it contains 1) **UMGF** [11] builds a multimodal graph for semantic alignment. 2) **MAF** [10] employs contrastive learning method for consistent representations. For **MRE**, **MEGA** [8] develops a dual graph for semantic agreement.

Multimodal baselines considering modality-noise. To validate the superiority of MMIB for tackling modality-noise, we choose baselines which attempt to alleviate the issue. For **MNER**, **HVPNet** [12] alleviates the noises of irrelevant visual objects by exploring the hierarchical visual features as pluggable visual prefix. For **MRE**, **MKGformer** [44] utilizes a correlation-aware fusion module to alleviate the noisy information.

Note that the original results of UMT, UMGF and MEGA only involve one task, and we refer to their results from Chen et al. [12].

C. Main Results

Table III and Table IV respectively show the final model performances upon MNER and MRE, with significant difference ($p < 0.05$) between MMIB and all baselines. Reading from the results, we have observations as follows.

1) **Visual information indeed helps to boost performances.** As multimodal methods generally outperform the text-based ones upon two tasks, we could see the necessity of incorporating visual information for semantics enhancement. However, the performance improvements are still limited, which demands further exploration to multimodal methods.

2) **Alleviating the modality-noise and bridging the modality-gap could bring performance gain to multimodal methods.** In these two tables, the latter two groups of baselines

perform better than the vanilla multimodal ones. This demonstrates the importance of consistent image-text representations and noise-robust modality information. Despite of this, the final performances upon two tasks are still barely satisfactory, which calls for better strategies for tackling these two issues.

3) **Our proposed MMIB achieves the best results upon two tasks.** As the two tables show, MMIB outperforms the prior multimodal baselines considering the modality-gap and modality-noise problems. This demonstrates the effectiveness of our method to handle the two issues. We attribute such performance advantage to that the refinement-regularizer and alignment-regularizer could effectively derive the “good” text-image representations for the final task predictions.

V. ANALYSIS AND DISCUSSION

A. Ablation Study

To probe how each proposed component contributes to the final performances, we conduct ablation study upon two tasks in three benchmarks. Following prior studies [10], [11], [12], we report ablation performances in the test set in Table V. Specifically, we respectively remove the proposed regularizers to confirm their effectiveness, and present the corresponding analysis as follows.

1) – Refinement-regularizer (L_{rr}): Removing the refinement-regularizers degrades the final performances upon three benchmarks, revealing the importance of limiting task-relevant noisy information. Without L_{rr} , the noisy information in both modalities may disturb the incorporation to evident visual information, thus exert negative impacts to the final performances.

2) – Alignment-regularizer (L_{ar}): When the alignment-regularizer is removed, the model performances hurt upon all benchmarks. This phenomenon indicates the necessity of bridging the modality-gap and verifies the effectiveness of L_{ar} to drive the consistent text-image representations.

3) – L_{rr} & L_{ar} : The final performances severely drop when we simultaneously remove all the regularizers. This reveals that these regularizers are both functional and collaboratively work with each other to boost the final performances.

TABLE V
ABLATION STUDY.

| Ablation | Dataset | Metrics | | | |
|-----------------------|-----------|---------|-------|-------|-------------|
| | | P | R | F1 | $\Delta F1$ |
| MMIB | Twitter15 | 74.44 | 77.68 | 76.02 | - |
| | Twitter17 | 87.34 | 87.86 | 87.60 | - |
| | MRE | 83.49 | 82.97 | 83.23 | - |
| - L_{rr} | Twitter15 | 73.36 | 76.61 | 74.95 | -1.07 |
| | Twitter17 | 86.67 | 87.56 | 87.11 | -0.49 |
| | MRE | 82.10 | 81.71 | 81.91 | -1.32 |
| - L_{ar} | Twitter15 | 74.05 | 75.75 | 74.89 | -1.13 |
| | Twitter17 | 88.07 | 85.79 | 86.91 | -0.69 |
| | MRE | 82.48 | 80.93 | 81.70 | -1.53 |
| - L_{rr} & L_{ar} | Twitter15 | 74.02 | 74.81 | 74.42 | -1.60 |
| | Twitter17 | 87.15 | 85.86 | 86.50 | -1.10 |
| | MRE | 80.62 | 80.00 | 80.31 | -2.92 |

B. Analysis for Modality-noise

To confirm that MMIB derives text/image representations which dismisses from redundant noises and maintain task-predictive, we present an visualization of two cases. To quantify how much information the original representations $\mathbf{X}^T/\mathbf{X}^V$ attend to the learned representations $\mathbf{Z}^T/\mathbf{Z}^V$, we define a contribution-score to measure it. We illustrate the computation to contribution-score using the visual representations as an example. Specifically, we first derive a matrix $\mathbf{A}^V \in \mathbb{R}^{(m+1) \times (m+1)}$ by dot-product between $\mathbf{X}^V/\mathbf{Z}^V$. Then, we respectively sum each row of \mathbf{A}^V obtaining $\hat{\mathbf{A}}^V \in \mathbb{R}^{m+1}$, where $\hat{\mathbf{A}}_i^V$ is a scalar indicating how the i_{th} image contributes to final visual representations \mathbf{Z}^V . Following this process, we compute $\hat{\mathbf{A}}^V, \hat{\mathbf{A}}^T$ and visualize them. The visualization to MMIB and MMIB w/o L_{rr} are respectively deployed in the color map of red and green. As Figure 3.(a) shows for MRE, the task-irrelevant information (“RT @Del: Tune in to”) are weakened in MMIB. As for the visual modality, in MMIB w/o L_{rr} , each image evenly attends to the final visual representations, which makes the attention mechanism in modality fusion wrongly incorporate the visual information of two singers, resulting in the prediction to per/per/peer. Meanwhile, such task-irrelevant visual information are dismissed in MMIB, which could facilitate the task prediction better. For MNER in Figure 3(b), we observe that the task-irrelevant information (i.e. the textual “RT @FP” and visual background in the image) attends little to the final image representations, where the redundant noises in each modality are dismissed. With merit of L_{rr} , MMIB makes the correct prediction for these two cases.

Besides, we compare MMIB with some baselines for performance analysis. Specifically, UMT, one of vanilla multimodal baselines, predicts the relation as peer between persons in MNRE and assigns the entity type PER to “calories” in MNER. Since UMT conducts the cross-modality interaction with all the grids in the image via the attention mechanism, the noisy grids could disturb the attention assignments and thus lead to the wrong predictions. For MEGA, the noisy information could distract the semantic alignment between the textual entities and visual objects. MAF considers the relevance




Fig. 3. Case study for modality-noise.

between the image and text globally, but the lack of fine-grained noise filter still produces the wrong prediction. Though HVPNet attempts to alleviate the visual noises by visual prefixes, it ignores the textual noisy semantics. For example in Figure 3(b), the token “die” internally maintain semantics about a person, thus the visual prefix could be misled by the salient person objects. Affected by such phenomenon, HVPNet fails to perform the correct predictions.

C. Analysis to the Information Bottleneck

To analyze how the information bottleneck principle works, we explore how the Lagrangian multipliers, β_1, β_2 in L_{rr} , influence the final performances. We employ $\{0, 0, 0.01, 0.1, 0.5, 1.0, 1.5, 2.0\}$ as the candidate values of β_1, β_2 . Based on these candidates, we conduct three series of experiments: 1) We fix $\beta_1 = 1$ and tune β_2 with the candidate values; 2) We fix $\beta_2 = 1$ and tune β_1 with the candidate values; 3) We tune β_1, β_2 simultaneously and keep their values as the same value. The fluctuation of F1 performances towards the experiments above are respectively presented with the orange, green and blue curves in Figure 4.

Reading from Figure 4, we could see that the best performances are achieved when both β_1 and β_2 are set as 0.1. Specifically, we have observations and analysis as follows. 1) Tuning β_1, β_2 simultaneously could generally achieve better performances than tuning them respectively, which demonstrates that these two IB-terms in L_{rr} collaboratively work with each other to boost the final performances. 2) The performances degrade severely when β_1 or β_2 is set as 0.0. Such a phenomenon manifests the importance of discarding




Fig. 4. The change F1 for our model with different values of β_1 and β_2 under different datasets: (a) The change of F1 on Twitter15 dataset; (b) The change of F1 on Twitter17; (c) The change of F1 on MRE dataset




Fig. 5. Representation visualization to modality-gap.

noisy information from the original textual and visual information. 3) The worst performances are achieved when β_1 or β_2 is set as 2.0. The reason might that the model compress the original textual and visual information too much, where little valid information is preserved to reconstruct the task-expected information. 4) The best performances are achieved with $\beta_1 = 0.1, \beta_2 = 0.1$, which reveals that the noises in both modalities do not overweight the valid information. Even so, it is important to discard the noises and control the trade-off between the noisy and valid information for predictions.

D. Visualization for Modality-gap

To confirm that MMIB produces the consistent text-image representations, we perform a text-image representation visualization. Specifically, we first randomly choose 150 pairs of entity-objects regarding PER, LOC and ORG types from the input text-image pairs, and gather their representations produced by trained MMIB with/without the alignment regularizer. Then, t-SNE [45] serves to visualize their representations, where it is trained 500 iterations with perplexity of 10. We deploy the results in Twitter17 dataset as an example and present the results in Figure 5, where the three rows are respectively visualization to entity/objects of PER, LOC and



Fig. 6. Error Analysis for the proposed MMIB model.

ORG type. Without the alignment-regularizer, the entity/object representations respectively scatter in their own spaces as the left columns in Figure 5 shows. On the contrary, the right column illustrates representation visualization obtained from the complete MMIB. We could see that the alignment-regularizer could achieve the semantic agreements between textual and visual representations. This phenomenon manifests the effectiveness of the alignment-regularizer for consistent text-image representation learning.

E. Error Analysis

To analyze the potential weakness of MMIB, we conduct an error analysis. Specifically, we respectively select 100 random mistakenly predicted instances from three datasets, and observe that MMIB struggles when the content of text and image are obviously irrelevant. Figure 6 shows some typical instances. For MNER in Figure 6.(a), the entity of interest “Celtic” refers to a football team of ORG-type. However, the salient object in the image is a billboard without obvious clues about an organization to a football team. With such visual clues of the billboard, MMIB recognizes “Celtic” as MISC-type. The similar situation also happens in Figure 6.(b) for MRE. Specifically, the sentence depicts the “tour” in “New York City”, while the image poses objects correlated are presented between the content of text and

image. Hence, guided by such visual information, MMIB predicts `per/loc/place_of_residence` as the relation between given entities.

We attempt to infer the reasons for such phenomenon. Despite that MMIB could discard the noisy information, some noisy information would be inevitably introduced when the content of text-image are obviously irrelevant. We think that this points out an interesting direction and could inspire more future works to improve MRE and MNER.

VI. RELATED WORK

A. Multimodal Entity and Relation Extraction

Multimodal named entity recognition (MNER) and multimodal relation extraction (MRE) have raised great research interests due to the increasing amount of the user-generated multimodal content. Existing studies could be grouped into two lines. The **first** line of studies directly incorporate the whole image as global visual clues to guide the textual task predictions. The visual information are represented by encoding the image as either one feature vector [9], [7], [33] or multiple vectors corresponding to grids [10], [41], [46], [47], [48], [49]. Correspondingly, attention-based mechanisms are designed to promote the text-image interaction, deriving expressive textual representations for the final tasks. However, these methods struggle to build the fine-grained mapping between visual objects and named entities. The **second** line of studies [5], [6] explore the fine-grained object-level visual information to boost the model performances. Specifically, these studies employ the pretrained object detection model to extract the salient objects in the image, where the visual information are acquired from both the global image and local object image. Apart from attention mechanisms [5], [6], various strategies are proposed to sufficiently explore the text-image interaction. For example, Zheng et al. [8] and Zhang et al. [11] utilized multi-modal graph structure to capture the semantic correlation between texts and images. Lu et al. [50] designed a unified lattice structure for cross-modal interaction. Wang et al. [51] develop scene graphs as a structured representation of the visual contents for semantic interaction. To provide prior information about entity types and image regions, Jia et al. [15] and Jia et al. [13] proposed machine reading comprehension (MRC) based methods, where the queries in MRC are elaborately designed to guide the cross-modality interaction for task predictions.

Though the studies above have achieved great success, modality-noise and modality-gap are two inadequately addressed issues. While most previous works ignore the modality-noise problem, Chen et al. [12] attempt to prevent visual information from irrelevant objects via hierarchical visual features. However, we focus on noises in both modalities and aim to derive representations which are not only noise-robust but also predictive enough for downstream tasks. For the issue of modality-gap, though it could be bridged by converting the image or objects to their textual descriptions [6], [8], [16], such operation suffers from the error-propagation from external tools. Different from prior works, we attempt to solve these two issues simultaneously via representation

learning from the information-theoretic perspective, which is more generalizable and adaptive to other tasks.

B. Information Bottleneck

Information bottleneck (IB) [23] is an important concept in information theory and has attached great research attention. IB is adapted into deep neural networks with variational inference, and thus is called variational information bottleneck (VIB) [18]. VIB could serve as a regularization technique for representation learning and has shown its sparkles in various fields of computer vision [31], [52], [53], natural language processing [21], [54], [55], [56] and recommendation systems [22]. Despite of the great achievements above, VIB has not been explored in MNER and MRE yet, which is still unexplored and deserves the research attention. In this paper, we adopt VIB to derive the task-expected and noise-robust representations for MNER and MRE, and achieve great model performances upon three public benchmarks.

VII. CONCLUSION

In this paper, we propose a novel approach, MMIB, for multimodal named entity recognition (MNER) and multimodal relation extraction (MRE). MMIB aims to tackle the issues of modality-noise and modality-gap in these two tasks via representation learning with information theory. Specifically, for the first issue, a refinement-regularizer, which explores the information-bottleneck principle, is devised to draw text-image representations which are diminished from the redundant noises and retain predictive for final tasks. For the second issue, an alignment-regularizer, which contains an MI-term, is proposed to derive the consistent cross-modality representations. Experiments on three benchmarks show that MMIB significantly outperforms state-of-the-art baselines. In the future, we will adapt MMIB for other multimodal tasks for multimedia analysis.

REFERENCES

- [1] J. Yu, B. Bohnet, and M. Poesio, "Named entity recognition as dependency parsing," in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020*, D. Jurafsky, J. Chai, N. Schluter, and J. R. Tetreault, Eds. Association for Computational Linguistics, 2020, pp. 6470–6476. [Online]. Available: <https://doi.org/10.18653/v1/2020.acl-main.577>
- [2] Z. Zhang, B. Yu, X. Shu, M. Xue, T. Liu, and L. Guo, "From what to why: Improving relation extraction with rationale graph," in *Findings of the Association for Computational Linguistics: ACL/IJCNLP 2021, Online Event, August 1-6, 2021*, ser. Findings of ACL, C. Zong, F. Xia, W. Li, and R. Navigli, Eds., vol. ACL/IJCNLP 2021. Association for Computational Linguistics, 2021, pp. 86–95. [Online]. Available: <https://doi.org/10.18653/v1/2021.findings-acl.8>
- [3] Q. Guo, F. Zhuang, C. Qin, H. Zhu, X. Xie, H. Xiong, and Q. He, "A survey on knowledge graph-based recommender systems," *IEEE Trans. Knowl. Data Eng.*, vol. 34, no. 8, pp. 3549–3568, 2022. [Online]. Available: <https://doi.org/10.1109/TKDE.2020.3028705>
- [4] Y. Shen, X. Wang, Z. Tan, G. Xu, P. Xie, F. Huang, W. Lu, and Y. Zhuang, "Parallel instance query network for named entity recognition," in *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers), ACL 2022, Dublin, Ireland, May 22-27, 2022*, S. Muresan, P. Nakov, and A. Villavicencio, Eds. Association for Computational Linguistics, 2022, pp. 947–961. [Online]. Available: <https://aclanthology.org/2022.acl-long.67>

- [5] Z. Wu, C. Zheng, Y. Cai, J. Chen, H. Leung, and Q. Li, "Multimodal representation with embedded visual guiding objects for named entity recognition in social media posts," in *MM '20: The 28th ACM International Conference on Multimedia, Virtual Event / Seattle, WA, USA, October 12-16, 2020*, C. W. Chen, R. Cucchiara, X. Hua, G. Qi, E. Ricci, Z. Zhang, and R. Zimmermann, Eds. ACM, 2020, pp. 1038–1046. [Online]. Available: <https://doi.org/10.1145/3394171.3413650>
- [6] C. Zheng, Z. Wu, T. Wang, Y. Cai, and Q. Li, "Object-aware multimodal named entity recognition in social media posts with adversarial learning," *IEEE Trans. Multim.*, vol. 23, pp. 2520–2532, 2021. [Online]. Available: <https://doi.org/10.1109/TMM.2020.3013398>
- [7] D. Lu, L. Neves, V. Carvalho, N. Zhang, and H. Ji, "Visual attention model for name tagging in multimodal social media," in *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics, ACL 2018, Melbourne, Australia, July 15-20, 2018, Volume 1: Long Papers*, I. Gurevych and Y. Miyao, Eds. Association for Computational Linguistics, 2018, pp. 1990–1999. [Online]. Available: <https://aclanthology.org/P18-1185/>
- [8] C. Zheng, J. Feng, Z. Fu, Y. Cai, Q. Li, and T. Wang, "Multimodal relation extraction with efficient graph alignment," in *MM '21: ACM Multimedia Conference, Virtual Event, China, October 20 - 24, 2021*, H. T. Shen, Y. Zhuang, J. R. Smith, Y. Yang, P. Cesar, F. Metzger, and B. Prabhakaran, Eds. ACM, 2021, pp. 5298–5306. [Online]. Available: <https://doi.org/10.1145/3474085.3476968>
- [9] S. Moon, L. Neves, and V. Carvalho, "Multimodal named entity recognition for short social media posts," in *Proceedings of the 2018 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL-HLT 2018, New Orleans, Louisiana, USA, June 1-6, 2018, Volume 1 (Long Papers)*, M. A. Walker, H. Ji, and A. Stent, Eds. Association for Computational Linguistics, 2018, pp. 852–860. [Online]. Available: <https://doi.org/10.18653/v1/n18-1078>
- [10] B. Xu, S. Huang, C. Sha, and H. Wang, "MAF: A general matching and alignment framework for multimodal named entity recognition," in *WSDM '22: The Fifteenth ACM International Conference on Web Search and Data Mining, Virtual Event / Tempe, AZ, USA, February 21 - 25, 2022*, K. S. Candan, H. Liu, L. Akoglu, X. L. Dong, and J. Tang, Eds. ACM, 2022, pp. 1215–1223. [Online]. Available: <https://doi.org/10.1145/3488560.3498475>
- [11] D. Zhang, S. Wei, S. Li, H. Wu, Q. Zhu, and G. Zhou, "Multi-modal graph fusion for named entity recognition with targeted visual guidance," in *Thirty-Fifth AAAI Conference on Artificial Intelligence, AAAI 2021, Thirty-Third Conference on Innovative Applications of Artificial Intelligence, IAAI 2021, The Eleventh Symposium on Educational Advances in Artificial Intelligence, EAAI 2021, Virtual Event, February 9-29, 2021*. AAAI Press, 2021, pp. 14 347–14 355. [Online]. Available: <https://ojs.aaai.org/index.php/AAAI/article/view/17687>
- [12] X. Chen, N. Zhang, L. Li, Y. Yao, S. Deng, C. Tan, F. Huang, L. Si, and H. Chen, "Good visual guidance make a better extractor: Hierarchical visual prefix for multimodal entity and relation extraction," in *Findings of the Association for Computational Linguistics: NAACL 2022*. Seattle, United States: Association for Computational Linguistics, Jul. 2022, pp. 1607–1618. [Online]. Available: <https://aclanthology.org/2022.findings-naacl.121>
- [13] M. Jia, X. Shen, L. Shen, J. Pang, L. Liao, Y. Song, M. Chen, and X. He, "Query prior matters: A MRC framework for multimodal named entity recognition," in *MM '22: The 30th ACM International Conference on Multimedia, Lisboa, Portugal, October 10 - 14, 2022*, J. Magalhães, A. D. Bimbo, S. Satoh, N. Sebe, X. Alameda-Pineda, Q. Jin, V. Oria, and L. Toni, Eds. ACM, 2022, pp. 3549–3558. [Online]. Available: <https://doi.org/10.1145/3503161.3548427>
- [14] J. Lu, D. Zhang, J. Zhang, and P. Zhang, "Flat multi-modal interaction transformer for named entity recognition," in *Proceedings of the 29th International Conference on Computational Linguistics, COLING 2022, Gyeongju, Republic of Korea, October 12-17, 2022*. International Committee on Computational Linguistics, 2022, pp. 2055–2064. [Online]. Available: <https://aclanthology.org/2022.coling-1.179>
- [15] M. Jia, L. Shen, X. Shen, L. Liao, M. Chen, X. He, Z. Chen, and J. Li, "MNER-QG: an end-to-end MRC framework for multimodal named entity recognition with query grounding," *CoRR*, vol. abs/2211.14739, 2022. [Online]. Available: <https://doi.org/10.48550/arXiv.2211.14739>
- [16] X. Wang, M. Gui, Y. Jiang, Z. Jia, N. Bach, T. Wang, Z. Huang, and K. Tu, "ITA: Image-text alignments for multi-modal named entity recognition," in *Proceedings of the 2022 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*. Seattle, United States: Association for Computational Linguistics, Jul. 2022, pp. 3176–3189. [Online]. Available: <https://aclanthology.org/2022.naacl-main.232>
- [17] D. P. Kingma and M. Welling, "Auto-encoding variational bayes," in *2nd International Conference on Learning Representations, ICLR 2014, Banff, AB, Canada, April 14-16, 2014, Conference Track Proceedings*, Y. Bengio and Y. LeCun, Eds., 2014. [Online]. Available: <http://arxiv.org/abs/1312.6114>
- [18] A. A. Alemi, I. Fischer, J. V. Dillon, and K. Murphy, "Deep variational information bottleneck," in *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017, Conference Track Proceedings*. OpenReview.net, 2017. [Online]. Available: <https://openreview.net/forum?id=HyxQzBceg>
- [19] E. F. T. K. Sang and J. Veenstra, "Representing text chunks," in *EACL 1999, 9th Conference of the European Chapter of the Association for Computational Linguistics, June 8-12, 1999, University of Bergen, Bergen, Norway*. The Association for Computer Linguistics, 1999, pp. 173–179. [Online]. Available: <https://aclanthology.org/E99-1023/>
- [20] C. E. Shannon, "A mathematical theory of communication," *Bell Syst. Tech. J.*, vol. 27, no. 3, pp. 379–423, 1948. [Online]. Available: <https://doi.org/10.1002/j.1538-7305.1948.tb01338.x>
- [21] C. Zhang, X. Zhou, Y. Wan, X. Zheng, K. Chang, and C. Hsieh, "Improving the adversarial robustness of NLP models by information bottleneck," in *Findings of the Association for Computational Linguistics: ACL 2022, Dublin, Ireland, May 22-27, 2022*, S. Muresan, P. Nakov, and A. Villavicencio, Eds. Association for Computational Linguistics, 2022, pp. 3588–3598. [Online]. Available: <https://doi.org/10.18653/v1/2022.findings-acl.284>
- [22] J. Cao, J. Sheng, X. Cong, T. Liu, and B. Wang, "Cross-domain recommendation to cold-start users via variational information bottleneck," in *38th IEEE International Conference on Data Engineering, ICDE 2022, Kuala Lumpur, Malaysia, May 9-12, 2022*. IEEE, 2022, pp. 2209–2223. [Online]. Available: <https://doi.org/10.1109/ICDE53745.2022.00211>
- [23] N. Tishby and N. Zaslavsky, "Deep learning and the information bottleneck principle," in *2015 IEEE Information Theory Workshop, ITW 2015, Jerusalem, Israel, April 26 - May 1, 2015*. IEEE, 2015, pp. 1–5. [Online]. Available: <https://doi.org/10.1109/ITW.2015.7133169>
- [24] S. Gershman and N. D. Goodman, "Amortized inference in probabilistic reasoning," in *Proceedings of the 36th Annual Meeting of the Cognitive Science Society, CogSci 2014, Quebec City, Canada, July 23-26, 2014*, P. Bello, M. Guarini, M. McShane, and B. Scassellati, Eds. cognitivesciencesociety.org, 2014. [Online]. Available: <https://mindmodeling.org/cogsci2014/papers/098/>
- [25] J. Devlin, M. Chang, K. Lee, and K. Toutanova, "BERT: pre-training of deep bidirectional transformers for language understanding," in *Proceedings of the 2019 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, NAACL-HLT 2019, Minneapolis, MN, USA, June 2-7, 2019, Volume 1 (Long and Short Papers)*, J. Burstein, C. Doran, and T. Solorio, Eds. Association for Computational Linguistics, 2019, pp. 4171–4186. [Online]. Available: <https://doi.org/10.18653/v1/n19-1423>
- [26] Z. Yang, B. Gong, L. Wang, W. Huang, D. Yu, and J. Luo, "A fast and accurate one-stage approach to visual grounding," in *2019 IEEE/CVF International Conference on Computer Vision, ICCV 2019, Seoul, Korea (South), October 27 - November 2, 2019*. IEEE, 2019, pp. 4682–4692. [Online]. Available: <https://doi.org/10.1109/ICCV.2019.00478>
- [27] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," in *2016 IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2016, Las Vegas, NV, USA, June 27-30, 2016*. IEEE Computer Society, 2016, pp. 770–778. [Online]. Available: <https://doi.org/10.1109/CVPR.2016.90>
- [28] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, and I. Polosukhin, "Attention is all you need," in *Advances in Neural Information Processing Systems 30: Annual Conference on Neural Information Processing Systems 2017, December 4-9, 2017, Long Beach, CA, USA*, I. Guyon, U. von Luxburg, S. Bengio, H. M. Wallach, R. Fergus, S. V. N. Vishwanathan, and R. Garnett, Eds., 2017, pp. 5998–6008. [Online]. Available: <https://proceedings.neurips.cc/paper/2017/hash/3f5ee243547dee91bd053c1c4a845aa-Abstract.html>
- [29] P. Colombo, P. Piantanida, and C. Clavel, "A novel estimator of mutual information for learning to disentangle textual representations," in *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing, ACL/IJCNLP 2021, (Volume 1: Long Papers), Virtual Event, August 1-6, 2021*, C. Zong, F. Xia, W. Li, and R. Navigli, Eds. Association for Computational Linguistics, 2021,

- pp. 6539–6550. [Online]. Available: <https://doi.org/10.18653/v1/2021.acl-long.511>
- [30] I. Higgins, L. Matthey, A. Pal, C. P. Burgess, X. Glorot, M. M. Botvinick, S. Mohamed, and A. Lerchner, “beta-vae: Learning basic visual concepts with a constrained variational framework,” in *5th International Conference on Learning Representations, ICLR 2017, Toulon, France, April 24-26, 2017, Conference Track Proceedings*. OpenReview.net, 2017. [Online]. Available: <https://openreview.net/forum?id=Sy2fzU9gl>
- [31] T. Q. Chen, X. Li, R. B. Grosse, and D. Duvenaud, “Isolating sources of disentanglement in variational autoencoders,” in *Advances in Neural Information Processing Systems 31: Annual Conference on Neural Information Processing Systems 2018, NeurIPS 2018, December 3-8, 2018, Montréal, Canada*, S. Bengio, H. M. Wallach, H. Larochelle, K. Grauman, N. Cesa-Bianchi, and R. Garnett, Eds., 2018, pp. 2615–2625. [Online]. Available: <https://proceedings.neurips.cc/paper/2018/hash/1ee3dfcd8a0645a25a35977997223d22-Abstract.html>
- [32] P. Velickovic, W. Fedus, W. L. Hamilton, P. Liò, Y. Bengio, and R. D. Hjelm, “Deep graph infomax,” in *7th International Conference on Learning Representations, ICLR 2019, New Orleans, LA, USA, May 6-9, 2019*. OpenReview.net, 2019. [Online]. Available: <https://openreview.net/forum?id=rklz9iAcKQ>
- [33] Q. Zhang, J. Fu, X. Liu, and X. Huang, “Adaptive co-attention network for named entity recognition in tweets,” in *Proceedings of the Thirty-Second AAAI Conference on Artificial Intelligence (AAAI-18), the 30th innovative Applications of Artificial Intelligence (IAAI-18), and the 8th AAAI Symposium on Educational Advances in Artificial Intelligence (EAAI-18), New Orleans, Louisiana, USA, February 2-7, 2018*, S. A. McIlraith and K. Q. Weinberger, Eds. AAAI Press, 2018, pp. 5674–5681. [Online]. Available: <https://www.aaai.org/ocs/index.php/AAAI/AAAI18/paper/view/16432>
- [34] I. Hendrickx, S. N. Kim, Z. Kozareva, P. Nakov, D. Ó. Séaghdha, S. Padó, M. Pennacchiotti, L. Romano, and S. Szpakowicz, “Semeval-2010 task 8: Multi-way classification of semantic relations between pairs of nominals,” *CoRR*, vol. abs/1911.10422, 2019. [Online]. Available: <http://arxiv.org/abs/1911.10422>
- [35] I. Loshchilov and F. Hutter, “Decoupled weight decay regularization,” in *Proceedings of ICLR*, 2019.
- [36] X. Ma and E. H. Hovy, “End-to-end sequence labeling via bi-directional lstm-cnns-crf,” in *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics, ACL 2016, August 7-12, 2016, Berlin, Germany, Volume 1: Long Papers*. The Association for Computer Linguistics, 2016. [Online]. Available: <https://doi.org/10.18653/v1/p16-1101>
- [37] G. Lample, M. Ballesteros, S. Subramanian, K. Kawakami, and C. Dyer, “Neural architectures for named entity recognition,” in *NAACL HLT 2016, The 2016 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies, San Diego California, USA, June 12-17, 2016*, K. Knight, A. Nenkova, and O. Rambow, Eds. The Association for Computational Linguistics, 2016, pp. 260–270. [Online]. Available: <https://doi.org/10.18653/v1/n16-1030>
- [38] A. Ritter, S. Clark, Mausam, and O. Etzioni, “Named entity recognition in tweets: An experimental study,” in *Proceedings of the 2011 Conference on Empirical Methods in Natural Language Processing, EMNLP 2011, 27-31 July 2011, John McIntyre Conference Centre, Edinburgh, UK, A meeting of SIGDAT, a Special Interest Group of the ACL*. ACL, 2011, pp. 1524–1534. [Online]. Available: <https://aclanthology.org/D11-1141/>
- [39] D. Zeng, K. Liu, Y. Chen, and J. Zhao, “Distant supervision for relation extraction via piecewise convolutional neural networks,” in *Proceedings of the 2015 Conference on Empirical Methods in Natural Language Processing, EMNLP 2015, Lisbon, Portugal, September 17-21, 2015*, L. Márquez, C. Callison-Burch, J. Su, D. Pighin, and Y. Marton, Eds. The Association for Computational Linguistics, 2015, pp. 1753–1762. [Online]. Available: <https://doi.org/10.18653/v1/d15-1203>
- [40] L. B. Soares, N. FitzGerald, J. Ling, and T. Kwiatkowski, “Matching the blanks: Distributional similarity for relation learning,” in *Proceedings of the 57th Conference of the Association for Computational Linguistics, ACL 2019, Florence, Italy, July 28- August 2, 2019, Volume 1: Long Papers*, A. Korhonen, D. R. Traum, and L. Márquez, Eds. Association for Computational Linguistics, 2019, pp. 2895–2905. [Online]. Available: <https://doi.org/10.18653/v1/p19-1279>
- [41] J. Yu, J. Jiang, L. Yang, and R. Xia, “Improving multimodal named entity recognition via entity span detection with unified multimodal transformer,” in *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics, ACL 2020, Online, July 5-10, 2020*, D. Jurafsky, J. Chai, N. Schluter, and J. R. Tetraault, Eds. Association for Computational Linguistics, 2020, pp. 3342–3352. [Online]. Available: <https://doi.org/10.18653/v1/2020.acl-main.306>
- [42] L. H. Li, M. Yatskar, D. Yin, C. Hsieh, and K. Chang, “Visualbert: A simple and performant baseline for vision and language,” *CoRR*, vol. abs/1908.03557, 2019. [Online]. Available: <http://arxiv.org/abs/1908.03557>
- [43] K. Tang, Y. Niu, J. Huang, J. Shi, and H. Zhang, “Unbiased scene graph generation from biased training,” in *2020 IEEE/CVF Conference on Computer Vision and Pattern Recognition, CVPR 2020, Seattle, WA, USA, June 13-19, 2020*. Computer Vision Foundation / IEEE, 2020, pp. 3713–3722. [Online]. Available: https://openaccess.thecvf.com/content_CVPR_2020/html/Tang_Unbiased_Scene_Graph_Generation_From_Biased_Training_CVPR_2020_paper.html
- [44] X. Chen, N. Zhang, L. Li, S. Deng, C. Tan, C. Xu, F. Huang, L. Si, and H. Chen, “Hybrid transformer with multi-level fusion for multimodal knowledge graph completion,” in *SIGIR '22: The 45th International ACM SIGIR Conference on Research and Development in Information Retrieval, Madrid, Spain, July 11 - 15, 2022*. ACM, 2022, pp. 904–915. [Online]. Available: <https://doi.org/10.1145/3477495.3531992>
- [45] G. E. Hinton and S. T. Roweis, “Stochastic neighbor embedding,” in *Advances in Neural Information Processing Systems 15 [Neural Information Processing Systems, NIPS 2002, December 9-14, 2002, Vancouver, British Columbia, Canada]*, S. Becker, S. Thrun, and K. Obermayer, Eds. MIT Press, 2002, pp. 833–840. [Online]. Available: <https://proceedings.neurips.cc/paper/2002/hash/6150ccc6069bea6b5716254057a194ef-Abstract.html>
- [46] L. Sun, J. Wang, K. Zhang, Y. Su, and F. Weng, “Rpbert: A text-image relation propagation-based BERT model for multimodal NER,” in *Thirty-Fifth AAAI Conference on Artificial Intelligence, AAAI 2021, Thirty-Third Conference on Innovative Applications of Artificial Intelligence, IAAI 2021, The Eleventh Symposium on Educational Advances in Artificial Intelligence, EAAI 2021, Virtual Event, February 2-9, 2021*. AAAI Press, 2021, pp. 13 860–13 868. [Online]. Available: <https://ojs.aaai.org/index.php/AAAI/article/view/17633>
- [47] S. Chen, G. Aguilar, L. Neves, and T. Solorio, “Can images help recognize entities? A study of the role of images for multimodal NER,” in *Proceedings of the Seventh Workshop on Noisy User-generated Text, W-NUT 2021, Online, November 11, 2021*, W. Xu, A. Ritter, T. Baldwin, and A. Rahimi, Eds. Association for Computational Linguistics, 2021, pp. 87–96. [Online]. Available: <https://doi.org/10.18653/v1/2021.wnut-1.11>
- [48] C. Zheng, Z. Wu, J. Feng, Z. Fu, and Y. Cai, “MNRE: A challenge multimodal dataset for neural relation extraction with visual evidence in social media posts,” in *2021 IEEE International Conference on Multimedia and Expo, ICME 2021, Shenzhen, China, July 5-9, 2021*. IEEE, 2021, pp. 1–6. [Online]. Available: <https://doi.org/10.1109/ICME51207.2021.9428274>
- [49] B. Xu, S. Huang, M. Du, H. Wang, H. Song, C. Sha, and Y. Xiao, “Different data, different modalities! reinforced data splitting for effective multimodal information extraction from social media posts,” in *Proceedings of the 29th International Conference on Computational Linguistics, COLING 2022, Gyeongju, Republic of Korea, October 12-17, 2022*. International Committee on Computational Linguistics, 2022, pp. 1855–1864. [Online]. Available: <https://aclanthology.org/2022.coling-1.160>
- [50] J. Lu, D. Zhang, J. Zhang, and P. Zhang, “Flat multi-modal interaction transformer for named entity recognition,” in *Proceedings of the 29th International Conference on Computational Linguistics*. Gyeongju, Republic of Korea: International Committee on Computational Linguistics, Oct. 2022, pp. 2055–2064. [Online]. Available: <https://aclanthology.org/2022.coling-1.179>
- [51] J. Wang, Y. Yang, K. Liu, Z. Zhu, and X. Liu, “M3S: scene graph driven multi-granularity multi-task learning for multi-modal NER,” *IEEE ACM Trans. Audio Speech Lang. Process.*, vol. 31, pp. 111–120, 2023. [Online]. Available: <https://doi.org/10.1109/TASLP.2022.3221017>
- [52] A. Bardera, J. Rigau, I. Boada, M. Feixas, and M. Sbert, “Image segmentation using information bottleneck method,” *IEEE Trans. Image Process.*, vol. 18, no. 7, pp. 1601–1612, 2009. [Online]. Available: <https://doi.org/10.1109/TIP.2009.2017823>
- [53] S. Motiian and G. Doretto, “Information bottleneck domain adaptation with privileged information for visual recognition,” in *Computer Vision - ECCV 2016 - 14th European Conference, Amsterdam, The Netherlands, October 11-14, 2016, Proceedings, Part VII*, ser. Lecture Notes in Computer Science, B. Leibe, J. Matas, N. Sebe, and

- M. Welling, Eds., vol. 9911. Springer, 2016, pp. 630–647. [Online]. Available: https://doi.org/10.1007/978-3-319-46478-7_39
- [54] R. K. Mahabadi, Y. Belinkov, and J. Henderson, “Variational information bottleneck for effective low-resource fine-tuning,” in *9th International Conference on Learning Representations, ICLR 2021, Virtual Event, Austria, May 3-7, 2021*. OpenReview.net, 2021. [Online]. Available: https://openreview.net/forum?id=kvhzKz_DMf
- [55] J. Zhou, Y. Wu, Q. Chen, X. Huang, and L. He, “Attending via both fine-tuning and compressing,” in *Findings of the Association for Computational Linguistics: ACL/IJCNLP 2021, Online Event, August 1-6, 2021*, ser. Findings of ACL, C. Zong, F. Xia, W. Li, and R. Navigli, Eds., vol. ACL/IJCNLP 2021. Association for Computational Linguistics, 2021, pp. 2152–2161. [Online]. Available: <https://doi.org/10.18653/v1/2021.findings-acl.189>
- [56] J. Zhou, Q. Zhang, Q. Chen, L. He, and X. Huang, “A multi-format transfer learning model for event argument extraction via variational information bottleneck,” in *Proceedings of the 29th International Conference on Computational Linguistics, COLING 2022, Gyeongju, Republic of Korea, October 12-17, 2022*. International Committee on Computational Linguistics, 2022, pp. 1990–2000. [Online]. Available: <https://aclanthology.org/2022.coling-1.173>