

Guest Editors

Introduction: Special Section on Recent Advances in the Design and Management of Reliable Communication Networks

I. INTRODUCTION

THIS Special Section (SI) features the latest research contributions regarding recent advances in the design and management of reliable communication networks. Communication networks are constantly increasing their complexity and scale to satisfy the requirements of network services. The current trend of convergence of networking and computing infrastructures (as in today's cloud systems and softwarized networks) calls for novel advanced strategies and solutions to support reliable services, as the development of new data-driven solutions for reliable network automation and self-diagnostic tools to ensure resilient network management.

In current 5G-network deployments, major network upgrades are on-going, or soon to be implemented, to support the new Ultra-Reliable Low-Latency Communication (URLLC) services with availabilities of up to 6 nines to be guaranteed jointly with exceptionally low latencies. Looking ahead, the envisioned 6G communication networks will support network services with even more critical requirements, such as smart mobility, e-health, industrial control, and pave the way to immersive environments with application in remote education, working and entertainment.

Several new technical developments are hence under investigation to allow network providers to achieve the desired levels of resilience: network functions virtualization (NFV), which enables shorter provisioning times and more flexible use of physical network resources; the synergistic collaboration of different technologies (optical, wireless satellite, datacenter networks); enhanced forms of data/service replication, supported by cloud and edge computing; network slicing, which allows to define highly-reliable logical partitions of network, computing and storage resources. These and other technological innovations can be used as facilitators for the deployment of high-reliability networks and are discussed in the articles published in this Special Section.

II. OVERVIEW OF SPECIAL SECTION

The Special Section received sixty-three submissions. After a thorough and timely review process, 28 papers were accepted for publication in this Special Section. The accepted papers

have been classified into five categories: (i) resilience in NFV-based networks; (ii) application-aware solutions for network resilience (iii) resilience of transport networks; (iv) secure and reliable communications (v) wireless and radio-access network resilience.

A. Resilience in NFV-Based Networks

NFV strongly contributes to attaining the required resilience of future networks, as illustrated in the following works.

A critical concerns of cloud operators is how to increase the service reliability to at least 4 nines. [A1] proposes to use Function Choreographies (FC) to orchestrate several network functions in the same workflow and maintain the service reliability in federated clouds. The proposed approach outperforms existing solutions (e.g., AWS Step Functions) and it also survives massive failures.

Similarly, 5G mobile networks are being softwarized to enable a more efficient use of resources. A compromise between the high reliability requirements (up to 6 nines) and the fallible nature of servers has to be found. In [A2], Ortin *et al.* analyze an auto-scaling mechanism to de/activate servers and propose an algorithm to optimally configure these thresholds as a function of the server performance. The performance evaluation compares different server configurations in terms of failure probabilities and power consumption for different arrival rates.

The resilience of the control plane in virtualized 6G core networks is addressed in [A3]. An Integer Linear Program (ILP) and a heuristic for latency-aware hypervisor placement for protection against single-link and hypervisor failures are presented. Results illustrate the impact of three hypervisor placement methods on the acceptance ratio of virtual SDN requests.

In [A4], the fault tolerance for highly-available NFV in LTE is studied. The authors address three critical issues to provide high availability in LTE: fast failure detection, recovery of lost states and messages, and overhead minimization. Their design implemented over OpenAirInterface is LTE standard-compliant and works as a plug-and-play without modifying existing LTE implementations.

Finally protection is also investigated in the context of Multi-access Edge Computing (MEC). A protection scheme,

designated 1:N:K, for placement of MECs and slices in a 5G infrastructure is proposed and analyzed in [A5]. The objective is to achieve low latency and high reliability at minimum cost.

B. Application-Aware Solutions for Network Resilience

Network resilience is ultimately aimed at supporting the requirement of a specific service or application. More and more, in the last years, the specific application requirements shape the strategies for network resilience. For example, Internet of Things (IoT)-based applications need secure, low-cost real-time data sharing mechanisms, while E-health applications are particularly sensitive with respect to data privacy and Industrial Control applications focus on real-time communications with high reliability.

Yang *et al.* [A6] propose to transfer a distributed membership detection algorithm for networking servers to IoT, in order to contribute to reliability in the IoT domain. Evaluations based on analysis, simulation, and hardware test shows that both detection time and communication traffic can be optimized.

Dieye *et al.* [A7] leverage fog computing (FC) to deliver reliable remote health monitoring and propose a reliable health monitoring framework operating under uncertain FC conditions. A problem is formulated to assign tasks of remote sensors attached to patients to their applications deployed in fog nodes aiming to maximize the number of satisfied tasks with respect to the fog nodes' availability and communication latency constraints. Authors propose as a solution a differential evolution-based algorithm enhanced by reinforcement learning to deploy applications in fog nodes.

In [A8], Sacco *et al.* present Reparo, a new framework that leverages Hidden Markov Model (HMM) enhanced with adversarial autoencoders to perform predictions at the application-layer and enable fast detection and restoration of lost packets. Using realistic traffic traces, Reparo is shown to satisfy the requirements of a telemedicine use case in terms of throughput and latency.

Paper [A9] presents an approach to manage communication resilience for the healthcare domain in presence of available heterogeneous networks. Specifically, the authors propose a portable assisted living system and show that it performs well in terms of delay, throughput, and communication resilience.

In [A10], Wang *et al.* propose a trust management method against abnormal behavior of industrial control networks. For that purpose, trust information and trust relationship of abnormal behaviors are used to establish a trust update and decision-making mechanism under the availability constraints of industrial control networks.

For critical wireless networks, [A11] evaluates a forecast-based recovery mechanism for real-time remote control in robotic environments, using simulation and hardware experimentation. The authors show that the mechanism reduces the robots' trajectory error in RF-interference situations significantly.

C. Resilience of Transport Networks

Transport networks are the core of the Internet infrastructure and their resilience has always been a major concern for network operators. To achieve a more efficient and

flexible use of installed capacity, new technologies have been recently developed, such as elastic optical networks (EON) and new advanced forms of satellite networking exploiting inter-satellite laser links to increase global connectivity.

As EONs offer a flexible platform to deal with massive failures, Zou *et al.* [A12] develop new efficient protection mechanisms for disaster mitigation in EONs. They propose the new concept of mitigation zone, i.e., a region, close to the disaster, where lightpaths may accept degraded service. An ILP and a heuristic algorithm are proposed and simulation results demonstrate lower penalty and blocking ratio with respect to conventional algorithms.

Also leveraging EON flexibility, Santos *et al.* [A13] address the problem of service degradation. In case of failures, light-path capacity is adjusted to reduce network blocking probability. The paper introduces a service-degradation algorithm, which combines the requirements and characteristics of the optical and the application domain.

[A14] focuses on Flex Ethernet (FlexE), a novel technology to realize deterministic and ultra-low latency in transport networks. Authors provide ILP models and heuristics, representing various flavours of cross-layer restoration in a FlexE-over-EON architecture. Authors' proposal is corroborated on the specific scenario of FlexE switch outage using extensive network-level numerical simulations.

For satellite networks, [A15] proposes and assesses an algorithm that removes optical inter-satellite links for bandwidth efficiency of satellite networks, while maintaining reliability and availability. A simulation study shows that the selective removal of inter-satellite links can improve the bandwidth efficiency of optical satellite networks significantly.

In [A16], Syamkumar *et al.* present a cloud-based network telemetry system, called BigBen, for accurate and timely detection of failure events in the Internet. BigBen differs from other detection systems as it uses passive measurements of network time protocol (NTP) traffic. A cloud-based implementation of BigBen is developed to process terabytes of NTP data and provide accurate event reporting.

A topology-agnostic multipath source routing, based approach for reliable communications designated Multipath Polynomial Key-based Architecture (M-PolKA), is described in [A17]. The proposed scheme reduces the size of routing tables through path encoding in the packet header. The numerical evaluation of M-Polka is carried on using two prototypes: an emulated setup and a physical setup based on Netronome SmartNICs.

Software-Defined Wide Area Network (SD-WAN) is promising technology for enterprise networking as it is more cost-effective than other traditional solutions. In [A18] a performance evaluation is carried out on two experimental SD-WAN testbeds, demonstrating a significant increase service availability while satisfying the rigorous requirements of delay-sensitive services.

D. Secure and Reliable Communications

Security concerns are transversal to communication networks and are becoming more and more intertwined with network reliability.

The interconnection of smart devices and authentication requirements to enable secure communication is addressed in [A19]. The authors note that traditional certificate-based authentication scheme can no longer meet the requirements of massive device deployment. [A19] introduces a Blockchain technology to establish trust in an untrusted environment and share cross-domain certificate information among multiple domains.

Along the same lines, Lee *et al.* [A20] exploit Blockchain to enhance performance and security in IoT-based Federated learning (FL) systems. As directly integrating Blockchains in large systems still faces many limitations in terms of scalability and privacy, they proposed μ DFL, a novel hierarchical IoT network fabric for decentralized FL atop of a lightweight blockchain called microchain. These microchains are federated via a high-level inter-chain network, which adopts an efficient Byzantine Fault Tolerance consensus protocol to achieve scalability and security.

[A21] contributes to the field of quantum key distribution (QKD), a recent technology that ensures unconditional secure physical communication. This study analyzes performance bounds of the Bennett–Brassard-84 (BB84) QKD protocol, and also introduces a new grouped BB84 protocol to deal with changing channel conditions. Based extensive simulation study, the grouped BB84 protocol is shown to guarantee high accuracy in eavesdropping detection even under rapidly varying channel conditions.

Machine Learning (ML)-based techniques have been shown to be good candidates as security diagnosis tools as they can detect and identify the nature of existing attacks. However, to cope with unknown attacks, paper [A22] proposes a Distance-Based Root Cause Analysis (DB-RCA), which is applied to optical physical layer attacks. The proposed framework is also validated on an experimental physical-layer security dataset.

E. Wireless and Radio-Access Network Resilience

Wireless networks are increasingly ubiquitous, so their resilience is of the utmost importance.

The next generation of cellular networks will have to cope with an increasing number of users and, hence, power and bandwidth resources have to be efficiently managed. In [A23], the integration of traditional (i.e., grid-based) and renewable (e.g., solar-based) power sources is proposed in a smart city scenario. Authors propose a pricing model and a cost optimization based on a game-theoretic analysis. The Nash Equilibrium is verified for two defined games, and an optimal cost solution is proposed for green base stations.

Khan *et al.* [A24] enhance and expand on traditional availability modeling used in cognitive radio networks. The new concepts of connection availability and service maintainability are introduced and, to test them, a new channel reservation algorithm is proposed and an analytical model is introduced. Valuable tradeoffs among the newly-introduced metrics are explored using numerical evaluations.

[A25] focuses on Multi-access Edge Computing (MEC). Resource allocation scheduling in MEC is addressed by decomposing the problem in a pre-processing phase and an

assignment phase. In the pre-processing phase, several clustering models are considered to group access points, then the assignment phase selects the MEC hosts, taking into account the MEC capacity constraints. Results show that the proposed approach reduces both memory usage and execution time.

[A26] proposes an Intelligent Control for Self-driving RAN (ICRAN) to maximize the radio resources utilization while minimizing the performance degradation. ICRAN involves two deep reinforcement learning approaches, one for centralized and a second for distributed RAN control planes. The evaluation show that ICRAN is able to satisfy the Service Level Agreement (SLA) requirements while maximizing the radio resource utilization.

In [A27], Gemmi *et al.* tackled the problem of public street coverage for 5G deployments in urban areas using a data-driven methodology. Starting from 3D digital maps, the problem of antenna placement is formulated as a set coverage problem and the authors leveraged powerful heuristics to allow the exploration of different policies, returning the detailed coverage, the antenna placement, and the cost of the coverage.

In [A28], Karmakar *et al.* considered the issue of deploying UAVs as aerial base stations to establish wireless communication networks in various challenging scenarios, and addressed the reliability of the communication when one or more UAVs are compromised. The authors leverage Deep Reinforcement Learning (DRL) to achieve a reliable backhauling that survives even under various random and/or targeted UAV node failures.

The editors would like to sincerely thank all authors who submitted papers to this special section and all reviewers for their relevant comments, constructive suggestions, and timely submission of their reviews. Finally, we appreciate the support of the past Editor-in-Chief, Filip De Turck, the current Editor-in-Chief, Hanan Lutfiyya, and Janine Bruttin, IEEE TRANSACTIONS ON NETWORK AND SERVICE MANAGEMENT, Administrative Assistant, for their precious help in the preparation of this SI.

MASSIMO TORNATORE

Department of Electronics, Information and Bioengineering
Politecnico di Milano
20133 Milan, Italy

TERESA GOMES

Department of Electrical and Computer Engineering
University of Coimbra
3030-290 Coimbra, Portugal
DEEC
INESC Coimbra
3030-290 Coimbra, Portugal

CARMEN MAS-MACHUCA

TUM School of Computation, Information and Technology
Technical University of Munich
80333 Munich, Germany

EIJI OKI
Graduate School of Informatics
Kyoto University
Kyoto 606-8501, Japan

CHADI ASSI
Institute for Information Systems Engineering
Concordia University
Montreal, QC H3G 1M8, Canada

DOMINIC SCHUPKE
Central Research and Technology
Airbus
82024 Munich, Germany

APPENDIX: RELATED ARTICLES

- [A1] S. Ristov, D. Kimovski, and T. Fahringer, "FaaSinating resilience for serverless function choreographies in federated clouds," *IEEE Trans. Netw. Service Manag.*, early access, Mar. 24, 2022, doi: [10.1109/TNSM.2022.3162036](#).
- [A2] J. Ortin, P. Serrano, J. Garcia-Reinoso, and A. Banchs, "Analysis of scaling policies for NFV providing 5G/6G reliability levels with fallible servers," *IEEE Trans. Netw. Service Manag.*, vol. 19, no. 2, pp. 1287–1305, Jun. 2022, doi: [10.1109/TNSM.2022.3147146](#).*
- [A3] F. Mogyorósi, P. Babarczy, J. Zerwas, A. Blenk, and A. Pašić, "Resilient control plane design for virtualized 6G core networks," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 22, 2022, doi: [10.1109/TNSM.2022.3193241](#).
- [A4] M. T. Raza, Z. Tan, A. Tufail, and F. M. Anwar, "LTE NFV rollback recovery," *IEEE Trans. Netw. Service Manag.*, early access, Jun. 10, 2022, doi: [10.1109/TNSM.2022.3182008](#).
- [A5] H. D. Chantre and N. L. S. da Fonseca, "Design of 5G MEC-based networks with 1:N:K protection scheme," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 4, 2022, doi: [10.1109/TNSM.2022.3188159](#).
- [A6] R. Yang, J. Wang, J. Hu, S. Zhu, Y. Li, and I. Gupta, "Medley: A membership service for IoT networks," *IEEE Trans. Netw. Service Manag.*, early access, Aug. 4, 2022, doi: [10.1109/TNSM.2022.3196268](#).
- [A7] M. Dieye, A. Mseddi, W. Jaafar, and H. Elbiaze, "Towards reliable remote health monitoring in fog computing networks," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 28, 2022, doi: [10.1109/TNSM.2022.3194806](#).
- [A8] A. Sacco, F. Esposito, and G. Marchetto, "Restoring application traffic of latency-sensitive networked systems using adversarial autoencoders," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 19, 2022, doi: [10.1109/TNSM.2022.3192305](#).
- [A9] F. Nakayama, P. Lenz, and M. Nogueira, "A resilience management architecture for communication on portable assisted living," *IEEE Trans. Netw. Service Manag.*, early access, Apr. 7, 2022, doi: [10.1109/TNSM.2022.3165729](#).
- [A10] J. Wang, Z. Zhang, and M. Wang, "A trust management method against abnormal behavior of industrial control networks under active defense architecture," *IEEE Trans. Netw. Service Manag.*, early access, May 9, 2022, doi: [10.1109/TNSM.2022.3173398](#).
- [A11] M. Groshev, J. Martín-Pérez, C. Guimarães, A. de la Oliva, and C. J. Bernardos, "FoReCo: A forecast-based recovery mechanism for real-time remote control of robotic manipulators," *IEEE Trans. Netw. Service Manag.*, early access, May 9, 2022, doi: [10.1109/TNSM.2022.3173436](#).
- [A12] R. Zou, H. Hasegawa, M. Jinno, and S. Subramaniam, "DRAMA+: Disaster management with mitigation awareness for translucent elastic optical networks," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 8, 2022, doi: [10.1109/TNSM.2022.3189362](#).
- [A13] A. S. Santos, J. de Santi, G. B. Figueiredo, and B. Mukherjee, "Application-aware service degradation in elastic optical networks," *IEEE Trans. Netw. Service Manag.*, vol. 19, no. 2, pp. 949–961, Jun. 2022, doi: [10.1109/TNSM.2022.3154331](#).*
- [A14] M. Wu, N. L. S. da Fonseca, and Z. Zhu, "Dynamic cross-layer restoration to resolve packet layer outages in FlexE-over-EONs," *IEEE Trans. Netw. Service Manag.*, early access, May 30, 2022, doi: [10.1109/TNSM.2022.3178720](#).
- [A15] W. Wang, Y. Zhao, Y. Zhang, X. He, Y. Liu, and J. Zhang, "Inter-satellite laser link planning for reliable topology design in optical satellite networks: A networking perspective," *IEEE Trans. Netw. Service Manag.*, early access, Apr. 18, 2022, doi: [10.1109/TNSM.2022.3168148](#).
- [A16] M. Syamkumar, Y. Gullapalli, W. Tang, P. Barford, and J. Sommers, "BigBen: Telemetry processing for Internet-wide event monitoring," *IEEE Trans. Netw. Service Manag.*, early access, Jun. 20, 2022, doi: [10.1109/TNSM.2022.3184593](#).
- [A17] R. S. Guimarães *et al.*, "M-PolKA: Multipath polynomial key-based source routing for reliable communications," *IEEE Trans. Netw. Service Manag.*, early access, Mar. 21, 2022, doi: [10.1109/TNSM.2022.3160875](#).
- [A18] S. Troia, M. Mazzara, M. Savi, L. M. M. Zorello, and G. Maier, "Resilience of delay-sensitive services with transport-layer monitoring in SD-WAN," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 18, 2022, doi: [10.1109/TNSM.2022.3191943](#).
- [A19] M. Wang, L. Rui, Y. Yang, Z. Gao, and X. Chen, "A blockchain-based multi-CA cross-domain authentication scheme in decentralized autonomous network," *IEEE Trans. Netw. Service Manag.*, early access, Jun. 7, 2022, doi: [10.1109/TNSM.2022.3180357](#).
- [A20] R. Xu and Y. Chen, "μDFL: A secure microchained decentralized federated learning fabric atop IoT networks," *IEEE Trans. Netw. Service Manag.*, early access, Jun. 2, 2022, doi: [10.1109/TNSM.2022.3179892](#).
- [A21] C. Lee, I. Sohn, and W. Lee, "Eavesdropping detection in BB84 quantum key distribution protocols," *IEEE Trans. Netw. Service Manag.*, early access, Apr. 6, 2022, doi: [10.1109/TNSM.2022.3165202](#).
- [A22] C. Natalino, M. Schiano, A. D. Giglio, and M. Furdek, "Root cause analysis for autonomous optical network security management," *IEEE Trans. Netw. Service Manag.*, early access, Aug. 11, 2022, doi: [10.1109/TNSM.2022.3198139](#).
- [A23] P. Gorla, A. Deshmukh, S. Joshi, V. Chamola, and M. Guizani, "A game theoretic analysis for power management and cost optimization of green base stations in 5G and beyond communication networks," *IEEE Trans. Netw. Service Manag.*, early access, Feb. 7, 2022, doi: [10.1109/TNSM.2022.3149593](#).
- [A24] A. U. Khan, G. Abbas, Z. H. Abbas, M. Bilal, S. C. Shah, and H. Song, "Reliability analysis of cognitive radio networks with reserved spectrum for 6G-IoT," *IEEE Trans. Netw. Service Manag.*, early access, Apr. 19, 2022, doi: [10.1109/TNSM.2022.3168669](#).
- [A25] N.-E.-H. Yellas, S. Boumerdassi, A. Ceselli, B. Maaz, and S. Secci, "Robust access point clustering in edge computing resource optimization," *IEEE Trans. Netw. Service Manag.*, early access, Jun. 28, 2022, doi: [10.1109/TNSM.2022.3186856](#).
- [A26] A. H. Ahmed and A. Elmokashfi, "ICRAN: Intelligent control for self-driving RAN based on deep reinforcement learning," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 18, 2022, doi: [10.1109/TNSM.2022.3191746](#).
- [A27] G. Gemmi, R. L. Cigno, and L. Maccari, "On cost-effective, reliable coverage for LoS communications in urban areas," *IEEE Trans. Netw. Service Manag.*, early access, Jul. 13, 2022, doi: [10.1109/TNSM.2022.3190634](#).
- [A28] P. Karmakar, V. Shah, S. Roy, K. Hazra, S. Saha, and S. Nandi, "Reliable backhauling in aerial communication networks against UAV failures: A deep reinforcement learning approach," *IEEE Trans. Netw. Service Manag.*, early access, Aug. 8, 2022, doi: [10.1109/TNSM.2022.3196852](#).

*Denotes article published in earlier issue, but submitted and accepted for the "Special Section on Recent Advances in the Design and Management of Reliable Communication Networks."



Massimo Tornatore (Senior Member, IEEE) received the Ph.D. degree from the Politecnico di Milano in 2006, where he is currently an Associate Professor. He also holds an appointment as an Adjunct Professor with the University of California at Davis, Davis, USA, and as a Visiting Professor with the University of Waterloo, Canada. In these areas, he coauthored more than 400 peer-reviewed conference and journal papers (with 18 best paper awards), two books, and one patent. His research interests include performance evaluation and optimization of communication networks (with an emphasis on optical networking), cloud computing, and machine learning application for network management. He is a member of the Editorial Board of, among others, IEEE COMMUNICATION SURVEYS AND TUTORIALS, IEEE TRANSACTIONS ON NETWORK AND SERVICE MANAGEMENT, and IEEE COMMUNICATION LETTERS.



Teresa Gomes (Member, IEEE) received the Ph.D. degree in electrical engineering (telecommunications and electronics) from the University of Coimbra in 1998, where she is an Assistant Professor. She is also a Researcher with the Institute for Systems Engineering and Computers, Coimbra. From April 2013 to July 2013, she was a Visiting Researcher with the School of Information Sciences, University of Pittsburgh, USA. She is the author/coauthor of over 90 technical publications in international journals, conference proceedings, and book chapters, including one European patent. Her main interests are routing, protection, and reliability analysis models and algorithms for communication networks. She has been responsible for several national projects, mainly with industry. She has also served as a TPC member of numerous international conferences, was the Co-Chair of DRCN 2019, and the TPC Co-Chair of ONDM 2022. She is an Associate Editor of *Journal of Network and Systems Management* (Springer) and IEEE TRANSACTIONS ON NETWORK AND SERVICE MANAGEMENT.



Carmen Mas-Machuca (Senior Member, IEEE) received the Dipl.-Ing. degree (master's) from the Universitat Politècnica de Catalunya, UPC, Spain, in 1995, and the Dr.-Ing. degree (Ph.D.) from the École Polytechnique Fédérale de Lausanne, EPFL, Switzerland, in 2000. She is currently a Private Dozent/Adjunct Teaching Professor with the Chair of Communication Networks, Technical University of Munich, Germany. She has published more than 150 peer-reviewed articles. Her main research interests include techno-economic studies, network planning and resilience, SDN/NFV optimization problems, and next-generation converged access networks. She is currently the NetSoft'22 TPC Co-Chair, the ONDM'23 TPC Co-Chair, a Guest Editor of IEEE COMMAG Feature topic on "Techno-Economic Analysis of Telecommunications Systems" and Telecommunications Special Issue on "5G Network Energy Consumption, Energy Efficiency and Environmental Impact" 2022, and the IEEE TRANSACTIONS ON NETWORK AND SERVICE MANAGEMENT Associate Co-Editor of the Special Issue on "Design and Management of Reliable Communications Network."



Eiji Oki (Fellow, IEEE) received the B.E. and M.E. degrees in instrumentation engineering and the Ph.D. degree in electrical engineering from Keio University, Yokohama, Japan, in 1991, 1993, and 1999, respectively. He is a Professor with Kyoto University, Kyoto, Japan. From 1993 to 2008, he was with Nippon Telegraph and Telephone Corporation Laboratories, Tokyo, Japan. From 2000 to 2001, he was a Visiting Scholar with Polytechnic University, Brooklyn, NY, USA. He was with The University of Electro-Communications, Tokyo, from 2008 to 2017. He joined Kyoto University in 2017. He has been active in standardization of path computation element in IETF. He has authored/ contributed to 12 IETF RFCs. His research interests include routing, switching, protocols, optimization, and traffic engineering in communication and information networks. He is an IEICE Fellow.



Chadi Assi (Fellow, IEEE) received the Ph.D. degree from the City University of New York (CUNY). During his Ph.D. degree, he worked on optical networks, and namely on lightpath provisioning and survivability. He spent a year as a Visiting Researcher with Nokia Research Center, Boston, where he worked on quality of service in passive optical access networks. He joined Concordia University in 2003 as an Assistant Professor, where he is currently a Full Professor and he was a Concordia Research Chair (Tier 2) from 2012 to 2017, then since 2017, he has been a Research Chair (Tier 1). He was elevated to an IEEE Fellow (class 2020) by the Communications Society for “Contributions to Resource Allocation for Optical and Wireless Networks.” His research interests are in the general area of networks and telecommunications (both wired and wireless), (IoT) cyber security, and smart grids. He was the recipient of the Prestigious Mina Rees Dissertation Award from CUNY in 2002 for his research on wavelength-division multiplexing in optical networks. He serves or served on the editorial board of several flagship journals of the IEEE.



Dominic Schupke (Member, IEEE) received the Dr.-Ing. degree (*summa cum laude*) in electrical engineering and information technology from RWTH Aachen, Imperial College London, and TUM. He is a Research Leader of Reliable Communication Networks, currently focusing on Wireless Communications with Airbus, Munich, Germany. He is also a Lecturer of Network Planning with the Technical University of Munich (TUM). Prior to Airbus, he was with Nokia, Siemens, and TUM. He is the author or coauthor of more than 150 journal and conference papers (Google Scholar H-index 32). His recent research addresses aerospace networks.