

Signal Reconstruction via H^∞ Sampled-Data Control Theory—Beyond the Shannon Paradigm

Yutaka Yamamoto, *Fellow, IEEE*, Masaaki Nagahara, *Member, IEEE*, and
Pramod P. Khargonekar, *Fellow, IEEE*

Abstract

This paper presents a new method for signal reconstruction by leveraging sampled-data control theory. We formulate the signal reconstruction problem in terms of an analog performance optimization problem using a stable discrete-time filter. The proposed H^∞ performance criterion naturally takes intersample behavior into account, reflecting the energy distributions of the signal. We present methods for computing optimal solutions which are guaranteed to be stable and causal. Detailed comparisons to alternative methods are provided. We discuss some applications in sound and image reconstruction.

Index Terms

Sampled-data control theory, digital signal processing, Shannon paradigm, sampling theorem, H^∞ control theory

Copyright (c) 2011 IEEE. Personal use of this material is permitted. However, permission to use this material for any other purposes must be obtained from the IEEE by sending a request to pubs-permissions@ieee.org.

Y. Yamamoto is with Department of Applied Analysis and Complex Dynamical Systems, Graduate School of Informatics, Kyoto University, Kyoto, 606-8501, JAPAN (e-mail: yy@i.kyoto-u.ac.jp). Mailing address: Kyoto University, Yoshida Honmachi, Sakyo-ku, Kyoto 606-8501, Japan. TEL: +81-75-753-5901, FAX: +81-75-753-5517.

M. Nagahara is with Department of Applied Analysis and Complex Dynamical Systems, Graduate School of Informatics, Kyoto University, Kyoto, 606-8501, JAPAN (e-mail: nagahara@i.kyoto-u.ac.jp). Mailing address: Kyoto University, Yoshida Honmachi, Sakyo-ku, Kyoto 606-8501, Japan. TEL: +81-75-753-5903.

P. P. Khargonekar is with Department of Electrical and Computer Engineering, University of Florida, Gainesville, FL 32611-620, U. S. A. (e-mail: ppk@ufl.edu) Mailing address: 427 New Engineering Building, University of Florida, Gainesville, FL 32611-6130, U. S. A. TEL: +1-352-392-0918.

I. INTRODUCTION

Signal reconstruction from digital data is at the foundations of digital signal processing. For given digital data, stored or transmitted, we need to recover the original signal that generated the data. This procedure is needed and used everywhere: image and sound reconstruction/restoration, moving images, mobile telephones, etc. While discussion of transmission/recovery for digital data only is quite routine, we should note that our ultimate objective is to recover or reconstruct the original *analog* data from which such digital data are generated.

This signal reconstruction problem dates back to the celebrated paper of Shannon [33]. Using the sampling theorem [50], he showed that we can recover the original analog information from sampled data, provided that the original analog signal is band-limited below the Nyquist frequency. Based on this result, he established a fundamental paradigm for communication and digital processing. We will hereafter refer to this scheme *the Shannon paradigm*.

This paradigm however leads to various unrealistic constraints. The assumption of perfect band-limitedness, necessary for perfect signal reconstruction, is hardly satisfied in reality. In many applications, the sampling rate is not high enough to allow for this assumption to hold even approximately. To remedy this drawback, one often introduces an anti-aliasing filter to sharply cut high frequency components, but this in turn leads to yet another type of distortion due to the Gibbs phenomenon (see Example 1 in Section V and also Section VII below). Secondly, the sinc function, which is the impulse response of the ideal filter, is not causal and does not decay very fast. This slow decay rate makes it very difficult to implement and various approximations (mostly with respect to the H^2 -norm criterion) become necessary. This procedure further complicates the total design procedure, making it less transparent.

In view of such drawbacks, there has been revived interest in the extension of the sampling theorem in various forms since the 1990's. There is by now a stream of papers that aim to study signal reconstruction under the assumption of non-ideal signal acquisition devices; an excellent survey is given in [36]. In this research framework, the incoming signal is acquired through a non-ideal analog filter (acquisition device) and sampled, and then the reconstruction process attempts to recover the original signal. The idea is to place the problem into the framework of the (orthogonal or oblique) projection theorem in a Hilbert space (usually L^2), and then project the signal space to the subspace generated by the shifted reconstruction functions. It is often required that the process give a *consistent* result, i.e., if we subject the reconstructed signal to the whole process again, it should yield the same sampled values from which it was reconstructed [34].

The objective of the present paper is to go beyond the Shannon paradigm, and present an entirely new scheme of signal reconstruction, different from the ones described above. For our scheme, we draw upon modern sampled-data control theory, developed in the control community since the 1990's. The fundamental accomplishment of modern sampled-data control theory is that it can give us a discrete-time controller (or filter) that optimizes the closed-loop performance with intersample behavior taken into account. In other words, it can optimize an *analog (continuous-time) performance*. Such a performance is measured according to the H^∞ or H^2 performance criteria. This setting gives us an optimal platform to reconstruct the original analog signals from sampled-data under the scenario that the original signal is not band-limited below the Nyquist frequency.

Chen and Francis [8] made a first attempt to apply sampled-data control theory to signal processing (however in a discrete-time domain); see also [18]. Starting in 1995, the present authors and our colleagues have pursued the signal reconstruction problem in the sampled-data context to obtain an optimal analog performance via digital filtering: See [24], [48], [43] for general design frameworks, [19], [30] for sample-rate conversion, [47] for multirate filterbank design, [1], [2] for audio signal compression, [21] for image restoration, [31] for fractional delay filters, [22] for wavelet expansion, and [42], [46] for convergence analysis

The basic approach is as follows: We start with a signal generation model that consists of an analog filter with L^2 inputs. Then we formulate the signal reconstruction problem as a sampled-data H^∞ control design problem. The controller to be designed is the digital filter that is desired to reconstruct the original analog signal. The advantage here is that we can formulate an *overall error system*, and be able to have control over all frequencies including *both gain and phase errors*, not merely the gain characteristics often observed in many filter designs. Introducing an upsampler, this framework also enables us to optimally interpolate the *intersample high frequency components* based on the model of the signal generator. We will formulate and discuss this in more detail in Section IV.

The same philosophy of emphasizing the importance of analog performance was proposed and pursued recently by Unser and co-workers [37], [38]. The crucial difference is however that they rely on L^2/H^2 type optimization and oblique projections, which are very different from our method here. In particular, it can raise some stability questions. The recent work of Meinsma and Mirkin [26], [27] takes an approach that is close to ours. They give solutions for non-causal problems and allow freedom in the choice of sample or hold devices. A detailed comparison of our work and these related works is provided in Section VI. Some other approaches (not very closely related to our work) to extending the traditional sampling theory include: reconstruction by quasi-interpolation [9], and minimization of the worst-case regret [13].

The present paper is organized as follows: After preparing some basic notions in function spaces in Section II, we first review the fundamentals in signal reconstruction using the sampling theorem, and discuss its various drawbacks in Section III. We will then give a fundamental setup and formulation of our sampled-data filter design framework in Section IV, and Section V gives a solution method via fast-sample/fast-hold approximation. In Section VI, we discuss some related work and make comparison with the methods and results proposed by Unser and co-workers [38], [37] and also those of Meinsma and Mirkin [26], [27]. Finally, we give some examples in signal reconstruction for sounds and images in Section VII.

II. PRELIMINARIES

Let us introduce some basic function spaces and performance measures. Let $L^2(a, b)$ (or $L^2[a, b]$, $L^2[a, b]$, etc.) be the space of Lebesgue square integrable functions on the interval (a, b) , $a < b$. For a function f valued in \mathbb{R}^n or \mathbb{C}^n , its L^2 -norm is denoted by

$$\|f\|_2 = \left\{ \int_a^b |f(t)|^2 dt \right\}^{1/2}, \quad (1)$$

where $|\cdot|$ denotes the Euclidean norm in \mathbb{C}^n . Let H^2 denote the space of \mathbb{C}^n -valued functions f that are analytic on the open right half plane $\mathbb{C}_+ := \{s : \operatorname{Re} s > 0\}$ and satisfy

$$\sup_{x>0} \int_{-\infty}^{\infty} |f(x + jy)|^2 dy < \infty.$$

The H^2 -norm of a function $f \in H^2$ is defined by

$$\|f\|_2 := \sup_{x>0} \left\{ \frac{1}{2\pi} \int_{-\infty}^{\infty} |f(x + jy)|^2 dy \right\}^{1/2} \quad (2)$$

It is well known that Laplace transform gives an isometry between $L^2[0, \infty)$ and H^2 .

The space H^∞ denotes the Hardy space of functions analytic on \mathbb{C}_+ and bounded there. It is a Banach space with norm

$$\|f\|_\infty := \sup_{s \in \mathbb{C}_+} |f(s)|. \quad (3)$$

An element f of H^∞ admits nontangential limit to the imaginary axis almost everywhere, which we denote by $f(j\omega)$, $\omega \in \mathbb{R}$. Then the H^∞ -norm of $f \in H^\infty$ is equal to

$$\|f\|_\infty = \operatorname{esssup}_{-\infty < \omega < \infty} |f(j\omega)|. \quad (4)$$

Now let G be the transfer function of a finite-dimensional, asymptotically stable linear continuous-time system. Then G belongs to H^∞ , and its “size” is measured by the H^∞ -norm, i.e., the supremum (or maximum) of the Bode magnitude plot as in (4).

The steady-state response of G against a sinusoid $e^{j\omega t}$ is given by $G(j\omega)e^{j\omega t}$, and its magnitude is bounded as

$$|G(j\omega)e^{j\omega t}| \leq \sup_{-\infty < \omega < \infty} |G(j\omega)| \cdot |e^{j\omega t}| = \|G\|_\infty.$$

In general, for $u \in H^2$, it is known that

$$\|Gu\|_2 \leq \|G\|_\infty \cdot \|u\|_2, \quad (5)$$

and this bound is tight. Hence the H^∞ norm gives the L^2 energy induced-gain, and minimizing it yields a system that works uniformly well for the whole frequency range¹.

For this reason, it is recognized that the H^∞ -norm criterion is often superior to the H^2 -norm criterion, where the H^2 -norm for a stable matrix transfer function is defined as

$$\|G\|_2 := \left(\frac{1}{2\pi} \int_{-\infty}^{\infty} \text{trace} \{G^*(j\omega)G(j\omega)\} dt \right)^{1/2}.$$

The H^∞ norm has been used successfully in the control literature [10], [11], [15].

The H^∞ norm criterion is naturally extended to sampled-data systems. The problem here is that such systems have two time sets: continuous and discrete. Hence the overall system is not time-invariant in the classical sense. This difficulty can be remedied by the now-standard technique called *lifting*, which converts a linear time-invariant continuous-time system to an infinite-dimensional discrete-time system. It is then possible to naturally extend the notion of the H^∞ -norm to sampled-data systems. To be more precise, let \mathcal{G} denote the input/output operator of such a system. Then its H^∞ -norm is defined to be the induced norm against all L^2 inputs:

$$\|\mathcal{G}\|_\infty := \sup_{u \in L^2, u \neq 0} \frac{\|\mathcal{G}u\|_2}{\|u\|_2}. \quad (6)$$

Via *lifting*, this norm is shown to be equivalent to the maximum gain of the frequency response operator of \mathcal{G} as in (3). For details, see Appendix I.

III. SIGNAL RECONSTRUCTION AND SAMPLING THEOREM

Consider the block diagram depicted in Fig. 1:

¹ However, it is to be noted that it is not possible to uniformly attenuate $|G(j\omega)|$. If we attenuate $G(j\omega)$ for a certain frequency range, it will yield an amplification at another range. Due to this effect, one usually introduce a frequency weighting $W(s)$, and minimize $|W(j\omega)G(j\omega)|$.




Fig. 1. Signal Reconstruction System

In this diagram, the signal $w_c \in L^2$ denotes the external analog signal to be reconstructed. It is filtered by an analog filter (acquisition device) F , and then sampled by the sampler with sampling period h . If $f(t)$ denotes the impulse response of the analog filter F , then the discrete-time signal $y_d[k]$ is easily seen to be given by

$$y_d[k] = (f * w_c)[k] = \langle \check{f}(\cdot - kh), w_c \rangle \quad (7)$$

where $\check{f}(t) := f(-t)$ is the mirror image (with respect to time) of f , and $\langle f, g \rangle$ denotes the inner product in L^2 . The obtained signal y_d is then processed by a discrete-time filter K and then the filtered discrete-time signal $y_{K,d}$ is converted back to an analog signal y via a reconstruction device Φ . Denoting by ϕ the impulse response of Φ , the reconstructed y is given by

$$y(t) = \sum_{k=-\infty}^{\infty} y_{K,d}[k] \phi(t - kh). \quad (8)$$

In the Shannon paradigm, the analog filter F is taken to be the ideal filter, and ϕ above is the *sinc* function [50], [36]. As mentioned in the Introduction, this has several limitations. To take care of this, one often employs an approximation of the ideal filter with respect to H^2 norm [14], and this unfortunately yields a sharp ringing effect in the frequency domain.

Unser and co-workers published series of papers of generalized sampling theorems where the acquisition device F is not the ideal filter [34], [35], [36]. First define the subspace

$$V_f := \left\{ \sum_{k=-\infty}^{\infty} \alpha[k] f(t - kh) : \{\alpha[k]\} \in \ell^2 \right\} \quad (9)$$

generated by the translates of the impulse response of the acquisition filter, and the reconstruction space

$$V_\phi := \left\{ \sum_{k=-\infty}^{\infty} \beta[k] \phi(t - kh) : \{\beta[k]\} \in \ell^2 \right\} \quad (10)$$

generated by the translates of the reconstruction function ϕ . From the consistency requirement [34], a key step in their procedure is the oblique projection of L^2 onto V_ϕ perpendicular to V_f . A precise comparison of this approach with our work is given in Section VI.




Fig. 2. Error system of a sampled-data design filter

IV. H^∞ SIGNAL RECONSTRUCTION PROBLEM

We are now ready to precisely state our signal reconstruction problem. The basic features are the following:

- We allow a finite step preview for reconstruction.
- The acquisition device, sampling and hold elements are fixed.

Consider the block diagram Fig. 2. The external continuous-time signal $w_c \in L^2$ is first filtered, or band-limited (mildly but not perfectly) by going through the analog low-pass filter $F(s)$, which is linear and time-invariant, and finite-dimensional. This $F(s)$ is a rational function of s which is strictly proper (i.e., the degree of the numerator polynomial is less than that of the denominator). As is well known, it is represented by a linear, time-invariant system

$$\begin{aligned} \frac{dx}{dt}(t) &= Ax(t) + Bu(t) \\ y(t) &= Cx(t) \end{aligned}$$

where A, B, C are constant matrices of appropriate sizes, and $F(s) = C(sI - A)^{-1}B$. Hence F is not an ideal filter unlike the case of the Shannon paradigm, and is physically realizable through the above state space model. The signal w_c is the external signal that drives F and produces the actual signal y_c to be processed. That is, we assume that the original analog signals to be sampled are in the following subspace of L^2 :

$$FL^2 := \{y_c \in L^2 : y_c = Fw_c, w_c \in L^2\}.$$

It is proved in [29] that the band-limited signal subspace

$$BL := \{y_c \in L^2 : \text{supp } \hat{y}_c \subset (-\pi/h, \pi/h)\},$$

is a proper subset of FL^2 , that is, $BL \subsetneq FL^2$. The filter $F(s)$ is chosen based on the following guidelines:

- a frequency distribution of input analog signals obtained by averaging or enclosing gains of their Fourier transforms.
- a dynamical model of signal generator such as musical instruments.

Example 1 in Section V gives a brief guideline on how to choose $F(s)$ based on the envelope of energy distributions of the signal. Note that when F is ideal, then the class we are dealing with agrees with the ideal sampling theorem.

The produced signal y_c is then sampled by the ideal sampler \mathcal{S}_h and becomes a discrete-time signal y_d with sampling period h . This signal is then upsampled by $\uparrow L$ to allow for processing (interpolation) between the original sampling period h . The digital filter $K(z)$ processes this upsampled signal to produce $y_{K,d}$. The signal $y_{K,d}$ then goes through the zero-order hold $\mathcal{H}_{h/L}$ and becomes a continuous-time signal. It is then further processed by an analog low-pass filter $P(s)$ to become the final analog output y_p .

In the upper part of the diagram, we allow m steps of delay for the analog signal y_c and obtain $y_c(t - mh)$. This is a setup for allowing a “preview” of y_c for m samples by the proper filter transfer function $K(z)$. It is very effective compared to reconstruction without a preview. This also takes care of certain processing delays caused by the processing filter. The integer m is a design parameter that can be chosen by the designer. This is in marked contrast to the conventional design methodologies: These methods usually allow a non-causal impulse response for reconstruction, e.g., [38], [26], [27]. But in real implementation, one has to truncate it, and it is often unclear how many steps one would need to obtain a desired accuracy. In the present setup, one can *prespecify an allowable step of delays* (preview), and obtain an optimal design under such a constraint.

Finally, the processed signal y_p is compared with this delayed $y_c(t - mh)$ and subtracted from it to obtain the error signal e_c . The design objective is to make the error as small as possible. Observe also that this design framework is formulated in the *continuous-time domain* in contrast to the usual discrete-time setups.

We must specify a performance index to give a precise meaning to this problem. The following L^2 induced norm from w_c to e_c (or the sampled-data H^∞ norm) is the one we take:

$$J := \sup_{w_c \in L^2, w_c \neq 0} \frac{\|e_c\|_2}{\|w_c\|_2}. \quad (11)$$

We thus arrive at the following design problem:

Problem 1: Let T_{ew} denote the input/output operator from w_c to $e_c(\cdot) := y_c(\cdot) - u_c(\cdot - mh)$ in Fig. 2.

Given an attenuation level $\gamma > 0$, find, if one exists, a stable digital (discrete-time) filter $K(z)$ such that

$$\|T_{ew}\|_\infty := J = \sup_{w_c \in L^2[0, \infty)} \frac{\|T_{ew}w_c\|_2}{\|w_c\|_2} < \gamma. \quad (12)$$

The performance index (12) intends to minimize the maximum error induced by an (unknown) input w_c that gives rise to the largest norm of e_c among all inputs. This is made possible by the H^∞ design methodology. Note that the actual error is not known, but due to the min-max nature of the problem, we can minimize the worst transmission error. Observe also that this setup allows for a capability of minimizing continuous-time phase errors due to the continuous-time nature of the performance index, as opposed to the conventional gain-phase design principles.

This min-max problem differs sharply from the orthogonal projection based methods. Also, due to sampling, T_{ew} is not even time-invariant (in continuous-time).

It is now known however that this problem is reducible to a linear time-invariant problem via *lifting*; see Appendix I; the problem is now solvable via now-standard H^∞ control theory, see, e.g., [7], [4] (see also [11] for standard treatments of H^∞ control in the continuous-time setting).

The existence of e^{-mhs} makes this an infinite-dimensional H^∞ problem; see [24], [42], [46], [48], etc. The simplest one is to employ the so-called fast-sampling/fast-hold approximation, which we will outline in the next section.

V. SOLUTION VIA FAST SAMPLE/HOLD

While Problem 1 is known to be reducible to a finite-dimensional problem [24], [28], it is not necessarily appealing computationally. It is often more convenient to resort to an approximation method. We employ the fast sample/hold approximation [23], [7], [42], [46]. This method approximates continuous-time inputs and outputs via a sampler and hold that operate in the period h/N for some positive integer N . The method usually works fairly well for $N \sim 5L$, where L is the upsampling ratio given in Section IV, and the convergence of such an approximation is shown in [42], [46]. We show here the design procedure of $K(z)$ by the fast sampling/hold approximation.

The error system in Fig. 2 is a multirate system due to the upsampler $\uparrow L$. We first reduce this system to a single-rate one. Introduce the *discrete-time lifting*, also known as the *polyphase decomposition* [49], \mathbf{L}_L and its inverse \mathbf{L}_L^{-1} as

$$\mathbf{L}_L := (\downarrow L) \begin{bmatrix} 1 & z & \dots & z^{L-1} \end{bmatrix}^T, \quad \mathbf{L}_L^{-1} := \begin{bmatrix} 1 & z^{-1} & \dots & z^{-L+1} \end{bmatrix} (\uparrow L). \quad (13)$$

Then $K(z)(\uparrow L)$ can be rewritten by a lifted system as

$$K(z)(\uparrow L) = \mathbf{L}_L^{-1} \tilde{K}(z), \quad \tilde{K}(z) := \mathbf{L}_L K(z) \mathbf{L}_L^{-1} \begin{bmatrix} 1 & 0 & \dots & 0 \end{bmatrix}^T.$$



Fig. 3. Reduced single-rate error system T_{ew} 

Fig. 4. Fast discretization

The filter $\tilde{K}(z)$ is an LTI (linear and time-invariant), single-input/ L -output system that satisfies

$$K(z) = \begin{bmatrix} 1 & z^{-1} & \dots & z^{-L+1} \end{bmatrix} \tilde{K}(z^L). \quad (14)$$

Define $\tilde{\mathcal{H}}_h := \mathcal{H}_{h/L} \mathbf{L}_L^{-1}$, and we obtain the following equality

$$\mathcal{H}_{h/L} K(z) (\uparrow L) S_h = \tilde{\mathcal{H}}_h \tilde{K}(z) S_h.$$

Hence the multirate system in Fig. 2 is reduced to the single-rate system shown in Fig. 3.

We then employ the fast sample/hold approximation for the error system T_{ew} in Fig. 3. We connect fast sample and hold devices $S_{h/N}$, $\mathcal{H}_{h/N}$ with the error system T_{ew} as shown in Fig. 4. For brevity of notation, let us adopt the following shorthand notation for the transfer function $D + C(zI - A)^{-1}B$:

$$\left[\begin{array}{c|c} A & B \\ \hline C & D \end{array} \right] := D + C(zI - A)^{-1}B \quad (15)$$

The sampled-data error system T_{ew} can be approximated by a discrete-time LTI system as in the following theorem:

Theorem 1: Let state-space realizations of $F(s)$ and $P(s)$ be given by

$$F(s) = \left[\begin{array}{c|c} A_{Fc} & B_{Fc} \\ \hline C_F & 0 \end{array} \right], \quad P(s) = \left[\begin{array}{c|c} A_{Pc} & B_{Pc} \\ \hline C_P & D_P \end{array} \right].$$

Let $N = Ll$ where l is a positive integer, and define the discrete-time LTI system T_N as follows:

$$T_N(z) = z^{-m} F_N(z) - P_N(z) H \tilde{K}(z) S F_N(z), \quad (16)$$

$$\begin{aligned}
F_N &= \begin{bmatrix} A_F^N & A_F^{N-1}B_F & A_F^{N-2}B_F & \dots & B_F \\ C_F & 0 & 0 & \dots & 0 \\ C_F A_F & C_F B_F & 0 & \ddots & \vdots \\ \vdots & \vdots & \vdots & \ddots & 0 \\ C_F A_F^{N-1} & C_F A_F^{N-2}B_F & C_F A_F^{N-3}B_F & \dots & 0 \end{bmatrix}, \\
P_N &= \begin{bmatrix} A_P^N & A_P^{N-1}B_P & A_P^{N-2}B_P & \dots & B_P \\ C_P & D_P & 0 & \dots & 0 \\ C_P A_P & C_P B_P & D_P & \ddots & \vdots \\ \vdots & \vdots & \vdots & \ddots & 0 \\ C_P A_P^{N-1} & C_P A_P^{N-2}B_P & C_P A_P^{N-3}B_P & \dots & D_P \end{bmatrix},
\end{aligned}$$

$$\begin{aligned}
A_F &= e^{A_F c h/N}, \quad B_F = \int_0^{h/N} e^{A_F c t} B_F c dt, \quad A_P = e^{A_P c h/N}, \quad B_P = \int_0^{h/N} e^{A_P c t} B_P c dt, \\
H &:= \text{diag} \{I_l\} \in \mathbb{R}^{N \times L}, \quad I_l := [1, 1, \dots, 1]^T \in \mathbb{R}^l, \quad S := [1, 0, \dots, 0] \in \mathbb{R}^{1 \times N}.
\end{aligned}$$

Then, for each fixed \tilde{K} and for each $\omega \in [0, 2\pi/h)$, the frequency response

$$\|T_N(e^{j\omega h})\| \rightarrow \|T_{ew}(e^{j\omega h})\|. \quad (17)$$

as $N \rightarrow \infty$, and this convergence is uniform with respect to $\omega \in [0, 2\pi/h)$. Furthermore, this convergence is also uniform in \tilde{K} if \tilde{K} ranges over a compact set of filters.

Proof See Appendix II. □

In view of the uniformity of convergence $\|T_N\|_\infty$ in \tilde{K} , our design problem (12) can be approximated by

$$\|T_N\|_\infty < \gamma.$$

This is a discrete-time H^∞ optimization problem. To obtain a filter $\tilde{K}(z)$ satisfying the above inequality, we can adopt numerical softwares as MATLAB with robust control toolbox [25], by the generalized plant representation depicted in Fig. 5, where $\tilde{w}_d = \mathbf{L}_N w_d$ and $\tilde{e}_d = \mathbf{L}_N e_d$. Once the optimal filter $\tilde{K}(z)$ is obtained, one can obtain the interpolation filter $K(z)$ by formula (14).

Example 1: Let us make a comparison with a usual linear phase filter—the Johnston filter [20]. We design the proposed filter $K(z)$ with interpolation ratio $L = 2$, sampling period $h = 1$, and delay step $m = 4$. The analog filters $F(s)$ and $P(s)$ are given by

$$F(s) = \frac{1}{(Ts + 1)(0.1Ts + 1)}, \quad T = 7.0187, \quad P(s) = 1.$$




Fig. 5. Discrete-time system for H^∞ optimization




Fig. 6. Bode gain plot of the proposed filter (solid) and the Johnston filter (dash)

Reflecting a typical energy distribution of orchestral music, the time constant $T = 7.0187$ is taken to be equivalent to 1 kHz with sampling frequency 44.1 kHz. It therefore corresponds to an energy distribution that decays by -20 dB per decade from 1 kHz and -40 dB per decade from 10 kHz.

Fig. 6 shows the Bode gain plots of the proposed filter and the Johnston FIR filter with 32 taps. We can see that the Johnston filter has a sharp decay around the cutoff frequency $\omega = \pi/2$, while the filter obtained by the proposed method shows a rather mild decay.

Fig. 7 shows the response of the Johnston filter against a rectangular wave. It exhibits a very sharp ringing effect. This is because the filter has a sharp cut-off characteristic, and inevitably introduces the well-known Gibbs phenomenon due to the fact that the frequency components beyond the pass-band are sharply truncated. In contrast, Fig. 8 shows the response of the filter designed by the present method. It




Fig. 7. Response of the Johnston filter against a rectangular wave




Fig. 8. Response of a sampled-data design filter against a rectangular wave




Fig. 9. Absolute values of reconstruction errors: proposed (solid) and conventional (dash)

shows virtually no ringing. To see the difference more precisely, we give the reconstruction error plots by the conventional method and the proposed one for the case of $M = 2$ in Fig. 9. Clearly, our method offers much better filter performance. Fig. 10 shows the frequency response of the sampled-data error system T_{ew} . The Johnston filter exhibits large errors in the whole frequency range. These errors give an explanation of the ringing effect in Fig. 7.

VI. COMPARISON WITH OTHER METHODS

A. Remark on the consistency requirement

As noted in the Introduction, the notion of consistent reconstruction is quite widely accepted in the literature, e.g., [34], [36]. We start with a discussion of this property.




Fig. 10. Frequency response of error system T_{ew} with sampled-data designed filter (solid) and the Johnston filter (dash)

Consider the spaces V_f and V_ϕ in (9) and (10). When V_f and V_ϕ are equal, we are in the situation of orthogonal projection. The Shannon paradigm is a particular case.

When $V_f \neq V_\phi$, there is freedom in choosing an oblique projection, but consistency requirement [34] makes it unique: that is, one takes the oblique projection of L^2 onto V_ϕ perpendicular to V_f . This gives a perfect reconstruction for elements in V_ϕ and also consistency. That is, when one injects any reconstructed signal $\sum_k c[k]\phi(t - kh)$ into the acquisition device F and sampling, one should obtain the same sampled data $c[k]$ [34], [36]. Unlike the least square error case, however, this process may yield a large error when the two spaces V_f and V_ϕ are apart. This can be seen from an error analysis given in [34], [36] that depends on the angle of two spaces V_f and V_ϕ .

To see this more clearly, take a pure sinusoid $\sin t$ (over some bounded interval if we strictly require it to belong to L^2), and suppose that we sample it with sampling period $h = \pi/2$, and define the acquisition device to be the ideal filter and the reconstruction device to be the one given by

$$\phi(t) = \begin{cases} 1, & 0 \leq t \leq h \\ 0, & \text{otherwise.} \end{cases}$$

If we sample $\sin t$ at times $2n\pi/h$, $n = 0, 1, 2, \dots$, and if we adopt the consistency requirement (i.e., sampled y gives the same values that we started with), the reconstructed signal y becomes

$$y(t) = \begin{cases} 0, & 2kh \leq t < (2k+1)h, \\ 1, & (2k+1)h \leq t < 2(k+1)h, \\ -1, & (2k+3)h \leq t < 2(k+2)h. \end{cases} \quad (18)$$




Fig. 11. Consistent reconstruction (18)




Fig. 12. Mid value reconstruction (19)




Fig. 13. Sampled-data signal reconstruction

On the other hand, it is easily seen that the function

$$\tilde{y}(t) = \begin{cases} 1/2, & 2kh \leq t < 2(k+1)h, \\ -1/2, & 2(k+1)h \leq t \leq 2(k+2)h, \end{cases} \quad (19)$$

gives a better approximation for $\sin t$ with respect to the L^2 norm, and hence the consistency requirement does not necessarily lead to a good approximation result. See Figs. 11 and 12. Hence the consistent reconstruction does not necessarily yield a desirable result when analog performance is taken into account.

B. Comparison with cardinal exponential splines

Unser and Blu [37], [38] proposed to use cardinal exponential splines to recover analog information from sampled data. The philosophy of placing emphasis on analog performance is exactly the same as ours here. Their method is however very different from the present one, and in some cases it does not necessarily lead to a desirable result. Even a stability issue may arise. We here give a detailed analysis of their method, and make some comparisons.

Consider the block diagram Fig. 13. In this figure, $F_a(s)$ and $P(s)$ are analog filters, and \mathcal{S} and \mathcal{H} are, respectively, an ideal sampler and the zero-order hold with sampling period $h = 1$. The filter $F_a(s)$ represents the acquisition filter for sampling, and $P(s)$ is a postfilter which smooths out the output of

the zero-order hold \mathcal{H} . We assume that these analog filters are causal and LTI systems defined by

$$F_a(s) = \frac{\prod_{m=1}^{m_1} (s - \gamma_{1m})}{\prod_{n=1}^{n_1} (s - \alpha_{1n})}, \quad P(s) = \frac{\prod_{m=1}^{m_2} (s - \gamma_{2m})}{\prod_{n=1}^{n_2} (s - \alpha_{2n})}, \quad m_i \leq n_i, \quad i = 1, 2,$$

with impulse responses $f(t)$ and $p(t)$, respectively. Under these assumptions, Unser [38] derived the optimal reconstruction filter which achieves the consistency constraint

$$\langle y_c - y_p, \phi(\cdot - k) \rangle = 0, \quad k = 0, \pm 1, \pm 2, \dots,$$

where $\phi(t) = f(-t)$. This idea states that there remains no extra component in the error $y_c - y_p$ that can be expanded with elements in V_ϕ (see (10)). The optimal filter is obtained by the oblique projection technique [34], [36], [37], [38] as follows:

$$K_{\text{op}}(z) = \frac{\Delta_1(z)\Delta_2(z)}{\sum_{k=0}^{n_1+n_2+1} \beta(k)z^{-k}}, \quad (20)$$

where

$$\Delta_i(z) := \prod_{n=1}^{n_i} (1 - e^{\alpha_{in}} z^{-1}), \quad i = 1, 2, \quad (21)$$

and $\beta(0), \beta(1), \dots, \beta(n_1 + n_2 + 1)$ are the sampled values of $\beta(t)$ which is defined by its Laplace transform

$$\hat{\beta}(s) = \frac{1 - e^{-s}}{s} F_a(s) P(s) \prod_{i=1}^2 \prod_{n=1}^{n_i} (1 - e^{\alpha_{in}} e^{-s}). \quad (22)$$

The filter (20) is generally an IIR filter. We can prove that this filter is given via system inversion as follows:

Theorem 2: The optimal filter $K_{\text{op}}(z)$ in (20) can be equivalently realized as

$$K_{\text{op}}(z) = \frac{1}{H_d(z)}, \quad (23)$$

where $H_d(z)$ is the step-invariant equivalent discretization of $F_a(s)P(s)$, that is, if a state-space realization of $F_a(s)P(s)$ is given by $\{A, B, C, 0\}$, then

$$H_d(z) = \mathcal{S}F_a(s)P(s)\mathcal{H} = \left[\begin{array}{c|c} e^A & \int_0^1 e^{A\tau} B d\tau \\ \hline C & 0 \end{array} \right].$$

Proof See Appendix III. □

While our sampled-data method always yields a stable filter, the above optimal filter K_{op} derived by Unser [38], according to this theorem, can have a pole in $\mathbb{D}_+ := \{z \in \mathbb{C} : |z| \geq 1\}$, when the relative degree of $F_a(s)P(s)$ is strictly greater than 2. This follows from the following well-known result on limiting zeros [3]:

Fact 2: Let Σ be a continuous-time, linear time-invariant single-input, single-output system with relative degree strictly greater than 2, and let Σ_h be its step-invariant discretized system with sampling period h . Then there always exists an h such that Σ_h possesses a zero in \mathbb{D}_+ .

Even if the sampling time ($h = 1$ in our present normalization) is not small relative to the time-constants of $F_a(s)$ and $P(s)$, the discretized system $H_d(z)$ can still have an unstable zero, thereby yielding an *unstable pole* of $K_{op}(z)$. In such a case, Unser and Blu [37] propose to use a *non-causal* filter, folding back the anti-causal part associated with the pole in \mathbb{D}_+ to the negative time axis. This can, in principle, lead to a very long delay for reconstruction.

Let us see this by an example. Consider

$$F_a(s) = \frac{1}{s+1}, \quad P(s) = \frac{1}{(s+d)(s+2)}, \quad d = 1.5.$$

The zeros of the discretized system $H_d(z)$ are

$$\{-1.28549, -0.0816767\},$$

and hence the optimal filter

$$K_{op}(z) = \frac{1}{H_d(z)} = \frac{z^3 - 0.7263z^2 + 0.1621z - 0.01111}{0.05725z^2 + 0.07827z + 0.006011}$$

has an unstable pole at $z = -1.28549$. This K_{op} agrees exactly with the one obtained via oblique projections; see, e.g., [5]. To implement this filter, we first shift $K_{op}(z)$ to obtain a proper transfer function, that is, we use $K_{op}(z) = \frac{1}{zH_d(z)}$, as suggested in [38, Subsection V-C]. Then, we split it into two parts: the causal and anti-causal part. Fig. 14 and Fig. 15 show the impulse responses of the causal and anti-causal part. The anti-causal impulse response exhibits much oscillation because the pole -1.28549 is close to the point $z = -1$. Using this filter, we reconstruct a response against a rectangular wave. Fig. 16 shows the result. The reconstructed signal exhibits much oscillation around the edges. This is due to the oscillatory impulse response shown in Fig. 15. Moreover, the result shows a rather long delay, about 31 steps.

Let us design the (sub)optimal filter $K_{sd}(z)$ by our sampled-data H^∞ optimization method. Assume the analog characteristic of the input signals to be

$$F(s) = \frac{1}{s + 0.05}.$$

We also assume the reconstruction delay $m = 5$. Fig. 17 shows the reconstructed signal against the same rectangular wave. It is clearly seen that the proposed method provides a much better result.




Fig. 14. Impulse response of the causal part of $K_{op}(z)$




Fig. 15. Impulse response of the anti-causal part of $K_{op}(z)$




Fig. 16. Reconstruction of a rectangular wave by Unser's method.




Fig. 17. Reconstruction of a rectangular wave by the proposed method.

Let us further discuss the stability issue. It is claimed in [38] that there will be no zeros on the unit circle in the optimal filter, but this does not hold. Fig. 18 shows the locus of a pole of $K_{op}(z)$ for $d \in [2, 3.5]$. There exists a real number d (approximately 2.72778) such that the filter $K_{op}(z)$ has a pole at $z = -1$. This clearly shows that the filter cannot be implemented as it is, and the optimal filter is not stable.

Fig. 19 shows the frequency response of the filters $K_{op}(z)$ and $K_{sd}(z)$.

The optimal filter $K_{op}(z)$ shows a higher gain than the sampled-data filter $K_{sd}(z)$ in high frequency, and this explains the ringing around the edges in Fig. 16.




Fig. 18. A zero in $K_{\text{op}}(z)$ versus the parameter d in the post filter $P(s) = 1/(s + 2)(s + d)$.




Fig. 19. Frequency response of the filters $K_{\text{op}}(z)$ (dash) and $K_{\text{sd}}(z)$ (solid).

C. Comparison with the results of Meinsma and Mirkin

Recently, Meinsma and Mirkin [26], [27] have also studied the signal reconstruction problem in a framework that is similar to ours. Some key features of their results are the following:

- Solutions are given to signal reconstruction with free sampler or free hold, or both free sampler and hold.
- Instead of a fixed preview length, they allow non-causal filters.
- An L^∞ bound for the error performance as well as L^2 (or H^2) type closed-form solutions are given.

Our work which started in 1995 has the following features:

- fixed sampler and hold devices,
- fixed preview length, and

- causal and stable H^∞ -optimal (suboptimal) filter construction.

Our motivation is that the fixed sampler and hold is a more commonly encountered and practical situation. We have also chosen a fixed preview length (e^{-mhs} in Fig. 2) as a design parameter, rather than considering optimal filter design with non-causal filters. In the latter, when we have to implement it in practice, we need to truncate the impulse response at a certain length. A priori estimate of the resulting performance after truncation is difficult to obtain. When one imposes certain filter characteristics (e.g., fast decay beyond the pass-band), the amount of delays necessary to implement such filters can be very large, often reaching thousands of steps, as is the case of FIR filters having a sharp cut-off characteristic. On the other hand, once we fix a delay length, which corresponds to the preview length, our design Problem 1 in Section IV always gives rise to an optimal performance bound γ (cf. (12)). Moreover, due to the very nature of sampled-data H^∞ control, this will always yield a *stable* filter.

VII. APPLICATIONS TO SOUND AND IMAGE PROCESSING

We here present some applications of the proposed method to sound and image processing.

A. Application to sounds

As seen in Example 1 in Section V, the sharp cut-off characteristic based on the Shannon paradigm generally induces a high distortion due to the Gibbs phenomenon.

We here show a brief example of sound recovery in high frequency. We consider a sound sample whose Fourier transform is shown in Fig. 20. This signal has the frequency components up to 22.05 kHz. We apply downsampler $\downarrow 4$ to this signal to obtain a signal whose bandwidth is limited to 5.51 kHz, and attempt to recover the original high frequency components. We upsample it by the factor of 4, and then apply two filters: a conventional equi-ripple filter and the proposed filter. Fig. 21 shows the Fourier transform of the reconstructed signal by the equi-ripple filter, while Fig. 22 shows the Fourier transform of the recovered sounds by the proposed method, with a suitable $F(s)$ as in Example 1. We can see that high frequency components beyond 6 kHz are well recovered by the sampled-data method. On the other hand, if we apply the equi-ripple filter with cut-off frequency 5.51 kHz, it does not give any frequency components beyond 6 kHz, naturally, since there is no guiding principle for reconstructing such components beyond 5.51 kHz. The advantage of the present method is that it can evaluate the overall performance of the error signal e_c in Fig. 2 in terms of the H^∞ -norm of T_{ew} of the transfer operator.

The present method has been applied to sound processing, particularly in supplementing lost high-frequency components in compression audio, and has been quite successful. In sound compression, the




Fig. 20. Fourier transform of original sound




Fig. 21. FFT of reconstructed sound by equi-ripple filter




Fig. 22. FFT of reconstructed sound by sampled-data filter

bandwidth is often limited to a rather narrow range (e.g., only up to 12 or 16 kHz, as in the MP3 or AAC format). The digital filter using sampled-data theory here, along with upsampling, can recover the lost intersample information optimally in the H^∞ sense, thereby expanding the effective bandwidth to the original range. This has been patented [44], [45], [16], [17] and implemented into sound processing LSI chips as a core technology by Sanyo Semiconductors, and successfully used in mobile phones, digital voice recorders and MP3 players; their cumulative production has exceeded 25 million units as of 2011.

B. Application to Images

The same idea is applicable to images. However, since images are two-dimensional, we should be careful about how our (essentially) one-dimensional method can be applied. There is no universal recipe for this, and the simplest is to apply this in two steps: first process the data in the horizontal direction, save the temporary data in buffer memories, and then process them in the vertical direction.

We can interpolate lost intersample data by the present framework. For example, take the well-known sample picture of Lena shown in Fig. 23, and Baboon shown in Fig. 24. We downsample it to an image of size $1/4$. Then from the downsampled image we attempt to reconstruct the original image via the Lanczos method [12], total variation (TV) regularization method [6], and the proposed sampled-data H^∞ method. The Lanczos method uses a windowed sinc filter and is based on the sampling theorem. The TV criterion penalizes the total amount of change in the image to preserve steep local gradients.



Fig. 23. Lena




Fig. 24. Baboon

TABLE I

PSNR PERFORMANCE (DB)

Image	Lanczos	TV	Proposed
Lena	33.5497	33.3760	33.6748
Baboon	23.2691	23.2303	23.2813

This method is very popular in super-resolution imaging. Table I shows the reconstruction performances measured by their peak signal-to-noise ratio (PSNR). For these two images, the proposed method shows the best performance. We also show the performance measured by their structural similarity (SSIM) [39]. Also in SSIM, the proposed method shows the best performance. Figs. 25(a) – 25(d) show the results. Fig. 25(a) is the downsampled image. From this image, we reconstruct the original image. Fig. 25(b) is the reconstructed image by the Lanczos method, Fig. 25(c) by the TV method, and Fig. 25(d), by the proposed method. The Lanczos method produces a blurred image since this method is based on the sampling theorem. As a result, high frequency components are discarded by the windowed sinc filter. The reconstructed image by the TV method has artificial edges, in particular in the edge between the eyelid and the pupil. Since the TV method attempts to reduce delicate changes and preserve steep gradients, the reconstructed image appears as a painting. Compared with these results, the proposed method shows an accurate reconstruction; the details of the skin around the eye are well recovered. Note that the TV

TABLE II
SSIM PERFORMANCE

image	Lanczos	TV	Proposed
Lena	0.9962	0.9962	0.9992
Baboon	0.9881	0.9893	0.9989

method uses an iteration in computing the image, which makes it more demanding computationally than the proposed method which is just linear filtering.

VIII. CONCLUDING REMARKS

We have presented a new framework for digital signal processing. The fundamental philosophy is the emphasis on analog (continuous-time) performance with discrete-time signal processing. This naturally leads to a technical difficulty because two different time-sets are involved: continuous and discrete. Leveraging the sampled-data H^∞ control theory, we have presented computable procedures for designing optimal, stable, causal filters. These filters are optimal with respect to a uniform analog performance measure. Our methodology is applicable to a wide variety of theoretical and application problems in digital signal processing. We believe that it has many merits and we hope it will be more widely used in the future.

ACKNOWLEDGMENTS

The authors would like to thank Professor Bruce Francis for his valuable comments, and also Mr. Kengo Zenitani for the computation of image examples. This research is supported in part by the JSPS Grant-in-Aid for Scientific Research (B) No. 2136020318360203, and also by Grant-in-Aid for Exploratory Research No. 22656095. Pramod Khargonekar is also supported in part by Eckis Professor endowment.

APPENDIX I

LIFTING, TRANSFER FUNCTIONS, AND FREQUENCY RESPONSES

As mentioned in the main text, the major difficulty in sampled-data systems lies in the mixture of two different time sets: continuous and discrete. *Lifting* [4], [7], [40], [41] is a method that makes it possible to describe continuous-time systems in a discrete-time setting, without introducing any approximation, thereby merging the two time sets into one.





Fig. 25. Image processing results

Fig. 26. Lifting: a continuous-time signal $w(t)$ (left) is converted to a function-valued discrete time signal (right)

We start by placing a continuous-time signal in a discrete-time framework. Take a continuous-time signal $w(t)$, and consider the following mapping \mathcal{L} (with a suitable domain and codomain) that maps w into a *sequence of functions* as

$$(\mathcal{L}w)[k] := \mathbf{w}[k] := \{w(kh + \theta)\}_{\theta \in [0, h)}, \quad k = 0, 1, 2, \dots \quad (24)$$

See Fig. 26. The operator \mathcal{L} is called *lifting*.

This idea makes it possible to view time-invariant, or even periodically time-varying continuous-time

systems as linear, time-invariant discrete-time systems.

Using this operator, one can describe a linear, time-invariant continuous-time system with a linear, time-invariant discrete-time system. Consider the following linear system:

$$\begin{aligned}\dot{x}(t) &= Ax(t) + Bu(t), \\ y(t) &= Cx(t),\end{aligned}\tag{25}$$

where $x(t) \in \mathbb{R}^n$, $u(t) \in \mathbb{R}^m$ and $y(t) \in \mathbb{R}^p$ are the state, input and output of this system, respectively. Let us assume, e.g., $u \in L^2_{\text{loc}}[0, \infty)$, the set of locally square-integrable functions on $[0, \infty)$. The idea is that we view the continuous-time system (25) as one with discrete-timing $t = kh$, $k = 0, 1, 2, \dots$ such that it receives function-valued inputs at these instants and produces function-valued outputs at these times also. Suppose that (25) is at state $x(kh)$ at time $t = kh$. Then

$$\begin{aligned}x((k+1)h) &= e^{Ah}x(kh) + \int_0^h e^{A(h-\tau)}Bu(kh+\tau)d\tau \\ y(kh+\theta) &= Ce^{A\theta}x(kh) + \int_0^\theta e^{A(\theta-\tau)}Bu(kh+\tau)d\tau.\end{aligned}$$

where $0 \leq \theta < h$ denotes the intersample parameter. Lifting the input $u(t)$ and the output $y(t)$ as per (24), we can rewrite these formulas as a lifted discrete-time system [7], [41]:

$$\begin{aligned}x[k+1] &= \mathcal{A}x[k] + \mathcal{B}u[k], \\ \mathbf{y}[k] &= \mathcal{C}x[k] + \mathcal{D}u[k], \quad k = 0, 1, 2, \dots\end{aligned}$$

where $x[k] = x(kh)$, $\mathbf{u}[k] = (\mathcal{L}u)[k]$, $\mathbf{y}[k] = (\mathcal{L}y)[k]$, and

$$\begin{aligned}\mathcal{A} : \mathbb{R}^n &\rightarrow \mathbb{R}^n : x \mapsto e^{Ah}x, & \mathcal{B} : L^2[0, h) &\rightarrow \mathbb{R}^n : u \mapsto \int_0^h e^{A(h-\tau)}Bu(\tau)d\tau \\ \mathcal{C} : \mathbb{R}^n &\rightarrow L^2[0, h) : x \mapsto Ce^{A\theta}x, & \mathcal{D} : L^2[0, h) &\rightarrow L^2[0, h) : u \mapsto \int_0^\theta Ce^{A(\theta-\tau)}Bu(\tau)d\tau,\end{aligned}\tag{26}$$

where $\theta \in [0, h)$ describes the intersample parameter. Observe that the operators $\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}$ above do not depend on time k , and hence system (26) is a *time-invariant discrete-time* system, albeit with infinite-dimensional input and output spaces. Hence it is straightforward to connect this system with a discrete-time controller (or a filter), and the obtained sampled-data system is again a linear, time-invariant discrete-time system *without sacrificing any intersampling information*. The resulting system can also be described by a 4-tuple of operators $\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}$, and its *transfer function (operator)* of the lifted system is defined as

$$G(z) = \mathcal{D} + \mathcal{C}(zI - \mathcal{A})^{-1}\mathcal{B}.$$

with such $\mathcal{A}, \mathcal{B}, \mathcal{C}, \mathcal{D}$. Note that for each fixed $z \in \mathbb{C} \setminus \sigma(e^{Ah})$, $(\sigma(e^{Ah}) := \text{the set of eigenvalues of } e^{Ah})$, $G(z)$ is a linear operator acting on $L^2[0, h)$ into itself. The *frequency response operator* is then defined as $G(e^{j\omega h})$, and the *gain* at frequency ω is defined as

$$\|G(e^{j\omega h})\| = \sup_{\substack{v \in L^2[0, h) \\ v \neq 0}} \frac{\|G(e^{j\omega h})v\|}{\|v\|}.$$

The H^∞ norm of G then becomes

$$\|G\|_\infty = \sup_{\omega \in [0, 2\pi/h)} \|G(e^{j\omega h})\|.$$

which is known to be identical to the L^2 -induced norm given by (6) in Section II [7].

APPENDIX II

PROOF OF THEOREM 1

Let \mathcal{T}_N be the fast discretization shown in Fig. 4, namely,

$$\mathcal{T}_N = \mathcal{S}_{h/N} T_{ew} \mathcal{H}_{h/N} = \mathcal{S}_{h/N} e^{-mhs} F \mathcal{H}_{h/N} - \mathcal{S}_{h/N} P \tilde{\mathcal{H}}_h \tilde{K} \mathcal{S}_h F \mathcal{H}_{h/N}.$$

By using the identities

$$\tilde{\mathcal{H}}_h = \mathcal{H}_{h/N} \mathbf{L}_N^{-1} H, \quad \mathcal{H}_{h/N} \mathcal{S}_{h/N} \mathcal{H}_{h/N} = \mathcal{H}_{h/N}, \quad \mathcal{S}_h = S \mathbf{L}_N \mathcal{S}_{h/N},$$

where

$$H := \text{diag}\{I_l\} \in \mathbb{R}^{N \times L}, \quad I_l := [1, 1, \dots, 1]^T \in \mathbb{R}^l, \quad S := [1, 0, \dots, 0] \in \mathbb{R}^{1 \times N},$$

we have

$$\mathcal{T}_N = z^{-mN} \mathcal{F}_N - \mathcal{P}_N \mathbf{L}_N^{-1} H \tilde{K} S \mathbf{L}_N \mathcal{F}_N,$$

where $\mathcal{F}_N := \mathcal{S}_{h/N} F \mathcal{H}_{h/N}$ and $\mathcal{P}_N := \mathcal{S}_{h/N} P \mathcal{H}_{h/N}$. Applying the discrete-time lifting \mathbf{L}_N and its inverse \mathbf{L}_N^{-1} gives

$$T_N = \mathbf{L}_N \mathcal{T}_N \mathbf{L}_N^{-1} = z^{-m} \mathbf{L}_N \mathcal{F}_N \mathbf{L}_N^{-1} - \mathbf{L}_N \mathcal{P}_N \mathbf{L}_N^{-1} H \tilde{K} S \mathbf{L}_N \mathcal{F}_N \mathbf{L}_N^{-1} = z^{-m} F_N - P_N H \tilde{K} S F_N.$$

The state space matrices for P_N and F_N are given by the formulas in Theorem 8.2.1 [7, Chap. 8]. The convergence in (17) is proved in [42] and in [46]. It is uniform in frequency [42], and also uniform in \tilde{K} when the filter is confined to a compact set [46].

APPENDIX III

PROOF OF THEOREM 2

First, we consider the denominator of $K_{\text{op}}(z)$. The coefficients $\beta(k)$, $k = 0, 1, 2, \dots$ are obtained by sampling the inverse Laplace transform of $\hat{\beta}$ given in (22). Since $(1 - e^{-s})/s$ is the Laplace transform of the zero-order hold \mathcal{H} , the denominator of $K_{\text{op}}(z)$ is the Z -transform of the step-invariant transformation of

$$\tilde{\beta}(s) := \prod_{i=1}^2 \prod_{n=1}^{n_i} (1 - e^{\alpha_{in}} e^{-s}) F_a(s) P(s).$$

That is, the denominator is given by

$$\mathcal{Z}[\mathcal{S}\tilde{\beta}(s)\mathcal{H}] = \mathcal{Z}\left[\mathcal{S}\left(\prod_{i=1}^2 \prod_{n=1}^{n_i} (1 - e^{\alpha_{in}} e^{-s}) F_a(s) P(s)\right)\mathcal{H}\right].$$

By using the relation $\mathcal{S}e^{-s} = z^{-1}\mathcal{S}$ and the definition of $\Delta_i(z)$ in (21), we have

$$\mathcal{S} \prod_{i=1}^2 \prod_{n=1}^{n_i} (1 - e^{\alpha_{in}} e^{-s}) = \Delta_1(z)\Delta_2(z)\mathcal{S}.$$

It follows that

$$\mathcal{S}\tilde{\beta}(s)\mathcal{H} = \Delta_1(z)\Delta_2(z)\mathcal{S}F_a(s)P(s)\mathcal{H} = \Delta_1(z)\Delta_2(z)H_d(z).$$

Then, since the numerator of $K_{\text{op}}(z)$ is $\Delta_1(z)\Delta_2(z)$, we conclude that

$$K_{\text{op}}(z) = \frac{\Delta_1(z)\Delta_2(z)}{\mathcal{S}\tilde{\beta}(s)\mathcal{H}} = \frac{1}{H_d(z)}.$$

REFERENCES

- [1] S. Ashida, M. Nagahara, and Y. Yamamoto, "Audio signal compression via sampled-data control theory," *Proc. SICE Annual Conference*: 1182-1185, 2003.
- [2] S. Ashida, H. Kakemizu, M. Nagahara, and Y. Yamamoto, "Sampled-data audio signal compression with Huffman coding," *Proc. SICE Annual Conference*: 972-976, 2004.
- [3] K. J. Åstöm, P. Hagander, and J. Sternby, "Zeros of sampled systems," *Automatica*, **20-1**: 31-38, 1984.
- [4] B. Bamieh and J. B. Pearson, "A general framework for linear periodic systems with applications to H_∞ sampled-data control," *IEEE Trans. Autom. Control*, **AC-37**: 418-435, 1992.
- [5] Biomedical Imaging Group,
<http://bigwww.epfl.ch/demo/Esplines/>.
- [6] A. Chambolle, "An algorithm for total variation minimization and applications," *Journal of Mathematical Imaging and Vision*, **22-1-2**: 89-97, 2004.
- [7] T. Chen and B. A. Francis, *Optimal Sampled-Data Control Systems*, Springer, 1995.
- [8] T. Chen and B. A. Francis, "Design of multirate filter banks by \mathcal{H}_∞ optimization," *IEEE Trans. Signal Processing*, **SP-43**: 2822-2830, 1995.

- [9] L. Condat, T. Blu, and M. Unser, “Beyond interpolation: optimal reconstruction by quasi-interpolation,” *IEEE International Conference on Image Processing*, Vol. 1, pp. I- 33–36, 2005.
- [10] J. C. Doyle, B. A. Francis, and A. R. Tannenbaum, *Feedback Control Theory*, Macmillan, New York, 1992.
- [11] J. C. Doyle, K. Glover, P. P. Khargonekar and B. A. Francis, “State-space solutions to standard \mathcal{H}_∞ and \mathcal{H}_2 control problems,” *IEEE Trans. Autom. Contr.*, **AC-34**: 831–847, 1989.
- [12] C. E. Duchon, “Lanczos filtering in one and two dimensions,” *Journal of Applied Meteorology*, **18-8**: 1016–1022, 1979.
- [13] Y. C. Eldar and T. G. Dvorkind, “A minimum squared-error framework for generalized sampling,” *IEEE Trans. Signal Processing*, **SP-54**, No. 6: pp. 2155 – 2167, 2006.
- [14] N. J. Fliege, *Multirate Digital Signal Processing*, John Wiley, New York, 1994.
- [15] B. A. Francis, *A Course in H^∞ Control Theory*, Springer, 1987.
- [16] K. Fujiyama, N. Iwasaki, Y. Hirasawa and Y. Yamamoto, “High frequency compensator and reproducing device,” *US patent No. 07324024B2*, 2008.
- [17] K. Fujiyama, N. Iwasaki, Y. Hirasawa and Y. Yamamoto, “High frequency compensator and reproducing device,” *Chinese patent No. 648701*, 2010.
- [18] B. Hassibi, A. T. Erdogan, and T. Kailath, “MIMO linear equalization with an H^∞ criterion,” *IEEE Trans. Signal Processing*, **SP-54**, No. 2: 499–511, 2006.
- [19] H. Ishii, Y. Yamamoto and B. A. Francis, “Sample-rate conversion via sampled-data H^∞ control,” *Proc. 38th IEEE CDC*: 3440–3445, 1999.
- [20] J. D. Johnston, “A filter family designed for use in quadrature mirror filter banks,” *Proc. IEEE International Conf. on Acoustics, Speech and Signal Processing*, pp. 291–294, 1980.
- [21] H. Kakemizu, M. Nagahara, A. Kobayashi and Y. Yamamoto, “Noise reduction of JPEG images by sampled-data H^∞ optimal epsilon filters,” *Proc. SICE Annual Conference*, pp. 1080–1085, 2005.
- [22] K. Kashima, Y. Yamamoto and M. Nagahara, “Optimal wavelet expansion via sampled-data control theory,” *IEEE Signal Processing Lett.*, **11**: 79–82, 2004.
- [23] J. P. Keller and B. D. O. Anderson, “A new approach to the discretization of continuous-time systems,” *IEEE Trans. Autom. Control*, **AC-37**, No. 2: 214–223, 1992.
- [24] P. P. Khargonekar and Y. Yamamoto, “Delayed signal reconstruction using sampled-data control,” *Proc. 35th IEEE CDC* : 1259–1263, 1996.
- [25] Mathworks, *Robust Control Toolbox*,
<http://www.mathworks.com/products/robust/>
- [26] G. Meinsma and L. Mirkin, “Sampling from a system-theoretic viewpoint: Part I—concepts and tools,” *IEEE Trans. Signal Processing*, **SP-58**, No. 7: 3578–3590, 2010.
- [27] G. Meinsma and L. Mirkin, “Sampling from a system-theoretic viewpoint: Part II—noncausal solutions,” *IEEE Trans. Signal Processing*, **SP-58**, No. 7: 3591–3606, 2010.
- [28] L. Mirkin and G. Tadmor, “Yet another H^∞ discretization,” *IEEE Trans. Autom. Contr.*, **AC-48**: 891–894, 2003.
- [29] M. Nagahara, M. Ogura, and Y. Yamamoto, “ H^∞ design of periodically nonuniform interpolation and decimation for non-band-limited signals,” *SICE Journal of Control, Measurement, and System Integration*, **4-5**: pp. 341–348, 2011.
- [30] M. Nagahara and Y. Yamamoto, “A new design for sample-rate converters,” *Proc. 39th IEEE CDC 2000, Sydney, Australia*: 4296–4301, 2000.

- [31] M. Nagahara and Y. Yamamoto, "Optimal design of fractional delay FIR filters without band-limiting assumption," *Proc. IEEE International Conference on Acoustics, Speech, and Signal Processing*, **IV**: pp. 221–224, 2005.
- [32] M. Nagahara, Y. Yamamoto, and P. P. Khargonekar, "Stability of signal reconstruction filters via cardinal exponential splines," *Proc. 17th IFAC World Congress, Seoul, Korea*: pp. 1414–1419, 2008.
- [33] C. E. Shannon, "Communication in the presence of noise," *Proc. IRE*, **37-1**: 10-21, 1949.
- [34] M. Unser and A. Aldroubi, "A general sampling theory for nonideal acquisition devices," *IEEE Trans. on Signal Processing*, **SP-42**, **No. 11**: 2915–2925, 1994.
- [35] M. Unser and J. Zerubia, "Generalized sampling: stability and performance analysis," *IEEE Trans. Signal Processing*, **SP-45**, **No. 12**: 2941–2950, 1997.
- [36] M. Unser, "Sampling — 50 years after Shannon," *Proc. of the IEEE*, **88-4**: 2000.
- [37] M. Unser and T. Blu, "Cardinal Exponential Splines: Part I — Theory and filtering algorithms," *IEEE Trans. Signal Processing*, **SP-53**, **No. 4**: 1425–1438, 2005.
- [38] M. Unser, "Cardinal exponential splines: Part II — Think analog, act digital," *IEEE Trans. Signal Processing*, **SP-53**, **No. 4**: 1439–1449, 2005.
- [39] Z. Wang, A. C. Bovik, H. R. Sheikh, E. P. Simoncelli, "Image quality assessment: from error visibility to structural similarity," *IEEE Trans. on Image Processing*, **13-4**: 600–612, 2004.
- [40] Y. Yamamoto, "A function space approach to sampled-data control systems and tracking problems," *IEEE Trans. Autom. Control*, **AC-39**: 703-713, 1994.
- [41] Y. Yamamoto, "Digital control," *Wiley Encyclopedia of Electrical and Electronics Engineering*, **5**: 445–457, 1999.
- [42] Y. Yamamoto, A. G. Madievski and B. D. O. Anderson, "Approximation of frequency response for sampled-data control systems," *Automatica*, **35-4**: 729-734, 1999.
- [43] Y. Yamamoto, "A new approach to signal processing via sampled-data control theory," *Australian J. Elec. & Electronics Eng.*, **2**: 141–148, 2005.
- [44] Y. Yamamoto, "Digital/analog converters and a design method for the pertinent filters," *Japanese patent No. 3820331*, 2006.
- [45] Y. Yamamoto and M. Nagahara, "Sample-rate converters," *Japanese patent No. 3851757*, 2006.
- [46] Y. Yamamoto, B. D. O. Anderson and M. Nagahara, "Approximating sampled-data systems with applications to digital redesign," *Proc. 41st IEEE CDC*: 3724–3729, 2002.
- [47] Y. Yamamoto, H. Fujioka and P. P. Khargonekar, "Signal reconstruction via sampled-data control with multirate filter banks," *Proc. 36th IEEE CDC*: 3395–3400, 1997.
- [48] Y. Yamamoto, M. Nagahara and H. Fujioka, "Multirate signal reconstruction and filter design via sampled-data H^∞ control," *Proc. MTNS 2000, Perpignan, France*, 2000.
- [49] P. P. Vaidyanathan, *Multirate Systems and Filter Banks*, Prentice Hall, Englewood Cliffs, 1993.
- [50] A. I. Zayed: *Advances in Shannon's Sampling Theory*, Boca Raton, FL, CRC Press, 1996.