Energy Harvesting Transmitters that Heat Up: Throughput Maximization under Temperature Constraints

Omur Ozel

Sennur Ulukus

Pulkit Grover

Abstract

Motivated by damage due to heating in sensor operation, we consider the throughput optimal offline data scheduling problem in an energy harvesting transmitter such that the resulting temperature increase remains below a critical level. We model the temperature dynamics of the transmitter as a linear system and determine the optimal transmit power policy under such temperature constraints as well as energy harvesting constraints over an AWGN channel. We first derive the structural properties of the solution for the general case with multiple energy arrivals. We show that the optimal power policy is piecewise monotone decreasing with possible jumps at the energy harvesting instants. We derive analytical expressions for the optimal solution in the single energy arrival case. We show that, in the single energy arrival case, the optimal power is monotone decreasing, the resulting temperature is monotone increasing, and both remain constant after the temperature hits the critical level. We then generalize the solution for the multiple energy arrival case.

I. INTRODUCTION

In many wireless sensor applications, temperature increase caused by sensor operation has to be carefully managed. For example, wireless sensors implanted in the human body have to be designed such that the temperature due to their operation does not cause any threat for the metabolism. A line of medical research started by Pennes in 1948 [1] explores the temperature dynamics due to electromagnetic radiation in conjunction with heat losses to the environment and dissipation of heat in the tissue. In the context of sensors that communicate data, temperature

Omur Ozel was with the Department of Electrical and Computer Engineering, University of Maryland, College Park, MD 20742. He is now with the Department of Electrical Engineering and Computer Sciences, University of California, Berkeley, CA 94720. Sennur Ulukus is with the Department of Electrical and Computer Engineering, University of Maryland, College Park, MD 20742. Pulkit Grover is with the Department of Electrical and Computer Engineering, Carnegie Mellon University, Pittsburgh, PA 15213. Emails: ozel@berkeley.edu, ulukus@umd.edu, pgrover@andrew.cmu.edu. This work was supported by NSF Grants CNS 13-14733, CCF 14-22111, CCF 14-22129, CCF 13-50314, ECCS 13-43324, and presented in part at the IEEE International Symposium on Information Theory, Hong Kong, June 2015.

sensitivity varies depending on the type of tissue. For a given specific tissue, it is recommended that the temperature does not exceed a critical level, in order to prevent damage to the tissue. This necessitates careful scheduling of data transmission [2]. This problem arises in various types of body area sensor networks, see e.g., [3]–[5] and references therein. Finally, temperature increase in a sensor is a threat for the proper operation of the hardware itself [6]–[9]. In this context, the electric power that feeds the amplifier circuitry has to be carefully scheduled so as to avoid permanent damage in the circuit.

In order to obtain design principles with regard to temperature sensitivity of such systems, determining transmission schemes under a safe temperature threshold T_c is a useful objective. In this paper, we consider data transmission with energy harvesting sensors under such temperature constraints. Data transmission with energy harvesting transmitters has been the topic of recent research [10]–[17]. In particular, throughput maximization under offline and online knowledge of the energy arrivals is considered in these references for single-user and multi-user energy harvesting communication systems. In [18]–[22], this problem is investigated under imperfections such as battery energy leakage, charge/discharge inefficiency, and presence of processing costs.

In the current paper, we aim to bridge physical heat dissipation with data transmission in energy harvesting communication systems. When the sole purpose is to maximize the throughput, the transmitter may generate excessive heat while utilizing the energy resource. In a temperature sensitive application, the heat accumulation caused by the transmission power policy has to be explicitly taken into account. In such a case, heat generated in the transmitter circuitry causes a form of "information-friction" [23]. We study the effect of this "friction" in a deadline constrained communication of an energy harvesting transmitter over an AWGN channel. For simplicity, we use transmit power as a proxy for hardware power. That is, we assume that the energy dissipated by the power amplifier dominates other energy sinks in the circuitry. More work is needed to understand full implications of communication circuitry's energy in this context. Our formulation also relates to [24] in that the cumulative effect of heat generated in the hardware affects the communication performance.

We determine the throughput optimal offline power scheduling policy under energy harvesting and temperature constraints. Our thermal model is based on a view of the transmitter's circuitry as a linear heat system where transmit power is an input as in [1], [7], [9], [24]. We impose that the temperature does not exceed a critical level T_c . Consequently, we obtain a convex optimization problem. We solve this problem using a Lagrangian framework and KKT optimality conditions. We first derive the structural properties of the solution for the general case of multiple energy arrivals. Then, we obtain closed form solutions under a single energy arrival. For the general case, we observe that the optimal power policy may make jumps at the energy arrival instants, generalizing the optimal policies in [10], [11]. Between energy harvests, the optimal power is monotonically decreasing. We establish for the case of a single energy arrival that the optimal power policy monotonically decreases, corresponding temperature monotonically increases, and both remain constant when the critical temperature is reached. Then, we consider the case of multiple energy arrivals. We observe that the properties of the solution for the single energy arrival case are guaranteed to hold only in the last epoch of the multiple energy arrival case. In the remaining epochs, the temperature may not be monotone and the transmitter may need to cool down to create a temperature margin for the future, if the energy harvested in the future is large. We illustrate possible cases and obtain insights regarding the optimal temperature pattern in the multiple energy arrival case.

II. THE MODEL

We consider an energy harvesting transmitter node placed in an environment as depicted in Fig. 1. The node harvests energy to run its circuitry and wirelessly send data to a receiver.

A. Channel Model

The received signal Y, the input X, fading level h and noise Z are related as

$$Y = \sqrt{h}X + Z \tag{1}$$

where Z is additive white Gaussian noise with zero-mean and unit-variance. In this paper, the channel is non-fading, i.e., h = 1. We use a continuous time model: A scheduling interval has a short duration with respect to the duration of transmission and we approximate it as [t, t + dt] where dt denotes infinitesimal time. In [t, t + dt], the transmitter decides a feasible transmit power level P(t) and $\frac{1}{2} \log (1 + P(t)) dt$ bits are sent to the receiver, where the base of log is 2. To be precise, the underlying physical signaling is in discrete time and the scalings in SNR and rate due to bandwidth and the base of the logarithm are inconsequential for the analysis.



Fig. 1. The model representing an energy harvesting wireless node placed in an environment that has constant temperature T_e .

B. Energy Harvesting Model

As shown in Fig. 2, the initial energy available in the battery at time zero is E_0 . Energy arrivals occur at times $\{s_1, s_2, \ldots\}$ in amounts $\{E_1, E_2, \ldots\}$ with $s_0 = 0$. We call the time interval between two consecutive energy arrivals an *epoch*. D is the deadline. E_i and s_i are known offline and are not affected by the heat due to transmission. Let $h(t) = \max\{k : s_k < t\}$ and N be the number of energy arrivals in the interval [0, D) and by convention we let $s_{N+1} = D$. Power scheduling policy P(t) is subject to energy causality constraints as:

$$\int_0^t P(\tau) d\tau \le \sum_{i=0}^{h(t)} E_i, \qquad \forall t \in [0, D]$$
(2)

C. Thermal Model

In our thermal model, we use the transmit power as a measure of heat dissipated to the environment. In particular, we model the temperature dynamics of the system as follows:

$$\frac{d}{dt}T(t) = aP(t) - b(T(t) - T_e) + c \tag{3}$$

where P(t) is the transmit power policy and T(t) is the temperature at time t. T_e is the constant temperature of the environment that is not affected by the heating effect due to the transmit power level P(t). a and b are non-negative constants. c represents the cumulative effect of additional heat sources and sinks and it can take both positive and negative values. In the following, we consider the case of no extra heat source or sink, i.e., c = 0.



Fig. 2. Energy E_i becomes available for data transmission at time s_i . D is the deadline.

Our thermal model in (3) is intimately related to the thermal model in [7], [9] where hardware heating is modeled as a first order RC heat circuit. In particular, thermal dynamics of a power controlled transmitter due to its amplifier power consumption (see e.g., [25]) could be modeled as in (3). We also refer the reader to [24] for a related heating model. Our thermal model is also related to the well-known Pennes bioheat equation [1]. We assume, for simplicity, that the spatial variation in temperature is not significant and leave the general case of spatial temperature variations as future work.

From (3), the solution of T(t) for any given P(t) with the initial condition T(t') at time t' is:

$$T(t) = e^{-b(t-t')} \left(\int_{t'}^{t} e^{b(\tau-t')} \left(aP(\tau) + bT_e \right) d\tau + T(t') \right)$$
(4)

By inserting t' = 0 in (4), we get (c.f. [24, Eq. (3)]):

$$T(t) = e^{-bt} \left(\int_0^t e^{b\tau} \left(aP(\tau) + bT_e \right) d\tau + T(0) \right)$$
(5)

The temperature should remain below a critical temperature T_c , i.e., $T(t) \leq T_c$, where we assume that $T_c > T_e$. Let us define $T_{\delta} \triangleq T_c - T_e$, which is the largest allowed temperature deviation from the environment temperature. Typically, initial temperature is T_e , i.e., initially the temperature is stabilized at the constant environment temperature T_e . From (5), using $T(t) \leq T_c$ and $T(0) = T_e$, we get the following equivalent condition for the temperature constraint:

$$\int_0^t a e^{b\tau} P(\tau) d\tau \le T_\delta e^{bt}, \quad \forall t \in [0, D]$$
(6)

Note that the temperature constraints in (6) and the energy causality constraints in (2) do not interact. Due to the heat generation dynamics governed by (3), we observe in (6) that the cost of power increases exponentially in time (i.e., the multiplier in front of $P(\tau)$ is exponential in τ) while the heat budget also increases exponentially in time (i.e., the upper bound on the right hand side of (6) is exponential in t).

III. PROBLEM FORMULATION

Offline throughput maximization problem over the interval [0, D] under energy causality and temperature constraints with initial temperature $T(0) = T_e$ is:

$$\max_{P(t), t \in [0,D]} \int_{0}^{D} \frac{1}{2} \log \left(1 + P(\tau)\right) d\tau$$

s.t.
$$\int_{0}^{t} a e^{b\tau} P(\tau) d\tau \leq T_{\delta} e^{bt}, \quad \forall t$$
$$\int_{0}^{t} P(\tau) d\tau \leq \sum_{i=0}^{h(t)} E_{i}, \quad \forall t$$
(7)

where the space of actions is the set of measurable functions P(t) defined over the interval [0, D]. Note that (7) is a convex functional optimization problem.

The Lagrangian for (7) is:

$$\mathcal{L} = \int_0^D \frac{1}{2} \log \left(1 + P(t)\right) dt - \int_0^D \lambda(t) \left(\int_0^t a e^{b\tau} P(\tau) d\tau - T_\delta e^{bt}\right) dt$$
$$- \int_0^D \beta(t) \left(\int_0^t P(\tau) d\tau - \sum_{i=0}^{h(t)} E_i\right) dt \tag{8}$$

Taking the derivative of the Lagrangian with respect to P(t) and equating to zero:

$$\frac{1}{1+P(t)} - e^{bt} \int_{t}^{D} \lambda(\tau) d\tau - \int_{t}^{D} \beta(\tau) d\tau = 0$$
(9)

which gives

$$P(t) = \left[\frac{1}{\int_t^D \beta(\tau) d\tau + e^{bt} \int_t^D \lambda(\tau) d\tau} - 1\right]^+$$
(10)

In addition, the complementary slackness conditions are:

$$\lambda(t) \left(\int_0^t a e^{b\tau} P(\tau) d\tau - T_\delta e^{bt} \right) = 0, \quad \forall t$$
(11)

$$\beta(t) \left(\int_0^t P(\tau) d\tau - \sum_{i=0}^{h(t)} E_i \right) = 0, \quad \forall t$$
(12)

In (9) and (11)-(12), $\lambda(t) \ge 0$ and $\beta(t) \ge 0$ are distributions that are allowed to have impulses and their total measure over [0, D] interval are not both zero, i.e., $\int_0^D \lambda(\tau) d\tau > 0$ or $\int_0^D \beta(\tau) d\tau > 0$, in order to prohibit P(t) from being unbounded. We note that (9) and (11)-(12) are necessary and sufficient conditions since the problem is convex. The solution is unique almost everywhere as the objective function is strictly concave.

We note that the problem in (7) could be solved by using calculus of variations. See [7] for application of calculus of variations for a similar problem to (7). As another alternative, we note that (7) could equivalently be solved by using a Hamiltonian approach from optimal control theory. In particular, we can cast the problem in (7) as an optimal control problem with pure state constraints [26]. In this case, the state of the system is the tuple [T(t) B(t)] where $B(t) = \int_0^t P(\tau) d\tau$ is the total energy expenditure by the time t. The input is P(t) for $0 \le t \le D$. This problem is in the following form:

$$\max_{P(t), t \in [0,D]} \int_{0}^{D} \frac{1}{2} \log (1 + P(\tau)) d\tau$$

s.t. $\frac{d}{dt} T(t) = f_1(T, B, P), \ \frac{d}{dt} B(t) = f_2(T, B, P)$
 $g_1(T, B, t) \le 0, \ g_2(T, B, t) \le 0$ (13)

where $f_1(T, B, P) = aP - b(T - T_e)$ and $f_2(T, B, P) = P$ while $g_1(T, B, t) = T - T_c$ and $g_2(T, B, t) = B - \sum_{i=0}^{h(t)} E_i$. Note that g_1 and g_2 do not depend on the input P. With these selections, optimization problem (13) is in the same form as that stated in [26, Eqs. (2.1)-(2.6)]. In this case, Hamiltonian is

$$\mathcal{H}(T, B, P, \lambda_1, \lambda_2, t) = \frac{1}{2} \log (1+P) - \lambda_1(t) f_1(T, B, P) - \lambda_2(t) f_2(T, B, P)$$
(14)

and the corresponding Lagrangian is

$$\mathcal{L}_{H}(T, B, P, \lambda_{1}, \lambda_{2}, t) = \mathcal{H}(T, B, P, \lambda_{1}, \lambda_{2}, t) - \nu_{1}(t)g_{1}(T, B, t) - \nu_{2}(t)g_{2}(T, B, t)$$
(15)

where $\lambda_1(t)$ and $\lambda_2(t)$ are the co-state trajectories; $\nu_1(t)$ and $\nu_2(t)$ are multiplier functions. We note that Pontryagin's maximum principle is necessary and sufficient in this case since (13) is a concave maximization problem. One can derive the equivalence of necessary and sufficient conditions for this optimal control problem to those in (9) and (11)-(12).

In the following, we proceed with the Lagrangian formulation in (8) and the corresponding optimality conditions in (9) and (11)-(12).

In this section, we obtain the structural properties of the optimal power scheduling policy using the optimality conditions. In the following lemmas, P(t) refers to the optimal policy and T(t) is the resulting temperature unless otherwise stated.

We first note that the temperature level never drops below T_e . In particular, if the initial temperature is between T_e and T_c , the temperature at all times will remain between T_e and T_c .

Lemma 1 $T_e \leq T(t) \leq T_c$ whenever the initial temperature is $T_e \leq T(0) \leq T_c$.

Proof: From (3), since $P(t) \ge 0$ we have $\frac{d}{dt}T(t) \ge 0$ whenever $T(t) = T_e$. The constraint $T(t) \le T_c$ is satisfied by any feasible policy in (7).

The following lemma states that if the temperature T(t) is constant, then the power P(t) is constant also (while it is not true the other way around, see Lemma 3), and that if the temperature hits the maximum allowed level T_c , then the power must be below a threshold.

Lemma 2 Whenever T(t) is constant over an interval $I \subseteq [0, D]$, P(t) is also constant over that interval. If the temperature hits the level T_c at $t = t_h$, then $P(t_h + \epsilon) \leq \frac{T_{\delta}b}{a}$ for all sufficiently small $\epsilon > 0$.

Proof: If T(t) is constant in I, $\frac{d}{dt}T(t) = 0$ and from (3), P(t) is also constant in the same interval. If $T(t_h) = T_c$ for some $t_h \in [0, D)$, then $\frac{d}{dt}T(t_h + \epsilon) \le 0$ and from (3), $P(t_h + \epsilon) \le \frac{T_{\delta}b}{a}$.

The following lemma shows that if the power P(t) is a monotone increasing function, then so is the temperature T(t). We first prove this result for piecewise constant functions and then generalize it to arbitrary functions. We note that a particular instance of a monotone increasing piecewise constant power is observed in the solution of the throughput maximization problem without temperature constraints [10].

Lemma 3 If P(t) is a monotone increasing piecewise constant function, then T(t) is monotone increasing. More generally, if P(t) is a monotone increasing function, so is T(t).

Proof: We first prove the first statement of the lemma which is concerned with piecewise constant functions. Let us start with the case of a single constant power value for the entire duration of

communication, i.e., P(t) = p for $t \in [0, D]$. From (5), we have:

$$T(t) = e^{-bt} \left(\int_0^t e^{b\tau} \left(ap + bT_e \right) d\tau + T(0) \right)$$
(16)

$$= e^{-bt} \left(\frac{(ap+bT_e)}{b} \left(e^{bt} - 1 \right) + T(0) \right)$$
(17)

$$= T_e + \frac{a}{b}p + \left(T(0) - T_e - \frac{a}{b}p\right)e^{-bt}$$
(18)

For $T(0) = T_e$, (18) is a monotone increasing function of t. In particular, $T(t) \leq T_e + \frac{a}{b}p$. Now, let us consider the case of M constant power levels for the duration of communication, i.e., $P(t) = p_i$ over the interval $[I_{i-1}, I_i)$ where $p_i < p_{i+1}$ for all i and $0 = I_0 < I_1 < \ldots < I_M = D$ where M > 1 is the number of intervals. In this case, we have for $t \in [I_{i-1}, I_i)$:

$$T(t) = T_e + \frac{a}{b}p_i + \left(T(I_{i-1}) - T_e - \frac{a}{b}p_i\right)e^{-b(t-I_{i-1})}$$
(19)

where $T(I_{i-1}) \leq T_e + \frac{a}{b}p_{i-1}$. Hence, the coefficient of $e^{-b(t-I_{i-1})}$ in (19) has a negative sign as $T(I_{i-1}) - T_e - \frac{a}{b}p_i \leq \frac{a}{b}(p_{i-1} - p_i) < 0$. This proves that T(t) is monotone increasing.

To generalize this result for any monotone increasing function P(t), we obtain any monotone increasing simple approximation [27] of P(t), denoted as $P_n(t)$, such that $P_1(t) \leq P_2(t) \leq$ $\ldots \leq P_n(t)$ for all $t \in [0, D]$ and $P_n(t) \rightarrow P(t)$ pointwise. For example, one can select $P_n(t) = P(I_{n(i-1)})$ for $t \in [I_{n(i-1)}, I_{ni})$ and $I_{ni} = \frac{D}{2^n}(i-1)$ for $i = 1, \ldots, 2^n$. Let us call the resulting temperature $T_n(t)$. Hence, $e^{bt}P_1(t) \leq e^{bt}P_2(t) \leq \ldots \leq e^{bt}P_n(t)$ for all $t \in [0, D]$ and $e^{bt}P_n(t) \rightarrow e^{bt}P(t)$ pointwise. By monotone convergence theorem [27], we have

$$\int_0^t e^{b\tau} P_n(\tau) d\tau \to \int_0^t e^{b\tau} P(\tau) d\tau, \quad \forall t \in [0, D]$$
(20)

Accordingly, $T_n(t) \to T(t)$ pointwise and we have

$$\frac{d}{dt}T_n(t) = aP_n(t) - b\left(T_n(t) - T_e\right) \to \frac{d}{dt}T(t) = aP(t) - b\left(T(t) - T_e\right), \ \forall t \in [0, D]$$
(21)

Since $P_n(t)$ is a monotone increasing piecewise constant function, from the first part of the proof, $T_n(t)$ is monotone increasing, i.e., $\frac{d}{dt}T_n(t) = aP_n(t) - b(T_n(t) - T_e) \ge 0$. Since $\frac{d}{dt}T_n(t) \rightarrow \frac{d}{dt}T(t)$ pointwise, this implies $\frac{d}{dt}T(t) \ge 0$, i.e., T(t) is monotone increasing as well.

The next lemma shows that if the temperature remains constant over an interval, then that level could only be T_e or T_c , i.e., any other temperature cannot be a stable temperature.

Lemma 4 If T(t) is constant over an interval $I \subseteq [0, D]$, then that constant level could only be T_e or T_c .

Proof: Assume T(t) is constant over I. Without loss of generality, assume that there is no energy arrival in the interval I, and otherwise let I be the portion of the interval without any energy arrivals. By Lemma 2, P(t) is constant over I. If P(t) = 0 over I, then $T(t) = T_e$ from (3). If $P(t) \neq 0$, we have from (10)

$$P(t) = \frac{1}{\int_t^D \beta(\tau) d\tau + e^{bt} \int_t^D \lambda(\tau) d\tau} - 1$$
(22)

where $\beta(t) = 0$ over the interval *I* by (12) since $\beta(t) > 0$ implies energy constraint is tight and P(t) = 0. Therefore, $\int_t^D \beta(\tau) d\tau = B$ is constant over *I*. If $T(t) < T_c$, then by (11), $\lambda(t) = 0$ over *I* and hence $\int_t^D \lambda(\tau) d\tau = C$ is constant over *I*. However, this makes (22) a time varying function of *t* because of the e^{bt} term in the denominator, and this contradicts the fact that P(t) is constant. Finally, if C = 0, this means that the temperature constraint is never tight. In this case, the piecewise constant power policy in [10] is optimum, and the temperature is monotonically increasing from Lemma 3, and therefore, cannot be a constant over an interval.

The following lemma states that at the end of the communication session either the harvested energy is exhausted or the critical temperature is reached.

Lemma 5 At t = D, either the temperature constraint or the energy causality constraint or both are tight.

Proof: If neither of the constraints are tight, then the power policy P(t) could be increased over a set of non-zero Lebesgue measure in the last epoch. This strictly increases the throughput, contradicting the optimality.

The following lemma shows that the optimal power should be monotonically decreasing between energy harvests.

Lemma 6 P(t) is piecewise monotone decreasing except possibly at the energy arrival instants. In particular, it is monotone decreasing between consecutive energy harvests.

Proof: We prove the statement by contradiction. Assume that for some interval $[t_1, t_2]$, P(t) is strictly monotone increasing, and that the interval $[t_1, t_2]$ does not contain an energy arrival

instant. Define a new power policy as $P_{new}(t) = \frac{\int_{t_1}^{t_2} P(\tau) d\tau}{t_2 - t_1}$ over $t \in [t_1, t_2]$ and $P_{new}(t) = P(t)$ otherwise. $P_{new}(t)$ satisfies the energy causality constraint in (7) since $P_{new}(t)$ uses the same amount of energy as P(t) over $[t_1, t_2]$ and the energy constraint for P(t) is not tight in this interval. $P_{new}(t)$ also satisfies the temperature constraint. To see this, we first note that $P_{new}(t)$ satisfies the following inequality (see [28, Theorem on p. 207]):

$$\int_{t_1}^{t_2} a e^{b\tau} P_{new}(\tau) d\tau \le \int_{t_1}^{t_2} a e^{b\tau} P(\tau) d\tau$$
(23)

as both P(t) and e^{bt} are monotone increasing. In addition, since P(t) is temperature feasible:

$$\int_0^{t_1} a e^{b\tau} P(\tau) d\tau \le T_\delta e^{bt_1} \tag{24}$$

$$\int_0^{t_2} a e^{b\tau} P(\tau) d\tau \le T_\delta e^{bt_2} \tag{25}$$

Combining (23) and (25), we conclude that $P_{new}(t)$ satisfies the temperature constraint at $t = t_2$:

$$\int_{0}^{t_{2}} ae^{b\tau} P_{new}(\tau) d\tau = \int_{0}^{t_{1}} ae^{b\tau} P_{new}(\tau) d\tau + \int_{t_{1}}^{t_{2}} ae^{b\tau} P_{new}(\tau) d\tau$$
(26)

$$\leq \int_{0}^{t_{1}} a e^{b\tau} P(\tau) d\tau + \int_{t_{1}}^{t_{2}} a e^{b\tau} P(\tau) d\tau$$
(27)

$$\leq T_{\delta} e^{bt_2} \tag{28}$$

Additionally, the temperature constraint is satisfied for $t > t_2$ since $P_{new}(t)$ and P(t) are identical for $t > t_2$ and P(t) is temperature feasible. Hence, we need to show that $P_{new}(t)$ satisfies the temperature constraint for all $t \in (t_1, t_2)$ to establish the temperature feasibility of $P_{new}(t)$. That is, we need to show:

$$\int_{0}^{t_{1}} ae^{b\tau} P(\tau) d\tau + \int_{t_{1}}^{t} ae^{b\tau} P_{new}(\tau) d\tau \le T_{\delta} e^{bt}, \quad t \in (t_{1}, t_{2})$$
(29)

Since $P_{new}(t) = p$ is constant over $[t_1, t_2]$, we have:

$$\int_{t_1}^t ae^{b\tau} P_{new}(\tau) d\tau = \frac{a}{b} p\left(e^{bt} - e^{bt_1}\right), \quad t \in [t_1, t_2]$$
(30)

Using (30) in (29) and since $e^{bt} \ge 0$, (29) takes the following equivalent form:

$$e^{-bt}\left(\int_0^{t_1} ae^{b\tau}P(\tau)d\tau - \frac{a}{b}pe^{bt_1}\right) + \frac{a}{b}p \le T_\delta$$
(31)

Note that the left hand side of (31) is either monotone increasing or monotone decreasing in t as it is a linear function of e^{-bt} . Since the inequality (31) holds at $t = t_1$ and $t = t_2$ as $P_{new}(t)$ satisfies the temperature constraint at those points, we conclude that $P_{new}(t)$ satisfies the temperature constraint for all $t \in [t_1, t_2]$. In addition, $P_{new}(t)$ yields higher throughput than P(t) due to the concavity of logarithm. This contradicts the optimality of P(t). The proof holds even when $[t_1, t_2]$ includes an energy arrival instant provided that the energy causality constraint is not tight at that instant.

Next, we show that discontinuities in the power level could only occur in the form of positive jumps, and only at the instances of energy harvests.

Lemma 7 If there is a discontinuity in P(t), it is a positive jump and it occurs only at the energy arrival instants. The temperature T(t) is continuous throughout the [0, D] interval.

Proof: Since e^{bt} is a continuous function of t, $\lambda(t) \ge 0$ and $\beta(t) \ge 0$, any jump in P(t) has to be positive due to (10). Any positive jump at instants other than s_k violates monotonicity of P(t) within each epoch due to Lemma 6. Due to (5), the resulting temperature T(t) is continuous throughout the [0, D] interval.

By Lemma 7, we can take $\beta(t)$ in the form $\beta(t) = \sum_{j=1}^{N+1} \beta_j \delta(t-s_j)$ without loss of optimality, where $\beta_j \ge 0$, j = 1, ..., N + 1, are finitely many Lagrange multipliers corresponding to the energy causality constraints at the energy harvesting instants s_j and the deadline, $s_{N+1} = D$.

The next lemma shows, for an arbitrary feasible policy P(t), that if the temperature reaches the critical level T_c at some t_h , then the power just before t_h must be larger than a threshold.

Lemma 8 If $T(t_h) = T_c$ for some $t_h \in [0, D)$, then $P(t_h - \epsilon) \geq \frac{T_{\delta}b}{a}$ for all sufficiently small $\epsilon > 0$.

Proof: Since $T(t_h) = T_c$, we have:

$$\int_0^{t_h} a e^{b\tau} P(\tau) d\tau = T_\delta e^{bt_h} \tag{32}$$

We combine (6) with (32) to get

$$\int_{t}^{t_{h}} ae^{b\tau} P(\tau) d\tau \ge T_{\delta} \left(e^{bt_{h}} - e^{bt} \right), \qquad \forall t \in [0, t_{h}]$$
(33)

which implies in view of the continuity of P(t) (except for the finitely many energy arrival instants) proved in Lemma 7 that $P(t_h - \epsilon) \ge \frac{T_{\delta}b}{a}$ for all sufficiently small $\epsilon > 0$.

We next state the continuity of the optimal power policy P(t) at points when it hits the critical temperature T_c .

Lemma 9 If $T(t_h) = T_c$ for some $t_h \in [0, D)$ then P(t) is continuous at t_h and $P(t_h) = \frac{T_{\delta}b}{a}$.

Proof: The proof follows from Lemma 2 and Lemma 8 and the fact that negative jumps in P(t) are not allowed due to Lemma 7.

Next, we show that when the temperature hits the boundary T_c , it has to return to T_c .

Lemma 10 Whenever $T(t_h) = T_c$ for some $t_h < D$, there exists $t > t_h$ such that $T(t) = T_c$.

Proof: Assume that $T(t_h) = T_c$ for some $t_h < D$ and $T(t) < T_c$ for all $t_h < t < D$. By Lemma 9, $P(t_h) = \frac{T_{\delta}b}{a}$. From (4) with $T(t_h) = T_c$, the constraint $T(t) \le T_c$ becomes:

$$\int_{t_h}^t a e^{b\tau} P(\tau) d\tau \le T_\delta \left(e^{bt} - e^{bt_h} \right), \quad t_h < t \le D$$
(34)

Since $T(t) < T_c$ in $t_h < t < D$, only energy causality constraint is active and thus P(t) for $t_h < t < D$ is the piecewise constant monotone power allocation in [10]. On the other hand, $P(t) = \frac{T_{\delta b}}{a}$ satisfies (34) with equality for all t. Therefore, we must have $P(t) = c < \frac{T_{\delta b}}{a}$ for all $t \in (t_h, t_h + \delta)$ for some $\delta > 0$. However, this contradicts $P(t_h) = \frac{T_{\delta b}}{a}$ since there cannot be a negative jump in P(t) by Lemma 7.

The following lemma identifies the exact conditions where the power P(t) makes a jump.

Lemma 11 If there is a jump in P(t), it occurs only at an energy arrival instant, when the battery is empty and the temperature is strictly below T_c .

Proof: Due to the slackness conditions in (11)-(12), a jump occurs if either the battery is empty or the temperature constraint is tight, i.e., $T(t) = T_c$. By Lemma 9, P(t) is continuous whenever $T(t) = T_c$. Therefore, a jump in P(t) occurs at an energy arrival instant, when the battery is empty and $T(t) < T_c$.

We finally remark that energy may have to be wasted as aggressive use of energy may cause temperature to rise above the critical level.

V. OPTIMAL POLICY IN THE SINGLE ENERGY ARRIVAL CASE

In this section, we consider a single epoch where E units of energy is available at the transmitter at the beginning. We first develop further structural properties for the optimal power control policy in this specific case and then obtain the solution.

A. Properties of an Optimal Policy

The next lemma shows that, if the power falls below a certain threshold at an intermediate point and remains under that threshold until the deadline, then it should remain constant throughout.

Lemma 12 If $0 < P(t) \leq \frac{T_{\delta}b}{a}$ for $t \in [t_1, D]$, then P(t) is constant over $[t_1, D]$.

Proof: Assume P(t) is not constant over $[t_1, D]$. Let $E_r = \int_{t_1}^{D} P(\tau) d\tau > 0$. Define a new policy $P_{new}(t) = \frac{E_r}{D-t_1}$ for $t \in [t_1, D]$ and $P_{new}(t) = P(t)$ otherwise. $P_{new}(t)$ is both energy and temperature feasible. Energy feasibility holds by construction as P_{new} and P have the same energy over $[t_1, D]$. Temperature feasibility also holds: $T(t_1) \leq T_c$ since P(t) is temperature feasible and as $\frac{E_r}{D-t_1} < \frac{T_{\delta b}}{a}$, we have $T(t) \leq T_c$ for all $t_1 < t < D$ from (6). Now, by Jensen's inequality $P_{new}(t)$ achieves strictly larger throughput since log is strictly concave. This contradicts the optimality of P(t). Hence, P(t) = c > 0 for $t \in [t_1, D]$.

The following lemma states that the power has to remain constant at the level $\frac{T_{\delta}b}{a}$ when the temperature reaches the critical level T_c .

Lemma 13 Let $t' \in [0, D]$ denote $\min\{t \in [0, D] : T(t) = T_c\}$. If t' < D, then $P(t) = \frac{T_{\delta b}}{a}$ for all $t \in [t', D]$.

Proof: By Lemma 9, $P(t') = \frac{T_{\delta}b}{a}$. By Lemma 6, P(t) is monotone decreasing, and thus $0 \le P(t) \le \frac{T_{\delta}b}{a}$ for $t' < t \le D$. By Lemma 12, P(t) = c for all $t \in [t', D]$. By Lemma 7, P(t) is continuous and therefore, $P(t) = \frac{T_{\delta}b}{a}$ for all $t \in [t', D]$.

The following lemma states that the optimal power is always larger than a constant value determined by the fixed system parameters.

Lemma 14 The optimal policy P(t) satisfies:

$$P(t) \ge \min\left\{\frac{T_{\delta}b}{a}, \frac{E}{D}\right\}, \quad \forall t \in [0, D]$$
 (35)

Proof: If the temperature constraint is not tight, then the problem reduces to the energy constrained problem in which case $P(t) = \frac{E}{D}$. If the temperature constraint is tight, P(t) is monotone decreasing by Lemma 6 and when the temperature level reaches T_c , P(t) remains at $\frac{T_{\delta}b}{a}$ by Lemma 13. Hence, $P(t) \geq \frac{T_{\delta}b}{a}$.

The following lemma shows that, since the power is always larger than a constant value, battery energy level is never zero, except possibly at the deadline.

Lemma 15 In an optimal policy, energy in the battery is non-zero except possibly at t = D.

Proof: By Lemma 14, the optimal power is always larger than a positive constant. Thus, the battery energy does not drop to zero. ■

The following lemma shows that the temperature is monotone increasing throughout the transmission duration, and also is a concave function of time.

Lemma 16 The temperature with the optimal power policy is monotone increasing and concave.

Proof: If the temperature constraint is never tight, then the optimal power level is $\frac{E}{D}$, and from Lemma 3, the temperature is monotone increasing. Concavity in this case follows from the concavity of the explicit expression in (18) with $T(0) = T_e$. Now, assume that the temperature constraint is tight at t = D. By Lemma 14, $P(t) \ge \frac{T_{\delta}b}{a}$. From (3), we have:

$$\frac{dT}{dt} = aP(t) - b\left(T(t) - T_e\right) \tag{36}$$

$$\geq a \frac{T_{\delta} b}{a} - b \left(T(t) - T_e \right) \tag{37}$$

$$= b\left(T_c - T(t)\right) \ge 0 \tag{38}$$

as $T(t) \leq T_c$ by the temperature constraint. Since P(t) is monotone decreasing by Lemma 6 and T(t) is monotone increasing, from (36), $\frac{dT}{dt}$ is monotone decreasing, proving the concavity of T(t) in this case.

B. Optimal Policy

In view of Lemma 15, the energy constraint can be tight only at t = D. Therefore, the corresponding Lagrange multiplier is a single variable $\beta(t) = \beta \delta(t - D)$. From Lemma 16, T(t)

is monotone increasing. Due to Lemma 13, when T(t) reaches T_c , power level has to remain at $\frac{T_{\delta}b}{a}$. Accordingly, we denote the instant when the temperature reaches T_c as t_0 .

1) Sufficiently Large Energy: In this case, the energy constraint is never tight, and $\beta = 0$. In view of Lemma 5, the temperature constraint is tight at t = D.

First, consider the case that D is sufficiently large so that there exists $t_0 < D$ such that $T(t_0) = T_c$. For $t \in [0, t_0)$, $T(t) < T_c$ and from (11), $\lambda(t) = 0$. From (10), when $t \in [0, t_0)$ we have $P(t) = \frac{1}{C}e^{-bt} - 1$ where $C = \int_{t_0}^{D} \lambda(\tau)d\tau > 0$. Since at $t = t_0$ the temperature reaches T_c , from Lemma 13, we have $P(t) = \frac{T_{\delta b}}{a}$ for $t \in [t_0, D]$. Then, the optimal power has the form:

$$P(t) = \left(\frac{1}{C}e^{-bt} - 1\right)(u(t) - u(t - t_0)) + \frac{T_{\delta}b}{a}u(t - t_0)$$
(39)

where u(t) is the unit step function. Now, from Lemma 9, P(t) is continuous at t_0 and C should be chosen accordingly. In particular, $C = \frac{1}{\left(\frac{T_{\delta}b}{a}+1\right)}e^{-bt_0}$. The following Lagrange multiplier $\lambda(t)$ verifies (39):

$$\lambda(t) = \frac{b}{\left(\frac{T_{\delta}b}{a} + 1\right)} e^{-bt} u(t - t_0) + \frac{e^{-bD}}{\left(\frac{T_{\delta}b}{a} + 1\right)} \delta(t - D)$$

$$\tag{40}$$

The corresponding optimal temperature pattern for $0 \le t \le t_0$ is:

$$T(t) = a\left(\frac{T_{\delta}b}{a} + 1\right)te^{-b(t-t_0)} + \frac{a}{b}e^{-bt} - \frac{a}{b} + T_e$$
(41)

and $T(t) = T_c$ for $t_0 \le t \le D$. We note that t_0 satisfies:

$$\left(\frac{T_{\delta}}{a} + \frac{1}{b}\right)e^{bt_0} - \frac{1}{b} = \left(\frac{T_{\delta}b}{a} + 1\right)t_0e^{bt_0} \tag{42}$$

so that $T(t_0) = T_c$. Hence, T(t) monotonically increases till it reaches T_c , which is consistent with Lemma 16.

Next, consider the case that $D < t_0$. In this case,

$$P(t) = \frac{1}{C}e^{-bt} - 1$$
(43)

where $C = \frac{D}{\left(\left(\frac{T_{\delta}}{a} + \frac{1}{b}\right)e^{bD} - \frac{1}{b}\right)}$ and $\lambda(t) = C\delta(t - D)$. Therefore, the optimal P(t) in this case is

$$P(t) = \frac{1}{D} \left(\left(\frac{T_{\delta}}{a} + \frac{1}{b} \right) e^{bD} - \frac{1}{b} \right) e^{-bt} - 1$$
(44)

We also remark that t_0 level that satisfies (42) monotonically increases with T_{δ} . To see this, we rearrange (42) as follows:

$$\frac{1}{b} \left(1 - \frac{1}{\left(\frac{T_{\delta}b}{a} + 1\right)} e^{-bt_0} \right) - t_0 = 0 \tag{45}$$

Let us define a multi-variable real function $w(t_0, T_\delta)$ as the left hand side of (45) and denote a specific solution as t_0^* for fixed T_δ . It is easy to see that (45) always has a solution t_0 for fixed T_δ . To see this, we evaluate the derivative with respect to t_0 as:

$$\frac{\partial}{\partial t_0}w(t_0, T_\delta) = \frac{1}{\left(\frac{T_\delta b}{a} + 1\right)}e^{-bt_0} - 1 \le 0, \quad \forall t_0 \ge 0$$
(46)

That is, $w(t_0, T_{\delta})$ is monotone decreasing with t_0 . At $t_0 = 0$, $w(t_0, T_{\delta}) > 0$ while $w(t_0, T_{\delta}) \rightarrow -\infty$ as t_0 grows. In view of the continuity of $w(t_0, T_{\delta})$, there exists a t_0 such that $w(t_0, T_{\delta}) = 0$. Additionally, we observe in (45) that for fixed t_0 , $w(t_0, T_{\delta})$ monotonically increases with T_{δ} . Therefore, if $w(t_0^*, T_{\delta}) = 0$, then, due to monotone increasing property with respect to T_{δ} , $w(t_0^*, T_{\delta}') > 0$ for $T_{\delta}' > T_{\delta}$. Hence, for t_0^{**} such that $w(t_0^{**}, T_{\delta}') = 0$, we have $t_0^{**} > t_0^*$ due to monotone decreasing property with respect to t_0 .

2) Energy Limited Case: Note that the optimal power policies in the energy unconstrained cases in (39) and (44) have finite energies. If the available energy E is larger than the corresponding energy level in (39) and (44), then the solution is as in (39) and (44). Otherwise, the energy constraint is active and the Lagrange multiplier is $\beta > 0$. From (10), we have:

$$P(t) = \frac{1}{\beta + e^{bt} \int_{t}^{D} \lambda(\tau) d\tau} - 1$$
(47)

We first note that there is a critical energy level $E_{critical}$ such that if $E \leq E_{critical}$, then constant power policy $P(t) = \frac{E}{D}$ is optimal. This critical level is:

$$E_{critical} = \frac{T_{\delta}b}{a} \frac{De^{bD}}{e^{bD} - 1} \tag{48}$$

This is the critical level below which the temperature constraint is not tight by the constant power allocation $P(t) = \frac{E}{D}$. The expression in (48) is evaluated from (18) by inserting $T(0) = T_e$, and requiring $T(D) \leq T_c$. When $E \leq E_{critical}$, $\lambda(t) = 0$ since temperature constraint is never tight. In this case, $\beta = \frac{1}{\frac{E}{D}+1}$. $E_{critical}$ is the maximum energy level for which a constant power level

is optimal. If $P(t) = \frac{E_{critical}}{D}$, T(t) is monotone increasing over [0, D] and reaches T_c at t = D. If $E > E_{critical}$, the constant power level $\frac{E_{critical}}{D}$ does not satisfy the temperature constraint. We note from (48) that $E_{critical}$ increases with the deadline D. Therefore, there exists a deadline level \tilde{D} for which $D > \tilde{D}$ implies $E < E_{critical}$ and hence constant power policy is optimal.

An alternative way of observing the behavior of the optimal policy is to fix the available energy E and T_e and vary the critical temperature T_c . In this case, there is a critical temperature limit T_c^{limit} for which $P(t) = \frac{E}{D}$ is optimal whenever $T_c > T_c^{limit}$:

$$T_c^{limit} = T_e + \frac{a}{b} \frac{E}{D} \frac{e^{bD} - 1}{e^{bD}}$$

$$\tag{49}$$

which again is evaluated from (18) with $T(0) = T_e$. In the following, we consider $E > E_{critical}$ or $T_c < T_c^{limit}$ so that both energy and temperature constraints are tight at the end of the communication session.

Again, we consider two possibilities: temperature constraint becomes tight at a $t_0 < D$, and temperature constraint becomes tight at t = D. In both cases, the energy constraint becomes tight at t = D.

First, consider the case that $t_0 < D$: Due to (11), $\lambda(t) = 0$ for $t \in [0, t_0)$ and from (10), we get:

$$P(t) = \frac{1}{\beta + Ce^{bt}} - 1$$
(50)

where $C = \int_{t_0}^{D} \lambda(\tau) d\tau > 0$. Additionally, $P(t) = \frac{T_{\delta}b}{a}$ for the remaining portion of the epoch in view of Lemma 13. t_0 is such that for $t > t_0$, $P(t) = \frac{T_{\delta}b}{a}$ and $T(t_0) = T_c$. Since $P(t_0) = \frac{T_{\delta}b}{a}$ we have:

$$\frac{1}{\beta + Ce^{bt_0}} = \frac{T_\delta b}{a} + 1 \tag{51}$$

Similarly, for $T(t_0) = T_c$, we have from (5) with $T(0) = T_e$:

$$e^{-bt_0} \left(\int_0^{t_0} e^{bt} \left(a \left(\frac{1}{\beta + Ce^{bt}} - 1 \right) + bT_e \right) dt + T_e \right) = T_c$$
(52)

Finally, the energy constraint has to be satisfied at t = D:

$$\int_{0}^{t_{0}} \left(\frac{1}{\beta + Ce^{bt}} - 1\right) dt + \frac{T_{\delta}b}{a} \left(D - t_{0}\right) = E$$
(53)



Fig. 3. The optimal power policy in the single energy arrival case for different energy and deadline constraints.

If there exists $t_0 \leq D$ for (51)-(53), then P(t) is:

$$P(t) = \left(\frac{1}{\beta + Ce^{bt}} - 1\right) (u(t) - u(t - t_0)) + \frac{T_{\delta}b}{a}u(t - t_0)$$

In this case, the corresponding Lagrange multiplier is:

$$\lambda(t) = bCe^{-b(t-t_0)}u(t-t_0) + Ce^{b(t_0-D)}\delta(t-D)$$
(54)

Otherwise, when no such $t_0 < D$ exists, the temperature constraint is tight only at $t_0 = D$. In this case, P(t) is as in (50) for $t \in [0, D]$ where β and C have to satisfy:

$$e^{-bD}\left(\int_{0}^{D}e^{bt}\left(a\left(\frac{1}{\beta+Ce^{bt}}-1\right)+bT_{e}\right)dt+T_{e}\right)=T_{c}$$
(55)

$$\int_0^D \left(\frac{1}{\beta + Ce^{bt}} - 1\right) dt = E \tag{56}$$

The corresponding Lagrange multiplier is $\lambda(t) = C\delta(t - D)$.

Depending on the energy E and the critical temperature T_c , the optimal power scheduling policy P(t) varies according to the plots in Fig. 3. For small E and fixed T_c or for large T_c and fixed E, a constant power policy is optimal. For moderate and large E, the optimal power policy is exponentially decreasing and may hit the power level $\frac{T_{\delta}b}{a}$. Note that t_0 level at which temperature touches the critical level decreases as T_c is decreased and as E is increased. In particular, for fixed T_c , the level of t_0 is bounded below by the solution for $E = \infty$ whereas for fixed E, t_0 goes to 0 as T_c approaches T_e .

VI. OPTIMAL POLICY FOR MULTIPLE ENERGY ARRIVALS

In this section, we extend the solution to the case of multiple energy arrivals. We start with extending the properties observed for the single energy arrival case when initial temperature T(0) is different from T_e . The following lemma generalizes Lemmas 6, 13 and 16 for the case of an arbitrary T(0).

Lemma 17 Assume that the initial temperature T(0) is in the range $T_e < T(0) < T_c$ instead of $T(0) = T_e$ and consider the single energy arrival case: P(t) is monotone decreasing. Let $t_h \in [0, D]$ denote $\min\{t \in [0, D] : T(t) = T_c\}$. If $t_h < D$, then $P(t) = \frac{T_{\delta b}}{a}$ for all $t \in [t_h, D]$ and the temperature is monotone increasing and concave. If $T(0) = T_c$, then $P(t) = \min\{\frac{T_{\delta b}}{a}, \frac{E}{D}\}$.

Proof: If T(0) is in the range $T_e < T(0) < T_c$ then, instead of (6), we have the following temperature constraint:

$$\int_0^t ae^{b\tau} P(\tau) d\tau \le T_\delta e^{bt} - T_g, \quad \forall t \in [0, D]$$
(57)

where $T_g = T(0) - T_e \ge 0$. Note that $T_{\delta}e^{bt} - T_g \ge 0$ for all $t \in [0, D]$, i.e., the right hand side of (57) is always non-negative. The argument in Lemma 6 is valid in the presence of the additional term T_g in (57), and therefore P(t) is monotone decreasing.

The second claim follows from the argument in Lemma 13. In particular, in addition to Lemma 6, Lemma 12 directly extends with the constraint in (57). Hence, the result follows by applying the argument in Lemma 13.

Finally, T(t) is monotone increasing and concave due to the steps followed in Lemma 16. In particular, if the temperature constraint is tight at t = D, $P(t) \ge \frac{T_{\delta}b}{a}$. Hence, (36)-(38) hold and the temperature is monotone increasing and concave. If $T(0) = T_c$, then $P(t) = \min\{\frac{T_{\delta}b}{a}, \frac{E}{D}\}$ due to the energy constraint. Note that the temperature decreases in case $\min\{\frac{T_{\delta}b}{a}, \frac{E}{D}\} = \frac{E}{D}$.

As in the single epoch case, we will investigate the solution under special cases. In particular, we will investigate the solution according to the time when the temperature hits the critical level. To this end, we specialize in an interval $[t_1, t_2]$ such that $T(t) < T_c$ for all $t \in [t_1, t_2)$ and $T(t_2) = T_c$ where $0 < t_1 < t_2 \le D$. Note that the temperature T(t) is a continuous function of t and hence there exist such intervals. We assume that the solution is known in $[0, t_1) \cup (t_2, D]$ and we let $T_e \le T(t_1) < T_c$. In this case, the solution of (7) over the interval $[t_1, t_2]$ is equal to the solution of the following problem obtained by restricting the temperature constraint to be satisfied at $t = t_2$ only:

$$\max_{P(t), t \in [t_1, t_2]} \int_{t_1}^{t_2} \frac{1}{2} \log (1 + P(\tau)) d\tau$$

s.t.
$$\int_{t_1}^{t_2} a e^{b\tau} P(\tau) d\tau = T_{\delta} e^{bt_2} - T_g$$
$$\int_0^t P(\tau) d\tau \le \sum_{i=0}^{\tilde{h}(t)} \tilde{E}_i, \quad \forall t \in [t_1, t_2]$$
(58)

where $T_g = T(t_1) - T_e \ge 0$. In (58), \tilde{E}_i is determined as follows: \tilde{E}_0 is the available energy in the battery at time $t = t_1$. \tilde{E}_i for $i = 1, ..., \tilde{N}$ are the energy arrivals at instants $\tilde{s}_i \in (t_1, t_2)$. $\tilde{h}(t)$ is defined accordingly. While the times \tilde{s}_i are exactly those in the original problem, the amounts \tilde{E}_i may be different from the original amounts as some energy may be left for use in the $(t_2, D]$ interval. For the following argument, whether \tilde{E}_i equals the original energy arrival amount is not relevant and we leave \tilde{E}_i as arbitrary amounts. To obtain the solution of (58) using this Lagrangian framework, it is necessary and sufficient to find $\tilde{N} + 2$ variables $\beta_i \ge 0$, $i = 1, ..., \tilde{N} + 1$ and $C \ge 0$ such that

$$P(t) = \left[\frac{1}{\sum_{j=i}^{\tilde{N}+1} \beta_j + Ce^{bt}} - 1\right]^+, \quad t \in [\tilde{s}_{i-1}, \tilde{s}_i), \ i = 1, \dots, \tilde{N} + 1$$
(59)

with the corresponding slackness conditions. Therefore, for the $[t_1, t_2]$ interval, the solution has the structure in (59), which is parameterized by finitely many Lagrange multipliers. In particular, throughout an epoch over which $T(t) < T_c$, power level satisfies $P(t) = \left[\frac{1}{\beta + Ce^{bt}} - 1\right]^+$ for some $\beta \ge 0$ and $C \ge 0$ not both equal to zero. This also holds in a subinterval of an epoch over which $T(t) < T_c$. In the following lemma, we show that in such an epoch, the temperature T(t)is unimodal.

Lemma 18 If $P(t) = \left[\frac{1}{\beta + Ce^{bt}} - 1\right]^+$ for $t \in [t_1, t_2]$ for some $\beta > 0$ and C > 0, the resulting T(t) is unimodal over $[t_1, t_2]$.

Proof: From (4), we have for $t \in [t_1, t_2]$,

$$T(t) = e^{-b(t-t_1)} \left(\int_{t_1}^t e^{b(\tau-t_1)} \left(a \left[\frac{1}{\beta + Ce^{b\tau}} - 1 \right]^+ + bT_e \right) d\tau + T(t_1) \right)$$
(60)

First, we note that when P(t) = 0, $\frac{d}{dt}T(t) \le 0$ from (3). Hence, it suffices to show that T(t) is unimodal when $P(t) = \frac{1}{\beta + Ce^{bt}} - 1 > 0$. By evaluating the integral, we get

$$T(t) = \frac{a}{bC}e^{-bt}\log\left(\frac{\beta + Ce^{bt}}{\beta + Ce^{bt_1}}\right) + \left(T(t_1) - T_e + \frac{a}{b}\right)e^{-b(t-t_1)} + T_e - \frac{a}{b}$$
(61)

We claim that T(t) in (61) is unimodal for $t > t_1$. Note that the derivative of T(t) is:

$$\frac{d}{dt}T(t) = e^{-bt} \left(\frac{ae^{bt}}{\beta + Ce^{bt}} - \frac{a}{C}\log\left(\frac{\beta + Ce^{bt}}{\beta + Ce^{bt_1}}\right) - b\left(T(t_1) - T_e + \frac{a}{b}\right)e^{bt_1}\right)$$
(62)

We let $x = e^{bt}$, $x_1 = e^{bt_1}$ and concentrate on $\frac{ax}{\beta+Cx} - \frac{a}{C}\log\left(\frac{\beta+Cx}{\beta+Cx_1}\right)$ for $x > x_1$. We note that $\frac{ax}{\beta+Cx} - \frac{a}{C}\log\left(\frac{\beta+Cx}{\beta+Cx_1}\right)$ is a strictly monotone decreasing function of x for $x > x_1 > 0$. In particular, we have:

$$\frac{d}{dx}\left(\frac{ax}{\beta+Cx} - \frac{a}{C}\log\left(\frac{\beta+Cx}{\beta+Cx_1}\right)\right) = \frac{-Cx}{\left(\beta+Cx\right)^2}$$
(63)

Thus, $\frac{ae^{bt}}{\beta+Ce^{bt}} - \frac{a}{C} \log \left(\frac{\beta+Ce^{bt}}{\beta+Ce^{bt_1}}\right)$ is strictly monotone decreasing in t. As $\frac{ae^{bt}}{\beta+Ce^{bt}} - \frac{a}{C} \log \left(\frac{\beta+Ce^{bt}}{\beta+Ce^{bt_1}}\right) > 0$ at $t = t_1$, we conclude that the factor in (62) that multiplies e^{-bt} can take value 0 at most once. In particular, $\frac{ae^{bt}}{\beta+Ce^{bt}} - \frac{a}{C} \log \left(\frac{\beta+Ce^{bt}}{\beta+Ce^{bt_1}}\right) - b \left(T(t_1) - T_e + \frac{a}{b}\right) e^{bt_1}$ can take positive or negative values at $t = t_1$. If it is positive at $t = t_1$, it hits value 0 at most once for $t > t_1$. If it is negative throughout $t > t_1$. This proves that T(t) is unimodal over $[t_1, t_2]$.

In the following lemma, we show that, in an epoch $[s_i, s_{i+1}]$, the temperature cannot return to T_c if it hits and falls below T_c .

Lemma 19 If $T(t_h) = T_c$ and $T(t_h + \Delta) < T_c$ for some $\Delta > 0$ where both t_h and $t_h + \Delta$ are in $[s_i, s_{i+1}]$, then $T(t) < T_c$ for all $t \in [t_h + \Delta, s_{i+1}]$.

Proof: By Lemma 9, $P(t_h) = \frac{T_{\delta}b}{a}$. By Lemma 6, power is monotone decreasing in an epoch. Therefore, if $T(t_h + \Delta) < T_c$, then $P(t_h + \Delta) < \frac{T_{\delta}b}{a}$ and hence $P(t) < \frac{T_{\delta}b}{a}$ for all $t \in [t_h + \Delta, s_{i+1}]$. This, in turn, means that $T(t) < T_c$ for all $t \in [t_h + \Delta, s_{i+1}]$.

Next, we complete the unimodal structure of the temperature by showing that it has to be monotone decreasing if it hits and falls below T_c .

Lemma 20 In an epoch $[s_i, s_{i+1}]$, if the temperature touches T_c at t_h and falls below it, then the temperature is monotone decreasing in $[t_h, s_{i+1}]$. **Proof:** By Lemma 19, if $T(t_h + \Delta) < T_c$, then $T(t) < T_c$ for all $t \in [t_h + \Delta, s_i]$. Therefore, we have

$$P(t) = \left[\frac{1}{\beta + Ce^{bt}} - 1\right]^+, \quad t \in [t_h + \Delta, s_{i+1}]$$
(64)

for some $\beta > 0$ and C > 0. By Lemma 18, T(t) is unimodal over $t \in [t_h + \Delta, s_i]$. Therefore, T(t) is monotone decreasing.

We next consider epochs $[s_i, s_{i+1}]$ and its subintervals over which $T(t) < T_c$ and $T(t) = T_c$. By Lemma 18 and in view of the discussion around (58), whenever $T(t) < T_c$ over an epoch, T(t) reaches its peak level over that epoch at only one instance. Consequently, if $T(t) < T_c$ for all $t \in [s_i, s_{i+1}]$, there are three possible cases. The first two possibilities are that T(t) is monotone increasing or monotone decreasing throughout the epoch. The third possible case is that T(t) is monotone increasing in $[s_i, t_{1i}]$ and monotone decreasing in $(t_{1i}, s_{i+1}]$ for some $t_{1i} \in (s_i, s_{i+1})$. Otherwise, T(t) hits T_c and T(t) does not return to T_c if it falls below it due to Lemma 19. Therefore, if T(t) hits T_c in an epoch $[s_i, s_{i+1}]$, then that epoch is divided into three successive subintervals I_{i1}, I_{i2}, I_{i3} with $I_{i1} = [s_i, t_{i1}), I_{i2} = [t_{i1}, t_{i2})$ and $I_{i3} = [t_{i2}, s_{i+1}]$ for some $s_i < t_{i1} \le t_{i2} < s_{i+1}$. T(t) is monotone increasing over I_{i1} , remains at T_c over I_{i2} and is monotone decreasing over I_{i3} . We finally note that if $T(t) < T_c$ at t = D, then $T(t) < T_c$ for all $t \in [0, D]$. This follows from Lemma 10. In this case, the temperature constraint is never tight and the optimal power policy is identical to the one in [10].

In Fig. 4, we plot the optimal energy expenditure for different values of critical temperature level T_c . We observe that as T_c is decreased, the temperature budget shrinks and the temperature constraint becomes more likely to be tight. In this case, energy is spent faster not to create high amounts of heat in the system. In general, there is a tension between causing unnecessary heat in the system and maximizing the throughput. While we have fully characterized this tension in the single energy arrival case, it needs to be further explored in the multiple energy arrivals case. In particular, when a high amount of energy arrives into the system during the progression of communication, the transmitter has to accommodate it by cooling down and creating a temperature margin for future use. While maximizing the throughput generally requires using the energy in the system to the fullest extent, the transmitter may have to waste energy due to the temperature limit. We investigate this tension in numerical examples in the next section.



Fig. 4. Energy expenditure with the optimal power policy with multiple energy arrivals. In view of the temperature constraint, as T_c is decreased, the energy is spent faster subject to energy causality.

VII. NUMERICAL RESULTS

In this section, we provide numerical examples to illustrate the optimal power policy and the resulting temperature profile. For plots in Figs. 5, 6, 7 and 8, we set a = 0.1, b = 0.3, $T_e = 37$ and $T_c = 38$. Therefore, the critical power level is $\frac{T_{\delta}b}{a} = 3$.

In Figs. 5 and 6, we consider the energy unlimited scenario. In this case, the solution of (42) is found as $t_0 = 2.993$. In Fig. 5, we set $D = 2 < t_0$ and we observe that the optimal power policy is always above the level $\frac{T_{\delta}b}{a}$. In this case, power strictly monotonically decreases while temperature strictly monotonically increases with temperature touching the critical level T_c at the deadline. In Fig. 6, we set the deadline as $D = 3.5 > t_0$. We calculate that the energy needed to have the power policy in Fig. 6 is E = 17.98. In other words, if the initial energy is $E \ge 17.98$ then the power policy in Fig. 6 is optimal. We observe that the optimal power level monotonically decreases to the level $\frac{T_{\delta}b}{a}$ and remains at that level afterwards. Similarly, the temperature level rises to T_c and remains at that level afterwards. Note that the throughput and the energy consumption in Fig. 6 are higher with respect to those in Fig. 5. Parallel to this observation, the monotone decrease is sharper in the power policy in Fig. 6 compared to that in Fig. 5. Since the power level has to be stabilized at $\frac{T_{\delta}b}{a}$, the temperature increase cost paid for



Fig. 5. Power, energy and temperature plots for unlimited energy and D = 2 for the single epoch case.

achieving certain throughput is minimized if energy consumption starts faster and drops later.

In Fig. 7, we set the deadline to D = 3.5 and the energy limit to E = 17.71. Note that this energy level is slightly less than the energy of the power policy in Fig. 6, which translates into a right shift of the point t_0 . In particular, we calculate $t_0 = 3.2$ as the solution of (51)-(53) in this case. Similar to the effect of decreasing the deadline observed in the comparison of Figs. 5 and 6, we observe that decreasing the energy level yields a *smoother* power policy. Power level drops to $\frac{T_{\delta}b}{a}$ and the temperature hits T_c at a later time t_0 and both remain constant afterwards.

In Fig. 8, we consider the same system as in previous figures with two energy arrivals instead of one and with D = 5. In particular, $E_0 = 6.08$ is available initially and $E_1 = 14.55$ arrives at time $s_1 = 1.5$. In this case, we calculate $t_0 = 3.9$. The energy causality constraint is tight and the power level makes a jump at the energy arrival instant. Note that the temperature is continuous at the energy arrival instant even though its first derivative is not. While the power level has a



Fig. 6. Power, energy and temperature plots for unlimited energy and D = 3.5 for the single epoch case.

smooth start, a sharper decrease is observed towards the end since the harvested energy has to be fully utilized. In particular, the temperature increase before the energy arrival is kept to a minimum level so as to have a higher heat budget for the larger energy that arrives later. The temperature hits T_c at t = 3.95 after which the power and temperature both remain constant.

Finally in Fig. 9, we illustrate a curious behavior in the optimal policy. For this example, we set a = 0.1, b = 1.1, $T_e = 37$ and $T_c = 37.92$. Initial energy is $E_0 = 25$ and energy arrives at t = 2 with amount $E_1 = 17$ and the deadline is D = 3.5. We observe that energy causality constraint is tight at t = 2 whereas it is not tight at t = D meaning that some energy is wasted in order not to cause excessive heat. The temperature generated in this throughput optimal power policy first monotonically increases, hits T_c at t = 1.31, remains there till t = 1.66 and drops below T_c . We interpret the drop in the temperature in the first epoch as an effort to create temperature margin for the high energy arrival in the next epoch. We calculate $t_0 = 2.23$ as the time after which



Fig. 7. Power, energy and temperature plots for limited energy E = 17.71 and D = 2 for the single epoch case.

power level remains at $\frac{T_{\delta}b}{a} = 10.12$ and the temperature remains at T_c . Note that under unlimited energy, temperature would hit T_c at t = 0.878. Due to the energy scarcity in the first epoch, temperature hits T_c later and drops below T_c . A common behavior we observe in each numerical example is that temperature ultimately increases between two epochs where energy causality constraint is tight. Further research is needed to quantify the relations between the amount of temperature generated while performing optimally in terms of throughput. While monotonicity of the temperature is lost when multiple energy harvests exist, we note that monotonicity of the temperature is guaranteed in the last epoch due to Lemma 17.

VIII. CONCLUSIONS

We considered throughput maximization for an energy harvesting transmitter over an AWGN channel under temperature constraints. We used a linear system model for the heat dynamics



Fig. 8. Power, energy and temperature plots for two energy arrivals, $E_0 = 6.08$ and $E_1 = 14.55$ at t = 1.5 and D = 5.

and determined the throughput optimal power scheduling policy under a maximum temperature constraint by using a Lagrangian framework and the KKT optimality conditions. We determined for the single energy arrival case that the optimal power policy is monotone decreasing whereas the temperature is monotone increasing and both remain constant after the temperature hits the critical level. We then generalized the solution for the case of multiple energy arrivals. While monotonicity of the temperature is lost when multiple energy harvests exist, we observed that the temperature ultimately increases while maximizing the throughput. We also observed that the main impact of the temperature constraints is to facilitate faster energy expenditure subject to energy causality constraints. Additionally, even though using all of the available energy is optimal for throughput maximization only, with temperature constraints, energy may have to be wasted in order not to exceed the critical temperature.



Fig. 9. Power, energy and temperature plots for two energy arrivals, $E_0 = 25$ at t = 0 and $E_1 = 17$ at t = 2 and D = 3.5.

REFERENCES

- H. H. Pennes, "Analysis of tissue and arterial blood temperature in the resting human forearm," *Jour. of App. Physiology*, vol. 1, pp. 93–122, August 1948.
- [2] Q. Tang, N. Tummala, S. Gupta, and L. Schwiebert, "Communication scheduling to minimize thermal effects of implanted biosensor networks in homogeneous tissue," *IEEE Trans. on Biomed. Eng.*, vol. 52, pp. 1285–1294, July 2005.
- [3] R. Hongliang and M.-H. Meng, "Rate control to reduce bioeffects in wireless biomedical sensor networks," in *IEEE Int. Conf. on Mobile and Ubiq. Sys.*, July 2006.
- [4] S. Ullah, H. Higgins, B. Braem, B. Latre, C. Blondia, I. Moerman, S. Saleem, Z. Rahman, and K. Kwak, "A comprehensive survey of wireless body area networks," *Jour. Medical. Syst.*, vol. 36, pp. 1065–1094, June 2012.
- [5] B. Batre, B. Braem, I. Moerman, C. Blondia, and C. Demeester, "A survey on wireless body area networks," Wireless Networks, vol. 17, pp. 1–18, January 2011.
- [6] O. Semenov, A. Vassighi, and M. Sachdev, "Impact of self-heating on long-term reliability and performance degradation in CMOS circuits," *IEEE Trans. Devices Matter.*, vol. 6, pp. 17–27, March 2006.
- [7] R. Rao, S. Vrudhula, and C. Chakrabarti, "An optimal analytical solution for processor speed control with thermal constraints," in *IEEE Int. Symp. on Low Power Elec. and Design*, October 2006.

- [8] A. Mutapcic, S. Boyd, S. Murali, D. Atienza, G. De Micheli, and R. Gupta, "Processor speed control with thermal constraints," *IEEE Trans. on Circ. and Sys.-I*, vol. 56, pp. 1994–2008, September 2009.
- [9] D. Forte and A. Srivastava, "Thermal aware sensor scheduling for distributed estimation," ACM Trans. on Sensor Networks, vol. 9, pp. 53:1–53:31, July 2013.
- [10] J. Yang and S. Ulukus, "Optimal packet scheduling in an energy harvesting communication system," *IEEE Trans. on Comm.*, vol. 60, pp. 220–230, January 2012.
- [11] K. Tutuncuoglu and A. Yener, "Optimum transmission policies for battery limited energy harvesting nodes," *IEEE Trans.* on Wireless Comm., vol. 11, pp. 1180–1189, March 2012.
- [12] O. Ozel, K. Tutuncuoglu, J. Yang, S. Ulukus, and A. Yener, "Transmission with energy harvesting nodes in fading wireless channels: Optimal policies," *IEEE Jour. on Selected Areas in Commun.*, vol. 29, pp. 1732–1743, September 2011.
- [13] C. K. Ho and R. Zhang, "Optimal energy allocation for wireless communications with energy harvesting constraints," *IEEE Trans. on Signal Proc.*, vol. 60, pp. 4808–4818, September 2012.
- [14] O. Ozel, J. Yang, and S. Ulukus, "Optimal broadcast scheduling for an energy harvesting rechargeable transmitter with a finite capacity battery," *IEEE Trans. on Wireless Comm.*, vol. 11, pp. 2193–2203, June 2012.
- [15] J. Yang and S. Ulukus, "Optimal packet scheduling in a multiple access channel with energy harvesting transmitters," *Jour. of Comm. and Netw.*, vol. 14, pp. 140–150, April 2012.
- [16] K. Tutuncuoglu and A. Yener, "Sum-rate optimal power policies for energy harvesting transmitters in an interference channel," *Jour. of Comm. and Netw.*, vol. 14, pp. 151–161, April 2012.
- [17] P. Mitran, "On optimal online policies in energy harvesting systems for compound Poisson energy arrivals," in *IEEE ISIT*, July 2012.
- [18] B. Devillers and D. Gunduz, "A general framework for the optimization of energy harvesting communication systems with battery imperfections," *Jour. of Comm. and Netw.*, vol. 14, pp. 130 – 139, April 2012.
- [19] K. Tutuncuoglu, A. Yener, and S. Ulukus, "Optimum policies for an energy harvesting transmitter under energy storage losses," *IEEE Jour. on Selected Areas in Commun.*, vol. 33, pp. 467–481, March 2015.
- [20] O. Orhan, D. Gunduz, and E. Erkip, "Energy harvesting broadband communication systems with processing cost," *IEEE Trans. on Wireless Comm.*, vol. 13, pp. 6095–6107, November 2014.
- [21] J. Xu and R. Zhang, "Throughput optimal policies for energy harvesting wireless transmitters with non-ideal circuit power," *IEEE Jour. on Selected Areas in Commun.*, vol. 32, pp. 322–332, February 2014.
- [22] O. Ozel, K. Shahzad, and S. Ulukus, "Optimal energy allocation for energy harvesting transmitters with hybrid energy storage and processing cost," *IEEE Trans. on Signal Proc.*, vol. 62, pp. 3232–3245, June 2014.
- [23] P. Grover, ""Information-friction" and its implications on minimum energy required for communication," *IEEE Trans. on Inform. Theory*, vol. 61, pp. 895–907, February 2015.
- [24] T. Koch, A. Lapidoth, and P. P. Sotiriadis, "Channels that heat up," *IEEE Trans. on Inform. Theory*, vol. 55, pp. 3594–3612, August 2009.
- [25] S. Cui, A. Goldsmith, and A. Bahai, "Energy constrained modulation optimization," *IEEE Trans. on Wireless Comm.*, vol. 4, pp. 2349–2360, September 2005.
- [26] R. F. Hartl, S. P. Sethi, and R. G. Vickson, "A survey of the maximum principles for optimal control problems with state constraints," *SIAM Review*, vol. 37, pp. 181–218, June 1995.
- [27] H. L. Royden and P. M. Fitzpatrick, Real Analysis. Prentice Hall, 2010.
- [28] S. M. Ross, Simulation. Elsevier Academic Press, 2006.