# A Spatial Standard Observer for Visual Technology

Andrew B. Watson, NASA Ames Research Center, Moffett Field, CA 94035-1000

# **ABSTRACT**

The Spatial Standard Observer (SSO) was developed in response to a need for a simple, practical tool for measurement of visibility and discriminability of spatial patterns. The SSO is a highly simplified model of human spatial vision, based on data collected in a large cooperative multi-lab project known as ModelFest. It incorporates only a few essential components, such as a local contrast transformation, contrast sensitivity function, local masking, and local pooling. The SSO may be useful in a wide variety of applications, such as evaluating vision from unmanned aerial vehicles, measuring visibility of damage to aircraft and to the shuttle orbiter, predicting outcomes of corrective laser eye surgery, inspection of displays during the manufacturing process, estimation of the quality of compressed digital video, evaluation of legibility of text, and predicting discriminability of icons or symbols in a graphical user interface. In this talk I will describe the development of the SSO, and will discuss in detail a number of these potential applications.

**Keywords**: fovea, vision, contrast, detection, visibility, acuity, discrimination, model, modelfest, standard observer

#### 1 DEFINITION

The Spatial Standard Observer (SSO) is a simple tool for measuring the visibility of foveal spatial patterns, or the discriminability of two patterns. It operates on a pair of images, one of which may be a uniform field. The images are defined as digital grayscale images, with an arbitrary size in pixels but subtending 2 degrees or less. Larger images can be handled with suitable extensions to the metric. The images are assumed to be viewed at a specific viewing distance, and the pixels have a known relation to luminance. The output of the metric is in units of just-noticeable difference (JND).

In the design of such a metric, a challenging question concerns what aspects of visual function to include. While accuracy and generality are important, simplicity is also a key virtue. Our goal has been to include only those elements that have a large effect on visual performance, and that can be implemented in a simple metric.

#### 2 DEVELOPMENT

The SSO was based largely on models developed to account for the ModelFest dataset. This set of contrast detection thresholds for 43 foveal stimuli collected from 16 observers in 10 labs was collected in order to test and calibrate models of spatial vision [1-4]. By evaluating the fit of a model containing multiple serial components we were able to evaluate the need for each of the components [4, 5].

The resulting model includes a contrast sensitivity function, an oblique effect, a spatial aperture, and Minkowski pooling. Extensions of the basic model incorporate spatial masking and viewing of larger images.

We considered a wide variety of formulae for the contrast sensitivity function, and identified a number that fit very well, and about equally well. Among these, one CSF fits the best. This is the one we call HPmH. It is a hyperbolic secant whose scaled frequency is raised to the power p, minus a second hyperbolic secant with a different frequency scaling:

$$S_{HPmH}\left(f; f_0, f_1, a, p\right) = \operatorname{Sech}\left[\left(f/f_0\right)^p\right] - a\operatorname{Sech}\left[f/f_1\right]. \tag{1}$$

\*Andrew..b.watson@nasa.gov, phone: (650) 604-5419, http://vision.arc.nasa.gov/sso/

Human Vision and Electronic Imaging X, edited by Bernice E. Rogowitz, Thrasyvoulos N. Pappas, Scott J. Daly, Proc. of SPIE-IS&T Electronic Imaging, SPIE Vol. 5666 © 2005 SPIE and IS&T · 0277-786X/05/\$15

#### 3 **APPLICATIONS**

We have explored a number of applications of the SSO; a selection are described briefly here.

# 1. Legibility of text

Scharff and Ahumada have applied an SSO model to predicting the visibility of text on a textured background[6]. Results show that an SSO based metric performs better than simple contrast measures.

# 2. Discriminability of icons or symbols in a graphical user interface

Design of icons is a common task in the design of a user interface, but there is at present to metric for measuring or specifying the discriminability of such icons. The SSO is being applied to this problem under a grant from the Federal Aviation Administration (FAA).

# 3. UAV viewing systems

Unmanned arial vehicles are envisioned to play a growing role in both military and civilian applications. In both cases, since the craft are often piloted, and objects on the ground identified, via a remote viewing system, there is a need to specify visibility through such viewing systems. By placing the SSO in the design loop, such specifications may be obtained [7]. The SSO is being applied to this problem under a grant from the Federal Aviation Administration.

### 4. UAV "See and avoid"

Craft in the US national airspace are required to "see and avoid" other aircraft. Full deplyment of UAVs has been inhibited by this rule. We are developing SSO-based metrics to predict visibility of other craft from UAV viewing systems.

# 5. Visibility from airport control tower

In another aviation application, the FAA has requested a tool to predict visibility of craft on runways, as viewed from airport towers, in order to accurately specify the regired height of towers in various conditions.

#### 6. Acuity Requirements for Aviation Metal Crack Detection

Aircraft maintenance workers must meet certain requirements for visual acuity. We have applied the SSO to the question of how refractive error will affect the visibility of metal fatigue cracks in aircraft[8].

# 7. Visibility of shuttle orbiter damage

Following the loss of the space shuttle Columbia, efforts are underway to provide means of inspecting the exterior of the orbiter while in flight. We have explored using the SSO to specify camera systems that will provide adequate visibility of potential damage.

# 8. Range predictions for night vision systems

For the last several decades, predictions of the range at which an object could be seen through a particular night vision system were accomplished using rough calculations that did not make use of the actual object image. We are developing new SSO-based range metrics which will be image based.

# 9. Manufacturing of displays

We are applying the SSO to the problem of inspecting displays during the manufacturing process.

# 10. Video quality measurement

We have developed an extension of the SSO to deal with video sequences. It can compare an original and a processed (e.g. compressed) version and compute the visibility of the differences. It has been successfully compared to human subjective ratings[9].

# 11. Visual acuity after laser eye surgery

Advances in measuring and sculpting the shape of the human corneal surface have given rise to a need to predict visual acuity from these measurements[10]. We have developed an SSO-based metric which converts Zernike coefficients (measurements of the optical wavefront as it enters the pupil) to letter acuity[11].

#### **CONCLUSIONS**

We have developed a standard tool for measuring the visibility for foveal achromatic patterns. We are exploring a wide range of applications of this tool.

# **ACKNOWLEDGMENTS**

This research was supported by NASA Research Grants 711-80-03 and 131-20-30-00, and by Federal Avaition Administration Agreement DTFA-2045 to B.L. Beard.

#### REFERENCES

- T. Carney, et al., The development of an image/threshold database for designing and testing human vision models, in Human Vision, Visual Processing, and Digital Display IX, B. Rogowitz and T. Pappas, Editors. 1999, SPIE, Bellingham, WA. p. 542-551.
- A.B. Watson, ModelFest Web Site. 1999 http://vision.arc.nasa.gov/modelfest/. 2.
- T. Carney, et al., The development of an image/threshold database for designing and testing human vision models, in Proceedings of the SPIE, B. Rogowitz and T. Pappas, Editors. 1999, SPIE: Bellingham, WA. p. 542-551.
- A.B. Watson, Visual detection of spatial contrast patterns: Evaluation of five simple models. Optics Express, 2000. 6(1): p. 12-33.
- A.B. Watson and A.J. Ahumada, Jr., A standard model for foveal contrast detection. Journal of Vision, 2005. submitted.
- L.F. Scharff and A.J. Ahumada, Jr., Predicting the readability of transparent text. J Vis, 2002. 2(9): p. 653-66.
- A.B. Watson and A.J. Ahumada, Jr. The Spatial Standard Observer as a tool for design of UAV viewing systems. in Human Factors of Unmanned Aerial Vehicles. 2004. Chandler, AZ.
- B.L. Beard, T.A. Frank, and J. Albert J. Ahumada. Using vision modeling to define occupational vision standards. in Human Factors and Ergonomics Society Annual Meeting, 2003, Denver, CO.
- A.B. Watson and J. Malo. Video quality measures based on the Standard Spatial Observer. in International Conference on Image Processing. 2002. Rochester, NY: IEEE.
- X. Cheng, A. Bradley, and L.N. Thibos, Predicting subjective judgment of best focus with objective image quality metrics. J Vis, 2004. 4(4): p. 310-21.
- A.B. Watson and A.J. Ahumada, Jr., Human optical image quality and the spatial standard observer. Journal of Vision, 2004. 4(11): p. 2a.