



Multicasting in Heterogeneous Networks

Amotz Bar-Noy*

Sudipto Guha†

Joseph (Seffi) Naor‡

Baruch Schieber §

Abstract

In heterogeneous networks sending messages may incur different delays on different edges, and each processor may have a different switching time between messages. The well studied Telephone model is obtained when all edge delays and switching times are equal to one unit.

We investigate the problem of finding the minimum time required to multicast a message from one source to a subset of the processors of size k . The problem is NP-hard even in the basic Telephone model. We present a polynomial time algorithm that approximates the minimum multicast time within a factor of $O(\log k)$. Our algorithm improves on the best known approximation factor for the Telephone model by a factor of $O\left(\frac{\log n}{\log \log k}\right)$. No approximation algorithms were known for the general model considered in this paper.

1 Introduction

The task of disseminating a message from a source node to the rest of the nodes in a communication network is called *broadcasting*. The goal is to complete the task as fast as possible assuming all nodes in the network participate in the effort. When the message needs to be disseminated only to a subset of the nodes this task is referred to as *multicasting*. Broadcasting and multicasting are important and basic communication primitives in many multiprocessor systems. Current networks usually provide point-to-point communication only between some of the pairs of the nodes in the network. Yet,

in many applications, a node in the network may wish to send a message to a subset of the nodes, where some of them are not connected to the sender directly. Due to the significance of this operation, it is important to design efficient algorithms for it.

Broadcast and multicast operations are frequently used in many applications for message-passing systems (see [8]). It is also provided as a communication primitive by several collective communication libraries, such as Express by Parasoftware [6] and the Message Passing Library (MPL) [1, 2] of the IBM SP2 parallel systems. This operation is also included as part of the collective communication routines in the Message-Passing Interface (MPI) standard proposal [5]. Application domains that use broadcast and multicast operations extensively include scientific computations, network management protocols, database transactions, and multimedia applications.

There are two basic models in which trivial optimal solutions exist. In the first model, all nodes are assumed to be connected and it takes one unit of time (round) for a message to cross a link. Therefore, in each round the number of nodes receiving the message can be doubled. If the target set of nodes is of size k , then this process terminates in $\lceil \log k \rceil$ rounds. In the second model the communication network is represented by an arbitrary graph, where each node is capable of sending a message to all of its neighbors in one unit of time. Here, the number of rounds required to deliver a message to a subset of the nodes is the maximum distance from the source node to any of the nodes in the subset.

The model in which a node may send a message to at most one other node in each round is known as the *Telephone* model. It is known that for arbitrary communication graphs, the problem of finding an optimal broadcast in the Telephone model is NP-hard [9], even for 3-regular planar graphs [17]. It is not hard to verify that in the Telephone model two trivial lower bounds hold for the minimum broadcast time. The first one is $\lceil \log n \rceil$, where n denotes the number of nodes in the graph, and the second one is the maximum distance from the source node to any of the other nodes. Research in the past three decades has focused on finding optimal broadcast algorithms for various classes of graphs such as trees, grids, and hypercubes. Also, researchers have looked for graphs with minimum number of edges for which a broadcast time of $\lceil \log n \rceil$ can be achieved from any source node. Problems related to broadcast which were extensively investigated are the problems of broadcast multiple messages, gossiping, and computing certain functions on all n inputs in a network. See, e.g., [4, 10, 11, 12, 16, 19, 21, 22].

An assumption central to the Telephone model is that both sender and receiver are busy during the whole sending process. That is, only after the receiver received the message, both ends may

*Electrical Engineering Department, Tel Aviv University, Tel Aviv 69978, Israel. E-mail: amotz@eng.tau.ac.il.

†Computer Science Department, Stanford University, Stanford, CA 94305. Supported by an ARO MURI Grant DAAH04-96-1-0007 and NSF Award CCR-9357849, with matching funds from IBM, Schlumberger Foundation, Shell Foundation, and Xerox Corporation. E-mail: sudipto@cs.stanford.edu.

‡Computer Science Department, Technion, Haifa 32000, Israel. E-mail: naor@cs.technion.ac.il.

§IBM T.J. Watson Research Center, P.O. Box 218, Yorktown Heights, NY 10598. E-mail: sbar@watson.ibm.com.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

STOC '98 Dallas Texas USA

Copyright ACM 1998 0-89791-962-9/98 \$5.00

send the message to other nodes. More realistic models in this context are the Postal model (see [3]) and the LogP model (see [15]). The idea there is that the sender may send another message before the message is completely received by the receiver, and the receiver is free during the early stages of the sending process. We note that in both the Postal model and the LogP model it is assumed that the delay of a message between any pair of nodes is the same.

Optimal solutions for broadcast in the Postal model are known for the case of a complete graph, and for some other classes of graphs. However, not much is known for arbitrary graphs. In the Postal model, researchers have also concentrated on other dissemination primitives and almost always assumed that the communication graph is complete.

1.1 Our results

In this paper we define a more general model based on the Postal model and call it the *heterogeneous postal* model. Assume node u sends a message to node v at time 0 and the message arrives at v at time λ_{uv} . The assumption is that u is free to send a new message at time s_u , and v is free from time 0 to time $\lambda_{uv} - r_v$. We call λ_{uv} the *delay* of the link (u, v) , s_u the *sending* (or *switching*) time of u , and r_v the *receiving* time of v . By definition, both s_u and r_v are smaller than λ_{uv} . A common assumption is that $r_u = s_u$ for all nodes u . Observe that when the delay, sending time, and receiving time are all equal to 1, we obtain the Telephone model.

We believe that our model captures modern communication networks, where the major components – the processors and the communication links – are not homogeneous. Some processors are faster than others, and some links have more bandwidth than others. These disparities are captured by the different values of the delay and the switching time.

Since finding the minimum multicast time is NP-hard even in the Telephone model, we turn our focus to approximation algorithms. The main result we present is an approximation algorithm for computing a multicast scheme in the heterogeneous Postal model. The approximation factor is $O(\log k)$, where k denotes the number of processors in the target set. Previous approximation algorithms for multicasting were known only in the Telephone model. Kortsarz and Peleg [14] gave an approximation algorithm that produces a solution whose value is bounded away from the optimal solution by an $O(\sqrt{n})$ additive term. This term is quite large, especially for graphs in which the broadcast (multicast) time is polylogarithmic. Later, Ravi [18], gave an algorithm that achieves a multiplicative approximation factor of $O\left(\frac{\log n \log k}{\log \log k}\right)$.

We also show that it is NP-hard to approximate the minimum broadcast time within a factor of three in a model which is only slightly more complicated than the Telephone model.

The rest of the paper is organized as follows. In Section 2 we define our model. In Section 3 we describe our solution. Finally, in Section 4 we show that this problem is hard to approximate by a small constant factor.

2 The Model and Problem

We define our model as follows. Let $G = (V, E)$ be an undirected graph representing a communication network, where V is a set of n nodes and E is the set of point to point communication links. Let $U \subseteq V$ denote a special set of *terminals*, and let r be a special node termed the *root*. Let the cardinality of the set U be k .

We associate with each node $v \in V$ a parameter s_v that denotes the sending time. We sometimes refer to s_v as the switching time of v to indicate that this is the time it takes node v to send a new message. In other words, $1/s_v$ is the number of messages node v can send in one round (unit of time). We associate with each node $v \in V$ a parameter r_v that denotes the receiving time. We assume that $r_v = s_v$, for each node v . We associate with each link $(u, v) \in E$ a length λ_{uv} that denotes the communication delay between nodes u and v . By definition, λ_{uv} is greater than both s_u and $r_v (= s_v)$. We can think of the delay λ_{uv} as taking into account the sending time at u and the receiving time at v .

Let the *generalized degree* of vertex $v \in V$ be the actual degree of v in the graph G multiplied by the switching time s_v . Observe that the generalized degree measures the time it would have taken the node v to send a message to all of its neighbors.

Our goal is to find a minimum time multicast scheme; that is, a scheme in which the time it takes for all nodes in the set U to receive the message from the root r is minimized. Without loss of generality, we may consider only multicast schemes that are “not lazy”; i.e., schemes in which a node that has not finished sending the message to its neighbors, (but has already started) is not idle. Such multicast schemes can be represented by an outward directed tree T that is rooted at r and spans all the nodes in U , together with orderings on the edges outgoing from each node in the tree. The multicast scheme corresponding to such a tree and orderings is a multicast in which each node in the tree upon receiving the message (through its single incoming edge) sends the message along each of its outgoing edges in the specified order. From now on, we refer to the tree in the representation of a multicast scheme as the tree “used” by the scheme.

For a rooted tree T , denote by Δ_T its maximum generalized degree, and by L_T the maximum distance from r to any of the nodes. By definition, the multicast time of tree T is greater than Δ_T and greater than L_T . Hence,

Lemma 1 *Let OPT denote the multicast time of an optimal solution using tree T^* , then $OPT \geq \frac{1}{2}(\Delta_{T^*} + L_{T^*})$*

3 The Approximation Algorithm

In this section we describe the approximation algorithm for multicasting a message from a root vertex r to a set of terminals U . To simplify notation assume that $r \in U$.

The main tool used by our algorithm is a procedure $core(U')$ that computes for a given set of terminals U' : (1) a subset $W \subset U'$ which we call the “core” of U' , of size at most $\frac{3}{4}|U'|$, where $r \in W$, and (2) a scheme to disseminate a message known to all the nodes in W to the rest of the nodes in U' in time which is proportional to the minimum multicast time from r to U' .

The algorithm that computes the multicast scheme proceeds in ℓ phases. Let $U_0 = U$. Upon termination, $U_\ell = \{r\}$. In the i th phase, $i = 1, \dots, \ell$, procedure $core(U_{i-1})$ is invoked to compute: (1) the core of U_{i-1} , denoted by U_i ; and (2) a scheme to disseminate the message from U_i to the set U_{i-1} in time which is proportional to the minimum multicast time from r to U_{i-1} .

Since $|U_i| \leq \frac{3}{4} \cdot |U_{i-1}|$, and $|U_0| = k$, we have that $\ell = O(\log k)$. The resulting multicast scheme is given by looking at the rounds of the algorithm in backward order. Namely, starting at $i = \ell$ downwards, in each round of the multicast scheme the message is disseminated from U_i to U_{i-1} .

Since $U_\ell \subset U_{\ell-1} \subset \dots \subset U_0 = U$, each dissemination phase

takes time which is proportional to the minimum multicast time from r to U . It follows that the multicast time is up to $O(\log k)$ times the optimal multicast time.

In the rest of the section we describe the procedure $\text{core}(U')$. Let OPT be the minimum multicast time from r to U' . Lemma 1 implies that there exists a tree T^* spanning the set U' such that $\Delta_{T^*} + L_{T^*} \leq 2 \cdot OPT$. (Unfortunately, we are unable to compute such a tree, but are just guaranteed that it exists.)

The procedure $\text{core}(U')$ has two main parts. In the first part, we find a set of $|U'|$ paths, one for each terminal, where the i th path connects the terminal u_i to another terminal called $\text{mate}(u_i)$. The paths have the following *path properties*:

Length Property: The length of each path is at most $4 \cdot (\Delta_{T^*} + L_{T^*})$.

Congestion Property: The generalized degree of the nodes in the graph induced by the paths is at most $6 \cdot (\Delta_{T^*} + L_{T^*})$.

In the second part we design a dissemination scheme using the above paths. We do it by transforming the paths into a set of at least $|U'|/4$ star-shaped graphs with the following *star properties*:

- Each star contains at least two terminals from U' .
- The diameter of each star is at most $4 \cdot (\Delta_{T^*} + L_{T^*})$.
- The generalized degree of the "center" of a star is at most $6 \cdot (\Delta_{T^*} + L_{T^*})$.

Now, we arbitrarily select one node from each star to the core of U' . Note that each such node can multicast the message to the rest of the terminals in its star in $O(\Delta_{T^*} + L_{T^*})$ time (linear in OPT). We add all the terminals not contained in any of the stars to the core of U' . We claim that the size of the core is at most $\frac{3}{4}|U'|$. To see this, let x denote the number of stars. Since $x \geq |U'|/4$ and each star contains at least two terminals we get that the size of the core is bounded by $x + |U'| - 2x = |U'| - x \leq \frac{3}{4}|U'|$.

We now turn to describe each of the two parts of the procedure $\text{core}(U')$.

3.1 Finding a set of paths

We first claim the following lemma which is analogous to the "tree pairing" lemma of Ravi [18].

Lemma 2 *Let T be a tree that spans a set $U' \subseteq V$, and suppose that $|U'|$ is even. There exists a way to pair the nodes of U' , and find paths (in the tree T) connecting each pair such that (1) the paths are edge disjoint, (2) the length of each path is bounded by $2L_T$, and (3) the generalized degree of each node in the graph induced by the paths is at most Δ_T .*

Proof: The proof follows directly from the tree pairing lemma used by Ravi [18]. This lemma claims that there exists a pairing such that the paths in T connecting each of the pairs are edge disjoint. Consider these paths. Clearly the length of each of these paths is bounded by $2L_T$. The degree, and hence the generalized degree, of every node in the graph induced by the paths is no more than the (generalized) degree in T since we only use the edges of the tree T . Hence, it is bounded by Δ_T . $\square$

Corollary 3 *Let T be a tree that spans a set $U' \subseteq V$. There exists a way to pair the nodes of U' , and find paths (in the tree T) connecting each pair such that (1) the length of each path is bounded by $2L_T$, and (2) the generalized degree of each node in the graph induced by the paths is at most $2\Delta_T$.*

Proof: The corollary clearly holds if $|U'|$ is even. If $|U'|$ is odd, we pair $|U'| - 1$ of the nodes as in Lemma 2, and pair the last node with any other node. The length of the path connecting the last pair is still bounded by $2L_T$. However, the degree of the subgraph may double up to $2\Delta_T$. $\square$

Recall that the tree T^* spans the nodes of U' and $(\Delta_{T^*} + L_{T^*}) \leq 2 \cdot OPT$. Our objective is to find the set of paths as guaranteed by Corollary 2 with respect to T^* . However, we do not know T^* . Thus, instead, we find a set of *fractional* paths satisfying similar properties. To this end, we write a linear program for finding a set of (fractional) paths that minimizes the sum of the maximum average length of the paths connecting each pair and the maximum generalized degree of the subgraph induced by these paths.

The linear program is a variant of multicommodity flow. For each edge (u, v) , we define the directed edges (u, v) and (v, u) both of length λ_{uv} . With each node $v_j \in U'$ we associate commodity j . Node v_j is the source of commodity j and we create an artificial sink t_j with $r_{t_j} = s_{t_j} = 0$. We connect each of the nodes $v' \in U'$, where $v_j \neq v'$, to t_j by a directed edge (v', t_j) of length 0. The objective is to minimize $(L + \Delta)$, where exactly one unit of flow has to be shipped from each v_j to t_j , such that the average length of the flow paths from v_j to t_j is at most L , and the maximum congestion of the induced subgraph is at most 3Δ .

More formally, let A denote the set of directed edges, and let $f^i(u, v)$ denote the flow of commodity i on directed edge (u, v) . The linear programming formulation is as follows.

Minimize $\Delta + L$

subject to:

for all $v \in V - \{v_i, t_i\}$

$$\sum_{(u,v) \in A} f^i(u, v) - \sum_{(v,w) \in A} f^i(v, w) = 0$$

$$\sum_{(u,t_i) \in A} f^i(u, t_i) = 1$$

$$\sum_{(v_i,u) \in A} f^i(v_i, u) = 1$$

$$\sum_{(u,v) \in A} f^i(u, v) \lambda_{uv} \leq 2L$$

for all $v \in V - \{t_1, \dots, t_k\}$

$$s_v \cdot \sum_i \sum_{u \in V} (f^i(u, v) + f^i(v, u)) \leq 3\Delta$$

$$f^i(u, v) \geq 0$$

We now show that the set of paths guaranteed by Corollary 3 with respect to T^* can be modified so as to obtain an integral solution for the linear program as follows. If $|U'|$ is even, the solution is obtained by using each path connecting a pair (u_i, u_j) to ship one unit of flow from u_j through u_i to t_j , and another unit of

flow from u_i through u_j to t_i . The length of each path is bounded by $2L_{T^*}$, and since we use each path twice, the generalized degree is bounded by $2\Delta_{T^*}$. If $|U'|$ is odd, the solution is obtained by using each of the $\frac{1}{2}(|U'| - 1)$ paths connecting the first $|U'| - 1$ nodes of U' twice (once in each direction), and using the path connecting the last node in U' to its mate to ship flow out of this node. The length of each path is still bounded by $2L_{T^*}$. However, because of the additional path, the degree is only bounded by $3\Delta_{T^*}$.

It follows that the value of the objective function for this solution is $\Delta_{T^*} + L_{T^*}$, and thus the linear program is guaranteed to find a solution whose value is upper bounded by this value. Let Δ_T and L_T denote the values of the length and congestion in the optimal solution of the above linear program.

The optimal solution is a "fractional" solution in the sense that the (unit) flow of each commodity is split between several flow paths. We round the fractional solution into an integral solution using an algorithm proposed by Srinivasan and Teo [20]. This algorithm builds on a theorem proved by Karp *et al.* [13]. For completeness and since the details are slightly different, we now describe the rounding of the fractional solution.

Theorem 4 [13] Let A be a real valued $r \times s$ matrix, and y be a real valued s -vector. Let b be a real valued vector such that $Ay = b$. Let t be a positive real number such that in every column of A ,

1. the sum of all positive entries $\leq t$, and
2. the sum of all negative entries $\geq -t$.

Then, we can compute (in polynomial time) an integral vector $\tilde{y}$ such that for every i , either $\tilde{y}_i = \lfloor y_i \rfloor$ or $\tilde{y}_i = \lceil y_i \rceil$ and $A\tilde{y} = \tilde{b}$, where $\tilde{b}_i - b_i < t$.

We now show how to find an integral flow of congestion at most $6\Delta_T + 4L_T$, where each flow path (of each commodity) has length at most $4L_T$. We first decompose the flow into (polynomially many) flow paths. If any path in this decomposition is longer than $4L_T$, we discard it. We observe that this leaves at least half of a unit of flow between each pair (u_i, t_i) . We scale the flows appropriately such that the total flow to each t_i is exactly 1. This can at most double the flow on an edge, and the total congestion is now at most $6\Delta_T$.

Let $P_1, P_2, \dots$ denote the length bounded flow paths. Denote the set of nodes in a path P_i by $V(P_i)$ and the set of edges by $E(P_i)$. Let $f(P_i)$ denote the amount of flow pushed on path P_i . Define the set $\mathcal{P}^j$ as the set of all paths that carry flow of the j th commodity. Observe that each path belongs to exactly one $\mathcal{P}^j$. The matrix A needed for Theorem 4 is defined as follows.

$$\begin{aligned} s_v \cdot \sum_{i: v \in V(P_i)} f(P_i) &\leq 6\Delta_T & \text{for each } v \\ -4L_T \cdot \sum_{i: P_i \in \mathcal{P}^j} f(P_i) &= -4L_T & \text{for all } j \end{aligned}$$

The second set of inequalities captures the fact the flow on all the paths corresponding to commodity j is exactly 1. Now the sum of the positive entries in a column is

$$\sum_{v \in V(P_i)} s_v \leq \sum_{(v,w) \in E(P_i)} \lambda_{vw} + s_{t_j}$$

$$= (\text{length of path } P_i) \leq 4L_T$$

The second part of the inequality follows since $s_v \leq \lambda_{vw}$ for all v, w and $s_{t_j} = 0$. The sum of the negative entries in a column is at most $4L_T$, this follows due to the fact that each P_i belongs to exactly one $\mathcal{P}^j$. Invoking Theorem 4 gives us a set of paths such that,

$$\begin{aligned} s_v \sum_{i: v \in V(P_i)} \tilde{f}(P_i) &< 6\Delta_T + 4L_T & \text{for each } v \\ -4L_T \cdot \sum_{i: P_i \in \mathcal{P}^j} \tilde{f}(P_i) &< 0 & \text{for all } j \end{aligned}$$

The second set of inequalities implies that each commodity has at least one flow path. So we have a set of flow paths such that the congestion is at most $6\Delta_T + 4L_T$ and their length is at most $4L_T$. Since $\Delta_T + L_T \leq \Delta_{T^*} + L_{T^*}$ these paths satisfy the length and congestion properties as desired.

3.2 Finding a star decomposition

We now show how to obtain a star decomposition satisfying the star properties previously defined. Recall that we are now given a set of paths connecting each terminal u_j with another terminal $\text{mate}(u_j)$, and that this set of paths satisfies the length and congestion properties.

We find a set of at least $|U'|/2$ trees that satisfy the following properties which are similar to the star properties.

- Each tree spans at least two terminals from U' .
- The diameter of each tree is at most $4L_T \leq 4 \cdot (\Delta_{T^*} + L_{T^*})$.
- The generalized degree of each node in each of the trees is at most $6\Delta_T + 4L_T \leq 6(\Delta_{T^*} + L_{T^*})$.

We show how to transform these trees into the required stars. Repeatedly, consider the tree edges, and remove a tree edge if it separates the tree into two subtrees such that either, both subtrees contain at least two terminals, or one of them contains no terminals (in this case this subtree is removed as well). Repeat this process until no more edges can be removed. The process terminates since the number of edges is finite. Observe that upon termination, if a connected component is not a star, then another edge could be deleted. Thus, we get the following claim.

Claim 5 When the process terminates each connected component is a star.

Clearly, all the terminals spanned by the trees are also spanned by the stars. The diameter of each of these stars is at most $4L_T$, since the distance between every pair of nodes in U' spanned by a tree is at most $4L_T$ to begin with. Also, the generalized degree of the "center" of the star is at most the generalized degree of its originating tree since we have not introduced any new edges in the process. We conclude that the stars satisfy the desired star properties.

Now, we show how to find the required trees. Define G_p to be the undirected graph induced by the paths from each terminal to its mate. Observe that a spanning forest of this graph may not satisfy the required properties above and hence some extra refinement is necessary.

For each node u in G_p , find a unique terminal in U' that is closest to u (with respect to the lengths λ_{xy} associated with each edge (x, y)). Ties are broken arbitrarily but consistently.

We modify the paths starting at each terminal as follows. From each terminal u begin tracing the path connecting u to $\text{mate}(u)$. At some node v along this path, the closest terminal to v will not be u . We are guaranteed to encounter such a node because the closest node to $\text{mate}(u)$ is $\text{mate}(u)$ itself. From this node v trace the path to its closest terminal. This creates a path from u to another terminal denoted $\text{new} - \text{mate}(u)$. Note that $\text{new} - \text{mate}(u)$ may be different from $\text{mate}(u)$. However, we are guaranteed that the path from u to $\text{new} - \text{mate}(u)$ is not longer than the path from u to $\text{mate}(u)$ and thus bounded by $4L_T$.

Define an auxiliary directed graph H on the set of terminals U' with the set of edges $(u \rightarrow \text{new} - \text{mate}(u))$, for $u \in U'$. By definition each node in H has outdegree one. Thus, each connected component of (the undirected skeleton of) H contains exactly one directed cycle. Discard one edge from each such connected component to make it a rooted tree in which all edges are oriented towards the root. (The root is unique since the outdegree of each node is one.) Note that every non-trivial strongly connected component of H is a cycle. Thus, this can be done just by discarding an arbitrary edge from each strongly connected component of H . Let H' be the resulting forest.

Define the level of a node in H' to be its distance from the root of its component. (We flip the direction of the edges in H' for the purpose of measuring distances.) Distinguish between nodes of even level and nodes of odd level. Each edge of H' goes either from an odd level node to an even level node or vice-versa.

Consider two collections of stars in H' . (Not to be confused with the stars in the original graph.) One collection consisting of edges from odd level nodes to even level nodes, and the other consisting of edges from even level nodes to odd level nodes. Every terminal with positive indegree and outdegree (in H') is spanned by a star in each one of the two collections. Every terminal with either indegree or outdegree zero (in H') is spanned by a star in only one of the two collections. However, by a simple pigeon-hole argument, at least one of the collections spans at least half of the terminals.

Consider such a collection. First, note that each star in this collection induces an undirected tree in the original graph when replacing each star edge by its originating path. We now claim the following,

Lemma 6 *The induced trees of any two stars belonging to the same collection are vertex disjoint.*

Proof: To obtain a contradiction assume they are not disjoint. Then, there exist two distinct terminals with the same even or odd parity, say u and v , such that $\text{new} - \text{mate}(u) \neq \text{new} - \text{mate}(v)$, but the paths traced from u to $\text{new} - \text{mate}(u)$ and from v to $\text{new} - \text{mate}(v)$ have a common vertex x . Consider the terminal chosen by x as its closest terminal. We distinguish between two cases.

Case 1: The terminal chosen by x is u . Then u must be $\text{new} - \text{mate}(v)$, contradicting the fact that u and v are of the same parity. The case where v is the chosen terminal of x is symmetric.

Case 2: The terminal chosen by x is $\text{new} - \text{mate}(u)$. Then $\text{new} - \text{mate}(v)$ must be the same as $\text{new} - \text{mate}(u)$ a contradiction. The case where $\text{new} - \text{mate}(v)$ is the chosen terminal of x is symmetric. $\square$

It is easy to see that the trees induced by the stars in the collection satisfy the required properties. This concludes the construction.

4 Hardness of approximations

In this section we show that the best possible approximation factor is $3 - \epsilon$. We show this hardness result even for a restricted model in which $s_i \in \{0, 1\}$ and $\lambda_{uv} \in \{1, d\}$ for some constant d . Note that when $s_i = 0$ node u_i can broadcast the message concurrently to all of its neighbors. The proof is by a reduction to the set-cover problem. In the unweighted version of the set-cover problem we are given a set U of elements and a collection S of subsets of U . The goal is to find the smallest number of subsets from S whose union is the set U . Feige [7] proved the following hardness result.


Lemma 7 *Unless $NP \subseteq DTIME(n^{\log \log n})$, the set-cover problem cannot be approximated by a factor which is better than $\ln n$.*

In our proof, we will only use the fact that it is NP-Hard to approximate the optimal set-cover within any constant factor. Notice that since the size of the optimal set-cover is polynomial, the problem of constructing an optimal set-cover remains NP-Hard even if we know the value of the optimal set-cover.

Theorem 8 *It is NP-Hard to approximate the minimum broadcast time of any graph within a factor of $3 - \epsilon$.*

Proof: Assume to the contrary that there exists an algorithm that violates the claim of the theorem for some ϵ . We show how to approximate the set-cover problem within a constant factor using this algorithm.

Consider an instance of set-cover $I = (U, S)$ where U is the set of elements, and S a collection of subsets of U . Let $|U| = n$ and $|S| = m$. Let the size of the optimal set-cover be k . We construct the following graph G . The graph G , consists of $1 + n + m + k$ vertices: a distinguished root vertex r , vertices $e_1, \dots, e_n$ corresponding to the elements of U , vertices $u_1, \dots, u_m$ corresponding to the subsets, and k additional vertices $a_1, \dots, a_k$.



The root r has switching time $s(r) = 0$ and is connected to $a_1, \dots, a_k$ by edges with delay $\lambda_{ra_i} = 1$. Each vertex a_i has switching time $s(a_i) = 1$, and is connected to all u_j with delay $\lambda_{a_i u_j} = 1$. Each vertex u_j has switching time $s(u_j) = 0$ and is connected to a vertex e_i iff the j th set contains the i th element. The delay of such an edge is $\lambda_{u_j e_i} = d$, where $d > \frac{4-2\epsilon}{\epsilon}$ is a constant. Each vertex e_i has switching time $s(e_i) = 1$. Finally, to complete the instance of the multicasting problem, the target multicast set consists of all vertices e_i .

We first show that if there is a set-cover of size k , then there is a multicast scheme of length $d + 2$. After time 1, all the vertices a_k

receive the message. After time 2, all the vertices u_j corresponding to sets which are in this cover, receive the message. This is possible since all a_i are connected to all u_j . Finally, these vertices send the message to all the elements that they cover. Since $s(u_j) = 0$ and $\lambda_{u_j, e_i} = d$ it follows that the multicast time is $d + 2$.

Suppose that the algorithm for the multicasting problem completes the multicasting at time t . By the contradiction assumption, its approximation factor is $3 - \epsilon$. Hence, $t \leq (3 - \epsilon)(d + 2) < 3d + 2$, since the optimal multicast time is $d + 2$. The strict inequality follows from the choice of d .

We first claim that all the vertices u_j that participate in the multicast receive the message from some a_i . Otherwise there exists a vertex e_i that received the message via a path of a type $(r, a_i, u_j, e_i, u_{j'}, e_{i'})$. This means that e_i received the message at or after time $3d + 2 > t$. Our second claim is that each vertex a_i sends the message to at most $2d$ vertices u_j . This is because the $2d + 1$ st vertex would receive the message at time $2d + 2$ and would not be able to help in the multicast effort that is completed before time $3d + 2$.

Combining our two claims we get that the multicasting was completed with the help of $2dk$ vertices u_j . The corresponding $2dk$ sets cover all the elements e_i . This violates the fact that the set-cover problem cannot be approximated by any constant factor. $\square$

Remark: In our proof we considered a restricted model in which the switching time may only get two possible values and the delay may get only three possible values (assuming that when an edge does not exist then the delay is infinity). Observe that this hardness result does not apply to the Telephone model in which the switching time is always 1 and the delay is either 1 or infinity. We have similar hardness results for other special cases. However, none of them is better than 3 and all use similar techniques.

Acknowledgment We thank David Williamson for helpful comments.

References

- [1] V. BALA, J. BRUCK, R. BRYANT, R. CYPHER, P. DEJONG, P. ELUSTONDO, D. FRYE, A. HO, C.T. HO, G. IRWIN, S. KIPNIS, R. LAWRENCE, AND M. SNIR, *The IBM external user interface for scalable parallel systems*, Parallel Computing, Vol. 20, No. 4, pp. 445-462, April 1994.
- [2] V. BALA, J. BRUCK, R. CYPHER, P. ELUSTONDO, A. HO, C.T. HO, S. KIPNIS AND M. SNIR, *CCL: a portable and tunable collective communication library for scalable parallel computers*, 8th Int. Parallel Processing Symp., IEEE, pp. 835-844, April 1994.
- [3] A. BAR-NOY AND S. KIPNIS, *Designing broadcasting algorithms in the Postal model for message-passing systems*, Mathematical Systems Theory, Vol. 27, No. 5, pp. 431-452, 1994.
- [4] M. J. DINNEEN, M. R. FELLOWS, AND V. FABER, *Algebraic construction of efficient networks*, Applied Algebra, Algebraic Algorithms, and Error Correcting Codes, Vol. 9, LNCS 539, pp. 152-158, 1991.
- [5] J. DONGARRA ET AL., *Document for a standard message-passing interface*, Message Passing Interface Forum, November 1993.
- [6] *Express 3.0 Introductory Guide*, Parasoftware Corporation, 1990.
- [7] U. FEIGE, *A threshold of $\ln n$ for approximating set cover*, 28th Symp. on Theory of Computing, ACM, pp. 314-318, 1996.
- [8] G. FOX, M. JOHNSON, G. LYZENGA, S. OTTO, J. SALMON, AND D. WALKER, *Solving Problems on Concurrent Processors, Volume I: General Techniques and Regular Problems*, Prentice-Hall, Englewood Cliffs, New Jersey, 1988.
- [9] M. R. GAREY AND D. S. JOHNSON, *Computers and Intractability: A Guide to the Theory of NP-Completeness*, W. H. Freeman, San Francisco, 1979.
- [10] L. GARGANO AND U. VACCARO, *On the construction of minimal broadcast networks*, Networks, Vol. 19, pp. 373-389, 1989.
- [11] M. GRIGNI AND D. PELEG, *Tight bounds on minimum broadcast networks*, SIAM J. Discrete Math., Vol. 4, pp. 207-222, 1991.
- [12] S. M. HEDETNIEMI, S. T. HEDETNIEMI, AND A. L. LIESTMAN, *A survey of gossiping and broadcasting in communication networks*, Networks, Vol. 18, No. 4, pp. 319-349, 1988.
- [13] R. M. KARP, F. T. LEIGHTON, R. L. RIVEST, C. D. THOMPSON, U. V. VAZIRANI, AND V. V. VAZIRANI, *Global wire routing in two-dimensional arrays*, Algorithmica, Vol. 2, pp. 113-129, 1987.
- [14] G. KORTSARZ AND D. PELEG, *Approximation algorithm for minimum time broadcast*, SIAM J. Discrete Math., Vol. 8, pp. 401-427, 1995.
- [15] R. KARP, A. SAHAY, E. SANTOS, AND K. E. SCHAUSER, *Optimal broadcast and summation in the LogP model*, 5th Ann. Symp. on Parallel Algorithms and Architectures, ACM, June 1993.
- [16] A. L. LIESTMAN AND J. G. PETERS, *Broadcast networks of bounded degree*, SIAM J. Discrete Math., Vol. 1, pp. 531-540, 1988.
- [17] M. MIDDENDORF, *Minimum broadcast time is NP-complete for 3-regular planar graphs and deadline 2*, Information Processing Letters, Vol. 46, pp. 281-287, 1993.
- [18] R. RAVI, *Rapid rumor ramification: approximating the minimum broadcasting time*, 35th Symp. on Foundations of Computer Science, IEEE, pp. 202-213, 1994.
- [19] D. RICHARDS AND A. L. LEISTERMAN, *Generalizations of broadcasting and gossiping*, Networks, Vol. 18, pp. 125-138, 1988.
- [20] A. SRINIVASAN AND C-P. TEO, *A constant-factor approximation algorithm for packet routing, and balancing local vs. global criteria*, 29th Symp. on Theory of Computing, ACM, pp. 636-643, 1997.
- [21] J. A. VENTURA AND X. WENG, *A new method for constructing minimal broadcast networks*, Networks, Vol. 23, pp. 481-497, 1993.
- [22] D. B. WEST, *A class of solutions to the gossip problem, Part I*, Discrete Math., Vol. 39, pp. 307-326, 1992.