Able to Read My Mail: An Accessible e-Mail Client with Assistive Technology

Horacio Saggion
Large Scale Text
Understanding Systems Lab,
TALN/DTIC
Universitat Pompeu Fabra
C/Tanger 122
08018 Barcelona, Spain
horacio.saggion@upf.edu

Ineke Schuurman Centre for Computational Linguistics, KU Leuven Blijde Inkomststraat 13 3000 Leuven, Belgium Daniel Ferrés
Large Scale Text
Understanding Systems Lab,
TALN/DTIC
Universitat Pompeu Fabra
C/Tanger 122 08018
Barcelona, Spain
daniel.ferres@upf.edu

Leen Sevens
Centre for Computational
Linguistics, KU Leuven
Blijde Inkomststraat 13
3000 Leuven, Belgium
leen.sevens@kuleuven.be

Marta Ripollés Fundación Prodis Bulevar Indalecio Prieto, 2 28032 Madrid Olga Rodríguez Fundación Prodis Bulevar Indalecio Prieto, 2 28032 Madrid

3000 Leuven, Belgium martaripolles@fundacionprodigaorgriguez@fundacionprodis.orgineke.schuurman@kuleuven.be

ABSTRACT

The Able to Include project aims at improving the living conditions of people with intellectual or developmental disabilities (IDD) in key areas of society. One of its focus points concerns improving the integration of people with IDD in the workplace by introducing accessible Web-based tools. This paper describes one of the tools developed as result of the project: an e-mail client with text simplification and other assistive technologies which makes information transmitted over the Internet more understandable to people with IDD therefore facilitating their labor integration. The accessible Web e-mail client has been developed following a User-Centered Design and tested with people with IDD. The results so far are encouraging.

CCS Concepts

 $\begin{array}{l} \bullet \textbf{Information systems} \rightarrow \textbf{Internet communications tools;} \\ \bullet \textbf{Human-centered computing} \rightarrow \textbf{Accessibility technologies;} \\ \textit{Interaction techniques;} \end{array}$

Keywords

Electronic Mail, Independence at Work, Disabilities and Accessibility, Automatic Text Simplification, User-centered Design, Text-To-Pictograph Translation

1. INTRODUCTION

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

W4A 2017, April 02 - 04, 2017, Perth, Western Australia, Australia
© 2017 Copyright held by the owner/author(s). Publication rights licensed to ACM. ISBN 978-1-4503-4900-0/17/04...\$15.00

DOI: http://dx.doi.org/10.1145/3058555.3058567

The inclusion of people with disabilities into the workplace is a human right shaped in Article 27 of the United Nations convention for the Rights of People with Disabilities. Although in recent years modern societies have made good efforts to improve the working conditions for people with physical or sensory impairment, barriers still exist for people with intellectual or developmental disabilities (IDD) where the digital workplace and the Web are concerned: for example, many computer tools and software programs to access information on the Web, which are used at the workplace, are designed for a "generic user" leaving IDD people marginalized from their functionality and therefore from the right to progress in the workplace. The Able To Include project is working towards including people with IDD in the digital world by producing software specially adapted in three key areas of society: independent mobility, social networking, and labor.

One key development of *Able to Include* is an Accessibility Layer [Medina et al. 2016], a set of integrated services to create a context-aware assistive technology which developers will be able to call from their applications in order to make them more accessible. The layer is delivering language specific functionality such as a text-to-speech in several languages, text simplification in Spanish and English, and text-to-pictograph translation in Spanish, English, and Dutch.

In this paper we report on our work so far in the development of a key tool for Web information access which uses the accessibility layer: an accessible e-mail – an essential tool for labor and social integration. The development of the e-mail client is carried out by (language) technologists in collaboration with teachers, caregivers and end users from the Prodis foundation.

Complicated design of generic e-mail programs (e.g. menus, tabs, buttons, too many functions) is by no means the only problem for people with IDD: one of the most important features of e-mail programs is to transmit and receive *text messages* which represent a further accessibility barrier. People

with IDD may require texts messages to be written in an easy-to-read language with short sentences and common vocabulary, which may be difficult or unnatural to write by the sender. A solution to this problem is to allow messages to be naturally written and automatically simplified only upon the receiver's request. Although there are a number of commercial e-mail programs (mainly for the elderly) and some research in the area of e-mail communication for people with cognitive disabilities (cf. section 2.1), to the best of our knowledge there has been no previous research or technological developments in the area of e-mail and text simplification technology. Therefore, the e-mail tool reported in this paper is the first to address Web text accessibility in the context of e-mail mediated communication.

2. RELATED WORK

Previous research related to our work can be structured in (i) accessible e-mail clients, (ii) automatic text simplification tools, and (iii) text to pictograph translation.

2.1 Accessible Mail Clients

Sohlberg et al. [Sohlberg et al. 2005] cites a number of problems that people with disabilities have with "universally designed" email programs from the fact that their features are difficult to learn and remember or their interfaces contain too many distracting options, to the fact that they can be unsafe and difficult to use.

Sohlberg et al. [Moore Sohlberg et al. 2003] carried out an exploratory study to understand preferences of people with cognitive and linguistic impairments where e-mail composition interfaces are concerned. Four different e-mail composition interfaces were tested from a conventional composition window (to enter free text) to a highly structured multiple-choice message input console to interactively compose the message. While no clear preference emerged from the study, a clear enthusiasm for being able to send messages by email was observed in the participants studied. In a follow-up study the *Think and Link* e-mail program (now CogLink) was specially designed [Todis et al. 2005]. The tool features icons to represent addressees, a simplified interface with large fonts, adjustable color and contrast, split screens, and prompts tailored to the user's needs.

Most accessible e-mails have been developed for elderly users; Eldy, for example, is a Web-based platform specially designed for elderly citizens which features basic yet essential functionality including an easy-to-use e-mail program [Soc]. Most research in accessible e-mail programs has concentrated on usability rather than on understanding the text messages received.

2.2 Automatic Text Simplification

Automatic text simplification is a research field in Computational Linguistics which studies methods and techniques to simplify textual content [Saggion et al. 2015]. Text simplification methods should facilitate or at least speed up the adaptation of available and future textual material, making accessible information for all a reality. Although there are many text characteristics which can be modified in order to make a text more readable or understandable, including the way in which the text is presented, automatic text simplification has usually concentrated on two different tasks: lexical simplification [Bott et al. 2012] concerned with the replacement of words and phrases by simpler equivalents,

and syntactic simplification [Chandrasekar et al. 1996] concerned with reducing the length and syntactic complexity of sentences.

Early syntactic simplification systems were based on patternmatching approaches in which hand-crafted re-rewriting rules identified complex linguistic constructions in sentences (e.g. relative clauses, apposition) and provided information on how to transform them into simpler equivalents. Current text simplification research is based on more empirical research, casting simplification as a statistical machine translation problem (e.g. translating from complex to easy language) [Coster and Kauchak 2011]. These methods, which are at most able to model very simplistic syntactic transformation, fail to model complex transformations which may be necessary for specific target populations such as people with IDD [Saggion et al. 2015].

2.3 Text To Pictograph Translation

Pictograph communication has grown from local initiatives, some of which have scaled up to larger communities. Systems that automatically augment written text with pictographs for people with reading difficulties are primarily conceived to improve the comprehension of textual content. However, they are sparse. As noted by [Vandeghinste et al. 2015], currently available systems provide no or only a very limited amount of linguistic knowledge in order to appropriately disambiguate lexical ambiguities, which can lead to wrong conversions into pictographs or to the conversion into multiple pictographs per word, one for each sense of the word. An application of the latter can be seen on www.widgit.com.

Mihalcea and Leong [Mihalcea and Leong 2008] evaluate the hypothesis that pictorial representations can be used to effectively convey simple sentences across language barriers and to enable communication to and from preliterate or non-literate people, or language understanding for people with language disorders. The PicNet database relies on a webbased system for augmenting dictionaries with illustrative images using volunteer contributions. The system takes a sentence as input and first applies tokenisation and lemmatisation. The most likely meaning for each word is derived using a publicly available sense tagger.

Joshi et al. [Joshi et al. 2006] describe an unsupervised approach for automatically adding pictures to a story. They extract semantic keywords from a story to search an annotated image database, but they do not try to translate the entire story.

These systems were not developed with users with IDD in mind.

3. KOLUMBA: AN ACCESSIBLE E-MAIL CLIENT FOR PEOPLE WITH IDD

The e-mail client was designed from start following a user-centred approach involving technologists, disability professionals, careers, and people with IDD. These sessions were leaded by professionals of Ariadna Servicios Informaticos SL, the initial coordinator of the *Able to Include* project. Ariadna shared the expertise in user-centered design to identify the needs of the IDD user towards their integration in the labour environment. In the working sessions, the digitalisation of companies was identified as a relevant problem: IDD users are very familiar with physical email and docu-

ment management but new tools and services are not always adapted for them. Several proposal arised and, finally, the concept of Kolumba was born.

3.1 Technical Details

Kolumba is a web-based email client adapted for people with intellectual and developmental disabilities (IDDs) and specially designed to help their interaction with the information society. Wireframes were prepared and validated by Fundación Prodis professionals. After the creation of a first version, it was improved through discussion groups of people with IDD and direct care professionals in order to adapt the tool to their preferences or needs as much as possible. These changes were later implemented by the technologists. Kolumba has a very easy interface that allows the basic email functions of sending, receiving and deleting emails and manage contacts. Furthermore it has access to the Able to Include Accessibility Layer [Medina et al. 2016] that allows the use of the following three advanced Natural Language Processing (NLP) technologies for English and Spanish: Textual simplification, Textual conversion to pictograms and Text to speech. The Textual simplification option provides the functionality of simplifying lexically and syntactically the incoming emails to be more understandable by readers. The Textual Simplification architectures used are the Simplext (for Spanish) [Saggion et al. 2015] and YATS (for English) [Ferrés et al. 2016]. The Text-to-Pictograph translation option allows to translate text into pictograms to help people with difficulties to understand natural language. The texts can be translated to Sclera¹ or Beta² pictographs through the Text-to-Pictograph translation tool [Vandeghinste et al. 2015, Sevens et al. 2015]. The Text-to-Speech tool converts the text to audio speech in order to help people with reading difficulties. The eSpeak³ speech synthesizer has been used for Text-to-Speech conversion. Kolumba has been developed as a web application that uses the google gmail API to perform the basic email functions. This means that Kolumba users have to own a google gmail account. The code of Kolumba⁴ is open source and has been developed with the PHP and HTML programming languages. Kolumba offers high information accessibility to people with IDDs through compatibility with both computing devices (computers, tablets, smart-phone,...) connected to Internet and major web-browsers; enabling them to use it in their personal life and working activities.

3.2 The Natural Language Processing Services

In a nutshell, the state-of-the-art **text simplification system** implemented in the *Able to Include* Accessibility Layer performs lexical simplification with a pipeline of natural language processing component using a lexical database of word senses and synonyms. The program identifies complex words, substitutes them by simpler synonyms (after a robust process of word sense disambiguation), and appropriately inflects the chosen synonyms taking into account morphological features (morphological generation). The syntactic simplification process is a pattern-matching and transformation program which uses a set of grammars to identify and transform long and complicated sentences into simpler




Figure 1: Kolumba Received Message Simplified

equivalents. The syntactic simplification system operates on dependency-parsed trees. The advantage of our text simplifier is that can be easily customized to cover additional languages.

As an illustration of the text simplification functionality integrated into Kolumba, we show in Figure 1 a text message opened in the Kolumba interface and simplified by the simplification service. The message is displayed with buttons which allow the user to listen to the message. In this particular case, the text:

Dear John. Your automobile has been repaired by our mechanic. Please come collect your automobile from our offices.

was translated into the easier to read version:

Dear John. Our mechanic has fixed your car. Please come collect your car from our offices.

As it can be noticed, several transformations took place: (i) a sentence in the passive voice (has been repaired) was transformed into active (has fixed), and (ii) several lexical transformations (e.g. repair into fix, automobile into car).

The **Text-to-Pictograph** translation tool automatically converts the text into a series of pictographs. It does this by first applying shallow linguistic analysis, i.e., tokenization, spelling correction, part-of-speech tagging, and lemmatization. It then finds an optimal pictograph sequence by consulting a pictographically annotated WordNet database. Pictographs are connected to synsets or groups of synonymous words, allowing the pictograph translation engine to make use of all sorts of semantic relations. For example, if no pictograph exists for a specific concept, the more general concept can be used. An example of Text-to-Pictograph translation is given in Figure 2.



Figure 2: Text-to-Pictograph translation for *come* get your car

4. VALIDATION

¹http://www.sclera.be

²https://www.betasymbols.coml

³http://espeak.sourceforge.net

⁴https://github.com/able-to-include/email-client

A total of 30 items related to Kolumba were validated (62 IDD users) by means of questionnaires (answers in a 5point Likert scale). The evaluated items included questions about easiness of operation (Opening a mail message is easy, I have doubts about how to use Kolumba, I know what to do with the mail), readability of the text (I understood the text), understanding of the pictograms (I understand what the pictograms/pictures mean), or understanding the spoken message (I understand what the voice says). With respect to the feedback received for the easy-to-read texts, some problems have to do with wrong choice of synonyms which we improved by excluding hypernyms from the dictionary and by improving the word-sense disambiguation system by training with a much bigger corpus (e.g. Wikipedia). Where the pictogram translation is concerned, the system is improved by updating the pictogram database and linking new pictograms to the dictionary. With respect to the spoken messages, one of the main critics was the unnatural voice of the text-to-speech system in Spanish, which we have already changed. In parallel to the validation of the tool, an evaluation of the satisfaction and quality of life of people with IDD related to the use of the technology was carried out.

5. CURRENT DEVELOPMENTS AND FU-TURE WORK

Our current digital world has many non-physical barriers which hinder the integration of people with IDD into the workplace; one of these barriers is the information transmitted through the network which is in most cases difficult to understand by people with disabilities. In this paper, we have presented our work in progress towards the development of an e-mail client with assistive technology which allows people with IDD to access e-mail messages using text simplification, text-to-pictographs, and speech technologies. The e-mail application makes use of a context-aware accessibility layer which is easy to integrate into accessible software. The e-mail client in under the third cycle of testing with people with IDD and their carers who are very positive about the integration of such tool in the workplace. The user evaluation of the assistive technology is providing the necessary feedback to tune the text simplifier and translation tools in aspects related to the improvement of the dictionaries or the morphological generation component. The technology presented in this paper could also be used, with appropriate tuning, to cover the needs of non-IDD users such as elderly people or people with dyslexia which may benefit from simplification technology. Our technology can easily be adapted to cover additional languages.

6. REFERENCES

- [Soc] Pupils introduce seniors to the web. Social Agenda (European Union), April 2012.
- [Bott et al. 2012] Stefan Bott, Luz Rello, Biljana Drndarević, and Horacio Saggion. 2012. Can Spanish Be Simpler? LexSiS: Lexical Simplification for Spanish. In *Proceedings of COLING 2012*. Mumbai, India.
- [Chandrasekar et al. 1996] Raman Chandrasekar, Christine Doran, and Bangalore Srinivas. 1996. Motivations and Methods for Text Simplification. In *Proceedings of COLING 2016*. Copenhagen, Denmark, 1041–1044.

- [Coster and Kauchak 2011] William Coster and David Kauchak. 2011. Learning to Simplify Sentences Using Wikipedia. In Proceedings of the Workshop on Monolingual Text-To-Text Generation (MTTG '11). 1-9.
- [Ferrés et al. 2016] Daniel Ferrés, Montserrat Marimon, Horacio Saggion, and Ahmed AbuRa'ed. 2016. YATS: Yet Another Text Simplifier. In *Proceedings of NLDB* 2016. Salford, UK, 335–342.
- [Joshi et al. 2006] Dhiraj Joshi, James Wang, and Jia Li. 2006. The Story Picturing Engine A System for Automatic Text Illustration. ACM Transactions on Multimedia Computing, Communications and Applications 2, 1 (2006), 1–22.
- [Medina et al. 2016] Jaime Medina, Horacio Saggion, Ineke Schuurman, Leen Sevens, John O'Flaherty, Annelies De Vliegher, and Jo Daems. 2016. Towards Integrating People with Intellectual Disabilities in the Digital World. In Proceedings of the 12th International Conference on Intelligent Environments. London, UK, 348–357.
- [Mihalcea and Leong 2008] Rada Mihalcea and Chee Wee Leong. 2008. Toward Communicating Simple Sentences Using Pictorial Representations. *Machine Translation* 22, 3 (2008), 153–173.
- [Moore Sohlberg et al. 2003] Mckay Moore Sohlberg, Laurie A Ehlhardt, Stephen Fickas, and Alistair Sutcliffe. 2003. A pilot study exploring electronic (or e-mail) mail in users with acquired cognitive-linguistic impairments. *Brain Injury* 17, 7 (2003), 609–629.
- [Saggion et al. 2015] Horacio Saggion, Sanja Štajner, Stefan Bott, Simon Mille, Luz Rello, and Biljana Drndarevic. 2015. Making It Simplext: Implementation and Evaluation of a Text Simplification System for Spanish. TACCESS 6, 4 (2015), 14.
- [Sevens et al. 2015] Leen Sevens, Vincent Vandeghinste, Ineke Schuurman, and Frank Van Eynde. 2015. Natural Language Generation from Pictographs. In Proceedings of ENLG 2015. Association for Computational Linguistics, Brighton, UK, 71–75.
- [Sohlberg et al. 2005] McKay Moore Sohlberg, Stephen Fickas, Laurie Ehlhardt, and Bonnie Todis. 2005. The longitudinal effects of accessible email for individuals with severe cognitive impairments. *Aphasiology* 19, 7 (2005), 651–681.
- [Todis et al. 2005] Bonnie Todis, McKay Moore Sohlberg, Donald Hood, and Sstephen Fickas. 2005. Making electronic mail accessible: Perspectives of people with acquired cognitive impairments, caregivers and professionals. *Brain Injury* 19, 6 (2005), 389–401.
- [Vandeghinste et al. 2015] Vincent Vandeghinste, Ineke Schuurman, Leen Sevens, and Frank Van Eynde. 2015. Translating text into pictographs. *Natural Language* Engineering (2015), 1–28.