

AperTO - Archivio Istituzionale Open Access dell'Università di Torino

Transparency-based information filtering on 2D/3D geographical maps

This is the author's manuscript

Original Citation:

Availability:

This version is available <http://hdl.handle.net/2318/1669353> since 2023-02-10T14:49:46Z

Publisher:

ACM

Published version:

DOI:10.1145/3206505.3206566

Terms of use:

Open Access

Anyone can freely access the full text of works made available as "Open Access". Works made available under a Creative Commons license can be used according to the terms and conditions of said license. Use of all other works requires consent of the right holder (author or publisher) if not exempted from copyright protection by the applicable law.

(Article begins on next page)

Transparency-Based Information Filtering on 2D/3D Geographical Maps

Liliana Ardissono, Matteo Delsanto, Maurizio Lucenteforte, Noemi Mauro, Adriano Savoca and

Daniele Scanu

Computer Science Department, University of Torino

Torino, Italy

liliana.ardissono,maurizio.lucenteforte,noemi.mauro@unito.it

ABSTRACT

The presentation of search results in GIS can expose the user to cluttered geographical maps, challenging the identification of relevant information. In order to address this issue, we propose a visualization model supporting interactive information filtering on 2D/3D maps. Our model is based on the introduction of transparency sliders that enable the user to tune the opacity, and thus the emphasis, of data categories in the map. In this way, he or she can focus the maps on the most relevant types of information for the task to be performed. A test with users provided positive results concerning the efficacy of our model.

CCS CONCEPTS

• **Information systems** → Geographic information systems; Search interfaces; • **Human-centered computing** → Visualization;

KEYWORDS

Search Results Visualization; 2D/3D Geographical Maps; Opacity Tuning; Visual Information Filtering

ACM Reference Format:

Liliana Ardissono, Matteo Delsanto, Maurizio Lucenteforte, Noemi Mauro, Adriano Savoca and Daniele Scanu. 2018. Transparency-Based Information Filtering on 2D/3D Geographical Maps. In *AVI '18: 2018 International Conference on Advanced Visual Interfaces, AVI '18, May 29–June 1, 2018, Castiglione della Pescaia, Italy*. ACM, New York, NY, USA, 3 pages. <https://doi.org/10.1145/3206505.3206566>

1 INTRODUCTION

"Empirical studies show that visualization technologies, such as 2D maps and 3D virtual environments, can facilitate participants' learning and understanding in decision-making, especially spatial decision-making, processes" [16]; e.g., see [2, 25]. However, a map-based presentation of Geographical Information search results can overload users with the visualization of large amounts of data.

One way to face this issue is that of enabling the user to easily focus maps on the data relevant to the execution of the specific activities he or she is engaged in. In this work, we are interested in verifying whether user-controlled transparency of map content

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

AVI '18, May 29–June 1, 2018, Castiglione della Pescaia, Italy

© 2018 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-5616-9/18/05.

<https://doi.org/10.1145/3206505.3206566>




Figure 1: 2D map generated by OnToMap.

can be an effective tool for this goal. We thus pose the following research question:

RQ: *Can opacity tuning help the user focus on relevant information during the analysis of geographical search results, with respect to visualizing data with a fixed opacity, the same for every category of information?*

In order to answer this question, we developed an interactive information filtering model that enables the user to emphasize/de-emphasize categories of information in a map, by tuning the opacity of the shapes representing geo-data in a selective way; e.g., to make museums transparent, or semi-transparent. Our model provides sliders to tune the opacity of items by category. In that way, the user can steer visualization directly on the map, in order to let the most relevant information emerge, without losing reference to the other search results. Our goal is that of supporting a form of abstraction, through information filtering; see [9].

We carried out a laboratory test with users to evaluate our visualization model in the OnToMap Participatory GIS (PGIS) [6, 7, 27]. The results of our experiments show that opacity tuning is a powerful function to dynamically customize map content in order to satisfy detailed information needs, e.g., to temporarily focus on a subset of the search results relevant to the completion of a sub-task.

2 RELATED WORK

Many Web Collaborative GIS display information on 2D and 3D geographical maps; e.g., see [16–18, 26]. However, to the best of our knowledge, these systems do not enable the user to tailor the emphasis of information visualization.

Some works attempt to reduce the complexity of geographical maps through abstraction. E.g., [28] proposes hierarchical route maps representing less or more detailed views. [12] varies the width of linear geometries to highlight the most relevant results. Other works exploit transparency to overlay different types of information on maps [21], to combine an attribute setting mechanism with the visualization of a background working area [14], to merge maps in an overlay model [13], or to provide translucent layers for map exploration [20]. In comparison, we employ transparency to enable the user to focus maps on subsets of information.

Visual interfaces are adopted in information retrieval to provide overviews [15] and help the comprehension of information [4, 5]. Some works present results by displaying them in 3D maps representing geographical, temporal, semantic, or other types of relations [11, 19, 24]. Other works reduce visual complexity through sketching [29]. We represent the geographic extension of information on maps, using a symbolic representation of data categories, in the tradition of Parish Maps and community mapping [23].

3 VISUALIZATION OF INFORMATION

Our model assumes that data is semantically modeled in categories representing more or less specific types of geographic information. The domain conceptualization is based on an OWL ontology that relates geographic information categories by means of specialization and thematic relations; see [7, 8, 27].

Figure 1 shows our visualization model for 2D maps, applied to the OnToMap PGIS. Different colors are associated to data categories for easy identification, and geo-data is depicted either as markers or as shapes (if the geometry is available) using the associated colors. The tab in the left portion of the page shows the categories selected by the user as checkboxes, which (s)he can de-select/select to quickly hide or restore information in the map. Behind each checkbox there is a transparency slider that supports the tuning of the opacity of the corresponding data items. For instance, in the figure, the urban parks are semi-transparent.

Figure 2 shows the 3D map. In this case, search results are depicted as solid, stylized, vividly colored shapes, corresponding to the colors of data categories, and are overlaid on the 3D terrain layer: they cover the corresponding objects, but they are stylistically different for discernibility purposes.

The user interface of OnToMap is implemented using HTML5 mark-up language + CSS, and uses (i) Leaflet[1] for 2D visualization based on OpenStreetMap [22], and (ii) Cesium [10] for the 3D map. The opacity of items, tuned by moving the sliders, is rendered in 2D by modifying the properties of the CSS. In 3D maps, the color *alpha* channel of the item object is updated using the Model-View-ViewModel (MVVM) pattern. See [3] for details.

4 EXPERIMENT

We evaluated our model in a laboratory test with users (54 people), using OnToMap (OTM), in 2D and 3D modalities, and we compared it with Google Maps (GM) 2D and 3D, representing the baselines.

We asked participants to perform 4 map-learning tasks, each one associated with a different map (OTM 2D, OTM 3D, GM 2D, GM 3D): in each task they had to look at the map and answer a question in which we asked them either to count how many items of a certain




Figure 2: 3D map generated by OnToMap.

category were visualized, or to find a specific geographic item; e.g., an individual hospital. OTM outperformed GM in user experience, which we measured by means of two types of questionnaire: one after the execution of each of the 4 map-learning tasks, and a post-test questionnaire to collect feedback about the best and worst characteristics of OTM 2D and 3D. Specifically:

- In the comparison between OTM 2D and GM 2D, OTM received the best evaluations in terms of ease of use, ease of identification of information, attractiveness and novelty. Conversely, GM got the highest rating for the clarity of information visualization.
- OTM 3D outperformed GM 3D in all of the measures, except for the attractiveness of the map, which was challenged by the lower definition of OTM background layer w.r.t. GM one.

The post-test questionnaire confirmed that the best feature of OTM was the information filtering support provided by transparency sliders. People also appreciated the visualization of geometries, especially in 3D, because they help recognizing buildings in the city. Moreover, they liked the representativity of the icons of markers because they help discerning the type of information on the map.

In contrast, participants complained about the visualization clarity of OTM 2D, and in particular on the colors of the background layer of the map, which challenged the identification of some types of geo-data. Indeed, this observation is in line with the finding that participants provided the largest number of correct answers when they used Google Maps 2D, which probably means that they could identify data items in a clearer way.

Overall, the results of this experiment suggested some improvements to the user interface of OnToMap, but they positively answered our research question RQ by providing evidence about the efficacy of opacity tuning in information filtering.

5 CONCLUSIONS

This work focused on the impact of user-controlled transparency on the presentation of geographic information in 2D and 3D maps. We developed an information visualization model that enables users to emphasize/de-emphasize data in a map by tuning the opacity of shapes. We carried out a preliminary experiment to test the model with users. Our experiment revealed that transparency sliders are an effective tool to focus maps on specific information needs. This work was funded by the University of Torino.

REFERENCES

- [1] V. Agafonkin. 2017. Leaflet - an open-source JavaScript library for mobile-friendly interactive maps. <http://leafletjs.com/>.
- [2] K. Al-Kodmany. 1999. Using visualization techniques for enhancing public participation in planning and design: process, implementation, and evaluation. *Landscape and urban planning* 45, 1 (1999), 37–45.
- [3] L. Ardissono and M. Delsanto, M. Lucenteforte, N. Mauro, A. Savoca, and D. Scanu. 2018. Map-based visualization of 2D/3D spatial data via stylization and tuning of information emphasis. In *Proc. of ACM AVI 2018*. ACM, Castiglione della Pescaia, Italy, to appear.
- [4] G. Andrienko and N. Andrienko. 2009. Interactive maps for visual data exploration. *International Journal of Geographical Information Science* 13, 4 (2009), 355–374.
- [5] M. Angelini, N. Ferro, G. Santucci, and G. Silvello. 2013. Improving Ranking Evaluation Employing Visual Analytics. In *Proc. of CLEF 2013: Information Access Evaluation. Multilinguality, Multimodality, and Visualization*. Valencia, Spain, 29–40.
- [6] L. Ardissono, M. Lucenteforte, N. Mauro, A. Savoca, A. Voghera, and L. La Riccia. 2017. Semantic Interpretation of Search Queries for Personalization. In *Proc. of UMAP 2017 Adjunct*. ACM, 101–102.
- [7] L. Ardissono, M. Lucenteforte, N. Mauro, A. Savoca, A. Voghera, and L. La Riccia. 2017. OnToMap - Semantic Community Maps for knowledge sharing. In *Proc. of Hypertext 2017*. ACM, 317–318.
- [8] L. Ardissono, N. Mauro, and A. Savoca. 2017. Supporting Knowledge Sharing and Learning via Semantic Geographical Maps. In *Proc of SmartLearn'17*. ACM, 3–6.
- [9] S.K. Card, J.D. Mackinlay, and B. Shneiderman (Eds.). 1999. *Readings in Information Visualization: Using Vision to Think*. Morgan Kaufmann Publishers Inc., San Francisco, CA, USA.
- [10] Cesium Consortium. 2018. Cesium -An open-source JavaScript library for world-class 3D globes and maps. <https://cesiumjs.org/>.
- [11] S. Deeswe and R. Kosala. 2015. An integrated search interface with 3D visualization. *Procedia Computer Science* 59 (2015), 483–492.
- [12] M.D. Dunlop, B. Else, and M. Montgomery Masters. 2007. Dynamic Visualisation of Ski Data: A Context Aware Mobile Piste Map. In *Proc. of the 9th Int. Conf. on Human Computer Interaction with Mobile Devices and Services (MobileHCI '07)*. ACM, New York, NY, USA, 375–378.
- [13] M. Elias, J. Elson and D. Fisher, and J. Howell. 2008. "Do I live in a flood basin?" Synthesizing ten thousand maps. In *Proc. of the SIGCHI Conf on Human factors in computing systems*. ACM, New York, USA, 255–264.
- [14] B.L. Harrison, H. Ishii, K.J. Vicente, and W.A.S. Buxton. 1995. Transparent layered user interfaces: an evaluation of a display design to enhance focused and divided attention. In *Proc. of the SIGCHI Conf on Human factors in computing systems*. ACM, New York, USA, 317–324.
- [15] K. Hornbaek and M. Hertzum. 2011. The notion of overview in information visualization. *International Journal of Human-Computer Studies* 69 (2011), 509–525.
- [16] Y. Hu, Z. Lv, J. Wu, K. Janowicz, X. Zhao, and B. Yu. 2015. A multistage collaborative 3D GIS to support public participation. *Int. Journal of Digital Earth* 8, 3 (2015), 212–234.
- [17] A. Hunter, S. Steiniger, B. Sandalack, S. Liang, L. Kattan, A. Shalaby, F. Alaniz Uribe, C. Bliss-Taylor, and R. Martinson. 2012. PlanYourPlace - A geospatial infrastructure for sustainable community planning. *International Journal of Geomatics and Spatial Analysis* 22, 2 (2012), 223–253.
- [18] U. Isikdag and S. Zlatanova. 2000. Interactive modelling of buildings in Google Earth: A 3D tool for Urban Planning. In *Developments in 3D Geo-Information Sciences Lecture Notes in Geoinformation and Cartography*. Berlin Heidelberg New York, 52–70.
- [19] J. Kunkel, B. Loepp, and J. Ziegler. 2017. A 3D space visualization for presenting and manipulating user preferences in collaborative filtering. In *Proc. of the 22nd Int. Conf. on Intelligent User Interfaces (IUI '17)*. ACM, New York, NY, USA, 3–15.
- [20] H. Lieberman. 1994. Powers of Ten Thousand: Navigating in Large Information Spaces. In *Proc. of the 7th Annual ACM Symposium on User Interface Software and Technology (UIST '94)*. ACM, New York, NY, USA, 15–16.
- [21] S. Luz and M. Masoodian. 2014. Readability of a background map layer under a semi-transparent foreground layer. In *Proc. of Advanced Visual Interfaces (AVI '14)*. ACM, New York, NY, USA, 161–168.
- [22] OpenStreetMap Contributors. 2017. OpenStreetMap. <https://www.openstreetmap.org>.
- [23] B. Parker. 2006. Constructing Community Through Maps? Power and Praxis in Community Mapping. *The Professional Geographer* 58, 4 (2006), 470–484.
- [24] S. Sen, A.B. Swoap, Q. Li, B. Boatman, I. Dippenaar, R. Gold, M. Ngo, S. Pujol, B. Jackson, and B. Hecht. 2017. Cartograph: Unlocking Spatial Visualization Through Semantic Enhancement. In *Proc. of the 22nd Int. Conf. on Intelligent User Interfaces (IUI '17)*. ACM, New York, NY, USA, 179–190.
- [25] D.M. Simpson. 2001. Virtual Reality and urban simulation in planning: a literature review and topical bibliography. *Journal of Planning Literature* 15, 3 (2001), 359–376.
- [26] Y. Sun and S. Li. 2016. Real-time collaborative GIS: a technological review. *ISPRS Journal of Photogrammetry and remote sensing* 115 (2016), 143–152.
- [27] A. Voghera, R. Crivello, L. Ardissono, M. Lucenteforte, A. Savoca, and L. La Riccia. 2016. Production of spatial representations through collaborative mapping. An experiment. In *Proc. of 9th Int. Conf. on Innovation in Urban and Regional Planning (INPUT 2016)*. 356–361.
- [28] F. Wang, Y. Li, D. Sakamoto, and T. Igarashi. 2014. Hierarchical route maps for efficient navigation. In *Proc. of the 19th Int. Conf. on Intelligent User Interfaces (IUI '14)*. ACM, New York, NY, USA, 169–178.
- [29] J. Wood, P. Isenberg, T. Isenberg, J. Dykes, N. Boukhelifa, and A. Slingsby. 2012. Sketchy rendering for information visualization. *IEEE Transactions on Visualization and Computer Graphics* 18, 12 (2012), 2749–2758.