Older Adults and Voice Interaction: A Pilot Study with Google Home

Jarosław Kowalski

National Information Processing Institute Warsaw, Poland jaroslaw.kowalski@opi.org.pl

Kinga Skorupska Polish-Japanese Academy of Information Technology Warsaw, Poland kinga.skorupska@pja.edu.pl

Wiesław Kopeć

Polish-Japanese Academy of Information Technology Warsaw, Poland kopec@pja.edu.pl

Anna Jaskulska

Kobo Association Warsaw, Poland a.jaskulska@kobo.org.pl

Katarzyna Abramczuk Cezary Biele

National Information Processing Institute Warsaw, Poland katarzyna.abramczuk@opi.org.pl cezary.biele@opi.org.pl

Krzysztof Marasek

Polish-Japanese Academy of Information Technology Warsaw, Poland kmarasek@pja.edu.pl

ABSTRACT

In this paper we present the results of an exploratory study examining the potential of voice assistants (VA) for some groups of older adults in the context of Smart Home Technology (SHT). To research the aspect of older adults' interaction with voice user interfaces (VUI) we organized two workshops

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI'19 Extended Abstracts, May 4-9, 2019, Glasgow, Scotland UK

© 2019 Copyright held by the owner/author(s).

ACM ISBN 978-1-4503-5971-9/19/05.

https://doi.org/10.1145/3290607.3312973



and gathered insights concerning possible benefits and barriers to the use of VA combined with SHT by older adults. Apart from evaluating the participants' interaction with the devices during the two workshops we also discuss some improvements to the VA interaction paradigm.

KEYWORDS

IoT; older adults; smart home; living lab; voice assistant; VUI; chatbots; google home

INTRODUCTION

Advancements in AI and ML which drive improvements in NLP are making Voice User Interfaces (VUI) increasingly user-friendly and accessible to users with little prior ICT training. This may prove exceptionally useful for some groups of older adults, as it can empower them to actively and comfortably use ICT-enabled solutions on their own. To this end, it is key to discover potential barriers and ways to build on the strengths of this mode of interaction. Such insights could further inform the design of commercial devices, such as SHT with VUIs, to take advantage of the Silver Economy.

To research the older adults' interaction with Voice User Interfaces combined with Smart Home Technology we conducted two focus-group studies, following the same scenario, the results of which are presented in this abstract. First, we discuss the state of the art. Second, we describe the setup of the study, characteristics of our participants and the outline of our scenario. Third, we present the results of our study showcasing the functions our participants discovered and expected. This section is followed by our insights into the benefits and barriers of this technology. Finally, we present our conclusions and discuss the potential future work in this field.

RELATED WORK

Multiple studies on HCI and aging, instead of exploring the aging process and opportunities, focus on health, socialization and technology stereotypes [13]. Positive studies, are still rare, and one shared feature is that they use older adults' strengths, such as their insights from life experience [5] or language proficiency [11] which increase with age. Moreover, older adults realize the benefits that come with an increased ICT proficiency [1] especially if it helps them achieve personal goals [4], such as communicating with their loved ones, managing finance, engaging in e-commerce or pursuing their interests [2, 8, 14].

For this reason, some older adults are enthusiastic about joining LivingLab ICT initiatives [7] despite some barriers to their involvement in ICT [6, 10]. Although there are previous studies on VA usability [9], also with older adults in the context of SH [12] it is worth to further investigate this problem in multiple cultural contexts in order to suggest how to make Voice Interfaces more accessible [3] in general to facilitate different groups of older adults' interaction with ICT-enhanced solutions.

Figure 1: Equipment connection diagram

Table 1: List of equipment

Specs
Google Home
Xiaomi Mi Max 2 running An-
droid 7.1.1
42" Samsung LCD
Three Phillips Hue lightbulbs
mounted in a desk lamps, con-
nected to a Phillips Hue bridge
Sonoff Basic WiFi smart switch
connected to a 40 cm floor fan

The study scenario consisted of 6 parts:

- discussing situations in which technology can help users at home,
- (2) presentation of the Google Home system and voice control capabilities of devices,
- (3) independent use of the Google Home system by participants,
- (4) collecting opinions about the system, with particular emphasis on advantages, disadvantages and insights on limitations and opportunities,
- (5) brainstorming to generate potential new, unaddressed system applications,
- (6) collecting opinions about potential threats.

Sidebar 1: An overview of the study scenario

METHODS

Voice interaction has been implemented in mobile phones and tablets for several years now, but only recently standalone devices like Google Home, Amazon Alexa or Apple HomePod, became available. With their help it is possible to ask queries, perform tasks and control a number of Smart Home devices - and all of these aspects we addressed in our study setup.

We used a system consisting of speaker with a voice assistant agent, smart phone, and additional peripherals such as a TV set, an Android TV Set-Top Box, light controllers, Wi-Fi relays and other. For the purpose of the study all the necessary online accounts were created and preconnected in the Google Home application. The used equipment is listed in Table 1, and the connections are depicted in Figure 1.

We invited seven older adults: three female participants and four male participants from our LivingLabs to take part in our study. They were all retired, but remained active in various aspects e.g. as citizens engaged in their local area. All of them lived in Warsaw, Poland, and they were native Polish speakers with different English language proficiency. There was a 25 year age span: the youngest participant was 64 years old and the oldest one was 89, with a mean age of 73.14 (SD=8.64). Based on previous activities in our Living Lab, i.e. introductory interviews and DigComp surveys we can describe this group as very active users, above basic ICT skills. We chose to divide the participants into two small affinity groups to give them time to discuss and test various functionalities freely; the scenario for both sessions is presented in Sidebar 1. The research was based on semi-structured mixed method scenario of group interviews with direct involvement of the participants, and we recorded and transcribed the sessions to create an affinity diagram of key themes and quotes.

RESULTS

Overall, we observed that our group of older adults was impressed by the range of possibilities of Voice Assistants and how convenient this technology could be for them. One of them said: "This technology is for older adults, 60+, young people have no time to listen to such information: rush, work, they have a phone with everything in it" (P7). Another noted: "it is much simpler, I don't have to devise anything, I just sit there, bored or tired, and say things (...) I just say them and it (VA) does the job" (P5).

For our group of older adults four key needs emerged:

 understanding technology and receiving feedback ((P3) "technology should give us hints: you did something wrong, do this and that" and "younger people already know how everything works and don't understand that for us everything has to be coherent, while they can omit things, even in explaining them");

Table	2:	List	of	observed	benefits	with	
some improvement suggestions							

Benefits	Improvements
Intuitive interaction	More feedback allowing to
(via natural language)	create a step-by-step guide.
with no/little prior train-	
ing required.	
Voice control (no mo-	Understanding more nat-
tor functions involved	ural utterances, including
on the part of the user).	context and metaphors, as
	well as tackling and explain-
	ing the problem of voice
	priority to prevent conflicts
	that may arise.
Friendly manner	Building up on the voice
(friendly voice and	recognition functions to ini-
patience).	tiate friendly conversations
	with reminders.
No handling of de-	Solving concerns about the
vices (so, no device	range of effective voice in-
that has to be found	teraction in their home.
and turned on).	
Granting indepen-	Ensuring the existence of
dence (the VA can do	fail-safes to resolve con-
some things which,	cerns about the reliability
especially for people	of VIUs in executing com-
with disabilities, may	mands.
require assistance).	

- (2) accessible design with low barrier of entry, unlike regular computers ("using a mouse and searching for information is very difficult, as you need multiple repetitions to become a proficient user" and "screens are cluttered, and such user can not focus on one piece of information" (P7));
- (3) seamless incorporation into everyday life, as our participants liked the idea of being able to accomplish certain tasks using only speech not only because they might have "difficulties moving" (P1) but also because it is does not disturb their process. They mentioned the advantages of being able to ask for something when they are "just busy doing something else" (P1) or "when my hands are dirty" (P4). They think this could "save a lot of time, walking and searching" (P3). Hence, they think that voice commands "are the future" (P2));
- (4) control and assurance of security ("the computer does not do what you want it to do, but what you ordered it to do and you never know if they are the same thing" (P2). Another participant expressed the fear that they "are not in control of the autonomous device" (P5). He wondered whether asking technology to turn off the stove "would really work").

In light of the aforementioned needs conversational interaction seems like a very good solution for older adults. First, it allows the user to proceed at their own pace. Such conversational agent will not "complain that it has no time" (P6). Second, it allows the users to renounce the reliance on screens and input devices and manages the information flow. Third, it is based on the use of natural language making it easy, as conversation is the default mode of interaction and it does not require a significant change of habits. Finally, a person can say a command with a specific task in mind without the fear of being distracted or sidetracked.

In connection with Smart Home devices our group of older adults saw Google Home as a "central unit" (P1) that could make it easier to "operate other devices" (P4), with the TV set being mentioned by several of them, manage various "intelligent home" settings (P1) and even save energy (P6). They especially wanted IoT devices to assist them with tiring household chores, to free up their time for other activities. In terms of barriers, we could notice the concern about context awareness ("Will it tell me if I should take an umbrella with me, or do I have to ask about the weather first?" by P4) and the fear of losing diversity of devices, as not all of them would be compatible (P2). While the issue of privacy was mentioned (P5) it was not a prominent concern.

Moreover, we found that our group of older adults could naturally identify various already available applications of VA with SHT and accept them as generally useful and empowering. They expected VA to act as an assistant that enables searching for information hands-free or as a memory aid that does not require handling any devices. Other functions which were mentioned consistently were a translator or even a teacher. With little training and encouragement our participants could start using VA's to their satisfaction and empowerment. As one of our participants put it: "if there were training sessions (...) a lot of older people would warm up to it" (P6).

Table 3: Summary of observed barriers with some solutions and comments, which may help mitigate them

Barriers	Solutions and comments
Time consuming.	Although this was men-
	tioned, it was not a draw-
	back for older adults as they
	say that they have the time.
Lacks sensors and	Connecting a camera, to
cameras (which would	give the user hints (while
allow it to better assist	cooking with a recipe, or to
with some tasks).	measure things) as well as
	sensors.
Lack of a screen to	Introduction of compan-
give feedback and	ion screens to see context,
context.	status or key information
	searched for, as it is hard to
	store it all in memory.
Need to have com-	Working towards compati-
patible devices: fear	bility between manufactur-
of losing diversity and	ers.
individuality).	
Fear of malfunction	Making clear what backup
(something may not	security measures are in
turn off, even if the sig-	place May go away with
nal was sent).	more exposure.
Fear of too much re-	VA could also serve as an as-
liance (afraid of a pos-	sistant, verifying their cog-
sible loss of creativity,	nitive health and reminding
and lack of mental and	them about some elements
physical exercise).	of a healthy lifestyle.
Danger of entering a	A companion screen could
"search bubble" (with-	mitigate this effect, if the
out the text interaction	user could glance at it and
with a lot of context	request to be read a specific
sometimes it is hard to	result.
find exactly what we	
are looking for, or to re-	
member what it was).	

DISCUSSION

In our research we identified the main benefits our group of older adults saw in the Voice User Interface and Smart Home solutions, as well as the key barriers to their implementation and use. At the same time we would like to point out the limitations to our study, as the participants were technology-conscious older adults in Poland, however, as one of them (P6) put it "there are some categories of older people who are interested in smartphones, but there are some who spend their time with a crochet, just as there are different categories among young people." As such, some of our insights may extend to other groups, therefore to inform the design of VUI-based solutions, we present our preliminary findings regarding the benefits in Table 2 and barriers in Table 3.

Moreover, apart from identifying key barriers and benefits, we have analyzed our participants' queries, comments and interaction with the VA in order to explore its nature and introduce some preliminary categories to take into account when designing VA functionalities, such as their role as everyday duties assistants, helping with setting alarms, shopping lists, weather and traffic information (P5), as well as leisure assistants including such specific applications as listening to audio books (P1), language learning (P6), telling a jokes (P7)) and posing SH safety assistants or caretakers able to turn off the light or the stove (P3).

CONCLUSIONS AND FUTURE WORK

Our exploratory qualitative study allowed us to draw important preliminary conclusions relating to the needs of older adults, the benefits and barriers of using VA technology as well as the different possible applications of VA combined with SHT.

First, we identified a number of reasons for which VA interfaces combined with IoT are well adjusted to the needs of many older adults, both cognitive, including their need to understand the technology and take control of it, and physical, accounting for accessibility and convenience. We concluded that this technology is very promising as it has the potential to empower some groups of older adults.

Second, we enumerated the main benefits our group of older adults saw in the Voice User Interface and Smart Home solutions, as well as the key barriers to their implementation and use. These we then matched with relevant improvement suggestions and solutions or comments which ought to be further discussed and explored.

Third, we find that our group of older adults could naturally identify various already available applications of VA with SHT and accept them as generally useful, as well as list multiple additional applications that could spare them considerable effort and free up their time.

Therefore, we think that this study is an important voice in the debate on the various applications of voice-powered interaction to meet the needs of some older adults. At the same time we would like to point out the limitations to our study, as the participants were technology-conscious older adults

ACKNOWLEDGMENTS

We would like to thank older adults from our Living Lab, those affiliated with Kobo Association who participated in this study. in Poland. Thus, further research is required to verify the identified preliminary barriers and benefits as well as to explore the insights gathered and to investigate this solution with different potential user groups to verify which insights may be group specific and which are general.

REFERENCES

- [1] Anne Aula. 2004. Learning to use computers at a later age. In HCI and the Older Population. Univ. of Glasgow, Leeds, UK.
- [2] Gillian M Boulton-Lewis, Laurie Buys, Jan Lovie-Kitchin, Karen Barnett, and L Nikki David. 2007. Ageing, learning, and computer technology in Australia. *Educational Gerontology* 33, 3 (2007), 253–270.
- [3] Eric Corbett and Astrid Weber. 2016. What Can I Say?: Addressing User Experience Challenges of a Mobile Voice User Interface for Accessibility. In Proceedings of the 18th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI '16). ACM, New York, NY, USA, 72–82. https://doi.org/10.1145/2935334.2935386
- [4] Zineb Djoub. 2013. ICT education and motivating elderly people. In Ariadna; cultura, educaciÃşn y tecnologÃŋa, Vol. 1.
 88–92. https://doi.org/10.6035/Ariadna.2013.1.15
- [5] Wiesław Kopeć, Bartłomiej Balcerzak, Radosław Nielek, Grzegorz Kowalik, Adam Wierzbicki, and Fabio Casati. 2018. Older adults and hackathons: a qualitative study. *Empirical Software Engineering* 23, 4 (01 Aug 2018), 1895–1930. https: //doi.org/10.1007/s10664-017-9565-6
- [6] Wiesław Kopeć, Radosław Nielek, and Adam Wierzbicki. 2018. Guidelines Towards Better Participation of Older Adults in Software Development Processes using a new SPIRAL Method and Participatory Approach. In Proceedings of the CHASE'18: International Workshop on Cooperative and Human Aspects of Software (ICSE '18). ACM, New York, NY, USA. https://doi.org/10.1145/3195836.3195840
- [7] Wiesław Kopeć, Kinga Skorupska, Anna Jaskulska, Katarzyna Abramczuk, Radoslaw Nielek, and Adam Wierzbicki. 2017. LivingLab PJAIT: Towards Better Urban Participation of Seniors. In *Proceedings of the International Conference on Web Intelligence (WI '17)*. ACM, New York, NY, USA, 1085–1092. https://doi.org/10.1145/3106426.3109040
- [8] Minnamari Naumanen and Markku Tukiainen. 2008. Practices in old age ICT education. In *IADIS International Conference* on Cognition and Exploratory Learning in Digital Age. 261–269.
- [9] Aung Pyae and Tapani N. Joelsson. 2018. Investigating the Usability and User Experiences of Voice User Interface: A Case of Google Home Smart Speaker. In Proceedings of the 20th International Conference on Human-Computer Interaction with Mobile Devices and Services Adjunct (MobileHCI '18). ACM, New York, NY, USA, 127–131. https://doi.org/10.1145/3236112.3236130
- [10] Jatinder Sandhu, Leela Damodaran, and Leonie Ramondt. 2013. ICT Skills Acquisition by Older People: Motivations for learning and barriers to progression. *International Journal of Education and Ageing* 3, 1 (2013), 25–42.
- [11] Kinga Skorupska, Manuel Núñez, Wiesław Kopeć, and Radoslaw Nielek. 2018. Older Adults and Crowdsourcing: Android TV App for Evaluating TEDx Subtitle Quality. In Proceedings of the 2018 ACM Conference on Computer Supported Cooperative Work and Social Computing. ACM, 286–296.
- [12] Michel Vacher, Sybille Caffiau, François Portet, Brigitte Meillon, Camille Roux, Elena Elias, Benjamin Lecouteux, and Pedro Chahuara. 2015. Evaluation of a Context-Aware Voice Interface for Ambient Assisted Living: Qualitative User Study vs. Quantitative System Evaluation. ACM Trans. Access. Comput. 7, 2, Article 5 (May 2015), 36 pages. https: //doi.org/10.1145/2738047
- [13] John Vines, Gary Pritchard, Peter Wright, Patrick Olivier, and Katie Brittain. 2015. An Age-Old Problem: Examining the Discourses of Ageing in HCI and Strategies for Future Research. ACM Trans. Comput.-Hum. Interact. 22, 1, Article 2 (Feb. 2015), 27 pages. https://doi.org/10.1145/2696867
- [14] Bettina von Helversen, Katarzyna Abramczuk, Wiesław Kopeć, and Radoslaw Nielek. 2018. Influence of Consumer Reviews on Online Purchasing Decisions in Older and Younger Adults. *Decision Support Systems* (2018).