

# Multi-objective Ranking via Constrained Optimization

MICHINARI MOMMA, Amazon

ALIREZA BAGHERI GARAKANI, Amazon

NANXUN MA, University of Washington

YI SUN, Amazon

---

In this paper, we introduce an Augmented Lagrangian based method to incorporate the multiple objectives (MO) in a search ranking algorithm. Optimizing MOs is an essential and realistic requirement for building ranking models in production. The proposed method formulates MO in constrained optimization and solves the problem in the popular Boosting framework – a novel contribution of our work. Furthermore, we propose a procedure to set up all optimization parameters in the problem. The experimental results show that the method successfully achieves MO criteria much more efficiently than existing methods.

CCS Concepts: •Information systems → Learning to rank;

Additional Key Words and Phrases: Learning to rank; Multi-objective ranking; Product/web search

## ACM Reference format:

Michinari Momma, Alireza Bagheri Garakani, Nanxun Ma, and Yi Sun. 2016. Multi-objective Ranking via Constrained Optimization. 1, 1, Article 1 (January 2016), 4 pages.

DOI: 10.1145/nnnnnnn.nnnnnnn

---

## 1 INTRODUCTION

In the real production environment, search relevance modeling faces unique challenges; Due to the multi-dimensional nature of relevance, use of single objective does not suffice to capture the concept. For example, in product search, customer response such as purchase, etc., are used as a target to optimize [5]. However, such a target may not represent important concepts such as customer engagement, membership benefit, product quality and defects<sup>1</sup>, etc. Moreover, business constraints are additional requirements in production modeling; Some are derived from existing relevance metrics proven to be effective over time. Others are from operational and strategic requirements. Examples include latency, minimum %-gain to consider launch and avoiding adult items to surface, etc. All of these requirements need to be satisfied in production modeling.

Traditional machine learning ranking solutions such as  $\lambda$ -MART[1] cannot handle such complicated objectives in a systematic manner. Instead, multiple objective (MO) optimization [2] should be leveraged to provide a robust and scalable way to model MO problems. To design a solution in MO, it is important to have clear requirements. Production modeling often has specific goals such as achieving %-gain over baseline models, or satisfying specific

---

<sup>1</sup>search results that do not match the query in various aspects

---

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from [permissions@acm.org](mailto:permissions@acm.org).

© 2016 ACM. Manuscript submitted to ACM

business constraints. Such goals are clearly determined among stakeholders. To handle such requirements, we propose a constrained optimization approach and leverage constraints to formulate the requirements. Further, we develop a MO methodology as an extension to Boosting /  $\lambda$ -MART, which is a popular and standard approach in ranking modeling. Many practitioners / companies using it can immediately leverage our method for their production modeling.

Challenges in formulating constrained optimization in  $\lambda$ -MART for production modeling includes 1) optimization done over the function space where the function evaluation is costly and 2) the number of iterations (i.e., #trees) is limited due to the latency requirement. To alleviate them, adaptation of the Augmented Lagrangian (AL) method [3] to  $\lambda$ -MART (AL-LM) is proposed. AL allows us to solve the constrained optimization by iteratively solving unconstrained problem (i.e., AL). With AL, we can solve the constrained optimization problem by jointly optimizing both dual and primal (i.e., Boosting). To the best of our knowledge, our work is the first to explicitly introduce constrained optimization problem in Boosting and the first to apply it search relevance problems. To use AL-LM in modeling, we propose the “one shot modeling” where the MO model is built with only a few trials after constraint parameters are found. The performance of AL-LM has been validated on both public ranking data et as well as online production systems.

## 2 AUGMENTED LAGRANGIAN IN BOOSTING

Suppose our goal is to optimize (T-) multiple metrics on ranking and each metric is measured in the normalized discounted cumulative gain (NDCG). The minimum criteria to achieve for each objective is given as upper bounds (UB) in the cost function. Specifically, we employ the same surrogate cost function on NDCG used in  $\lambda$ -MART and set UB on the cost  $b^t$  (i.e.,  $C^t(\mathbf{s}) \leq b^t$ ,  $t = 1, \dots, T$ , with  $\mathbf{s}$  being the predictive scores of the model). Usually, we set UB as fraction (%) of the cost of a certain baseline model. Therefore, we rescale the cost accordingly, so that UB is very intuitive; setting  $b = 0.9$  implies cost reduction by 10%. Given the constraints represented in terms of cost functions, we have the following constraint optimization problem:  $\min_{\mathbf{s}} C^{pm}(\mathbf{s})$  s.t.  $C^t(\mathbf{s}) \leq b^t$ ,  $t = 1, \dots, T$ ,  $pm$  : primary objective. With the dual variables  $\alpha$ , AL at iteration  $k$  is written as follows:

$$\mathcal{L}_k(\mathbf{s}, \alpha) = C^{pm}(\mathbf{s}) + \sum_t \alpha^t (C^t(\mathbf{s}) - b^t) - \sum_t \frac{1}{2\mu} (\alpha^t - \alpha_{k-1}^t)^2$$

where  $\alpha_{k-1}^t$  is a solution in the previous iteration and a constant in the current iteration  $k$ .  $\mu$  is a sufficiently large constant<sup>2</sup>. Note that the last term is the augmented term and it gives proximal minimization with iterates  $\alpha_{k-1}^t$ , to make the Lagrangian optimization *smooth*.

We maximize the Lagrangian with respect to  $\alpha \geq 0$  and minimize with respect to  $\mathbf{s}$ :  $\max_{\alpha \geq 0} \min_{\mathbf{s}} \mathcal{L}_k(\mathbf{s}, \alpha)$ . From the stationary condition  $\partial \mathcal{L}_k / \partial \alpha^t = 0$ , we obtain the update formula for  $\alpha$ :

$$\alpha_k^t = \max\left(0, \mu(C^t(\mathbf{s}) - b^t) + \alpha_{k-1}^t\right)$$

At an iteration  $k$ , if the constraint  $t$  is not satisfied, i.e.,  $C^t(\mathbf{s}) > b^t$ , we have  $\alpha_k^t > \alpha_{k-1}^t$ , which means  $\alpha^t$  increases unless the constraint is already satisfied – focusing more on unsatisfied constraints during the optimization iterations. As for the primal, we leverage the gradient boosting tree framework where we plug in derivatives of AL into the algorithm in [1]. The algorithm of AL-LM looks very similar to that of  $\lambda$ -MART except update of  $\alpha$  at each Boosting iteration. Thus, the modification to existing solvers should require a minimal effort.

**One shot modeling to leverage AL-LM:** One requirement to set up AL-LM is to find a right UB associated with

<sup>2</sup> $\mu = 10$  is large enough for datasets we used, hence the value 10 is used for all cases.

Table 1. Full model result for AL-LM and LW (%-gain).

Model	rel.	PR	QS	QS2	UC	UDT
AL-LM	-0.82	10.38	1.16	1.26	10.87	12.06
LW	-0.89	4.83	1.00	1.34	13.60	15.30

the goal given by a metrics (i.e., NDCG). To find such UB values, we propose the following 3-step procedure; 1) run a unconstrained model to build a baseline and obtain the cost value for each sub-objective. 2) identify the UB for each sub-objective independently by running 1D search on UB values. This step conducts the sensitivity analysis – building models with the primary and a single sub-objective, and find UB that has good balance between them. Note this step should be run in parallel for all sub-objectives to gain efficiency. Note we need to look at validation results to avoid overfitting. 3) apply all the UB values identified in the step 2 and build a model with the full set of constraints.

### 3 EXPERIMENTS

Here, we show steps of MO modeling using MSLR-10K dataset[4]. Then, we apply the methodology to our proprietary product search dataset to illustrate how a production modeling is done.

**MO model building using MSLR dataset:** To build MO models with the MSLR dataset, we use the relevance judgement as the primary objective and the following 5 features as sub-objectives<sup>3</sup>: *QualityScore* (QS), *QualityScore2* (QS2), *PageRank* (PR), *UrlClick* (UC) and *UrlDwellTime* (UDT). To provide a case study of MO modeling, we define the modeling goal as follows: *improve sub-objective NDCG, measured by %-gain from baseline, as much as possible while keeping the impact to the relevance target by -1%, measured also as %-gain from baseline.*

Due to space limitation, we cannot show results of step 1 and 2. After running the unconstrained model in step 1, step 2 is done to choose UB to keep -1% goal in the primary objective by some margin, as the full model will generally degrade the value<sup>4</sup>. Tab.1 shows the result of full model (step 3). The model achieves +1% goals for all objectives in the test set while keeping the relevance gain within -1%. Notably, gains for PR, UC and UDT attain 10+%.

Many existing methods such as [6] use a linear weighting (LW) of sub-objectives to build MO models. Here, we conduct a study to compare performance of AL-LM with LW. LW can be formulated as  $\min_{\mathbf{s}} w^{pm} C^{pm}(\mathbf{s}) + \sum_t^T w^t C^t(\mathbf{s})$  with user-given weights:  $w^{pm} + \sum_t w^t = 1$ , which need to be tuned to optimize MO. To be comparable, the same cost functions / objectives are used to optimize. We first run a similar exploration we did for AL-LM (step 2) to gain efficiency. After selecting promising subspaces, we build bunch of full models by exploring combination of binary and random search in weights. After building 200+ full models, only one model is found to satisfy all constraints. The best, and the only, result is shown in 2<sup>nd</sup> row in Tab. 1. While the overall result is comparable, the number of model build is totally different: AL-LM achieves the model with one trial after the UB setup while LW model spends 200+ trials after the initial grid search.

**Product search modeling:** Further, we apply AL-LM to our proprietary product search dataset. The product search dataset consists of search queries, numerous input features as well as customer’s purchase decision. We follow the basic modeling practice described in [5]. The primary objective of this model building is to optimize NDCG of purchased items. We have at least 4 sub-objectives such as reduction of search defect, surfacing high quality products, etc. We follow the one-shot modeling procedure and tune the model to significantly better in all sub-objectives while

<sup>3</sup>as QS/QS2 are badness score, we linearly convert the features to goodness score

<sup>4</sup>step 2 choose (70, 50, 60, 80, 80)-% as UB for PR, QS, QS2, UC and UDT, respectively

keeping the impact in the primary objective insignificant. The offline results shows 2-4% gain in sub-objectives in 3 and significant gain in the rest, while keeping the impact to the purchase objective insignificant. The online A/B test confirmed the consistent behavior for all objectives.

#### 4 CONCLUSION

In this paper, we introduced AL-LM, a novel algorithm to implement constrained optimization in Boosting. This allows us to build MO model built on top of  $\lambda$ -MART. The experimental results showed AL-LM successfully built MO models much more efficiently than existing linear weighting methods.

#### REFERENCES

- [1] Chris J.C. Burges. 2010. *From RankNet to LambdaRank to LambdaMART: An Overview*. Technical Report. <https://www.microsoft.com/en-us/research/publication/from-ranknet-to-lambdaRank-to-lambdamart-an-overview/>
- [2] Miettinen Kaisa. 1999. *Nonlinear Multiobjective Optimization*. International Series in Operations Research & Management Science, Vol. 12. Kluwer Academic Publishers, Boston, USA.
- [3] J. Nocedal and S. Wright. 2006. *Numerical Optimization* (2 ed.). Springer.
- [4] Tao Qin and Tie-Yan Liu. 2013. Introducing LETOR 4.0 Datasets. *CoRR* abs/1306.2597 (2013).
- [5] Daria Sorokina and Erick Cantu-Paz. 2016. Amazon Search: The Joy of Ranking Products. In *Proceedings of the 39th International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '16)*. ACM, New York, NY, USA, 459–460.
- [6] Krysta M. Svore, Maksims N. Volkovs, and Chris J.C. Burges. 2011. Learning to Rank with Multiple Objective Functions, In *Proceedings of WWW 2011*.