

Failure Filtrations for Fenced Sensor Networks ^{*}

Elizabeth Munch[†] Michael Shapiro[‡] John Harer[§]

October 22, 2018

Abstract

In this paper we consider the question of sensor network coverage for a 2-dimensional domain. We seek to compute the probability that a set of sensors fails to cover given only non-metric, local (who is talking to whom) information and a probability distribution of failure of each node. This builds on the work of de Silva and Ghrist who analyzed this problem in the deterministic situation. We first show that it is part of a slightly larger class of problems which is $\#P$ -complete, and thus fast algorithms likely do not exist unless $P=NP$. We then give a deterministic algorithm which is feasible in the case of a small set of sensors, and give a dynamic algorithm for an arbitrary set of sensors failing over time which utilizes a new criterion for coverage based on the one proposed by de Silva and Ghrist. These algorithms build on the theory of topological persistence [12].

1 Introduction

The newly emerged field of Computational Topology [12] continues to find ever increasing areas of application. Perhaps its most significant application so far has been in the use of topological data analysis (TDA) on a wide variety of datasets [12] [3] [6], and has also been used effectively to find structure in images [4] [11], shape in proteins and protein complexes [1] [2] [15] and in many other areas. Recently, it was applied to sensor networks in [14], [9], [10], [16] and the current paper is an extension of [9].

Topology enters the study of sensor network when we consider questions like coverage. When does a set of sensors effectively monitor a region and when are there gaps? Phrasing this geometrically, we start with a set of sensors χ in a domain $\Delta \subset \mathbb{R}^2$ where each can detect objects in a circular region of fixed radius r_c , and we ask if the union of these discs covers all of Δ . This problem has been studied quite a bit, but previous to [9], most work fell into one of two groups - approaches that utilized geometric analysis to obtain an exact answer

and those that sought a non-deterministic approximation but assumed significant capabilities of the sensors. For a survey of the literature, see [18].

The former approach requires a great deal of prior knowledge about the geometry of the domain and the exact location of the sensors. The latter, does not require this exactness, but often requires a uniform distribution of nodes or a high level of intelligence in the sensors. The main contribution of [9] was a criterion for coverage that requires none of these things.

In the current paper, we take a middle ground and address the question of computing the probability of failure of the criterion of [9] given the probability of failure of each sensor. We show that a computing the probability of failure for a generalized set of complexes is NP-hard, but we give an algorithm which can be used to solve small instances of the problem, and an alternative, dynamic algorithm to give an early warning of potential failure.

Outline.

The paper is organized as follows. Section 2 gives an introduction to Rips complexes and persistent homology, both of which will be used extensively in this paper. In Section 3, we summarize the problem and results of [9]. Section 4 adds the assumption that sensors have a probability of failure, and Section 5 discusses the complexity issues of determining the probability that there is coverage of the domain. Section 6 presents a deterministic algorithm for those times when the set of sensors is small enough, and Section 7 gives a dynamic algorithm for use when the set of sensors is too large.

2 Rips Complexes and Persistent Homology

Let χ be a set of points in \mathbb{R}^2 and suppose that $r > 0$ is given. We are interested in the topology of $W_r(\chi)$, the union of balls of radius r about the points of χ . One can build a variety of complexes with vertices χ that capture this topology, the simplest and most intuitive is the Čech complex which has a simplex $\langle v_0, \dots, v_k \rangle$ whenever the balls of radius $r/2$ about the v_i have a non-trivial intersection. The nerve lemma tells us that Čech does indeed capture the topology of $W_r(\chi)$, but it can be difficult to compute. In particular, it requires one to know the exact location of the points of χ , a luxury

^{*}Research is partially supported by NSF under grants NSF-DMS-09-43760 and NSF-DMS-10-45153, AFOSR under grant FA9550-10-1-0436, and NIH under grant K25-AI079404.

[†]Department of Mathematics, Duke University, Durham, NC

[‡]Department of Pathology, Tufts University, Boston, MA

[§]Departments of Mathematics, Computer Science, and Electrical and Computer Engineering, Program in Computational Biology and Bioinformatics, Duke University, Durham, NC




Figure 1: A visual representation of births and deaths of homology classes. The class α is born at K_i because it is not in the image of the map from $H(K_{i-1})$. It dies entering K_j because it was still not in the image of $H(K_{i-1})$ at $H(K_{j-1})$, but has merged with an older class upon entering $H(K_j)$.

that we do not have in this case. We must therefore use an approximation known as the Rips complex for the problem at hand.

The Rips complex \mathcal{R} has a d -dimensional simplex σ whenever $\|v_i - v_j\| < r$ for every pair of vertices $v_i, v_j \in \sigma$. Unfortunately, the Rips complex does not retain the homotopy type of $W_r(X)$, but what is lost in topological data is made up for in ease of computation. Furthermore, the only information necessary to build the Rips complex is the set of pairs of points whose distance is below a the prescribed threshold r .

Since we will be considering filtrations of our simplicial complex and looking at how the topology changes with the change of the simplicial complex, a brief review of persistent homology is in order [12].

We begin with a filtration of a simplicial complex \mathcal{R} , given by a series of inclusions

$$\begin{array}{ccccccc} & & \emptyset & & & & K \\ & & \parallel & & & & \parallel \\ K_0 & \longrightarrow & K_1 & \longrightarrow & K_2 & \longrightarrow & \cdots & \longrightarrow & K_n \end{array}$$

which induces maps on homology

$$\begin{array}{ccccccc} 0 & & & & & & H(K) \\ \parallel & & & & & & \parallel \\ H(K_0) & \longrightarrow & H(K_1) & \longrightarrow & H(K_2) & \longrightarrow & \cdots & \longrightarrow & H(K_n) \end{array}$$

We will use homology with \mathbb{Z}_2 coefficients for the entirety of the paper. Consider how the sequence of homology groups changes as the simplicial complex changes. A class $[\alpha] \in H_p(K_i)$ is *born* at K_i if it is not in the image of the map $H_p(K_{i-1}) \rightarrow H_p(K_i)$. This class *dies* entering K_j if once there it merges with an older class, i.e. lies in the image of the map $H_p(K_{i-1}) \rightarrow H_p(K_j)$. See Figure 1.

To determine when classes are born and die in the filtration, we build the boundary matrix D . This is a square matrix with a row and column for each simplex in K , ordered with respect to the filtration (which ensures that a simplex comes after all of its faces). D is a 0-1 matrix which has a 1 in location $D[i, j]$ if and only if the i th simplex is a face of the j th. Applying the persistence algorithm as in [12] yields a reduced matrix $R = DV$, where D is the boundary matrix and V is an

elementary matrix storing the column operations performed on D during the persistence algorithm. Here, a reduced matrix is one in which every column is either completely zero, or the lowest 1 in the column is not the same as the lowest 1 in any other column. We write $\text{low}_R(j) = i$ if the lowest 1 in column j of matrix R is in row i .

To read the births and deaths from the matrix, note that a p -dimensional class is born with addition of a dimension p simplex σ if the column corresponding to σ is completely zero. A representative for the class that is born is stored in the corresponding column of V . The class born at σ dies with the addition of τ if the lowest one of the column corresponding to τ is in the row corresponding to σ , in which case σ and τ are paired. If the addition of a simplex σ gives birth to a class, it is called a *positive simplex*. Similarly, if the addition of a simplex τ gives death to a class, it is called a *negative simplex*.

The de Silva-Ghrist criterion requires us to work with persistent *relative* homology. In this case, we take a pair $(\mathcal{R}, \mathcal{F})$, where \mathcal{F} is a subcomplex of \mathcal{R} , and a filtration

$$\mathcal{F} \longrightarrow \mathcal{R}_1 \longrightarrow \mathcal{R}_2 \longrightarrow \cdots \longrightarrow \mathcal{R}$$

inducing maps on relative homology

$$H(\mathcal{F}, \mathcal{F}) \longrightarrow H(\mathcal{R}_1, \mathcal{F}) \longrightarrow H(\mathcal{R}_2, \mathcal{F}) \longrightarrow \cdots \longrightarrow H(\mathcal{R}, \mathcal{F})$$

and consider births and deaths in the usual way. This requires a slight modification of the boundary matrix by reordering the rows so that those simplices which are in the subspace \mathcal{F} are moved to the top of the matrix prior to performing the persistence algorithm. Then the addition of σ gives birth to a class if its column is either zero, or the lowest one in its column corresponds to a simplex in \mathcal{F} . Simplex τ gives death to a class if its lowest one corresponds to a simplex which is not in \mathcal{F} . Other than these distinctions, computing persistent homology in the relative case is the same as in the absolute case.

3 The Coverage Criterion

Working in a simply-connected domain in the plane, suppose that we have a set of sensors with a fixed radius of coverage. Our goal is check that these sensors cover the whole domain. What makes this a challenging problem is that *we do not assume that we know the locations of the sensors*. This means that standard geometric techniques are not applicable. Instead we turn to topology to answer the coverage question by building the *Rips complex* on the set of sensors, thought of as points in the plane. We can then use homology to check for holes in the coverage.

Let χ be the set of points corresponding to the location of the set of sensors in a compact connected domain $\Delta \subset \mathbb{R}^2$ which has a piecewise linear boundary. Suppose that each sensor has a fixed coverage radius $r_c > 0$. The question is whether every point in Δ lies within

distance r_c of some sensor in χ . We do not use the distance r_c to build the Rips complex, instead we add an additional capability to each sensor. Let $r_b > 0$ be fixed, with $r_b \leq \sqrt{3}r_c$ for technical reasons. Each sensor is given a unique identification number to broadcast. If another node is within distance r_b , it can hear the signal and identify the ID number, but it has no information about the location of the broadcaster. In particular, it does not know its direction or its exact distance, only that that distance is less than r_b . Whenever two sensors can hear each others' identification number, an edge is placed in the Rips complex. Higher dimensional simplices are then added when all of their faces are already there.

The boundary of the domain Δ is taken to be piecewise linear with a sensor at each of its vertices. The boundary is called the **fence**, and each node in the fence knows the identification number of its two fence neighbors, both of which are within distance r_b .

Summarizing, following [9], the assumptions are:

1. Nodes χ broadcast their unique ID numbers. Each node can detect the identity of any node within broadcast radius r_b .
2. Nodes have radially symmetric covering domains of cover radius $r_c \geq r_b/\sqrt{3}$.
3. Nodes lie in a compact connected domain $\Delta \subset \mathbb{R}^2$ whose boundary $\partial\Delta$ is connected and piecewise-linear with vertices marked fence nodes χ_f . Non-fence nodes are called interior nodes, and denoted χ_{int} .
4. Fence nodes χ_f are ordered cyclically and each $v \in \chi_f$ knows the identities of its two neighbors on $\partial\Delta$. These neighbors both lie within distance r_b of v .

Based on this information, build the Rips complex \mathcal{R} with the fence \mathcal{F} as a subcomplex. With this setup, de Silva and Ghrist in [9] give their controlled boundary criterion for coverage:

Theorem 1 (de Silva/Ghrist Criterion (dS-G)). *If there is a nontrivial element of the relative homology group $H_2(\mathcal{R}, \mathcal{F})$ which maps to a nonzero class under the connecting homomorphism $H_2(\mathcal{R}, \mathcal{F}) \rightarrow H_1(\mathcal{F})$, then the union of the disks of radius r_c about the nodes contains all of Δ .*

The class $[\alpha] \in H_2(\mathcal{R}, \mathcal{F})$ is **fundamental** if it satisfies the criterion of Theorem 1, but we stress that when there is such an element it is not necessarily unique. The term **absolute cycle** will be used for a class in $H_2(\mathcal{R}, \mathcal{F})$ that comes from $H_2(\mathcal{R})$, which is equivalent to saying that it maps to 0 under the connecting homomorphism.

The assumption that $r_c \geq r_b/\sqrt{3}$ is required to compensate for the fact that the Rips complex does not accurately reflect the topology of the cover. While this bound promises that holes in the cover appear also as holes in the Rips complex, we can still create examples

where phantom holes appear in the Rips complex even though no hole exists in the cover itself. In a perfect world, this theory would be built on Čech complexes, however the lack of location data for the nodes makes this method impossible.

4 Sensor Failure

Over time, sensors have a likelihood of failure which increases the longer the system is in place, caused perhaps by malicious actions, environmental conditions or mechanical failure. As nodes fail, there are two possible effects on the coverage: either the death of a subset of nodes creates a hole in the Rips complex, or the removal of the nodes does not affect the existence of a fundamental class. Once again, we emphasize that we are specifically not looking for the probability of failure of the *cover* over time, just the failure of the dS-G criterion. For this reason, we also assume that only interior nodes can fail. The loss of a fence node causes instant failure of the dS-G criterion, so there is nothing to check in this case.

Let us start with a Rips complex pair $(\mathcal{R}, \mathcal{F})$ built from a set of nodes χ . At time $t = 0$, we assume we have a fundamental class $[\alpha] \in H_2(\mathcal{R}, \mathcal{F})$. If a set of interior sensors $B \subset \chi_{int}$ fails, any simplex in \mathcal{R} that has a vertex in the set B is lost. Therefore this subcomplex, \mathcal{R}_B , can be thought of as the largest subcomplex of \mathcal{R} that has $\chi - B$ as its vertices. We could then determine whether \mathcal{R}_B fails the dS-G criterion by looking for a fundamental class in $H_2(\mathcal{R}_B, \mathcal{F})$, but this is a very narrow view of the problem. Much more information is available in a filtration that we will now construct. Note that it will contain \mathcal{R}_B as one of its subcomplexes.

Let $|\chi_{int}| = n$. Order the nodes so that $B = \{v_1, \dots, v_k\}$ and $\chi_{int} - B = \{v_{k+1}, \dots, v_n\}$. Let $V_i = \{v_1, \dots, v_i\}$ so that $V_k = B$, and let $\mathcal{R}_i = \mathcal{R}_{V_i}$ be the maximal subcomplex of \mathcal{R} with vertices $\chi - V_i$. Then the filtration

$$\begin{array}{ccccccc} \mathcal{F} & & & & & & \mathcal{R} \\ \parallel & & & & & & \parallel \\ \mathcal{R}_n & \longrightarrow & \mathcal{R}_{n-1} & \longrightarrow & \mathcal{R}_{n-2} & \longrightarrow & \cdots \longrightarrow \mathcal{R}_0 \end{array}$$

induces maps on relative homology

$$H(\mathcal{F}, \mathcal{F}) \longrightarrow H(\mathcal{R}_{n-1}, \mathcal{F}) \longrightarrow H(\mathcal{R}_{n-2}, \mathcal{F}) \longrightarrow \cdots \longrightarrow H(\mathcal{R}, \mathcal{F})$$

An example of this filtration is illustrated in Figure 2. Intuitively, we expect that discovering a fundamental element at any point in this sequence implies that there is a fundamental element in any subsequent group.

Lemma 1. *Let $A \subset B$ be subsets of χ_{int} . Then if $[\beta] \in H_2(\mathcal{R}_B, \mathcal{F})$ is fundamental, its image under the map*

$$H_2(\mathcal{R}_B, \mathcal{F}) \xrightarrow{i_*} H_2(\mathcal{R}_A, \mathcal{F})$$

is also fundamental.




Figure 2: A small scale example of the Rips complex \mathcal{R} built from a set of points in the plane. The outer ring of nodes labeled with letters is the fence \mathcal{F} .

Proof. Consider the commutative diagram

$$\begin{array}{ccc}
 H_2(\mathcal{R}_B, \mathcal{F}) & \xrightarrow{i_*} & H_2(\mathcal{R}_A, \mathcal{F}) \\
 \partial \downarrow & & \downarrow \partial \\
 H_1(\mathcal{F}) & \xrightarrow{=} & H_1(\mathcal{F})
 \end{array} \quad (1)$$

where the horizontal maps are induced by the inclusion $\mathcal{R}_B \subset \mathcal{R}_A$ and the vertical maps are the boundary maps. Since $[\beta] \in H_2(\mathcal{R}_B, \mathcal{F})$ is fundamental, $\partial[\beta] \neq 0$ in $H_1(\mathcal{F})$. Since the diagram commutes, $\partial i_*[\beta] = \partial[\beta]$ and hence is nonzero. This also implies that $i_*[\beta]$ is nonzero, so it is a fundamental element of $H_2(\mathcal{R}_A, \mathcal{F})$. \square

This lemma shows that if \mathcal{R}_B passes the dS-G criterion, then \mathcal{R}_A passes the dS-G criterion for all $A \subset B$. But it also shows that if \mathcal{R}_B fails the dS-G criterion, then \mathcal{R}_A fails the dS-G criterion for all $A \supset B$. Thus if B is a death set, and $B \subset A$, Lemma 1 implies that A is also a death set. This leads us to make the following definitions:

Definition 1. A set $B \subset \chi_{int}$ whose removal causes failure of the dS-G criterion is called a **death set**. A death set $B \subset \chi_{int}$ is a **minimal death set** if no subset of B is itself a death set.

Definition 2. If the removal of B does not cause failure, we call B a **cake set**. A cake set $B \subset \chi_{int}$ is a **maximal cake set** if no superset of B is also a cake set.

As we will show in section 6.2, minimal death sets are directly related to the failure of the dS-G criterion. However, we first look at the issues arising from the complexity of the problem.

5 Complexity Issues

The first issue to address is whether this problem is computationally complex. In this section, we will show that in fact it is part of a slightly larger group of problems which are NP-hard, more specifically #P-complete.

5.1 Use of the 2-skeleton

A simplifying step is to work with the 2-skeleton \mathcal{R}^2 of \mathcal{R} rather than the full complex. To justify this, notice that passing to the 2-skeleton does not affect our observance of the dS-G criterion:

Lemma 2. The dS-G criterion is satisfied for \mathcal{R} if and only if it is satisfied for \mathcal{R}^2 , where \mathcal{R}^2 is the 2-skeleton.

Proof. Consider the following diagram built from the long exact sequences for the pairs $(\mathcal{R}, \mathcal{F})$ and $(\mathcal{R}^2, \mathcal{F})$ and the maps induced by the inclusion $\mathcal{R}^2 \rightarrow \mathcal{R}$:

$$\begin{array}{ccccc}
 H_2(\mathcal{R}^2, \mathcal{F}) & \longrightarrow & H_1(\mathcal{F}) & \longrightarrow & H_1(\mathcal{R}^2) \\
 i_* \downarrow & & = \downarrow & & \downarrow \\
 H_2(\mathcal{R}, \mathcal{F}) & \longrightarrow & H_1(\mathcal{F}) & \longrightarrow & H_1(\mathcal{R})
 \end{array}$$

If the dS-G criterion is satisfied for \mathcal{R}^2 , then there is an $\alpha \in H_2(\mathcal{R}^2, \mathcal{F})$ such that $\partial(\alpha)$ is nonzero. Clearly $i_*(\alpha)$ also satisfies the dS-G criterion since $\partial(i_*(\alpha)) = \partial\alpha$.

Now assume that the dS-G criterion is satisfied for \mathcal{R} . Then there is a $\beta \in H_2(\mathcal{R}, \mathcal{F})$ such that $\partial\beta$ is nonzero in $H_1(\mathcal{F})$. Here it is important to note that since \mathcal{R}^2 is the 2-skeleton of \mathcal{R} , $H_1(\mathcal{R}) = H_1(\mathcal{R}^2)$. As the top and bottom rows are exact with the last two groups equal, and since $\partial\beta \in H_1(\mathcal{F})$ maps to zero in $H_1(\mathcal{R})$, it follows that it also maps to zero in $H_1(\mathcal{R}^2)$. Because the top row is exact, there is an $\alpha \in H_2(\mathcal{R}^2, \mathcal{F})$ which maps to $\partial\beta$, and hence satisfies the dS-G criterion. \square

This lemma implies that the sets of death sets, minimal death sets, cake sets, and maximal cake sets are equivalent to their counterparts when computed in the 2-skeleton. It also implies that the probability of failure of the dS-G criterion in the full Rips complex and the probability of failure of the dS-G criterion in the 2-skeleton are the same. And lastly, in \mathcal{R}^2 there is exactly one cycle representing each homology class ($Z_2 = H_2$). For these reasons we will simplify notation and write \mathcal{R} for the 2-skeleton of the Rips complex for the remainder of the paper.

5.2 #P-Complete

The class of problems defined as #P-complete was introduced by Valiant in [17]; they form a specific class of NP-hard problems. Typically, #P-complete problems are concerned with counting *how many* of something exists whereas general NP problems just ask *if* something exists. Problems which are #P-complete likely do not have polynomial time algorithms.

To show that a problem is #P-complete, we reduce one difficult problem to another. Reducing problem A to problem B means that we take any instance of problem A , use it to create an instance of problem B , and conclude that the answer to solving problem B gives an answer to problem A . To prove NP-completeness or #P-completeness, both turning an instance of problem A into an instance of problem B and returning the answer to problem A given the solution to problem B must be done in polynomial time. If we can reduce A to B in polynomial time, we write $A \leq_P B$.

A reduction from A to B is called *parsimonious* if the number of solutions for A is in one-to-one correspondence to solutions for B . This is an important property for proving that problems are #P-complete since we need to be able to count the number of solutions of A based on the number of solutions of B .

In order to show that our sensor network problem is #P-complete, we need to find a polynomial time, parsimonious reduction from a #P-complete problem to our problem.

It has been known for several decades that the computer science problem of **network reliability** is #P-complete [8, 13]. We will specifically work with the two terminal network reliability problem as defined in [13]. An instance of the problem is a graph $G = (V, E)$ with marked vertices $\{s, t\}$, a rational failure probability p_e , $0 \leq p_e \leq 1$ for each edge $e \in E$, and a positive rational number $q \leq 1$. Then, assuming edge failures are independent of one another, we ask whether the probability that s and t have a path with no failed edge is greater than or equal to q . The fact that this problem is hard in the class of counting problems comes from needing to count the possible paths from s to t when determining the probability of failure.

This problem has striking similarities to ours, and the closeness is even more pronounced when we look at it in the following way. Considering the graph G as a one-dimensional simplicial complex, a path in G with endpoints at s and t is a fundamental class in $H_1(G, \{s, t\})$, where fundamental means that the boundary of the class is homologous to $[s] + [t]$ in $H_0(\{s, t\})$.

Our goal is to reduce network reliability to our problem, which we will therefore call *2-dimensional network reliability*. An instance of the problem is a simplicial complex X with a subcomplex Y that is homeomorphic to S^1 . We also have rational probabilities of failure p_v , $0 \leq p_v \leq 1$, on the vertices not in Y , and a value $0 < q \leq 1$. We ask the following question: *Given the fact that failures of vertices are independent of each other, is the probability that we have a fundamental class*

$\alpha \in H_2(X, Y)$ at least q ?

Notice that our definition of the problem takes no account of the geometry inherent in the originally defined problem as we are ignoring the fact that we obtained this simplicial complex from a set of points in \mathbb{R}^2 , and thus we are proving a larger class of problems to be #P-complete. To prove that 2-dimensional network reliability is #P-complete, we must take an instance of the 1-dimensional network reliability problem, turn it into an instance of the 2-dimensional case in polynomial time, take the solution given there and turn it into an answer to the 1-dimensional case in polynomial time.

Theorem 2. *2-dimensional network reliability is #P-complete.*

Proof. Consider a finite graph G with vertex set V and probability of failure p_e given on each edge e . We will construct a 2-dimensional simplicial complex X with a subcomplex $Y \cong S^1$ so that there is a one-to-one correspondence between paths from s to t in G and fundamental classes of $H_2(X, Y)$. This correspondence will also preserve the probability of failure of the class, so this will imply that the probability of failure in the 1-dimensional case can be computed by determining the probability of failure in the 2-dimensional case.

Suppose that G has n vertices. Order these vertices by choosing a map $r : V \rightarrow \mathbb{R}$ that sends each vertex to a distinct integer in $\{1, \dots, n\}$, with $r(s) = 1$ and $r(t) = n$. Extend r to all of G by linear interpolation over each edge, and subdivide G by adding vertices at all points of $r^{-1}(\{1, \dots, n\})$. Call the result G' , the map $r' : G' \rightarrow \mathbb{R}$ is now piecewise linear. If an edge e of G is subdivided into k subedges in G' , we set the probability of failure for one of the subedges equal to p_e and the rest equal to 0. See Figure [3] for an example of building this graph.

Form the complex

$$G' \times I / \sim$$

where $(x, z) \sim (x', z')$ iff $r(x) = r(x')$ and either $z = z' = 1$ or $z = z' = 0$. Note that this collapses the top and bottom graphs each onto a separate copy of the interval $[r(s), r(t)]$. To make this a true simplicial complex, divide each rectangle of the form $e \times I$ into triangles by placing a vertex at the barycenter and adding the obvious four new edges and four new triangles. The resulting complex will be called X . Then define Y to be the subcomplex $G' \times \{0, 1\} / \sim$ together with the two edges $s \times I$ and $t \times I$; Y is homeomorphic to S^1 by construction. (In Figure [3] we have not subdivided the rectangles to keep the picture uncluttered.)

Set the probability of failure of vertices that were added to the centers of the rectangles equal to the probability of failure of the edge of G' from which they arose. Notice that failure of one of these vertices leads to removal of the interior of the corresponding rectangle.

It is obvious that each path in G gives rise to a fundamental class in $H_2(X, Y)$. To prove the opposite, first




Figure 3: G is the instance of the 1-dimensional Network Reliability problem with an ordering r placed on the vertices. This map can be extended by linear interpolation over each edge. We then subdivide the edges at all points of $r^{-1}(\{1, \dots, n\})$. Finally, we define the complex $X = G' \times I / \sim$ where $(x, z) \sim (x', z')$ iff $r(x) = r(x')$ and either $z = z' = 1$ or $z = z' = 0$.

recall that since X has no 3-simplices, each fundamental class in $H_2(X, Y)$ has a unique representative cycle ($B_2(X, Y) = 0$). Furthermore, since we are using homology with \mathbb{Z}_2 coefficients, each class is simply a subset of the set of 2-simplices in X . A relative cycle $\alpha \in Z_2(X, Y)$ has the added property that an even number of 2 simplices in α contain any edge of $X - Y$ and a fundamental class must have $\partial\alpha$ equal to the sum of all of the simplices of Y . Notice also that if α contains any 2-simplex from a rectangle, it must contain all four 2-simplices from that rectangle, so it is equivalent to think of α as a set of rectangles from before the subdivision.

Our conclusion now follows easily. Every rectangle in α determines a unique edge of G' . Since \mathcal{F} is covered exactly once, no two edges of G' that are equivalent under \sim can occur as edges of rectangles in α . Since α is a relative cycle, each vertical edge must lie on either 0 or 2 rectangles, so the edges patch together to give a path from s to t . Hence there is a one to one correspondence between the two sets.

Since we set up each rectangle to have an equal probability to that of its corresponding edge, the probability that a fundamental class is still in $H_2(X, Y)$ is equal to

the probability that the corresponding path in G is still functioning. Thus, if we could compute the probability of failure in X in a reasonable time frame, the solution would give the probability of failure in G in a reasonable time frame. Since the latter problem is $\#P$ -complete, our 2-dimensional version is also $\#P$ -complete. \square

6 A Deterministic Algorithm

Now that we know that the general problem is $\#P$ -complete, we strive to find ways to work around the computational complexity issues. We will first show that, given a set of sensors which is relatively small or at the very least relatively sparse in the domain, we can write a deterministic algorithm to compute the probability of failure of the system. In section 7, we will consider the modified problem of predicting failure as sensors in the system fail.

6.1 The Hasse Diagram

Consider a set of sensors χ in Δ . Recall that edges are added when sensors are within r_b of each other, and 2-simplices are added wherever all three edges have already been included.

Consider all possible subsets $A \subset \chi_{int}$ and as before construct the Rips complex \mathcal{R}_A , the largest subcomplex of \mathcal{R} which does not utilize the nodes in A . The collection of these Rips complexes forms a poset under inclusion, where $A \subset B$ gives the reverse inclusion $\mathcal{R}_B \subset \mathcal{R}_A$. Arrange all of these Rips complexes into a Hasse diagram, as shown in Figure 4 for the example in Figure 2. Here we place \mathcal{R}_A in the row indexed by the number of elements in A , and we have shaded all the complexes \mathcal{R}_A which fail. A line is drawn between \mathcal{R}_A and \mathcal{R}_B if A is obtained from B by removing a vertex.




Figure 4: Hasse Diagram. A Rips complex \mathcal{R}_A is placed on a row according to the size of A and lines are drawn to show inclusion between complex is neighboring rows.

In Figure 4 notice that, if \mathcal{R}_B fails the dS-G criterion, the Rips complexes for all its supersets of B do as well, so all its successors are also shaded. This means that

when searching for failures we do not have to check every possible subset. Using breadth first search from \mathcal{R} , we only need check complexes where all the predecessors are cake sets. From this search pattern, if it is necessary to check the set in the first place then it is not just a death set but a minimal death set. This means that there is no post processing needed to determine the list of minimal death sets.

Given this setup, we now consider the probability of failure of the dS-G criterion.

6.2 Probability of Failure

Let X_i be a random variable which gives the time of death of node v_i . In many cases, X_i will be an exponential random variable, but this has no effect on our result so we make no such assumption. We do however assume that X_i and X_j are independent for $i \neq j$.

Let S_A be the random variable which gives the first time at which all nodes in the set have failed, clearly $S_A = \max\{X_1, X_2, \dots, X_k\}$. Because the failures of the nodes are independent events, we have

$$\begin{aligned} \mathbb{P}(S_A \leq t) &= \mathbb{P}(\max\{X_1, X_2, \dots, X_k\} \leq t) \\ &= \mathbb{P}(X_1 \leq t) \mathbb{P}(X_2 \leq t) \cdots \mathbb{P}(X_k \leq t). \end{aligned}$$

Next, let $\mathcal{D} = \{A_1, \dots, A_r\}$ be the collection of all death sets, not necessarily minimal. Let C be the random variable which gives the time of failure of the dS-G criterion for the system. The value of C gives the first time that all of the nodes in one of the A_i have failed, i.e. $C = \min\{S_{A_1}, \dots, S_{A_r}\}$. Hence the probability that the system has failed the dS-G criterion by time t is given by

$$\mathbb{P}(C \leq t) = \mathbb{P}(\min\{S_{A_1}, \dots, S_{A_r}\} \leq t).$$

Unfortunately, these events are not independent since many of the death sets have non-trivial intersections. On the other hand, we can organize \mathcal{D} using the concept of death chains.

A **death chain** is a sequence $A_1 \subset A_2 \subset \dots \subset A_q$ of death sets $A_i \in \mathcal{D}$. A **maximal death chain** is a death chain which cannot be increased in length, either by inserting any intermediate set between elements of the chain, or adding any sets to either end of the chain. Note that such a chain starts with a minimal death set, ends with $A_n = \chi_{int}$, and the number of elements increases by exactly one going from A_i to A_{i+1} . If we read off the Hasse diagram as in Figure 4, we see that a maximal chain is a path which goes from a minimal death set to the bottom of the diagram.

We will call a maximal death chain with A as the minimal element an **A-chain**. This allows consideration of all possible maximal chains from the complex \mathcal{R} , grouped by first element: in our case A_1 -chains through A_d -chains. Using this organization of the death sets gives the following theorem:

Theorem 3. *Let $\{A_1, \dots, A_d\}$ be the set of minimal death sets for the Rips complex $(\mathcal{R}, \mathcal{F})$. Then the probability that the complex has failed by time t is equal to*

$$\mathbb{P}(\text{Failure by time } t) = \mathbb{P}\left(\min_i \{S_{A_i}\} \leq t\right).$$

Proof. If \mathcal{D} is the set of all death sets, some set B in \mathcal{D} must have failed in order to cause failure of the dS-G criterion. Every set in \mathcal{D} contains one of the minimal death sets A_i , so every set in \mathcal{D} is in at least one A_i -chain.

It is obvious that given any A_i -chain Ch , where the time at which any of the death sets in the chain have failed is given by Y , satisfies

$$\mathbb{P}(Y \leq t) = \mathbb{P}(S_A \leq t).$$

From this we can also conclude that any set of A -chains $\{\text{Ch}^1, \dots, \text{Ch}^k\}$, where each respective time of failure is given by Y^1, \dots, Y^k , satisfies

$$\mathbb{P}\left(\bigcup_j \{Y^j \leq t\}\right) = \mathbb{P}(S_A \leq t).$$

Therefore, instead of asking for failure of the dS-G criterion, we can then ask for the time when at least one of the sets in at least one of the chains has failed. Hence

$$\begin{aligned} \mathbb{P}(\text{Failure by time } t) &= \mathbb{P}\left(\bigcup_i \{Y_{A_i} \leq t\}\right) \\ &= \mathbb{P}\left(\bigcup_i \{S_{A_i} \leq t\}\right) \\ &= \mathbb{P}\left(\min_i \{S_{A_i}\} \leq t\right). \end{aligned}$$

□

This means that the probability of failure of the system can be computed given the minimal death sets. Notice that there is still work to be done since the minimal death sets may have intersections. However, since we assume that we have a small number of sensors that are well distributed and are not extremely dense in the domain, the number of intersections will be small and therefore this later computation is feasible. Thus, we seek an algorithm to compute the minimal death sets although from our knowledge that the problem is #P-complete, we expect that this algorithm will be exponential in the worst case.

6.3 Death Sets Algorithm

When constructing an algorithm to determine the set of minimal death sets, the search space is the Hasse diagram described in Section 6.1. Since this has size $2^{|\chi_{int}|}$, we expect this is the source of our complexity issues.

Search the Hasse diagram using breadth first search. This will exploit the property that if B is a death set and $B \subset A$ then A is also a death set. Hence, to find

the minimal death sets, we must only check complexes where every predecessor is still a cake set. If we are forced to check all of the nodes of the Hasse diagram, then we will need to check $2^{|\mathcal{X}_{int}|}$ complexes. However, with our assumption that we do not have a very dense set of sensors, it should take removal of a small set of sensors in order to break the dS-G criterion. This means the size of minimal death sets will be relatively small, and thus they will be close to the top of the Hasse diagram. More importantly, it means there will be relatively few of them so our output size will not be too large.

Given this method to work through the sets, we need an efficient way to check the dS-G criterion. Consider the subcomplex \mathcal{R}_A , thought of as the point in a filtration of \mathcal{R} where all simplices have been added except those which have vertices in A . Order the simplices so that those in the fence come first in the ordering. Initial intuition says that in order to talk about failure of the dS-G criterion when the nodes in A are removed, we should filter \mathcal{R} so that all nodes, edges, and triangles which have any vertex in A are last in the ordering. We could then construct the boundary matrix for this ordering, cut off the final columns corresponding to simplices which would be gone if the vertices in A failed, and reduce the resulting matrix in order to read off the homology of $(\mathcal{R}_A, \mathcal{F})$.

However, this turns out to be much more work than is needed. If we add all degree 1 and degree 0 simplices from the start, even if they have interior nodes which we assume to have failed, the failure of the dS-G criterion is not affected. The following expresses this and is elementary to prove.

Lemma 3. *Let Y be a 1-dimensional simplicial complex, X a 2-dimensional simplicial complex whose vertex set may intersect nontrivially with Y , and $\mathcal{F} \subset X$, then $H_2(X, \mathcal{F}) \cong H_2(X \cup Y, \mathcal{F})$.*

This implies that the time in the filtration when we add the 1-simplices is irrelevant to the homology group we are interested in, namely $H_2(\mathcal{R}, \mathcal{F})$. Thus, we can order our filtration so that all the 2-simplices are at the end and consider the failure of a node as the failure only of the 2-simplices which contain it as a face.

Given this filtration, we reduce the matrix D via the persistence algorithm (see, e.g., [12]), and consider the rightmost columns, which correspond to 2-simplices. If the row for a simplex has no lowest one in a row below those corresponding to the fence simplices, the addition of that 2-simplex creates a new class in $H_2(\mathcal{R}, \mathcal{F})$. If this column is not entirely 0 and has a lowest 1 in a row corresponding to a fence simplex, that class has a boundary which is nonzero in $H_1(\mathcal{F})$. Thus, our dS-G criterion reduces to looking for a column corresponding to a 2-simplex which has a lowest one in a row corresponding to a fence simplex.

This shows that we can quickly determine whether a complex satisfies the dS-G criterion once we have determined the correct filtration for \mathcal{R}_A and have reduced

the matrix D . We would like to not have to rewrite and re-reduce the matrix R for each complex \mathcal{R}_A to be checked. So, let us determine an efficient way to swap all the 2-simplices that have a vertex in our failure set A to the end. For this, we turn to [7], which gives an algorithm to quickly update and maintain the properties of R and U , where $D = RU$, as we swap columns (Notice that $U = V^{-1}$ from the earlier discussion in Section 2). This means that we do not have to rerun the persistence algorithm each time to reduce the matrix D .

Let $D = RU$ be an RU -decomposition. That is, R is the reduced matrix, and U is upper triangular. Let P be the matrix which swaps rows i and $i + 1$, so that PDP is the boundary matrix with simplices σ_i and σ_{i+1} switched. This can be written as $PDP = (PRP)(PUP)$, so we need to determine when PRP is not reduced and PUP is not upper triangular. Notice that PRP is not reduced if and only if there are columns k and l with $\text{low}_R(k) = i$, $\text{low}_R(l) = i + 1$, and $R[i, l] = 1$. PUP is not upper triangular if and only if $U[i, i + 1] = 1$.

In [7], cases are split into whether σ_i and σ_j are positive or negative. The one case that will not occur for us is the possibility that σ_i and σ_{i+1} are positive, and there are rows k and l with $\text{low}_R(k) = i$ and $\text{low}_R(l) = i + 1$. This would imply that σ_l and σ_k are 3-simplices whose additions kill the classes born by the addition of σ_i and σ_{i+1} . As we are assuming \mathcal{R} is a 2-dimensional simplicial complex, this case is impossible, hence we can disregard it. With respect to the other cases, we can either swap rows and columns in R and U , hence replace them with PRP and PUP with no issues, or we must replace them with $PRWPW$ and $WPWUP$, where W is the matrix which adds column i to column $i + 1$ in R . We replace R and U with PRP and PUP if

◇ σ_i and σ_{i+1} are both positive simplices,

◇ σ_i and σ_{i+1} are both negative simplices and

$$U[i, i + 1] = 0,$$

◇ σ_i is negative, σ_{i+1} is positive, and

$$U[i, i + 1] = 0,$$

◇ σ_i is positive and σ_{i+1} is negative.

We instead replace R with $PRWPW$ and U with $WPWUP$ if

◇ σ_i and σ_{i+1} are both negative and

$$U[i, i + 1] = 1$$

◇ σ_i is negative, σ_{i+1} is positive, and

$$U[i, i + 1] = 1.$$

Hence, the columns of 2-simplices which correspond to failure of specific vertices can be quickly swapped to the




Figure 5: The column representing the birth of a fundamental class. It corresponds to a 2-simplex and its lowest 1 corresponds to a simplex in \mathcal{F} .

end of our matrix. Now that matrix R corresponding to the filtration placing the simplices in A at the end has been reduced, we can check whether our complex \mathcal{R}_A passes the dS-G criterion. In the language of persistence homology, the dS-G criterion is looking for a column which represents a positive simplex, and therefore a simplex which adds a new class to $H_2(\mathcal{R}_A, \mathcal{F})$. Additionally, the boundary of this new class is nonzero in $H_1(\mathcal{F})$. In terms of the matrices, we need to find a column i in the reduced matrix R which has a lowest 1 corresponding to a simplex in \mathcal{F} . A representation of this column is in Figure 5. Our algorithm is as follows.

CakeOrDeath(\mathcal{R}, \mathcal{F})

Given: The boundary matrix D with filtration
 $\{\text{Fence, Remaining 1-simplices, 2-simplices}\}$

Reduce $RU = D$

for $A \in \chi_{int}$, in the order of BFS in the Hasse diagram:
 Swap all columns corresponding to 2-simplices with a vertex in A to end of matrix D , and maintain R' and U' .

if there is not a column as in Figure 5:
 mark A as ‘Minimal Death.’

else:
 mark A as ‘Cake.’

endif

endfor

6.4 Complexity of Algorithm

As a beginning aside, we point out why we chose breadth instead of depth first search. BFS has the property that we will only ever check sets which are cake or minimal

death. On the other hand, DFS would require post-processing to determine which of the death sets found were minimal death sets. The perk of DFS, however, is that it requires less matrix swaps since multiple sets A can be labeled as cake or death by reading off of one matrix. As we wish to have less post-processing, we choose to use BFS for our algorithm.

Assume that the matrix D is stored as a sparse matrix. This is done with a linear array of lists $D[1, \dots, m]$ where m is the total number of simplices in the 2-dimensional complex \mathcal{R} . Also, assume the ordering of the simplices is {fence, vertices and remaining 1-simplices, 2-simplices}. Each entry $D[i]$ in this array stores a linked list denoting the locations of the codimension-1 faces of σ_i , or equivalently, the 1s in column i of the full matrix D . This not only speeds up the operations required on the matrix, but reduces the storage size of D to $O(m)$.

There are four major parts to the algorithm. The first is to reduce $D = RU$. Using the persistence algorithm, this takes time at most $O(m^3)$. See [12] for details.

For each complex to be checked, all necessary columns must be swapped to the right side of matrix R . If there are t 2-simplices, at worst there are $t^2/4$ swaps to be performed. While each swap has at worst an $O(m)$ running time, from [7] there is an amortized time proportional to the number of 1s in the affected rows and columns, so this is $O(1)$. This step therefore has an amortized cost of $O(t^2/4)$.

Next, we check for a fundamental class. If this is done in N complexes, then $N \leq 2^{\chi_{int}-1}$. (Recall that because we assume that the dense set of sensors is not dense, N will likely be much smaller than $2^{|\chi_{int}|}$.)

If a vector Low giving the location of the lowest 1 in each column is maintained throughout the process of swapping, easily done via the cases in [7], it only takes $O(t)$ time to check for a column which fits our requirements. Hence for each death set, the amortized running time is $O(t^2)$, and so the overall running time is $O(m^3 + Nt^2)$.

To make this running time feasible, one needs to keep N under control. The easiest way to do this is to have a sparse set of sensors. For example, suppose the area of the domain Δ is R and we have n sensors. Each sensor covers an area of πr_c^2 , so the sensors cover a total area (double counting overlap) of $n\pi r_c^2$. This means the expected number of sensors covering any point is $x = n\pi r_c^2/R$. Therefore the death sets should be of size approximately x , so it is only necessary to check complexes through about the x^{th} row. Thus $N \approx \binom{n}{1} + \dots + \binom{n}{x}$.

In conclusion, computing the probability exactly will be easier if the set of sensors is sparse, but what is gained in exactness of the computation is lost in the robustness of the network.

7 A Dynamic Algorithm for a Monitored System

Suppose we are in a situation where the deterministic algorithm is not feasible. Computing the probability of failure exactly is an NP-hard problem, and thus an exact computation is essentially impossible when the set of sensors is large. Instead, assume that a central monitoring station receives information as to whether or not each sensor has failed. In this case, a more practical question is to ask when the system is getting close to failure and so we seek a dynamic algorithm to predict which nodes would cause failure of the criterion should they fail soon. To do this, we will create a new criterion built from the old which will give an early warning for failure. It essentially gives a flag on each interior vertex warning that its failure would probably cause failure of the dS-G criterion.

For technical reasons, we will assume in this section that the domain is convex. A domain that is not convex can have a radius where the Rips complex has a non-trivial class in $H_1(\mathcal{R})$ even though $(\mathcal{R}, \mathcal{F})$ passes the dS-G criterion. This assumption is much stronger than is necessary since all we really need is that $H_1(\mathcal{R}) = 0$ whenever $(\mathcal{R}, \mathcal{F})$ passes the dS-G criterion.

The main idea for the new criterion comes from the following theorem.

Theorem 4. *Assume that the pair of simplicial complexes $(\mathcal{R}, \mathcal{F})$ passes the dS-G criterion, $H_2(\mathcal{R}) = 0$, and w is a vertex in $\mathcal{R} - \mathcal{F}$. Then $(\mathcal{R}_w, \mathcal{F})$ passes the dS-G criterion if and only if $H_1(\text{Lk}(w)) = 0$.*

Proof. Assume that $(\mathcal{R}_w, \mathcal{F})$ passes the dS-G criterion and that the domain is convex, which implies that $H_1(\mathcal{R}_w)$ is trivial. Mayer-Vietoris for $\mathcal{R} = \mathcal{R}_w \cup \overline{\text{St}}(w)$ gives the exact sequence

$$H_2(\mathcal{R}) \longrightarrow H_1(\text{Lk}(w)) \longrightarrow H_1(\mathcal{R}_w) \oplus H_1(\overline{\text{St}}(w, \mathcal{R}))$$

Thus, since $H_2(\mathcal{R})$, $H_1(\mathcal{R}_w)$ and $H_1(\overline{\text{St}}(w, \mathcal{R}))$ are all trivial, $H_1(\text{Lk}(w)) = 0$.

Assume on the other hand that $H_1(\text{Lk}(w)) = 0$. Note that if $(\mathcal{R}, \mathcal{F})$ passes the dS-G criterion, $\tilde{H}_0(\text{Lk}(w)) = 0$. Using the long exact sequence of the pair $(\mathcal{R}_w, \text{Lk}(w))$, we have

$$0 \longrightarrow \tilde{H}_1(\mathcal{R}_w) \longrightarrow \tilde{H}_1(\mathcal{R}_w, \text{Lk}(w, \mathcal{R})) \longrightarrow 0$$

hence the middle map is an isomorphism.

By excision, $H_1(\mathcal{R}_w, \text{Lk}(w, \mathcal{R})) \cong H_1(\mathcal{R}, \overline{\text{St}}(w, \mathcal{R}))$. Using the knowledge that $\overline{\text{St}}(w, \mathcal{R})$ has the homotopy type of a point for the first isomorphism and the long exact sequence of the pair (\mathcal{R}, \cdot) for the second, we have

$$H_1(\mathcal{R}, \overline{\text{St}}(w, \mathcal{R})) \cong H_1(\mathcal{R}, \cdot) \cong H_1(\mathcal{R}).$$

Thus, $H_1(\mathcal{R}_w) \cong H_1(\mathcal{R})$.

Consider the diagram

$$\begin{array}{ccccc} H_2(\mathcal{R}_w, \mathcal{F}) & \longrightarrow & H_1(\mathcal{F}) & \longrightarrow & H_1(\mathcal{R}_w) \\ \downarrow & & \downarrow \cong & & \downarrow \cong \\ H_2(\mathcal{R}, \mathcal{F}) & \longrightarrow & H_1(\mathcal{F}) & \longrightarrow & H_1(\mathcal{R}) \end{array}$$

Since $(\mathcal{R}, \mathcal{F})$ passes the dS-G criterion, there is a fundamental class α in $H_2(\mathcal{R}, \mathcal{F})$. By definition, it maps to $\partial\alpha$ which is nonzero in $H_1(\mathcal{F})$, and since the two rows are exact, $\partial\alpha$ maps to 0 in $H_1(\mathcal{R})$. The last two vertical maps are isomorphisms, so there must be a nonzero β in $H_2(\mathcal{R}_w, \mathcal{F})$ which maps to $\partial\alpha$ under the top left horizontal map, and therefore $(\mathcal{R}_w, \mathcal{F})$ passes the dS-G criterion. \square

Notice that the assumption that $H_2(\mathcal{R}) = 0$ is only used for one direction of the theorem: if $(\mathcal{R}_w, \mathcal{F})$ passes, then we have a link with trivial first homology. Despite being counterintuitive, it is possible for a set of points in the plane to have a non-trivial second homology group [5]. The expectation is that this event will not be frequent, but it must be kept in mind as we create a new criterion in this monitored set up.

7.1 The new criterion and complexity

Given Theorem 4, we propose a new criterion to complement the de Silva - Ghrist criterion:

Definition 3 (Link Condition). *If an interior vertex w has $H_1(\text{Lk}(w)) \neq 0$, we say it is flagged. Otherwise, we say it is not flagged.*

The idea is that if a vertex is flagged, there is a chance its removal will cause failure of the dS-G criterion. If it is not flagged, then its removal can do no harm.

With this definition in mind, we give a dynamic algorithm to follow as nodes fail:

MonitoredSystemFailure(\mathcal{R}, \mathcal{F})

Given: Simplicial complex pair $(\mathcal{R}, \mathcal{F})$

Check dS-G criterion (We assume that this initial check will always pass)

Compute link of each vertex w and $H_1(\text{Lk}(w))$

if $H_1(\text{Lk}(w)) = 0$:

 Mark w as flagged.

endif

if vertex v fails:

if v is flagged:

 Update matrix R to remove dead simplices

 Check dS-G criterion

if $(\mathcal{R}_w, \mathcal{F})$ fails the dS-G criterion:

 Break

endif

endif

Update links of vertices
 Compute $H_1(\text{Lk}(w))$ for w whose link has
 changed
 Mark or unmark w as flagged according to H_1
 computation.
endif

This algorithm turns out to be polynomial in the number of simplices in the worst case. We will split the complexity computation into two parts: the initialization step, done before any vertex has failed, and the time taken for the algorithm for each failed vertex.

Initialization

Let m be the number of two simplices of dimension ≤ 2 . In section 5.1, we showed that this is the highest dimension simplex needed for the dS-G criterion, and since the link condition only looks at the first dimension of the complex, nothing above the second dimension is required.

The complexity of computing the link of w is directly related to the number of simplices containing w as a vertex. In fact, given a list of all simplices in \mathcal{R} which include vertex w , print the simplex obtained by removing vertex w from the simplex. This is the link, so given a listing of the simplices with vertex w , the link of w can be computed in time $O(k)$ where k is the number of adjacent simplices. Since k is obviously less than m , the time to initially compute all the links is $O(mn)$.

The time to compute $H_1(\text{Lk}(w))$ is $O(k^3)$, again with k equal to the number of simplices in the link of w . Since, $k < m$, the time taken for this initial step is $O(nm^3)$. Thus, the entirety of the initialization step takes time $O(m^3 + mn + nm^3) = O(nm^3)$.

Failed Vertex

In the worst case, every failed vertex is flagged and so the dS-G criterion must be recomputed each time. As seen in section 6.4, updating the matrix R and checking the dS-G criterion takes time $O(t^2)$ where t is the number of two simplices.

What is interesting about the link condition is that it is easy to maintain the links of all the interior vertices. Let $\text{Lk}(\sigma, X)$ be the link of σ in the simplicial complex X and let X_w be the largest subcomplex of X without the vertex w .

Lemma 4. *For any vertices v, w in a simplicial complex X ,*

$$\text{Lk}(v, X_w) = \text{Lk}(v, X) \cap X_w. \quad (2)$$

Proof. If $\sigma \in \text{Lk}(v, X_w)$ then obviously $\sigma \in X_w$. Also, this implies that the simplex $\tau = \langle \sigma, v \rangle \in X_w$. Since $\sigma < \tau$ and $v \notin \sigma$, we must have that $\sigma \in \text{Lk}(v, X)$, so $\text{Lk}(v, X_w) \subset \text{Lk}(v, X) \cap X_w$.

Let $\sigma \in \text{Lk}(v, X) \cap X_w$. Since it is in $\text{Lk}(v, X)$, the simplex, $\langle \sigma, v \rangle \in X$. As σ is also in X_w , $w \notin \sigma$, so

$\langle \sigma, v \rangle \in X_w$. Therefore, $\sigma \in \text{Lk}(v, X_w)$, and equation 2 follows. \square

This lemma implies that the only update needed after the failure of a vertex is to delete any simplices in the link which were also deleted in the simplicial complex. In the worst case, the link of every vertex must be updated, the first homology recomputed, and the flag remarked as needed. Since the size of each link is at most m , this step takes $O(n(m + m^3)) = O(nm^3)$.

If this sequence of events happens for every n , this second part of the algorithm takes time

$$O\left(n(t^2 + t + mn + m^3n)\right) = O(m^3n^2).$$

Combining this with the initializing step, the whole algorithm takes at worst time $O(m^3n^2)$, so is polynomial in the number of simplices.

8 Conclusions and Possible Extensions

In this paper, we have extended the problem posed by de Silva and Ghrist in [9] by assuming that sensors have a probability of failure, and asking for the probability of failure of the dS-G criterion for coverage. We determined that the generalized version of the problem is #P-complete, and thus it is unlikely that there is an algorithm to answer this question in general which runs in a reasonable amount of time. Finally, we provided a deterministic algorithm which does work in the case of a small set of sensors, and a method to predict failure when the system is larger but is being monitored.

The obvious immediate extension of our work is to determine whether the the version of the problem posed by de Silva and Ghrist in [10], which allows for higher dimensions and looser boundary conditions, is also amenable to an application of probability of failure. We conjecture that this extended problem will also be NP-hard.

In the long term, we would like to see more applications of computational topology to the design and analysis of sensor networks. Since we can make such strong conclusions with such weak assumptions on the capabilities of the sensors, we expect that such applications are abundant.

References

- [1] PK Agarwal, H Edelsbrunner, J Harer, and Y Wang. Extreme elevation on a 2-manifold. *Discrete & Computational Geometry*, 36:553–572, 2006.
- [2] YA Ban, H Edelsbrunner, and J Rudolph. Interface surfaces for protein-protein complexes. In *Proceedings of the eighth annual international conference on Resaerch in computational molecular biol-*

- ogy, RECOMB '04, pages 205–212, New York, NY, USA, 2004. ACM.
- [3] G Carlsson. Topology and data. *Bulletin of the American Mathematical Society*, 46(2):255–308, January 2009.
- [4] G Carlsson, T Ishkhanov, V de Silva, and A Zomorodian. On the local behavior of spaces of natural images. *International Journal of Computer Vision*, 76:1–12, 2008. 10.1007/s11263-007-0056-x.
- [5] EW Chambers, V de Silva, J Erickson, and R Ghrist. Vietoris-Rips Complexes of Planar Point Sets. *Discrete & Computational Geometry*, 44(1):75–90, July 2009.
- [6] F Chazal, LJ Guibas, SY Oudot, and P Skraba. Analysis of scalar fields over point cloud data. In *Proceedings of the twentieth Annual ACM-SIAM Symposium on Discrete Algorithms, SODA '09*, pages 1021–1030, Philadelphia, PA, USA, 2009. Society for Industrial and Applied Mathematics.
- [7] D Cohen-Steiner, H Edelsbrunner, and D Morozov. Vines and vineyards by updating persistence in linear time. *Proceedings of the twenty-second annual symposium on Computational geometry - SCG '06*, page 119, 2006.
- [8] CJ Colbourn. *The Combinatorics of Network Reliability*. Oxford University Press, 1987.
- [9] V de Silva and R Ghrist. Coordinate-free Coverage in Sensor Networks with Controlled Boundaries via Homology. *The International Journal of Robotics Research*, 25(12):1205–1222, December 2006.
- [10] V de Silva and R Ghrist. Coverage in sensor networks via persistent homology. *Algebraic & Geometric Topology*, 7:339–358, April 2007.
- [11] H Edelsbrunner and J Harer. The persistent morse complex segmentation of a 3-manifold. In Nadia Magnenat-Thalmann, editor, *Modelling the Physiological Human*, volume 5903 of *Lecture Notes in Computer Science*, pages 36–50. Springer Berlin / Heidelberg, 2009.
- [12] H Edelsbrunner and J Harer. *Computational Topology: An Introduction*. American Mathematical Society, 2010.
- [13] MR Garey and DS Johnson. *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W.H. Freeman and Co., 1979.
- [14] R Ghrist and A Muhammad. Coverage and hole-detection in sensor networks via homology. *IPSN 2005. Fourth International Symposium on Information Processing in Sensor Networks, 2005.*, (1):254–260, 2005.
- [15] JJ Headd, YEA Ban, P Brown, H Edelsbrunner, M Vaidya, and J Rudolph. Protein-protein interfaces: properties, preferences, and projections. *Journal of Proteome Research*, 6(7):2576–2586, 2007. PMID: 17542628.
- [16] A Tahbaz-Salehi and A Jadbabaie. Distributed coverage verification in sensor networks without location information. *Automatic Control, IEEE Transactions on*, 55(8):1837–1849, aug. 2010.
- [17] LG Valiant. The complexity of computing the permanent. *Theoretical Computer Science*, 8(2):189–201, 1979.
- [18] J Yick, B Mukherjee, and D Ghosal. Wireless sensor network survey. *Computer Networks*, 52(12):2292–2330, 2008.