

Title	Ontology Summit 2021 Communiqué: Ontology generation and harmonization
Authors	Baclawski, Ken;Bennett, Michael;Berg-Cross, Gary;Dickerson, Leia;Schneider, Todd;Seppälä, Selja;Sharma, Ravi;Sriram, Ram D.;Westerinen, Andrea
Publication date	2022-05-04
Original Citation	Baclawski, K., Bennett, M., Berg-Cross, G., Dickerson, L., Schneider, T., Seppälä, S., Sharma, R., Sriram, R. D. and Westerinen, A. (2022) 'Ontology Summit 2021 Communiqué: Ontology generation and harmonization', Applied Ontology, 17(2), pp. 233-248. doi: 10.3233/AO-220266
Type of publication	Article (peer-reviewed)
Link to publisher's version	10.3233/AO-220266
Rights	© 2022, IOS Press. The definitive, peer reviewed and edited version of this article is published in Applied Ontology, 17(2), pp. 233-248. doi: 10.3233/AO-220266
Download date	2024-04-18 04:08:48
Item downloaded from	https://hdl.handle.net/10468/13344



UCC

University College Cork, Ireland
Coláiste na hOllscoile Corcaigh

Ontology Summit 2021 Communiqué: Ontology Generation and Harmonization

Ken Baclawski, Northeastern University, Boston, MA USA (kenbaclawski@gmail.com);
Michael Bennett, Hypercube Limited, London, UK (mbennett@hypercube.co.uk);
Gary Berg-Cross, ESIP Semantic harmonization Co-Lead (gbergcross@gmail.com);
Leia Dickerson, Government Accountability Office, Washington, DC USA (ldickers@gmail.com);
Todd Schneider, Engineering Semantics, Fairfax, VA USA (tschneider@engineeringsemantics.com);
Selja Seppälä, University College Cork, Ireland (selja.seppala@ucc.ie);
Ravi Sharma, Senior Enterprise Architect, Elk Grove, CA USA (drravisharma@gmail.com);
Ram D. Sriram, National Institute of Standards and Technology, Gaithersburg, MD USA
(sriram@nist.gov); and
Andrea Westerinen, OntoInsights LLC, Elkton MD USA (arwesterinen@gmail.com)

Abstract: Advances in machine learning and the development of very large knowledge graphs have accompanied a proliferation of ontologies of many types and for many purposes. These ontologies are commonly developed independently, and as a result, it can be difficult to communicate about and between them. To address this difficulty of communication, ontologies and the communities they serve must agree on how their respective terminologies and formalizations relate to each other. The process of coming into accord and agreement is called “harmonization.” The Ontology Summit 2021 examined the overall landscape of ontologies, the many kinds of ontology generation and harmonization, as well as the sustainability of ontologies. The Communiqué synthesizes and summarizes the findings of the summit as well as earlier summits on related issues. One of the major impediments to harmonization is the relatively poor quality of natural language definitions in many ontologies. The summit surveyed the state of the art in natural language definition development, based on lexicographic principles, as well as examples of ongoing projects that are explicitly dealing with harmonization and sustainability.

Keywords: Ontology, Machine Learning, Definitions, Sustainability, Harmonization

1. Introduction

Ontologies are proliferating, producing a complex landscape of many types, roles and uses for many purposes (Hitzler, 2021b), such as data integration, Semantic Web applications, business reporting and artificial intelligence. Ontologies can be extracted, learned, modularized, interrelated, transformed, analyzed, and harmonized as well as developed in a formal process which can be manual or automated. There are now many ways that ontologies interact with other technologies, including, but not limited to,

statistical and linguistic techniques, generation by machine learning tools, serving as the basis for machine learning so as to improve the quality and explainability of its results, and integration into machine learning architectures (Gaur, Faldu, and Sheth, 2021). Unfortunately, it is commonly the case that ontologies are constructed independently. While such ontologies can serve their purposes very well, it can be difficult to align ontologies that were developed for overlapping domains. Furthermore, when an ontology was generated using automated methods, it can be difficult for humans to understand it. There is growing understanding of the need for harmonization and better definitions of terms in ontologies as well as some best practices to provide these.

Following some planning meetings, the Ontology Summit 2021 examined the landscape of ontology generation and harmonization using a series of virtual presentations and sessions held from February to May 2021. This Communiqué synthesizes and summarizes the findings of that series. Based on community interests, the Ontology Summit 2021 was organized into four tracks and the Communiqué also reflects the sub-topics of these tracks. The Ontological Landscape track provided an overall framework for different kinds of ontology and for the rest of the summit tracks. The results of this track are summarized in Section 2.

As discussed in Section 2.2, one of the purposes of ontologies is for communication, and misinterpretations can occur when terms are not adequately defined. To avoid misinterpretations, in the context of this Communiqué, a term is to be understood as having the natural language definition, unless a term has a namespace prefix. When an important natural language term is ambiguous, the intended definition or definitions will be specified. For example, in Section 3.1, the word "annotation" is used, and the intended dictionary definition is specified. It is this notion of annotation that is used in the Communiqué, and not, for example, **owl:AnnotationProperty**. As another example, the notion of a "definition" is used throughout the Communiqué. Various notions of definition are summarized at the beginning of Section 3. These are the notions of definition that are used in the Communiqué, and not **rdfs:isDefinedBy**.

Natural language definitions, especially domain definitions, are an essential part of ontologies; but, from an ontological perspective, they are often poorly written, either because of a lack of experience with writing definitions, a shortage of resources, or because of a lack of emphasis on properly defining terms during the ontology development process. Details on the notion of a semantically adequate natural language definition and its role in ontology development and harmonization are presented in Section 3.

The recent development of much more effective machine learning techniques has made it possible to extract ontological information from source documents. While such techniques are effective for particular tasks, currently they are generally opaque and do not lend themselves to easy human understanding and explainability. The issue of explainability was examined in a previous Ontology Summit (Baclawski et al., 2020a). One way to make machine learning techniques more explainable is to integrate machine learning with ontologies (Baclawski et al., 2018b; Gaur, Faldu, and Sheth, 2021).

The architectures that have been developed for integrating ontologies with machine learning, and more generally, integrating symbolic (which includes knowledge graphs and ontologies) and sub-symbolic (such as machine learning) techniques, are presented in Section 4.

Furthermore, it isn't enough to construct ontologies with well developed definitions and documentation, they must be sustained over time. There is much more to sustainability than just ensuring that it has a continuing source of funding. The results of the Sustainability of Ontologies track are presented in Section 5.

Section 6 concludes the Communiqué with a summary of the main issues and challenges raised by the Ontology Summit.

2. The Ontological Landscape

Ontologies have many aspects and purposes. As a result, the growing classification of ontologies will have many dimensions. These dimensions form a rich landscape rather than a simple linear “spectrum.” The distinctions among types of ontologies were studied and surveyed in the first two Ontology Summits in 2006 and 2007. The first was the Upper Ontology Summit (Cassidy, Obrst, Ray, Soergel, and Yim, 2006), and the second was on “Ontology, Taxonomy, Folksonomy: Understanding the Distinctions” (Obrst et al., 2007). A number of ontology dimensions were identified in these two summits, and some of the most prominent ontologies of the time were classified along the dimensions (Baclawski 2007, 2007b; Baclawski and Duggar, 2007). The most common classification of ontologies is by their level of generality, and Section 2.1 discusses the types of ontology as distinguished by how generally applicable the ontologies are.

One of the primary purposes of ontologies is for communication, and Section 2.2 surveys the types of ontology with respect to different communication requirements. Section 2.3 discusses the different approaches to what the entities of an ontology are intended to represent. Sections 2.4 and 2.5 survey two more dimensions: attitudes toward realism and the representation of uncertainty. Section 2 ends with a short discussion of ontological commitment in Section 2.6. However, there are still other dimensions in the landscape, and these are surveyed later on in Sections 3, 4 and 5.

2.1 Generality

Ontologies are most often classified by their level of generality. The most generic or abstract ontologies are called foundation(al) ontologies, generic ontologies, top-level ontologies, and upper ontologies (*Ontology Term List*, 2020). The most specific ontologies are called application ontologies because they are generally associated with a specific or narrow range of applications. In between these two extremes, there are reference ontologies and domain ontologies. Reference ontologies are more specific than foundation ontologies, yet are not limited to a particular domain. Domain ontologies are limited to a single domain, but domains can form hierarchies with many levels of generality and the domain ontologies may also have many levels of generality (Schneider, 2021). Other notions of ontology generality have been proposed, such as upper-level reference ontologies that provide

specifications of requirements, functions, design or standards for a specific application (Chen, Ludwig, Ma, and Walther, 2019).

2.2 Communication

One of the main purposes of ontology is to improve communication. In general, communication can be between people, between people and machines, and between machines. Machines operate and interoperate best when the elements of the ontology are defined precisely and logically so that they are processable (e.g., inferences can be computed) and their ambiguity is minimized. Human language, in comparison, is much richer with large numbers of types of figures of speech and inherent ambiguities (Hanks and Jezek, 2008; Baclawski, 2021). Far from being a flaw of human language, this richness is its strength. Humans deal with the ambiguity of language by the context of a dialog, the manner of communication (e.g., inflection and gestures) and being able to ask for clarification (Sowa, 2021). Accordingly, an ontology and its documentation should recognize the distinctions between the needs of humans and machines. One means of accomplishing this is to have a “language interface” that mediates between the human and machine terminology. The language interface is an important feature of modern software engineering processes, and ontology development can also benefit from these practices (Bennett, 2021; Woods and Low, 2021).

One of the functions of a definition is to adjust the readers’ or systems’ inferential competences, i.e., what readers or systems infer when encountering the term that is defined (Seppälä, Ruttenberg, Schreiber, and Smith, 2016). For a theoretical explanation of the functions of natural language definitions in ontologies, backed by empirical neuropsychological studies see (Seppälä, Ruttenberg, and Smith, 2016).

Another effective means for communication is to base the ontology on the events and states of interest in a domain, as well as the arguments (subjects, objects, adverbs, etc.) of those events (as per neo-Davidsonian semantics). Basing an ontology on events and states allows the ontology to be deeply informed by narrative and event linguistic theory (Westerinen, 2021).

For a computable ontology using OWL, Common Logic or other logic-based ontology representation languages, the identifiers (for elements of the ontology) are, in fact, symbols of the signature of the (logical) language. However, humans are already familiar with such natural language terms or phrases, sometimes in highly emotional and biased ways. As a result, humans can easily forget or ignore that the identifiers need to be treated as symbols whose interpretation is dictated by the formalizations used to define the identifiers. Misinterpretation is even more likely when an ontology element is not adequately defined to meet the intended interpretations. Inadequate definitions occur for many reasons. One reason why a natural language definition can be inadequate is an implicit reliance by the ontology developers on the expectation that a user of the element will “understand” how the element is to be interpreted. Ontology developers may have a specific understanding of the natural language term or phrase being defined without realizing that some of the users of the ontology have a different understanding (Schneider, 2021).

Well defined concepts are an essential ingredient in communication and play a central role in semantic interoperability. Both communication and interoperability are based on a common understanding of concepts, services, information and contributing data. The Ontology Summit 2007 discussed the spectrum of useful semantic artifacts starting with an implicit preference for strong formality found in ontologies (Obrst et al, 2007). A range of resources exist, such as folksonomies (e.g., simple user-defined keywords lists useful to annotate resources on the Web), along with taxonomies, conceptual models, and controlled vocabularies (e.g., the Medical Subject Headings (MeSH)). A controlled vocabulary reflects an association of terms and is part of language use in a domain, which, like a model, imposes some simplifying, constraining, and organizing form on the fluxing complexity of that domain about which we communicate. The impetus of controlled vocabularies is on formalizing concepts in a logical language to allow some degree of automated processing of data. There was less attention at the Ontology Summit 2007 on standardization of other forms of semantic resources in pre-formalization phases. More recently, there has been a greater recognition and appreciation of both ontologies and standard vocabularies to support communication, data sharing and interoperability.

2.3 Ontology Distinctions

Ontologies may be used for a range of purposes, such as data integration, Semantic Web applications, business reporting and artificial intelligence. Different uses are best supported by different and sometimes contrasting modeling styles.

A key distinction with ontologies, as with any kind of model, is the question of what kind of thing is represented by the elements of that model (e.g., the classes, relationships, properties, etc.). An ontology is a model that represents things and relationships among them, relevant for a purpose. Many ontologies are designed to contextualize data for a specific domain.

Ontologies define classes in terms of the necessary and sufficient characteristics that make something a member of that class. Most of these distinctions are not expressible as data. For example, a legal or financial instrument will be defined in terms of legal or financial characteristics (“Social Constructs” in Searle, 2010); real estate, streets and islands are physical things in the world; and so on. Applications meanwhile will use data that has been identified as best representing those things in the world. For example, your date of birth may be represented as a type of “Event” with a date (of birth) on which the event occurred, and this date may be represented by data called “dateOfBirth” with a datatype of “date.”

One kind of ontology, often called a “concept” ontology, will contain logical statements framed in terms of domain attributes and how they define the meanings of things in that domain (Bennett, 2021). These logical statements can be used by humans to understand things in the domain, e.g., for business purposes. Another kind of ontology is used to model the data associated with the things in the domain. Choosing what data to use to represent those things is a design decision, even if in many cases the design choices are obvious. These are often known as “operational” or “application” ontologies.

Further analysis suggests that there may be different styles of ontology that deal with operational data. An ontology for integrating multiple sources of data may need to have more semantically nuanced distinctions to deal with the different ways those data sources reflect conceptualizations of the world. While an ontology for reasoning over data (e.g., in a knowledge graph) would typically be simpler.

Other differences reflect operational design choices. For example, an operational ontology need not use a full foundational ontology to partition its world. It would also typically have fewer relationships, with little or no use of constraints such as property domains and ranges. By contrast, a concept ontology would have a richer set of relationships such as for different types of whole-part relations, and would reflect the many constraints that apply to the relationships and properties.

In deriving an operational ontology from a concept ontology several design steps are needed: flattening the class hierarchy, extracting concepts that are relevant to the application use case, selectively removing classes that reflect some of the top-level ontology (TLO) partitioning such as “things in roles” and shortening the corresponding property paths, so that for example a conceptual distinction between say Loan – Borrower (as party in role) – Person, becomes a simple “Loan – Person” relationship. Each application use case, being a distinct business context, would entail the extraction of different material from the concept ontology. In this regard, operational ontology design follows a similar path to any other technology development, with the concept ontology playing the role of a “Computationally Independent Model” (CIM) in the development process.

For an ontology, especially a very large one, to be consistent in the broader sense of this term, it must not only be logically and conceptually consistent, but it must also have a consistent style throughout. Consistency in this broader sense requires conformance to style guidelines, such as naming conventions and change management procedures (Uschold, 2021). Consistency is also a necessary part of sustainability as discussed in more detail in Section 5.

2.4 Realism

Another dimension of ontology is the degree of “realism.” Philosophical realism is the thesis that there is a reality that exists independently of people. There are many notions of realism that have been proposed and studied in philosophy. An ontology is realist, with respect to a particular notion of realism, if it is based on the philosophical realism thesis. Neither philosophical nor computational ontologies require realism; indeed, computer scientists’ focus is generally more pluralistic with respect to what entities may be relevant, whether they are ontological (in the philosophical sense), conceptual, cognitive, hypothetical, etc. Being more pluralistic has benefits for dealing with natural language, common sense, and other human capabilities. Another consequence of a pluralistic attitude is that it allows for notions of “truth” that underlie different reasoning mechanisms (i.e., logics) and that depend on context and situation (Masolo, 2021). Different forms of logic are a frequent topic of earlier Ontology Summits, including the ones in 2007 referenced above (Obrst et al, 2007), in 2010 “Creating the Ontologists of the Future” (Neuhaus et al, 2010), and in 2017 “AI, Learning, Reasoning, and

Ontologies” (Baclawski et al, 2018b). One of the most important examples of a different reasoning mechanism is probabilistic reasoning that is discussed in the next section.

2.5 Uncertainty

Human understanding is typically probabilistic. To reflect our best understanding of the world, ontologies, for some situations or applications, should support uncertainty specification and reasoning. However, there is no generally agreed upon way to specify uncertainty in an ontology. For example, the likelihood of a specific RDF statement being true can be defined as simply as adding a **:probability** predicate as an RDF* edge property or to a reification of the RDF statement (Westerinen, 2021); or one could annotate the statement with a **:strength** predicate (Sharma, 2021). Some of the proposals for incorporating uncertainty in ontologies include PR-OWL (Carvalho, Laskey, and Costa, 2017) and the Bayesian Ontology Language BEL (Ceylon and Peñaloza, 2017). But, perhaps having flexibility in the definition of ontological probabilities is an advantage. It may be that the notion of uncertainty, like other aspects of an ontology, will depend on the particular domain, community and purpose. Rather than attempt to create a single reference ontology for uncertainty, there should be a meta-theory for uncertainty that is modularized and customizable for the particular task and purpose (Breiner, 2021).

2.6 Ontology Commitments

Ontology development and sustainability are processes during which many design decisions must be made. These decisions vary with respect to how much of the ontology is affected. Furthermore, different ontology development methodologies vary with respect to what decisions are made, who makes the decisions, as well as when and how the decisions are made (i.e., governance). While modularity can help limit the scope of a decision, there will nevertheless be decisions that have major consequences for the process and the artifacts that are developed. The design decisions also affect how well an ontology can adapt to future requirements. Decisions made during the development of an ontology are commonly referred to as “ontological commitments.” When using this term in the context of ontology development, one must be careful not to confuse the term with the philosophical notion of ontological commitment, such as Quine’s Criterion (*Stanford Encyclopedia of Philosophy*).

2.7 Understanding and Analysis

Understanding and definition of the notions to be represented in an ontology are fundamental problems in ontology development that distinguish it from software or even systems development. In ontology development there are at least two phases to representing a notion or entity. First, there is understanding what the notion or entity is. The second is the analysis phase in which the notion or entity is represented or modeled using the selected or available constructs. For example, one may have selected OWL as the ontology language or one is working within the context of a foundational, reference, or domain ontology.

During the “understanding” phase the developer needs to survey relevant references, starting with a “common” dictionary (e.g., Oxford or Cambridge) and moving on to more domain specific references (e.g., ISO specifications), if they exist. Using a range of references can provide a contrast among the different ways a notion or entity is understood as well as the contexts in which the notion or entity

occurs. These contrasts will greatly aid in “understanding” the notion or entity and what may be needed to be represented to meet the stated needs of the ontology being developed. Ideally, the understanding phase should lead to a useful natural language definition, a critical element in representing a notion or entity for human interpretation.

The next phase is the ontological analysis process. Note that the understanding and analysis phases are usually performed in parallel rather than in series. An aid in ontological analysis can be a well constructed foundational ontology (e.g., DOLCE, BFO, UFO, GFO), since such an ontology has already incorporated ontological analysis during its creation. One common pitfall during the analysis phase is “taxonomy seduction” which is the tendency to place an entity into a taxonomy without completing an understanding or analysis. Premature “classification” of a notion or entity can bias an entire development effort and/or require rework (Schneider, 2021).

3. Definitions and Harmonization

There are many notions of definition. We give a brief summary of some of these here. For a more complete discussion of the various notions of definition see the *Stanford Encyclopedia of Philosophy*.

One major distinction is concerned with how precisely and thoroughly the definition specifies a term. The strongest form is an *intentional definition* that gives necessary and sufficient conditions for membership in the defined term's extension. A weaker form is an *extensional definition* that lists all examples explicitly. An extensional definition might not be possible or feasible, and there may be other examples that subsequently need to be added. The weakest form is an *ostensive definition* that is often non-verbal and accompanied by a gesture pointing to an example.

Another distinction is concerned with consistency with reality. A *real definition* attempts to be consistent with reality, while a *nominal definition* is only concerned with the usage of a term in practice. Nominal definitions vary with respect to how closely they reflect existing usage: a *descriptive definition* aims to be compatible with all existing usages, while a *stipulative definition* is introduced either on a temporary basis or in a specific context and need not be compatible with any other usages of the term.

One aspect of definition is that there should be terms, such as the term “entity,” that are explicitly left undefined. Otherwise, the definitions will inevitably be circular.

Definitions can serve as links between humans, between human communities, between humans and ontologies, as well as between different ontologies. Historical attempts to standardize terms included creating core metadata models and common conceptual models for combining data into a single representation (Silva, Perez, and Kofuji, 2019). For example, the Simple Knowledge Organization System (SKOS) is a core metadata model standard for the Web (SKOS, 2009). However, these standardization attempts have largely failed to be adopted because of flawed conceptualizations, lack of community agreement, and inadequate representation; and thus the attempts have resulted in silos. More recently, significant progress has been made leveraging best practices including the use of ontological analysis and design. The Ontology Summit 2021 surveyed the different notions and levels

of formality of definitions, with emphasis on practical methods to harmonize a variety of semantic resources, and a summary of this survey is given in this section.

It is clear that domain vocabularies vary significantly in quality and scope, often with alternative definitions for the same term and definitions that have varying degrees of formality. This problem has been recognized for a long time. It is said that when Confucius was asked what he would do if he was a governor, he replied that he would “rectify the names” to make words correspond to reality. Standardization of term meanings remains challenging since there are many conflicting and overlapping glossaries and incompatible data models that define domain terms in idiosyncratic, domain or application specific ways. Completely “rectifying the names,” like attempting to develop a single ontology for everything, may be too ambitious a goal, but harmonization can be achieved, albeit with some effort. Harmonizing terminology is underway in some domains, such as the cryosphere, which is the frozen water part of the Earth system concerned with ice fields and glaciers (*ESIP*, 2021), and in government related domains such as the National Information Exchange Model (*NIEM*, 2017).

Writing an adequate definition, whether from a human or a computer perspective, is not easy. Indeed, one of the main problems with developing natural language definitions for ontologies is precisely the common assumption that anyone can write definitions and that they will then be harmonious. Ontology design experience as well as experiments have shown that even for well understood domains, the results of manual classification tasks performed by domain experts are highly inconsistent (Westerinen, 2021). So, the first step in writing definitions is often to accept that it is a hard task. There are many existing definition writing principles and guidelines in lexicography, terminology, and logic that one can use for writing definitions (Seppälä, Ruttenberg, and Smith, 2017).

The rest of this section gives examples and lessons learned about developing and harmonizing definitions.

3.1 Definitions and Harmonization in the Environmental Sciences

In this section, a specific example is presented in detail of a domain that aims to address definitions and semantic harmonization. The domain is the environmental sciences, and the ontology is the Environmental Ontology (EnvO) (*EnvO Ontology*). EnvO is a semantic resource for semantically controlled descriptions of environmental entities. For example, the Darwin Core glossary uses EnvO in its habitat descriptions and was developed by applying text-mining approaches to extract habitat information from the Encyclopedia of Life and automatically create experimental habitat classes within EnvO.

Here is an example of an EnvO natural language definition: A habitat is “An environmental system which can sustain and allow the growth of an ecological population.”

EnvO’s initial focus was to represent biomes, environmental features, and environmental materials, and the initial purpose was for genomic and microbiome-related investigations. However, the need for environmental semantics is common to a multitude of fields, and EnvO’s scope has steadily grown

since its initial description. As the scope has expanded, the ontology has been enhanced and generalized to support its increasingly diverse applications (such as the Cryo (glaciers and ice fields) and the Marine (ocean) realms) that are now examined in more detail.

The Global Cryosphere Watch (GCW) has sponsored the effort to harmonize term definitions that are already in use in the Cryo domain. Sometimes a single term will have dozens of different term definitions. Consider the term “snow cover”. The GCW harmonized definition is the following:

“An area density which inheres in snow distributed over an area of a landmass or other substrate.”

Additional information about this term is provided by annotations. An annotation is an explanation or comment added to data or metadata. Definitions are annotations, but there are other kinds of annotations that have a significant impact on understanding both by humans and by machines. For example, annotations can be used for explanations (Baclawski et al, 2020a) and for specifying the context and provenance of information (Baclawski et al, 2018a). An example of an annotation for GCW that is not part of a term definition states that, in general, snow cover is a layer of snow on the ground surface and can be compared to the related terms of snowfield and snowpack.

EnvO natural language definitions conform to the Minimum Information for the Reporting of an Ontology (MIRO) guidelines (Matentzoglou, Malone, Mungall et al, 2018).

The EnvO harmonization effort has had a number of accomplishments (Berg-Cross, 2021).

1. The GCW glossary analysis results were harmonized with EnvO and aligned with corresponding terms in the Semantic Web for Earth and Environment Technology (SWEET) ontology.
2. The alignment with SWEET has improved the definitions of SWEET terms.
3. EnvO and SWEET terms have been aligned with other OBO Foundry ontology terms (*Ontology Tools and Resources*, 2021).
4. A special envOPolar subset of EnvO has been crafted with relevant terms and axioms.
5. Attribution for all of these updates have been documented to the people or groups responsible for these changes.
6. Best practices for documentation were instituted, including annotating the time the definition was added, the orcid.org of the individual who created the update, and provenance information about definition derivation from EnvO to SWEET.
7. Templating methods were employed to accelerate class creation, and spreadsheets were used to help update ontologies with definitions. Specifically, the OBO Robot tool was used to facilitate EnvO collaboration. The Robot tool guides users through the process of creating new terms and is intended to be used by non-ontologists. Robot organizes new term requests in a standardized google sheet template, and users can follow a step by step process to fill out the appropriate spreadsheet columns.

3.2 Lessons Learned and Best Practices

In this section, some of the best practices for harmonization of definitions are presented. For general advice about developing natural language definitions, see the Guidelines for Writing Definitions in Ontologies (Seppälä et al, 2017). The guidelines include advice such as: be brief, align, re-use, extend, and revise semantic resources. The following points integrate and extend the guidelines with further best practices and advice (Berg-Cross, 2021b).

1. Organize the terms into a concept system (network of concepts) and indicate the position of each term in the concept system. Somewhat informal conceptual models may help organize the networks during the early phases of ontology development.
2. To ensure that definitions are brief, put other, more encyclopedic information in annotation notes.
3. To structure taxonomies use the nearest generically super-ordinate concept, adding one or a few constraining characteristics.
4. Consider harmonizing the role of lexical modifiers as well as nouns and verbs. For example, words like alpine or liquid.
5. Reuse existing vocabularies such as Schema.org, DCAT2, VIVO, DDI, etc. However, doing so will usually involve specializing the more general term.
6. Reduce (conceptual) ambiguity by explicitly showing relationships between the terms. Ambiguity is reduced along the semantic spectrum in a number of ways. For humans the ambiguity of a term is reduced by a good definition or by inclusion in a glossary of related terms. More structure is added by specifying class membership of subtype relations. The use of a logical language to represent definitions can reduce ambiguity for automated, digital systems. Some terms described as “similar to” one another carry some degree of ambiguity as to how they are similar. This can be reduced by specifying more precise relations. For example, instead of describing a glacier as being similar to an ice mass, one can specify that “a glacier is a type of ice mass.”
7. Be sensitive to issues of granularity. Metonymy is the naming of a thing by something related to it. For example, using the name of the whole for a part or vice versa. Figures of speech such as metonymy are so commonplace that one may not be aware that one is using a figure of speech at all.
8. Avoid vague comparisons, such as using the word “similar” in a definition. There will usually be many similar terms and terms with overlapping meanings. Perform semantic analysis to distinguish similar terms. Semantic analysis involves establishing relations among terms where appropriate, such as subtypes, part-whole relationships, roles, influences, production (output) relationships, etc.

9. The interface between the business (natural) language and the technical language (e.g., Description Logic or First-Order Logic) helps human-machine communication by making language more precise and less ambiguous (Seppälä, 2021; Woods and Low, 2021). The impact of differences between the textual and logical definitions in ontologies was examined in (Seppälä et al, 2016). However, when communicating with natural language, one must be aware of how people categorize the world. Unlike the classes and properties of ontologies, human categories “shimmer” (Hanks and Jezek, 2008; Baclawski, 2021).
10. Terms may be standardized, but the meanings or their expected interpretations should be too.
11. Definitions will vary according to context of use and target audience.

These lessons of the EnvO community can be useful for other communities. In Section 5 below, the issue of sustainability of ontologies is discussed in general.

4. Neuro-Symbolic Learning Ontologies

Symbolic reasoning has a long history, and continues to be an active area of research. Machine learning, also known as sub-symbolic methods, is also a very active area of research. Although both are part of AI, these two areas have been developed under clearly distinct technical foundations and by separate research communities. The two areas have complementary strengths and weaknesses. As a result, finding ways for bridging the gap between symbolic and sub-symbolic approaches to AI is a long-standing unresolved challenge, and integrating these two areas is now the subject of growing research interest in AI. Bridging this gap was addressed in the Ontology Summit 2017 (Baclawski et al, 2018b), but new AI techniques, especially in machine learning, have since been developed so that revisiting this topic is certainly timely.

Neuro-symbolic learning aims to integrate neural learning with symbolic approaches typically used in computational logic and knowledge representation in AI. One benefit of such an integration is the development of effective knowledge extraction methods towards explainable AI (Gaur, Faldu, and Sheth, 2021; Lamb, 2021; Sheth, 2021), but there are many other advantages (Sriram, 2021). While there are significant benefits for tighter integration of neural and symbolic paradigms, it is not known how best to integrate them, and many integration architectures have been proposed. Symbolic models can be the result of, or the basis for, different stages of a neural process. The following are some of the architectures of techniques that integrate symbolic and sub-symbolic methods (Kautz, 2021):

1. The simplest and most common architecture is one in which symbolic data (e.g., documents) are processed with symbolic techniques to produce vectors that are input to a sub-symbolic module (e.g., a neural network). The vector output of the sub-symbolic module is then interpreted in symbolic form using symbolic techniques.
2. Another architecture is a symbolic system that can invoke sub-symbolic submodules. As far as the symbolic system is concerned, the submodules are just subroutines like any others. Self-driving vehicles usually use this architecture.

3. One could, in principle, invert the roles of symbolic and sub-symbolic in Architecture (2) above to get an architecture in which it is the sub-symbolic system that is invoking the symbolic one. The advantage of inverting the roles of symbolic and sub-symbolic is that doing so allows for very complex decision making, since symbolic reasoners can perform combinatorial reasoning much more scalably and efficiently than sub-symbolic systems.
4. Architectures (1), (2) and (3) above do not include learning during normal processing. The symbolic and the sub-symbolic modules have already been programmed and trained, respectively. Some recently developed architectures incorporate symbolic reasoning in the sub-symbolic system by organizing the sub-symbolic system according to symbolic rules. Examples of such architectures are tensor product representations and logic tensor networks, which can find generalization and part-whole hierarchies. In other words, these newly developed architectures can generate ontologies, or at least some aspects of ontologies. The forms of reasoning that can be incorporated include temporal logic, description logic, and first-order predicate logic (Hitzler, 2021).
5. Another learning architecture is to input instances of logical inferences, expressed as input-output pairs, to train a sub-symbolic model. Training with logical inference examples is primarily useful for mathematical problems, and it is surprisingly effective, although it will make mistakes sometimes (Kapanipathi, 2021).
6. Another architecture uses sub-symbolic methods, such as back-propagation, to train a symbolic system. Back-propagation is invoked whenever the system makes a mistake. Training a symbolic system can be useful for question-answering systems.

Another reason why sub-symbolic methods need knowledge based methods is the intuition, based on human behavior, that intelligence necessarily involves learning, knowledge from experience, and reasoning, which could be expressed as an equation as follows:

$$\text{Intelligence} = \text{Learning from Data} + \text{Knowledge/Experience} + \text{Reasoning}$$

which has been used as the basis for Knowledge-Infused Learning (KIL) (Sheth, Gaur, Kursuncu, and Wickramarachchi, 2019). The KIL notion is a collection of architectures that range from shallow to deep infusion of knowledge, allowing one to match an architecture with a particular application. KIL has the potential to have impacts on robotics, cognitive science, autonomous vehicles, and personal assistants (Sheth, 2021).

Yet another architecture is to start with a “seed” ontology and augment it incrementally using signal processing techniques from knowledge graphs extracted from various sources, such as documents. Signal processing is a very highly developed and active area with a large community, and this connection between this community and the ontology community could have many benefits (Majumdar, 2021; Sowa, 2021; Baclawski et al, 2020b).

The survey given in this section has attempted to give a rough organization of the large variety of neuro-symbolic architectures that are now being developed, but one can expect new architectures to be developed by researchers in this very active field.

5. Sustainability of Ontologies

Many organizations, including government agencies, standards bodies and commercial firms, use ontologies and have developed tools for various ontological activities, such as creation, evolution, mapping and other forms of harmonization.

Sustainability involves addressing much more than simply ensuring sufficient funding. Achieving sustainability fully requires building on a firm foundation. The most important aspects of such a foundation are the following three “pillars.” (Dickerson, 2021)

1. **Economic Viability.** One must ensure there is sufficient funding for maintaining the ontology for as long as its purpose remains relevant. The manner in which resources are allocated and monitored determines whether economic viability is achieved. Without proper oversight, economic viability cannot be maintained.
2. **Social Equity.** Ontologies can have biases, including ontologies that are generated using machine learning. Data invariably has biases to a greater or lesser extent, and machine learning techniques cannot find or correct them on its own (Suresh and Guttag, 2019). While combining symbolic knowledge with machine learning can help to discover and mitigate it, it is important to accept that addressing bias remains an vital part of ontology development and maintenance.

Using standards and rigorous methodology can also assist in ensuring social equity is adequately addressed. Standards provide a common baseline for involved parties, so a wider group of people are able to fully participate in development. A thorough approach helps establish quality, which also encourages an unbiased approach (Dickerson, 2021).

3. **Environmental Protection.** The term “environment” in this pillar refers to the human environment that surrounds the specific community that developed an ontology. It is important to recognize that communities and their ontologies do not exist in isolation. One must maintain avenues of communication and cooperation with adjacent and other related communities.

Well designed definitions, documentation and harmonization, as discussed in Sections 3 and 4 above, can contribute both to the Social Equity and the Environmental Protection pillars of sustainability.

The pillars of sustainability illustrate that there is much more to ontology development than simply creating the ontology. The first round of ontology development is only the beginning; one must put it into production.

First, planning is needed to execute the release. One must plan for infrastructure concerns, the engagement of stakeholders, and the scheduling of associated tasks (Franch and Ruhe, 2016). Once an ontology is released and is actively being used by those outside the development group, the need for revisions arises. A development team can only anticipate so many potential issues; release also contains a baseline of content (Kotis, Vouros, and Spiliotopoulos, 2020). Those issues must be managed appropriately, or the post-release viability of the ontology will be in jeopardy.

Mechanisms must be implemented to facilitate revisions and as appropriate, expansions to the original model. Well-designed feedback and editing channels, including templates, further the robust environment for an ontology to mature (Blasko, Kremen, and Kouba, 2015). Stakeholders can be resources to edit the content of an ontology as well as enforce equity through promotion of standards.

Maintaining the technical infrastructure furthers the intellectual and collaborative infrastructure required to sustain ontologies for the long term. Ever changing formats, languages, platforms and tools also make it hard to sustain ontology repositories, which was the topic of the Ontology Summit 2008 (Obrst et al., 2008).

The EnvO example in Sections 3.1 and 3.2 above illustrates how a community is addressing the sustainability of their ontology. The GCW glossary analysis results were harmonized with EnvO and aligned with corresponding terms in the SWEET ontology. SWEET is a lightweight ontology with broad coverage, but sporadic definitions that historically served as a starting point for concepts within the Earth Sciences. Richer semantics were often added for particular domains, and spinoffs from SWEET were created. In comparison to EnvO's concepts, SWEET concepts are less axiomitized and, as noted, fewer terms have definitions. Many of the legacy terms that are in SWEET were lifted from online sources like Wikipedia and were not subjected to analysis by domain experts. More recently, portions of SWEET have been updated with a new release in 2021. The lessons that the EnvO community learned are valuable for other communities.

As research methodology and scope have expanded with technological advances, the management of ontologies and other related semantic resources has become a critical and distinct component of the ontology lifecycle. The scale and diversity of new semantic resources, such as knowledge graphs, neuro-symbolic generated products and domain vocabularies, requires a reexamination of ontological engineering practices, and the various roles of ontologies in the overall semantic research enterprise.

6. Summary and Conclusion

The proliferation of ontologies of many different types, purposes and roles has created an urgent need for ontology harmonization to improve communication between people, between people and machines and between machines. This Communiqué has surveyed the issues for ontology generation and harmonization. As there are many stakeholders that have an influence on or are impacted by these issues, the following summarization is organized by the various kinds of stakeholders.

The highest level stakeholders are the communities and organizations who sponsor ontology development projects, either alone or as part of other projects. At this level it is important to ensure that all three pillars of sustainability are well founded. Community agreement is needed for ontology extensions and revisions. Good mechanisms for community discussion are important as are partner agreements with groups with domain vocabularies. A variety of tools are used for coordination and harmonization, such as Slack and Github, but community members are not necessarily skilled in the use of these tools.

The project managers of a project that includes ontology development are important stakeholders for ontology generation and harmonization. The effort to control the meaning of terms in vocabularies requires a lifecycle of their own, which must be managed like other digital data lifecycles. Project managers are responsible for selecting and enforcing appropriate style guidelines in general, and style guidelines for definitions in particular, such as the Guidelines for Writing Definitions in Ontologies and the MIRO guidelines. Another management challenge is maintaining access to the vocabulary for reuse or for alignment with ontologies.

Project managers and developers must collaborate to make important high-level decisions during the ontology development process. A well constructed foundational ontology can aid in ontological analysis, but can also affect other decisions and the development process. So, selecting a foundational ontology must be very carefully done. Another important decision is the neuro-symbolic architecture that will be used for incorporating symbolic reasoning in the sub-symbolic system. A good intuition about the neuro-symbolic architecture decision is the equation *Intelligence = Learning from Data + Knowledge/Experience + Reasoning*. The terms in the domain vocabulary should include not only nouns and verbs but also lexical modifiers such as adjectives and adverbs. All of the vocabulary terms should be organized into a concept system, which need not be a hierarchy.

The end users of ontologies and ontology-based systems are stakeholders, and ontology developers should collaborate with end-users to ensure that the technical language of the developer is consistent with the natural language of the end user. The use of natural language for the symbols of an ontology can result in confusion because of existing meanings that humans have for the symbols. Accordingly, ontologies should recognize the distinctions between the needs of humans and machines. One of the functions of a definition is to adjust the readers' or systems' inferential competences, i.e., what they infer when encountering the term that is defined. One effective means for communication is to use narrative and event linguistic theory. The logic underlying an ontology should be selected according to the requirements of the users of the ontology. It is especially important to include an appropriate notion of uncertainty.

There is another kind of stakeholder who is only indirectly part of ontology development but who has a significant impact; namely, the ontology researcher. Ontology harmonization can be very time-consuming, so tools are important to simplify the effort required as well as to manage the effort over time. The challenge is to develop better tools for harmonization. The scale and diversity of new semantic resources, such as knowledge graphs, neuro-symbolic generated products and domain vocabularies, requires a reexamination of ontological engineering practices. Learning and training in these new semantic resources, and their use in operational ontology practices is important. Some preliminary mechanisms to maintain access to vocabularies for reuse or for alignment with ontologies have been established, but better mechanisms are needed. Another challenge is to develop better tools and techniques for reaching agreement efficiently with a diverse community.

The ontology developers have important responsibilities to ensure that the domain of the ontology is properly understood and documented. One important prerequisite for understanding a domain is to survey all existing relevant references. Having collected relevant terminology, the developer should avoid taxonomy seduction, i.e., prematurely placing entities into taxonomies. Remember that terms may be standardized but the meaning has to be too. Writing good definitions is essential for standardizing meaning, but the first step in writing definitions is to accept that one does not know how to do it. The next step is to start learning how. There are now excellent guidelines for writing definitions. Some other concerns of definition development include avoiding vague comparisons and sensitivity to levels of granularity.

7. Acknowledgments

Certain commercial software systems are identified in this paper. Such identification does not imply recommendation or endorsement by the National Institute of Standards and Technology (NIST) or by the organizations of the authors or the endorsers of this Communiqué; nor does it imply that the products identified are necessarily the best available for the purpose. Further, any opinions, findings, conclusions or recommendations expressed in this material are those of the authors and do not necessarily reflect the views of NIST or any other supporting U.S. or European governments or corporate organizations.

Dr. Selja Seppälä is a Marie Skłodowska-Curie Career-FIT Fellow under the number MF20180003. She is grateful to the funding received from the European Union's Marie Skłodowska-Curie grant agreement No. 713654.

We wish to acknowledge the support of the ontology community, especially the invited speakers and participants who contributed to the Ontology Summit. There were many invited speakers, some of whom gave presentations at more than one session. The complete list of sessions, speakers, and links to presentation slides and video recordings is available at <https://bit.ly/3gKukvC>.

References

Baclawski, K. (2007a). Ontology Summit 2007 Survey Response Analysis. (Retrieved 9 June 2021 from <http://bit.ly/2DmZn0i>)

Baclawski, K. (2007b). Ontology Summit 2007 Survey Response - Issues. (Retrieved 9 June 2021 from <http://bit.ly/2DoEa6i>)

Baclawski, K. (2021). Shimmering Semantics: Some Insights for Ontologies from Lexicography. (Retrieved 1 June 2021 from <https://bit.ly/32WdO5I>)

Baclawski, K., Bennett, M., Berg-Cross, G., Casanave, C., Fritzsche, D., Ring, J., Schneider, T., Sharma, R., Singer, J., Sowa, J., Sriram, R.D., Westerinen, A., Whitten (2018a). Ontology Summit 2018 Communiqué: Contexts in Context. *Applied Ontology*, 13 (3): IOS Press, 181-200. (DOI: 10.3233/AO-180200 Retrieved 25 May 2020 <https://bit.ly/2LYPszt>)

Baclawski, K., Bennett, M., Berg-Cross, G., Fritzsche, D., Schneider, T., Sharma, R., Sriram, R.D., Westerinen, A. (2018b). *Ontology Summit 2017 Communiqué: AI, Learning, Reasoning and Ontologies*. *Applied Ontology*, 13 (1), 3–18. (DOI: 10.3233/AO-170191 Retrieved 9 September 2021 from <https://bit.ly/2PWRTTrO>)

Baclawski, K., Bennett, M., Berg-Cross, G., Fritzsche, D., Sharma, R., Singer, J., Singer, J., Sowa, J., Sriram, R.D., Underwood, M., Whitten, D. (2020a). *Ontology Summit 2019 Communiqué: Explanation*. *Applied Ontology*. (DOI: 10.3233/AO-200226 Retrieved 9 September 2021 from <http://bit.ly/2TDdyTG>)

Baclawski, K., Bennett, M., Berg-Cross, G., Fritzsche, D., Sharma, R., Singer, J., Sowa, J., Sriram, R.D., Whitten, D. (2020b, April). *Ontology Summit 2020 Communiqué: Knowledge Graphs*. *Applied Ontology*, 16 (2), 229–247.

Baclawski, K., & Duggar, V. (2007). *Ontology Summit 2007 Assessment Report*. (Retrieved 9 June 2021 from <http://bit.ly/2KTTD2J>)

Bennett, M. (2021). *The Landscape of Ontology Purpose*. (Retrieved 1 June 2021 from <https://bit.ly/3rIs4K4>)

Berg-Cross, G. (2021a). *Introduction to Harmonizing Definitions and the EnvO Ontology*. (Retrieved 1 June 2021 from <https://bit.ly/3pnkwdG>)

Berg-Cross, G. (2021b). *Semantic harmonizations of concepts revisited: work in the context of the ontology development landscape*. (Retrieved 1 June 2021 from <https://bit.ly/3vsfJuY>)

Blasko, M., Kremen, P., & Kouba, Z. (2015). *Ontology evolution using ontology templates*. *Open Journal of Semantic Web (OJSW)*, 2 (1), 16–29.

Breiner, S. (2021). *Ontology and the Bayesian Brain*. (Retrieved 1 June 2021 from <https://bit.ly/3o0UOfV>)

Carvalho, R., Laskey, K., & Costa, P. (2017). *PR-OWL – a language for defining probabilistic ontologies*. *International Journal of Approximate Reasoning*, 91, 56–79.

Cassidy, P., Obrst, L., Ray, S., Soergel, D., & Yim, P. (2006). *Ontology Summit 2006: Upper Ontology Summit*. (Retrieved 9 September 2021 from <http://bit.ly/2fQ6XWh>)

Ceylan, I., & Peñaloza, R. (2017). *The Bayesian Ontology Language BEL*. *Journal of Automated Reasoning*, 58, 67–95.

Chen, J., Ludwig, M., Ma, Y., & Walther, D. (2019). *Computing minimal projection modules of description logic terminologies*. In *Proceedings of Logics in Artificial Intelligence - 16th European Conference, JELIA (Vol. 11468, pp. 355–370)*. Rende, Italy: Springer. (https://doi.org/10.1007/978-3-030-19570-0_23)

Dickerson, L. (2021). *Integrating Sustainability into Ontology Development: The Case of GAO's Fraud Ontology*. (Retrieved 1 June 2021 from <https://bit.ly/3x3XrBX>)

EnvO GitHub Site. (n.d.). (Retrieved 1 June 2021 from <https://bit.ly/2TqP6sq>)

ESIP 2021 *Advances in Semantic Harmonization: from the Cryosphere, to the Earth System*. (2021). (Retrieved 1 June 2021 from <https://bit.ly/3wQbHgx>)

- Franch, X., & Ruhe, G. (2016). Software release planning. In 2016 IEEE/ACM 38th International Conference on Software Engineering Companion (ICSE-C) (pp. 894–895).
- Gaur, M., Faldu, K., & Sheth, A. (2021). Semantics of the black-box: Can knowledge graphs help make deep learning systems more interpretable and explainable? *IEEE Internet Computing*, 25 (1).
- Hanks, P., & Jezek, E. (2008). Shimmering lexical sets. In *Euralex XIII Proceedings*.
- Hitzler, P. (2021a). Neural-Symbolic Integration and Ontologies. (Retrieved 1 June 2021 from <https://bit.ly/2ZPsKRk>)
- Hitzler, P. (2021b). A review of the semantic web field. *Communications of the ACM*, 64 (2), 76–83.
- Kapanipathi, P. (2021). Getting AI to Reason: Using NeuroSymbolic AI for Knowledge-based Question Answering. (Retrieved 1 June 2021 from <https://bit.ly/3f2PDba>)
- Kautz, H. (2021). Toward a Taxonomy of Neuro-Symbolic Systems.
- Kotis, K., Vouros, G., & Spiliotopoulos, D. (2020). Ontology engineering methodologies for the evolution of living and reused ontologies: status, trends, findings and recommendations. *The Knowledge Engineering Review*, 35.
- Lamb, L. (2021). Neural-symbolic AI: From Turing to Deep Learning. (Retrieved 1 June 2021 from <https://bit.ly/2OgesXT>)
- Majumdar, A. (2021). Ontology from Graph Signal Processing. (Retrieved 1 June 2021 from <https://bit.ly/3tS4T0w>)
- Masolo, C. (2021). Experiences in developing with DOLCE. (Retrieved 1 June 2021 from <https://bit.ly/2OGusCt>)
- Matentzoglou, N., Malone, J., Mungall, C., et al. (2018). MIRO: guidelines for minimum information for the reporting of an ontology. *J Biomed Semant*, 9 (6).
- Neuhaus, F., Smith, B., Florescu, E., Galton, A., Grüninger, M., Guarino, N., Obrst, L., Sanchez, A., Vizedom, A., Yim, P. (2010). Ontology Summit 2010 Communiqué: Creating the Ontologists of the Future. (Retrieved 9 June 2021 from <http://bit.ly/2fOGuIO>)
- NIEM website. (2017). National Information Exchange Model of the Office of the Director of National Intelligence. (Retrieved 2 June 2018 from <http://bit.ly/2Lcm1re>)
- Obrst, L., Cassidy, P., Ray, S., Smith, B., Soergel, D., West, M., & Yim, P. (2006). The 2006 Upper Ontology Summit Joint Communiqué. *J. Appl. Formal Ontology*, 1 (2), 203–211.
- Obrst, L., Musen, M., Smith, B., Neuhaus, F., Olken, F., Grüninger, M., Raymond, M., Hayes, P., Sharma, R. (2008). Ontology Summit 2008 Communiqué: Towards an Open Ontology Repository. *Ontolog Forum*. (Retrieved 9 June 2021 from <http://bit.ly/2fOGs3E>)
- Ontological commitment. (2014). *Stanford Encyclopedia of Philosophy*. (Retrieved 15 June 2021 from <https://stanford.io/2SssY0V>)
- Ontology Term List. (2020). (Retrieved 30 June 2021 from <https://bit.ly/3AoAPxE>)
- Ontology Tools and Resources. (2021). (Retrieved 1 June 2021 from <https://bit.ly/2UdoSKC>)

- Schneider, T. (2021). *Ontology Landscape: One View*. (Retrieved 1 June 2021 from <https://bit.ly/3cYRKxw>)
- Searle, J. (2010). *Making the social world: The structure of human civilization*. Oxford: Oxford University Press.
- Seppälä, S. (2021). *Systematizing definitions in ontologies*. (Retrieved 1 June 2021 from <https://bit.ly/3eUnHrQ>)
- Seppälä, S., Ruttenberg, A., Schreiber, Y., & Smith, B. (2016). *Definitions in Ontologies*. *Cahiers de lexicologie*, 2 (109), 173–206. (Retrieved 1 June 2021 from <https://bit.ly/3g4QWXN>)
- Seppälä, S., Ruttenberg, A., & Smith, B. (2016, July). *The Functions of Definitions in Ontologies*. In R. Ferrario & W. Kuhn (Eds.), *Formal Ontology in Information Systems: Proceedings of the 9th International Conference (FOIS 2016)* (Vol. 283, pp. 37–50). Annecy, France: IOS Press (Frontiers in Artificial Intelligence and Applications). (Retrieved 1 June 2021 from <https://bit.ly/3yTPsYZ>)
- Seppälä, S., Ruttenberg, A., & Smith, B. (2017). *Guidelines for Writing Definitions in Ontologies*. *Ciência da Informação (Information Science Journal)*, 46 (1), 73–88. (Retrieved 1 June 2021 from <https://bit.ly/3c9G5dL>)
- Sharma, R. (2021). *Ontology Generation and Harmonization*. (Retrieved 15 June 2021 from <https://bit.ly/2YX3qsh>)
- Sheth, A. (2021). *Semantics of the Black-Box: Can knowledge graphs help make deep learning systems more interpretable and explainable?* (Retrieved 1 June 2021 from <https://bit.ly/3wG36Oc>)
- Sheth, A., Gaur, M., Kursuncu, U., & Wickramarachchi, R. (2019). *Shades of knowledge-infused learning for enhancing deep learning*. *IEEE Internet Computing*, 23 (6), 54–63. (doi: 10.1109/MIC.2019.2960071)
- Silva, A., Pérez-Alcázar, J., & Kofuji, S. (2019). *Interoperability in semantic web of things: Design issues and solutions*. *International Journal of Communication Systems*, 32 (6).
- SKOS (2009). *SKOS Simple Knowledge Organization System Reference*. World Wide Web Consortium. (Retrieved 8 September 2021 from <http://www.w3.org/TR/skos-reference>)
- Sowa, J. (2021). *Automated and semi-automated methods for developing and using ontologies*. (Retrieved 1 June 2021 from <https://bit.ly/2P3ciLB>)
- Sriram, R. (2021). *Neuro-Symbolic Learning Technologies*. (Retrieved 1 June 2021 from <https://bit.ly/3kh3Aog>)
- Suresh, H., & Gutttag, J. (2019). *A framework for understanding unintended consequences of machine learning*. (arXiv preprint [arXiv:1901.10002](https://arxiv.org/abs/1901.10002))
- Uschold, M. (2021). *Commercial Ontology Development*. (Retrieved 1 June 2021 from <https://bit.ly/3dHXfAJ>)
- Westerinen, A. (2021). *Experiences with Foundational, Domain and Application Ontologies in OWL2*. (Retrieved 1 June 2021 from <https://bit.ly/3bSRbEu>)
- Woods, C., & Low, E. (2021). *Representing ontologies in Natural Language and First-Order Logic: Why do we need both?* (Retrieved 1 June 2021 from <https://bit.ly/3vKPfG2>)